

## 2025 CATALOG COLLECTION

# Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear\*
   Only available for INTL

#### **Digital Catalogs**

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



## Bestway.



ANNIVERSARY 1994 — 2024

Three decades ago, Bestway created its very first product: a beach ball!

Since then, Bestway has produced over **1,100 products** in more than **120 countries** worldwide. In fact, 1 in 50 people around the world owns a Bestway product.

From our commitment to **innovation** and assuring the highest **quality** possible, to our vertically integrated manufacturing systems and **sustainability** efforts, every product Bestway creates centers on one goal: to help our customers get the most out of life by enjoying more adventure and making more memories.

Here's to the first 30 years, and to many, many more as we help people "Live It Up!"

# OUR VISION & MISSION

**Our Vision** has remained the same since we created our very first product – a simple beach ball – in 1994: to create high-quality, innovative, recreational products that bring fun, relaxation and adventure to people's lives. Behind that vision is our mission to create memorable experiences for families who want to splash into summer, relax in winter and make the most of every moment year-round.

Now over 30 years later, **Bestway** has forged a global presence in more than 120 countries by developing over 1,100 products and becoming forward-thinkers about sustainable business practices.

## SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. Our advanced online services and customer service team allow customers to easily resolve issues that arise with their products, offer downloadable manuals and instructional videos, answers to their frequently asked questions and call support.





VERTICALLY INTEGRATED



CUSTOME



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION



SERVICE & SOLUTIONS

# WHAT'S NEW AT BESTWAY

In 2020, Bestway opened our doors to a new, clean, state-of-the-art manufacturing facility in Vietnam in an effort to diversify our production capabilities globally. With rapid plans for expansion, this new facility offers additional tariff-saving opportunities and flexibility in Bestway's global manufacturing efforts.

Our Vietnam facility currently manufactures air mattresses, air pumps, pool filter pumps, inflatable pools, pool covers and trampolines. These products go through extensive PVC, lab and lifecycle testing to ensure high-quality and longevity.



## VIETNAM QA TESTING PROCESS











HAIAN



SHANGHAI

# AROUND THE WORLD



SHANGHAI, CHINA HO . PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai,



**BELGIUM / LUXEMBURG** SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 55 60 42 02 info@bestwaycorp.be



MOSCOW, RUSSIA SUBSIDIARY

Moscow, metro Taganskaya, st. Bolshiye Kamenschiki, 6, building 1



CHANDLER, U.S.A R&D . SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888



HONG KONG, CHINA R&D . SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



DUBAI, U.A.E. SUBSIDIARY

International Media Production Zone (IMPZ) Plot C22 +971 55 859 3104 / +971 4 2476 743 info@bestwayme.com



MILAN, ITALY

R&D . SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881

HAMBURG, GERMANY SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



info@bestway-russia.ru



COPENHAGEN, DENMARK SUBSIDIARY

Amagertory 17, 3th FI DK-1160

Copenhagen K Denmark +45 78744569

info@bestwayscandinavia.eu

SAN PAULO, BRAZIL SUBSIDIARY

Zip Code: 87010-055 +55 44 3052-6006 info@bestwaycorp.com.br



SANTIAGO, CHILE SUBSIDIARY

Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile +562 3203 6438 info@bestwaycorp.lat



SYDNEY, AUSTRALIA SUBSIDIARY

Unit 2/98-104 Carnaryon St Silverwater, NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



WARSAW, POLAND SUBSIDIARY

Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl

# B THE CHANGE MISSION

#### Our Commitment to a Better Future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging**.







Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38 Categories of Materials



Water is Reused in Factories, Offices & Dormitories



Annual Recipient of "China Top Performing Suppliers on Climate Action" Award



## MAKING BESTWAY® MEMORIES

Here at Bestway, we have your customer's comfort in mind. With many options to choose from, there is an air mattress for everyone. Our air mattresses are easy to use and give your customers the comfort and rest they need and desire. Because many of the air mattresses can be used both indoors as well as outdoors, there's an option for customers in every season!





# CONTENTS

TECHNOLOGY	12-15
OUTDOOR AIR MATTRESSES	16-37
INDOOR AIR MATTRESSES	38-93
- TRITECH®	42-61
- TRITECH® FASHION FLOCK™	62-69
- TOUGH GUARD™ / FORTECH®	70-79
- ALWAYZAIRE®	80-87
- TOUGHLITE™ TPU	88-93
AIR FURNITURE	94-109
KIDS AIR FURNITURE	110-119
ACCESSORIES	120-121
AIR PUMPS	122-131
INDEX	134-135

# **TECHNOLOGY** & STRUCTURE

Bestway has invested time and money into its R&D department with the goal of providing the most comfortable and durable air mattresses. Our innovations have led to new technologies, new materials and better information for our customers.

## **TRITECH®**

Bestway's ultra sturdy Tritech® is a 3-ply reinforced material. With a polyester mesh core encased in two layers of laminated PVC, this material offers superior strength and durability. With Tritech, air mattresses keep their shape no matter how many times they're inflated or deflated. Plus, air mattresses are stress-tested against the typical weight, strain and movement of a good night's sleep to guarantee longevity.



**MORE STRETCH** RESISTANT

**MORE PRESSURE** RETENTION'

STRONGER'


\*Compared to an Equivalent Size Vinyl Air Mattress

#### HIGH GAUGE VINYL

ensures maximum performance by sealing in air and preventing pressure loss overnight.

#### POLYESTER MESH

increases stretch-resistance, ensures the bed keeps its shape over time, and decreases bed sagging



## TOUGH GUARD™ FORTECH®



#### POLYESTER MATERIAL

provides temperature-regulation and protection from stretching, punctures and abrasions.

#### HIGH GAUGE VINYL

ensures maximum performance by sealing in air and preventing pressure loss overnight.

Bestway's Tough Guard™ / Fortech® air mattresses represent the future of inflatable bed technology.

The ground-breaking material provides unparalleled strength, durability and comfort, making it a leading innovation in the industry.

150X

MORE ABRASION RESISTANT

92%

MORE STRETCH RESISTANT

75%

MORE PUNCTURE RESISTANT

\*Compared to an Equivalent Size Vinyl Air Mattress

# COMFORTABLE BUILT TO LAST

#### PUNCTURE RESISTANT

**STRONG** 

MATERIAL

Tough Guard / Fortech material is 75% more puncture resistant and 150 times more resistant to scratches.

#### STRONGER IGNITION RESISTANCE

Tough Guard / Fortech material is 20% more flame-retardant.

#### STRETCH RESISTANT

Tough Guard / Fortech material is more resistant to stretching, which is typically caused by repeated inflation and use by customers.

#### LIGHTWEIGHT MATERIAL

Tough Guard / Fortech beds are up to 15% lighter in weight compared to PVC beds of the same size.

#### SOFT MATERIAL

The Tough Guard / Fortech material provides a soft and comfortable sleeping surface comparable to that of flocked PVC.

#### TEMPERATURE REGULATION

Tough Guard / Fortech material stabilizes temperatures, ensuring beds never become too cold or too hot, unlike PVC beds.

#### **OVER-INFLATION DAMAGE**

Tough Guard / Fortech beds are 70% more resistant to damage caused by over-inflation.

#### **ROLLER TESTING**

In a continuous roll test of 300 lbs, Tough Guard / Fortech beds lasted 35% longer than standard PVC beds.

#### **INTERNAL AIR LOSS**

After extended use during simulation testing, Tough Guard / Fortech air mattresses retain 22% more internal air pressure than PVC beds.

#### **NYLON MATERIAL**

provides temperature-regulation and protection from stretching, punctures and abrasions.

#### HIGH-PERFORMANCE TPU

is a naturally flexible material, providing lightweight convenience.

## TOUGHLITE" TPU

#### **RELIABLE MATERIAL**

PROVIDES SUPERIOR COMFORT & DURABILITY

ToughLite™ TPU material is 2.4x more puncture resistant and 150x more abrasion resistant than traditional PVC. This material is extra light, compact and easy to carry, weighing in over 40% lighter than a traditional air mattress. ToughLite TPU material is PVC-free, making it more durable, resulting in lower waste over time.



MORE PUNCTURE RESISTANT

MORE ABRASION RESISTANT

MORE STRETCH-RESISTANT **80%** 

**#40%** LIGHTER'

PVC-FREE MATERIAL

\*Compared to an Equivalent Size Vinyl Air Mattress



## **ALWAYZAIRE**®

## ADVANCED DUAL PUMP TECHNOLOGY

Bestway is excited to offer air mattresses with innovative AlwayzAire® technology. Consumers can rest easy knowing their beds will remain fully inflated throughout the night.

- NO AIR LOSS, STRETCHING OR OVERINFLATION
- ► COMFORT DIAL CUSTOMIZABLE FIRMNESS
- ▶ INTUITIVE ONE-TOUCH CONTROLS

#### INTERNAL PSI GAUGE & MOTOR

Detects drops in internal pressure and will automatically start the silent re-inflation pump to restore the bed to its intended firmness.

#### QUICK & EASY DEFLATION

The auto-deflation function allows effortless deflation of the bed. The deflation pump will automatically shut off once the internal PSI reaches 0.



# OUTDOOR AIR MATTRESSES

Bestway's outdoor air mattresses let you take the adventure outside without compromising on comfort. Whether you are camping or just want to enjoy a night under the stars in your own backyard, you will find an outdoor air mattress to fit your needs. Coil beam construction, sturdy vinyl and soft, velvet-like sleeping surfaces provide a comfortable night's sleep for your next adventure.



# OUTDOOR AIR MATTRESSES MATRIX



HEIGHT	ITEM#	MATERIAL & BEAM	SIZE	PICTURE	PUI	МР	PG.
8.75 IN. / 22 CM	67000/E (INTL/US)	PVC     Coil Beam	Jr. Twin			-	20
8.75 IN. / 22 CM	67001/E (INTL/US)	<ul><li>PVC</li><li>Coil Beam</li></ul>	Twin			œ	20
8,75 IN. / 22 CM	67002/E (INTL/US)	PVC     Coil Beam	Full			=	20
8.75 IN. / 22 CM	67003/E (INTL/US)	• PVC • Coil Beam	Queen			=	20
8.75 IN. / 22 CM	67004 (INTL)	PVC     Coil Beam	King	//////		-	20
8.75 IN. / 22 CM	67287 [INTL]	PVC     Coil Beam	Full		Handheld AC Pump		20
8.75 IN. / 22 CM	67472 [NA]	• PVC • Coil Beam	Full		Handheld AC Pump		20
8.75 IN. / 22 CM	67374/E (INTL/US)	PVC     Coil Beam	Queen		Manual Hand Pump		20
11 IN. / 28 CM	67223/E (INTL/US)	• PVC • Coil Beam	Jr. Twin		Built-in Foot Pump	2	21
11 IN. / 28 CM	67224/E [INTL/US]	PVC     Coil Beam	Twin		Built-in Foot Pump		21
11 IN. / 28 CM	67225/E  INTL/US	PVC     Coil Beam	Full		Built-in Foot Pump		21
11 IN. / 28 CM	67226/E [INTL/US]	PVC     Coil Beam	Queen		Built-in Foot Pump		21

HEIGHT	ITEM#	MATERIAL & BEAM	SIZE	PICTURE	PUMP	PG
10 IN. / 25 CM	6713K/E [INTL/US]	Tritech Vertical I-Beam	Jr. Twin		=	22
10 IN. / 25 CM	6713L/E (INTL/US)	Tritech® Vertical I-Beam	Twin	4	s=c	22
10 IN. / 25 CM	6713M/E (INTL/US)	Tritech® Vertical I-Beam	Full		8 <del>-</del> 22	22
10 IN. / 25 CM	6713N/E [INTL/US]	Tritech® Vertical I-Beam  Tritech®	Queen		ş=	22
12 IN. / 30 CM	67680/E (INTL/US)	Tritech® Vertical I-Beam	Twin		9 <b>=</b> 0	23
12 IN. / 30 CM	67681/E (INTL/US)	Tritech® Vertical I-Beam	Full		E-	23
12 IN. / 30 CM	67682/E (INTL/US)	Tritech® Vertical I-Beam	Queen		=	23
14 IN. / 36 CM	67699/E [INTL/US]	Tritech® Vertical I-Beam	Queen		S <b>—</b> 3	24

HEIGHT	ITEM#	MATERIAL & BEAM	SIZE	PICTURE	PUM	P	PG.
8.75 IN. / 22 CM	67619/E (INTL/US)	PVC     Coil Beam	Twin		Bag Pump		26
8.75 IN. / 22 CM	67703/E (INTL/US)	PVC     Coil Beam	Queen		Bag Pump		26
10 IN. / 25 CM	67922/E (INTL/US)	Tritech  Vertical I-Beam	Twin/ King			<del>-</del> -:	28
12 IN. / 30 CM	67930/E (INTL/US)	Tritech® Vertical I-Beam	Queen		Built-in Battery Pump		30
10 IN. / 25 CM	6716S/E [INTL/US]	Tritech® Vertical I-Beam  Tritech®	Queen		Built-in USB Rechargeable Pump	G.	32
14 IN. / 36 CM	6716T/E [INTL/US]	Tritech® Horizontal I-Beam	Queen		Built-in USB Rechargeable Pump		33
14 IN. / 36 CM	69078/E [INTL/US]	<ul> <li>Fortech®/ Tough Guard™</li> <li>Horizontal I-Beam</li> </ul>	Queen		Removable AlwayzAire® Rechargeable Dual Pump	0 8 0	34
3.5 IN. / 9 CM	68123/E [INTL/US]	<ul> <li>Shell Fabric &amp; Lir 190T Polyester / I 170g/m² Hollow f</li> <li>ToughLite™ TPU r</li> </ul>	Padding: iber				36

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

## AIR PUMP TYPES



Handheld

AC Pump

Built-in Foot Pump



Bag Pump


NEW GEN



Built-in Battery Pump



Built-in USB Rechargeable Pump



Removable AlwayzAire® Rechargeable Dual Pump

## 8.75 IN. / 22 CM **AIR MATTRESS**



**Outdoor Use** Height



Coil Beam 2-Way Construction Interlocking Quick Release Valve



- Bed Height: 8.75 in. / 22 cm
- · Traditional coil beam construction
- · Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box








FOR: 67374

FOR: 67287

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP INCLUDED	INCLUDED	CAPACITY	PACK	CASE WEIGHT
67000/E	Jr. Twin	INTL/US	73 in. x 30 in. x 8.75 in. / 1.85 m x 76 cm x 22 cm			330 lbs (150 kg)	6	26.3 lbs [11.9 kg]
67001/E	Twin	INTL/US	74 in. x 39 in. x 8.75 in. / 1.88 m x 99 cm x 22 cm			330 lbs [150 kg]	6	33.5 lbs [15.2 kg]
67002/E	Full	INTL/US	75 in. x 54 in. x 8.75 in. / 1.91 m x 1.37 m x 22 cm		-	661 lbs (300 kg)	4	30.4 lbs [13.8 kg]
67003/E	Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm		-	661 lbs (300 kg)	3	26.9 lbs [12.2 kg]
67004	King	INTL	80 in. x 72 in. x 8.75 in. / 2.03 m x 1.83 m x 22 cm		1	661 lbs (300 kg)	2	21.1 lbs [9.6 kg]
67472	Full	NA	75 in. x 54 in. x 8.75 in. / 1.91 m x 1.37 m x 22 cm	62253 (110-120 V)		661 lbs (300 kg)	3	27.5 lbs (12.5 kg)
67287	Full	INTL	75 in. x 54 in. x 8.75 in. / 1.91 m x 1.37 m x 22 cm	62252 (220-240 V)	-	661 lbs (300 kg)	3	27.5 lbs [12.5 kg]
67374/E	Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm	62002	2 pillows	661 lbs (300 kg)	3	31.8 lbs (14.4 kg)
Secretary Control	Park Street Street							

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



## 11 IN. / 28 CM **BUILT-IN FOOT PUMP AIR MATTRESS**











Outdoor Use

Height

Coil Beam Construction

Foot Pump Interlocking Quick

· Designed for indoor and outdoor use

- . Bed Height (with pillow): 11 in. / 28 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- · Traditional coil beam construction
- · Convenient built-in foot pump efficiently inflates the bed
- · Comfortable flocked sleeping surface
- · Built-in pillow for ultimate comfort
- . 2-way interlocking quick release valve for fast, easy inflation & deflation
  - Full color box









FOR: 67224 / 67226

FOR: 67223 / 67225

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN FOOT PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67223/E	Jr. Twin	INTL/US	73 in. x 30 in. x 11 in. / 1.85 m x 76 cm x 28 cm	•		-	330 lbs (150 kg)	6	32.4 lbs [14.7 kg]
67224/E	Twin	INTL/US	74 in. x 39 in. x 11 in. / 1.88 m x 99 cm x 28 cm	•		-	330 lbs (150 kg)	6	39.7 lbs [18.0 kg]
67225/E	Full	INTL/US	75 in. x 54 in. x 11 in. / 1.91 m x 1.37 m x 28 cm	•	-	-	661 lbs (300 kg)	4	35.1 lbs (15.9 kg)
67226/E	Queen	INTL/US	80 in. x 60 in. x 11 in. / 2.03 m x 1.52 m x 28 cm		=	-	661 lbs (300 kg)	3	30.8 lbs [14.0 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

60 in. (1.52 m)	– QUE – FUL	12011	Ξ				
54 in. [1.37 m] 39 in. [99 cm]	– TWI	N -	NI .				
30 in. (76 cm)			0	0	0	0	
	0	0	٥	0	0	0	0
	0	0	0	0	0	0	· ]]]
[ 11 in. ]		_	73 i	n. [1	.85	ml	-111
[28 cm]	-	-	74 i	n. (1	.88	ml	$\rightarrow$
		-	75 i	n. (1	.91	m)	-
-			80 i	n. (2	2.03	ml	

BUILT-IN FOOT PUMP

## TRITECH® 10 IN. / 25 CM

## **AIR MATTRESS**



**Outdoor Use** 







Construction Interlocking Quick Release Valve

· Designed for indoor and outdoor use


Height

- Bed Height: 10 in. / 25 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box



TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
Jr. Twin	INTL/US	73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm		- 1	_	330 lbs (150 kg)	6	31.2 lbs [14.1 kg]
Twin	INTL/US	74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm		_	-	330 lbs (150 kg)	4	25.2 lbs [11.4 kg]
Full	INTL/US	75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm		-	_	661 lbs (300 kg)	4	34.8 lbs [15.8 kg]
Queen	INTL/US	80 in. x 60 in. x 10 in. / 2.03 m x 1.52 m x 25 cm				661 lbs (300 kg)	3	30.3 lbs [13.7 kg]
	Jr. Twin Twin Full	Jr. Twin INTL/US Twin INTL/US Full INTL/US	Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm	Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm         —           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm         —           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm         —	TYPE         LANGUAGE         INFLATED SIZE         AIR PUMP         TIME           Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm         —         —           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm         —         —           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm         —         —	TYPE         LANGUAGE         INFLATED SIZE         AIR PUMP         TIME         BAG           Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm         —         —         —         —           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm         —         —         —         —           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm         —         —         —	TYPE         LANGUAGE         INFLATED SIZE         AIR PUMP         TIME         BAG         CAPACITY           Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm         —         —         —         330 lbs [150 kg]           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm         —         —         —         330 lbs [150 kg]           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm         —         —         —         661 lbs [300 kg]	TYPE         LANGUAGE         INFLATED SIZE         AIR PUMP         TIME         BAG         CAPACITY         PACK           Jr. Twin         INTL/US         73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm         —         —         —         330 lbs [150 kg]         6           Twin         INTL/US         74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm         —         —         —         330 lbs [150 kg]         4           Full         INTL/US         75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm         —         —         —         661 lbs [300 kg]         4

US [E] = USA English Language Only; INTL = Multi-Language; NA = Four Languages



## TRITECH® 12 IN. / 30 CM

## AIR MATTRESS







Height





I-Beam 2-Way
Construction Interlocking Quick Release Valve




- · Designed for indoor and outdoor use
- Bed Height (with pillow): 12 in. / 30 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- Comfortable flocked sleeping surface
- · Built-in pillow
- 2-way interlocking quick release valve for fast, easy inflation & deflation
- · Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	INFLATION TIME	STORAGE BAG	WEIGHT	CASE PACK	CASE WEIGHT
67680/E	Twin	INTL/US	74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm	All San	- /-		330 lbs (150 kg)	4	24.9 lbs (11.3 kg)
67681/E	Full	INTL/US	75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm		-	=	661 lbs (300 kg)	4	33.4 lbs [15.2 kg]
67682/E	Queen	INTL/US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	-	-	-	661 lbs (300 kg)	3	29.2 lbs [13.3 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



## TRITECH® 14 IN. / 36 CM

## **AIR MATTRESS**



**Outdoor Use** 









Height

Construction Interlocking Quick Release Valve

- · Designed for indoor and outdoor use
- Bed Height (with pillow): 14 in. / 36 cm
- Bed Height (without pillow): 12 in. / 30 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Comfortable flocked sleeping surface
- Built-in pillow
- 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67699/E	Queen	INTL/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm		/ y s <del>-</del>		661 lbs (300 kg)	2	25.4 lbs [11.5 kg]

US [E] = USA English Language Only; INTL = Multi-Language; NA = Four Languages

	- QUEEN
60 in. (1.52 m)	
14 in. (36 cm)	



## **ROLL & RELAX™ 8.75 IN. / 22 CM**

## STORAGE BAG PUMP AIR MATTRESS



**Outdoor Use** 









Coil Beam Construction

Interlocking Quick Release Valve

Inflation System

· Designed for indoor and outdoor use

Height

- Bed Height: 8.75 in. / 22 cm
- · Traditional coil beam construction
- . AirCinch™ Inflation System splash-proof storage bag functions as an air pump and inflatable pillow
- · Innovative pump system inflates mattress within 90 seconds (~12 compressions) without the hassle of a heavy pump (67703/E)
- · Innovative pump system inflates mattress within 50 seconds (-6 compressions) without the hassle of a heavy pump (67619/E)
- · Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE	CASE WEIGHT
67619/E	Twin	INTL/US	74 in. x 39 in. x 8.75 in. / 1.88 m x 99 cm x 22 cm	0		•	330 lbs [150 kg]	4	28.2 lbs [12.8 kg]
67703/E	Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm			• 6	661 lbs (300 kg)	4	42.5 lbs [19.3 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

60 in. (1,52 m)								
	LT.	WIN	ı —	_	-	-	_	_
39 in. [99 cm]	0	0	0	0	0	0	0	0
1 1	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0
8.75 in. [22 cm]		_	- 7	4 in.	(1.8	8 m	d –	

AIRCINCH" INFLATION SYSTEM

Splash-proof storage bag functions as

an air pump and inflatable pillow. It just takes 5-7 compressions to fully inflate

the air mattress.



## TRITECH® 10 IN. / 25 CM CONNECT AND REST™ 3-IN-1 AIR MATTRESS



**Outdoor Use** 





Height







Construction Interlocking Quick

Release Valve

- · Designed for indoor and outdoor use
- · Bed Height (Single Layer): 10 in. / 25 cm
- Bed Height (Double Layer): 20 in. / 51 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · 3-in-1 air mattress can be used as 2 Twin air mattresses, a King air mattress or a double layer Twin air mattress
- · Connected with adjustable buckles
- · Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- · Full color box



39 in. [99 cm]

10 in. (25 cm)

74 in. (1.88 m)



FOR: 67922

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	TIME	STORAGE	CAPACITY	PACK	CASE WEIGHT
67922/E	Twin / King	INTL/US	74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm	= 1			330 lbs [150 kg] / 661 lbs [300 kg]	2	24.1 lbs [10.9 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



## TRITECH® 12 IN. / 30 CM

#### **BUILT-IN BATTERY PUMP AIR MATTRESS**



**Outdoor Use** 





Construction





Time





**Battery Pump** (Batteries not

Interlocking Quick Release Valve

Pillow

· Designed for indoor and outdoor use

Height


- · Bed Height (with pillow): 12 in. / 30 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- Built-in pump uses 4x D Cell batteries (not included) and inflates the bed in 3 minutes
- · Comfortable flocked sleeping surface
- Built-in pillow
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67930/E	Queen	INTL/US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	6 V	3 minutes	-	661 lbs (300 kg)	2	22.5 lbs (10.2 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



**BUILT-IN BATTERY PUMP** 



## TRITECH® 10 IN. / 25 CM **BUILT-IN RECHARGEABLE PUMP AIR MATTRESS**



**Outdoor Use** Height



Construction



Rechargeable

Pump





Interlocking Quick

Release Valve

· Designed for indoor and outdoor use

- Bed Height: 10 in. / 25 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- Built-in rechargeable pump inflates the bed in 2 minutes and deflates instantly when pump is removed
- · Remove pump to charge with included USB cable; 1 battery charge = 2 full inflations
- · Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- · Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6716S/E	Queen	INTL/US	80 in. x 60 in. x 10 in. / 2.03 m x 1.52 m x 25 cm	3.7 V	2 minutes		661 lbs (300 kg)	2	23.9 lbs [10.8 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

REMOVABLE & RECHARGEABLE PUMP One full battery charge inflates the bed twice

## TRITECH® 14 IN. / 36 CM BUILT-IN RECHARGEABLE PUMP AIR MATTRESS











Time



Construction Rechargeable Pump

Interlocking Quick Release Valve

. Designed for indoor and outdoor use

Height

- Bed Height: 14 in. / 36 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- Built-in rechargeable pump inflates the bed in 4 minutes and deflates instantly when pump is removed
- · Remove pump to charge with included USB cable; 1 battery charge = 2 full inflations
- · Comfortable flocked sleeping surface
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box






FOR: 6716T

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
6716T/E	Queen	INTL/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	3.7 V	4 minutes	-	661 lbs (300 kg)	2	31.6 lbs (14.3 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



REMOVABLE & RECHARGEABLE PUMP One full battery charge inflates the bed twice

## ALWAYZAIRE® 14 IN. / 36 CM TOUGH GUARD™ / FORTECH® RECHARGEABLE DUAL PUMP AIR MATTRESS









Rechargeable













Height

Construction

Pump

Time

Interlocking Quick Release Valve

Pillow

Included



. Bed Height (with pillow): 14 in. / 36 cm

. Bed Height (without pillow): 13 in. / 33 cm

 Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC

· Balanced horizontal I-Beam construction

• Built-in rechargeable AlwayzAire® dual pump inflates the bed in 3 minutes and deflates instantly when pump is removed


- · Remove pump to charge with included USB cable; 1 battery charge = 1 full inflation & 7 nights of continuous power
- . Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night
- . Soft backlit pump face provides convenience in the dark
- · Built-in pillow
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	TIME	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
69078/E	Queen	INTL/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	7.4 V	3 minutes	•	772 lbs (350 kg)	2	36.7 lbs [16.6 kg]

US [E] = USA English Language Only; INTL = Multi-Language; NA = Four Languages



REMOVABLE & RECHARGEABLE One full battery charge fully inflates the bed and maintains pressure for up to 7 nights



## **WANDERLITE™ 2-IN-1**

#### SLEEPING BAG AND AIR PAD





















Thickness

Insulation

Pillow or Clothes

Resistant ToughLite™ TPU

Zipper

Fits Air Pad

Included


- Ideal temperature range: 48°F/ 9°C ~ 54°F/12°C
- Compact, packed size of 8.3 in. x 8.3 in. x 15.75 in. / 21 cm x 21 cm x 40 cm to easily fit in your pack
- · Integrated air pad featuring puncture-resistant ToughLite™ TPU material
- · Back sleeve fits air pad and prevents sliding during use
- · Pocket in hood for pillow or clothes (pillow not included)
- · 2-way zipper
- · Carry bag with hangtag & display (68123)
- · Carry bag & display (68123E)





ITEM#	TYPE	LANGUAGE	SIZE	BUILT-IN PUMP	INFLATION	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
68123/E	=	INTL/US	80 in. x 29.5 in. x 3.5 in. / 2.03 m x 75 cm x 9 cm	-	I E			6	28.7 lbs [13.0 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



INTEGRATED WITH A CAMPING AIR PAD For added comfort





Bestway is committed to making innovative, quality products for all walks of life. That commitment means that our indoor air mattresses are constructed with super soft, velvet-like sleeping surfaces for a great night's rest. Plus, they are easy to inflate and deflate! They're ideal for guests, work wonderfully for spare rooms, game rooms and anywhere you need extra sleeping space.



# INDOOR AIR MATTRESSES MATRIX



	HEIGHT	ITEM #	MATERIAL & BEAM	SIZE	PICTURE	PU	MP	PG
	12 IN. / 30 CM	671BQ (INTL) 671BQE (US)	Tritech®     Vertical I-Beam	Twin		Built-in USB Pump	ψ	44
	12 IN. / 30 CM	671BR (INTL) 671BRE (US)	Tritech® Vertical I-Beam	Full		Built-in USB Pump	ψ	44
(Sufferinger)	12 IN. / 30 CM	671BS (INTL) 671BSE (US)	Tritech® Vertical I-Beam	Queen		Built-in USB Pump	ψ	44
	14 IN. / 36 CM	671BT (INTL) 671BTE (US)	• Tritech® • Vertical I-Beam	Twin		Built-in USB Pump	Ŷ	45
	14 IN. / 36 CM	671BU (INTL) 671BUE (US)	• Tritech® • Vertical I-Beam	Queen		Built-in USB Pump	Ŷ	45
	18 IN. / 46 CM	67401 [INTL] 67402/E [NA/US]	• Tritech® • Vertical I-Beam	Twin		Built-in AC Pump		46
-	18 IN. / 46 CM	67403 (INTL) 67404/E (NA/US)	Tritech <sup>a</sup> Vertical I-Beam	Queen		Built-in AC Pump		46
	18 IN. / 46 CM	67628 (INTL) 67629/E (NA/US)	• Tritech® • Vertical I-Beam	Twin		Built-in AC Pump		48
	18 IN. / 46 CM	67630 (INTL) 67631/E (NA/US)	• Tritech® • Vertical I-Beam	Queen		Built-in AC Pump		48
	22 IN. / 56 CM	67614 (INTL) 67615/E (NA/US)	Tritech® Vertical I-Beam	Queen		Built-in AC Pump		50
	22 IN. / 56 CM	67692 (INTL) 67693/E (NA/US)	Tritech® Vertical I-Beam  Tritech®	King		Built-in AC Pump		50
	24 IN. / 61 CM	67690 (INTL) 67691/E (NA/US)	• Tritech® • Horizontal I-Beam	Queen		Built-in AC Pump		52

	HEIGHT	ITEM #	MATERIAL & BEAM	SIZE	PICTURE	PUI	MP	PG.
	20 IN. / 51 CM	6713G (INTL) 6713H/E (NA/US)	Tritech® Horizontal I-Beam	Twin		Built-in AC Pump		54
	20 IN. / 51 CM	6713  (INTL) 6713J/E (NA/US)	Tritech  Horizontal I-Beam	Queen		Built-in AC Pump		54
	20 IN. / 51 CM	6716P (INTL) 6716Q/E (NA/US)	• Tritech® • Wave Beam	Queen		Built-in AC Pump		56
3	33 IN. / 84 CM	67923 [INTL] 67924/E [NA/US]	Tritech® Horizontal I-Beam	Queen		Built-in AC Pump		58
NHW.	33 IN. / 84 CM	671BD (INTL) 671BE/E (NA/US)	Tritech® Horizontal I-Beam	Queen		Built-in AC Pump		60
	12 IN. / 30 CM	67836 [INTL] 67837/E [NA/US]	<ul> <li>Tritech®</li> <li>Horizontal</li> <li>I-Beam</li> </ul>	Queen		Built-in AC Pump		64
	14 IN. / 36 CM	6712Y [INTL] 6712Z/E [NA/US]	Tritech  Horizontal I-Beam	Queen		Built-in AC Pump		66
	22 IN. / 56 CM	6713E [INTL] 6713F/E [NA/US]	Tritech® Horizontal I-Beam	Queen		Built-in AC Pump		68
	14 IN. / 36 CM	69133 [INTL] 69134/E [NA/US]	• Fortech®/ Tough Guard™ • Wave Beam	Queen		Built-in AC Pump		72

	HEIGHT	ITEM #	MATERIAL & BEAM	SIZE	PICTURE	PUI	МР	PG.
	18 IN. / 46 CM	69048 (INTL) 69049/E (NA/US)	<ul> <li>Fortech® /         Tough Guard™</li> <li>Wave Beam</li> </ul>	Twin		Built-in AC Pump		74
	18 IN. / 46 CM	69050 (INTL) 69051/E [NA/US]	Fortech® /     Tough Guard™     Wave Beam	Queen		Built-in AC Pump		74
	18 IN. / 46 CM	69075 (INTL) 69076/E (NA/US)	<ul> <li>Fortech®/     Tough Guard™</li> <li>Wave Beam</li> </ul>	Queen		Built-in AC Pump		76
	20 IN. / 51 CM	69145 (INTL) 69146/E (NA/US)	• Fortech®/ Tough Guard™ • Coil Beam	Queen	R.	Built-in AC Pump		78
GEN	18 IN. / 46 CM	6713P (INTL) 6713Q/E (NA/US)	PVC     Wave Beam	Twin		Built-in AlwayzAire* Dual Pump		82
NEW GEN	18 IN. / 46 CM	67624 (INTL) 67625/E (NA/US)	PVC     Wave Beam	Queen		Built-in AlwayzAire" Dual Pump		84
>	20 IN. / 51 CM	69160 (INTL) 69161/E (NA/US)	<ul> <li>Fortech<sup>®</sup>/ Tough Guard<sup>™</sup></li> <li>Wave Beam</li> </ul>	Queen		Built-in AlwayzAire® Comfort Choice+™ Dual Pump		86
NEW	18 IN. / 46 CM	69646 (INTL) 69647/E (NA/US)	• ToughLite™ TPU	Queen	HE.	Built-in AC Pump		90

US [E] = USA English Language Only; INTL = Multi-Language; NA = Four Languages


## AIR PUMP TYPES




Built-in USB Pump



Built-in AC Pump



Built-in AlwayzAire® Dual Pump



Built-in AlwayzAire® Comfort Choice+™ Dual Pump





# TRITECH AIR MATTRESSES

Tritech® beds are both exceptionally comfortable and dependable. With a polyester mesh core encased in two layers of laminated PVC, this material provides superior strength and durability. Air mattresses with the Tritech internal support system keep their shape no matter how many times they're inflated or deflated. Plus, air mattresses are stress-tested against the typical weight, strain and movement of a good night's sleep to guarantee longevity.



#### TRITECH® 12 IN. / 30 CM **BUILT-IN USB PUMP AIR MATTRESS**

















Built-in



Height

Construction

**USB Pump** 

Pillow

· Designed for indoor and outdoor use

- Bed Height (with pillow): 12 in. / 30 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- . Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Pump includes a USB cord, compatible with AC or DC plugs and some external battery packs
- · Comfortable flocked sleeping surface
- · Built-in pillow
- · Full color box




FOR: 671BQ / 671BR / 671BS

Twin	INTL	74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm	1444 400					
23-23		74 III. X 07 III. X 12 III. 7 1.00 III X 77 CIII X 30 CIII	5V 2A~	3 minutes	-	330 lbs [150 kg]	3	23.3 lbs (10.6 kg)
Twin	US	74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm	5V 2A~	3 minutes		330 lbs (150 kg)	3	23.3 lbs (10.6 kg)
Full	INTL	75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm	5V 2A~	3-4 minutes	-	661 lbs (300 kg)	2	19.8 lbs (9.0 kg)
Full	US	75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm	5V 2A~	3-4 minutes		661 lbs (300 kg)	2	19.8 lbs (9.0 kg)
lueen	INTL	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	5V 2A~	3-4 minutes	ALE A	661 lbs (300 kg)	2	22.3 lbs [10.1 kg]
ueen	US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	5V 2A-	3-4 minutes	_	661 lbs (300 kg)	2	22.3 lbs [10.1 kg]
Fu	ull een	ull US een INTL	ull US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	ull US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A-	US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes	US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes —  een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes —	US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A~ 3-4 minutes — 661 lbs [300 kg]  een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A~ 3-4 minutes — 661 lbs [300 kg]	US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs [300 kg] 2  een INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs [300 kg] 2



**BUILT-IN USB PUMP** Compatible with AC or DC plugs and some external battery packs





#### TRITECH® 14 IN. / 36 CM BUILT-IN USB PUMP AIR MATTRESS













Outdoor Use Height

Construction

**USB Pump** 

- · Designed for indoor and outdoor use
- Bed Height (with pillow): 14 in. / 36 cm
- · Bed Height (without pillow): 12 in. / 30 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Pump includes a USB cord, compatible with AC or DC plugs and some external battery packs
- · Comfortable flocked sleeping surface
- · Built-in pillow
- · Full color box





**BUILT-IN USB PUMP** Compatible with AC or DC plugs and some external battery packs





FOR: 671BT / 671BU

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
671BT	Twin	INTL	75 in. x 38 in. x 14 in. / 1.91 m x 97 cm x 36 cm	5V 2A-	3-4 minutes	18 <b>-</b> 1	330 lbs [150 kg]	2	19.7 lbs [8.9 kg]
671BTE	Twin	US	75 in. x 38 in. x 14 in. / 1.91 m x 97 cm x 36 cm	5V 2A-	3-4 minutes	- E	330 lbs (150 kg)	2	19.7 lbs (8.9 kg)
671BU	Queen	INTL	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	5V 2A~	5-6 minutes	-	661 lbs (300 kg)	2	28.7 lbs [13.0 kg]
671BUE	Queen	US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	5V 2A~	5-6 minutes	=	661 lbs (300 kg)	2	28.7 lbs [13.0 kg]

60 in. (1.52 m)	QUEEN
	TWIN —
38 in. [97 cm]	
14 in. [36 cm]	75 in. [1.91 m]
3	80 in. (2.03 m)

## TRITECH® 18 IN. / 46 CM **BUILT-IN AC PUMP AIR MATTRESS**















Height

Construction

Pump

Time

Storage Bag Included



- Bed Height (with pillow): 18 in. / 46 cm
- Bed Height (without pillow): 15 in. / 38 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Comfortable flocked sleeping surface
- Built-in pillow
- Full color box







FOR: 67401 / 67403

ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	TIME	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
67401	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes	•	330 lbs (150 kg)	2	22.0 lbs (10.0 kg)
67402/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes	VIII I	330 lbs (150 kg)	2	22.0 lbs (10.0 kg)
67403	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes		661 lbs (300 kg)	2	32.0 lbs (14.5 kg)
67404/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes		661 lbs (300 kg)	2	32.0 lbs [14.5 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



**BUILT-IN AC PUMP** 



### TRITECH® 18 IN. / 46 CM **BUILT-IN AC PUMP AIR MATTRESS**



















Height

Construction

Built-in

Built-in Pillow

Included

· Designed for indoor use


- Bed Height (with pillow): 18 in. / 46 cm
- Bed Height (without pillow): 15 in. / 38 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Comfortable flocked sleeping surface
- · Built-in pillow
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67628	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes	•	330 lbs [150 kg]	2	25.4 lbs [11.5 kg]
67629/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes	•	330 lbs [150 kg]	2	25.4 lbs [11.5 kg]
67630	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes		661 lbs (300 kg)	2	36.7 lbs (16.7 kg)
67631/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes		661 lbs (300 kg)	2	36.7 lbs (16.7 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



**BUILT-IN AC PUMP** 



### TRITECH® 22 IN. / 56 CM **BUILT-IN AC PUMP AIR MATTRESS**















**BUILT-IN AC PUMP** 




Bed Height

Construction

Pillow Included

· Designed for indoor use

- Bed Height (with pillow): 22 in. / 56 cm
- · Bed Height (without pillow): 20 in. / 51 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Contoured vertical I-Beam construction
- · Comfortable flocked sleeping surface
- · Built-in pillow
- · Surrounding frame design prevents roll-off and increases stability






FOR: 67614



FOR: 67692

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67614	Queen	INTL	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	21.2 lbs (9.6 kg)
67615/E	Queen	NA/US	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	21.2 lbs [9.6 kg]
67692	King	INTL	80 in. x 76 in. x 22 in. / 2.03 m x 1.93 m x 56 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	25.6 lbs [11.6 kg]
67693/E	King	NA/US	80 in. x 76 in. x 22 in. / 2.03 m x 1.93 m x 56 cm	110-120 V	5 minutes		661 lbs (300 kg)	1	25.6 lbs [11.6 kg]





### TRITECH® 24 IN. / 61 CM **BUILT-IN AC PUMP AIR MATTRESS**















Pillow







Bed Height

Construction

Built-in

Inflation Time

Included

- · Designed for indoor use
- Bed Height (with pillow): 24 in. / 61 cm
- Bed Height (without pillow): 22 in. / 56 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- · Comfortable flocked sleeping surface
- · Built-in pillow
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	PACK	CASE WEIGHT
67690	Queen	INTL	80 in. x 60 in. x 24 in. / 2.03 m x 1.52 m x 61 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	21.3 lbs (9.7 kg)
67691/E	Queen	NA/US	80 in. x 60 in. x 24 in. / 2.03 m x 1.52 m x 61 cm	110-120 V	5 minutes		661 lbs (300 kg)	1	21.3 lbs (9.7 kg)



#### TRITECH® 20 IN. / 51 CM **BUILT-IN AC PUMP AIR MATTRESS**

















**BUILT-IN AC PUMP** 



Height

Construction

Pump

Time


· Designed for indoor use

- Bed Height: 20 in. / 51 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
Twin	INTL	75 in, x 38 in, x 20 in. / 1.91 m x 97 cm x 51 cm	220-240 V	3 minutes		330 lbs (150 kg)	2	28.3 lbs (12.8 kg)
Twin	NA/US	75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm	110-120 V	3 minutes	•	330 lbs (150 kg)	2	28.3 lbs [12.8 kg]
Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	4 minutes	*** ×	661 lbs (300 kg)	2	40.5 lbs (18.4 kg)
Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	4 minutes		661 lbs (300 kg)	2	40.5 lbs (18.4 kg)
	Twin Twin Queen	Twin INTL Twin NA/US Queen INTL	Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	TYPE         LANGUAGE         INFLATED SIZE         PUMP           Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         220-240 V           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         110-120 V           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm         220-240 V	TYPE         LANGUAGE         INFLATED SIZE         PUMP         TIME           Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         220-240 V         3 minutes           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         110-120 V         3 minutes           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm         220-240 V         4 minutes	TYPE         LANGUAGE         INFLATED SIZE         PUMP         TIME         BAG           Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         220-240 V         3 minutes         •           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         110-120 V         3 minutes         •           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm         220-240 V         4 minutes         •	TYPE         LANGUAGE         INFLATED SIZE         PUMP         TIME         BAG         CAPACITY           Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         220-240 V         3 minutes         • 330 lbs (150 kg)           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         110-120 V         3 minutes         • 330 lbs (150 kg)           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm         220-240 V         4 minutes         • 661 lbs (300 kg)	TYPE         LANGUAGE         INFLATED SIZE         PUMP         TIME         BAG         CAPACITY         PACK           Twin         INTL         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         220-240 V         3 minutes         • 330 lbs (150 kg)         2           Twin         NA/US         75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm         110-120 V         3 minutes         • 330 lbs (150 kg)         2           Queen         INTL         80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm         220-240 V         4 minutes         • 661 lbs (300 kg)         2





## TRITECH® 20 IN. / 51 CM

## **TRULEISURE™ BUILT-IN AC PUMP AIR MATTRESS**











Time



Height

Construction

Pump

Included

· Designed for indoor use

- Bed Height: 20 in. / 51cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- · Comfortable flocked sleeping surface and side
- · Surrounding frame design prevents roll-off and increases stability
- Full color box




**WAVE BEAM CONSTRUCTION** Provides an even and supportive sleeping surface





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6716P	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	24.3 lbs [11.0 kg]
6716Q/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	24.3 lbs [11.0 kg]





## TRITECH® 33 IN. / 84 CM SLEEKFLOW™ HEADBOARD **BUILT-IN AC PUMP AIR MATTRESS**









Height

Construction






Inflation Built-in Time Headboard

- · Designed for indoor use
- · Bed Height (headboard): 33 in. / 84 cm
- · Bed Height (sleep surface): 18 in. / 46 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- Balanced horizontal I-Beam construction
- · Comfortable flocked sleeping surface
- SleekFlow™ ergonomic headboard provides a comfortable, sturdy backrest
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67923	Queen	INTL	89 in. x 60 in. x 33 in. / 2.26 m x 1.52 m x 84 cm	220-240 V	5 minutes		661 lbs (300 kg)	1	24.1 lbs (10.9 kg)
67924/E	Queen	NA/US	89 in. x 60 in. x 33 in. / 2.26 m x 1.52 m x 84 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	24.1 lbs (10.9 kg)







## TRITECH® 33 IN. / 84 CM LOUNGELUX™ HEADBOARD **BUILT-IN AC PUMP AIR MATTRESS**









Height

Construction

Time

Inflation





Built-in Headboard


- · Designed for indoor use
- · Bed Height (headboard): 33 in. / 84 cm
- · Bed Height (sleep surface): 18 in. / 46 cm
- Tritech® Internal Support System is 44% more stretch resistant. retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- · Comfortable flocked sleeping surface
- LoungeLux<sup>™</sup> headboard provides a comfortable, sturdy backrest
- · Surrounding frame design prevents roll-off and increases stability
- Full color box



**BUILT-IN HEADBOARD** Provides a comfortable and sturdy backrest



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
671BD	Queen	INTL	90 in. x 60 in. x 33 in. / 2.29 m x 1.52 m x 84 cm	220-240 V	5 minutes		661 lbs (300 kg)	1	25.9 lbs [11.7 kg]
671BE/E	Queen	NA/US	90 in. x 60 in. x 33 in. / 2.29 m x 1.52 m x 84 cm	110-120 V	5 minutes		661 lbs (300 kg)	1	25.9 lbs [11.7 kg]









## TRITECH® 12 IN. / 30 CM

## FASHION FLOCK™ **BUILT-IN AC PUMP AIR MATTRESS**











Pump







Time

Included



Height

Construction

Pillow

· Designed for indoor use


- Bed Height (with pillow): 12 in. / 30 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- Comfortable Fashion Flock<sup>™</sup> sleeping surface is sleek and trendy
- · Built-in pillow
- · Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67836	Queen	INTL	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	220-240 V	2-3 minutes	•	661 lbs (300 kg)	2	23.8 lbs (10.8 kg)
67837/E	Queen	NA/US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	110-120 V	2-3 minutes	•	661 lbs (300 kg)	2	23.8 lbs (10.8 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



**FASHION FLOCK** Comfortable & trendy sleeping surface



## TRITECH® 14 IN. / 36 CM

## FASHION FLOCK™ **BUILT-IN AC PUMP AIR MATTRESS**













Time



Use

Height

Construction

Included


· Designed for indoor use

- Bed Height: 14 in. / 36 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- Comfortable Fashion Flock™ sleeping surface is sleek and trendy
- · Surrounding frame design prevents roll-off and increases stability
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6712Y	Queen	INTL	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	220-240 V	4 minutes	• *	661 lbs (300 kg)	2	35.7 lbs (16.2 kg)
6712Z/E	Queen	NA/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	110-120 V	4 minutes	•	661 lbs (300 kg)	2	35.7 lbs [16.2 kg]

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



FASHION FLOCK" Comfortable & trendy sleeping surface



## TRITECH® 22 IN. / 56 CM FASHION FLOCK™

### **BUILT-IN AC PUMP AIR MATTRESS**













Height

Construction

Time

- · Designed for indoor use
- Bed Height: 22 in. / 56 cm
- . Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Balanced horizontal I-Beam construction
- Comfortable Fashion Flock™ sleeping surface is sleek and trendy
- · Surrounding frame design prevents roll-off and increases stability
- Full color box




ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	TIME	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
6713E	Queen	INTL	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	220-240 V	5 minutes		661 lbs (300 kg)	1	21.9 lbs (9.9 kg)
6713F/E	Queen	NA/US	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	110-120 V	5 minutes		661 lbs (300 kg)	1	21.9 lbs [9.9 kg]

US [E] = USA English Language Only; INTL = Multi-Language; NA = Four Languages

FASHION FLOCK" Comfortable & trendy sleeping surface







## TOUGH GUARD™ / FORTECH® 14 IN. / 36 CM

#### **BUILT-IN AC PUMP AIR MATTRESS**





















Height

Construction

Time

· Designed for indoor use

- Bed Height: 14 in. / 36 cm
- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- Premium Soft Top™ sleep surface traps air to provide more cushion, comfort and support
- · Surrounding frame design prevents roll-off and increases stability
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69133	Queen	INTL	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	220-240 V	4 minutes		772 lbs (350 kg)		20.6 lbs (9.3 kg)
69134/E	Queen	NA/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	110-120 V	4 minutes		772 lbs (350 kg)		20.6 lbs (9.3 kg)

60 in. (1.52 m)	
14 in. (36 cm)	



### TOUGH GUARD™ / FORTECH® 18 IN. / 46 CM

### **BUILT-IN AC PUMP AIR MATTRESS**















Height

Construction

Included


- · Designed for indoor use
- Bed Height: 18 in. / 46 cm
- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- Premium Soft Top™ sleep surface traps air to provide more cushion, comfort and support
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box







ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69048	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3-4 minutes	•	397 lbs (180 kg)	2	30.1 lbs (13.6 kg)
69049/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3-4 minutes		397 lbs (180 kg)		30.1 lbs (13.6 kg)
69050	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	5 minutes	•1	772 lbs (350 kg)		22.8 lbs (10.4 kg)
69051/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	5 minutes		772 lbs (350 kg)		22.8 lbs (10.4 kg)



PREMIUM SOFT TOP Cushioned surface



### TOUGH GUARD™ / FORTECH® 18 IN. / 46 CM

### SNUGABLE TOP® **BUILT-IN AC PUMP AIR MATTRESS**









Pump











Height

Construction

Time

Top®

Included


· Designed for indoor use

- Bed Height: 18 in. / 46 cm
- . Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- Soft and plush Snugable Top® for maximum comfort and warmth
- Surrounding frame design prevents roll-off and increases stability
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69075	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	5 minutes		772 lbs (350 kg)	1	21.8 lbs (9.9 kg)
69076/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	5 minutes		772 lbs (350 kg)		21.8 lbs (9.9 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



80 in. (2.03 m)

SNUGABLE TOP



### TOUGH GUARD™ / FORTECH® 20 IN. / 51 CM

### **DUVET TOP**

**BUILT-IN AC PUMP AIR MATTRESS** 















Height

Construction


Time

· Designed for indoor use

- Bed Height: 20 in. / 51 cm
- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Traditional coil beam construction
- · Removable & washable Duvet Top provides a soft, comfortable sleep surface
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69145	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	5 minutes		772 lbs (350 kg)		27.5 lbs [12.5 kg]
69146/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	5 minutes		772 lbs [350 kg]		27.5 lbs [12.5 kg]









### ALWAYZAIRE® 18 IN. / 46 CM

#### **BUILT-IN DUAL PUMP AIR MATTRESS**



















Included



Height

Construction

Time

Interlocking Quick Release Valve

& USB-C

Backlight


· Designed for indoor use

- Bed Height: 18 in. / 46 cm
- · Luxurious wave beam design provides an even and supportive sleeping surface
- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- . USB-A and USB-C ports for phone or tablet charging
- · Comfortable flocked sleeping surface and sides
- · Surrounding frame design prevents roll-off and increases stability
- · 2-way interlocking quick release valve for fast, easy inflation and deflation
- · Full color box




ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6713P	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes		330 lbs (150 kg)	1	18.3 lbs (8.3 kg)
6713Q/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes		330 lbs (150 kg)	1	18.3 lbs (8.3 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



SOFT BACKLIGHT



### ALWAYZAIRE® 18 IN. / 46 CM

#### **BUILT-IN DUAL PUMP AIR MATTRESS**

















Included



Height

Construction

Pump

Time

Interlocking Quick Release Valve

& USB-C

Backlight



Provides convenience in the dark

· Designed for indoor use


Bed Height: 18 in. / 46 cm

- . Luxurious wave beam design provides an even and supportive sleeping surface
- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- . USB-A and USB-C ports for phone or tablet charging
- · Comfortable flocked sleeping surface and sides
- · Surrounding frame design prevents roll-off and increases stability
- · 2-way interlocking quick release valve for fast, easy inflation and deflation
- · Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67624	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes	E () E-R	661 lbs (300 kg)	1	26.3 lbs [11.9 kg]
67625/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes	•	661 lbs (300 kg)	1	26.3 lbs [11.9 kg]





### ALWAYZAIRE® 20 IN. / 51 CM TOUGH GUARD™ / FORTECH® BUILT-IN COMFORT CHOICE+™ DUAL PUMP AIR MATTRESS



















Backlight



Bed Height

Construction

Time

Interlocking Quick Release Valve

& USB-C Ports

· Designed for indoor use

- Bed Height: 20 in. / 51 cm
- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- . Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- . Innovative dual pump provides customizable firmness with the rotation of the dial and inflates with the push of the center button
- . USB-A and USB-C ports for phone or tablet charging
- · Surrounding frame design prevents roll-off and increases stability
- · 2-way interlocking quick release valve for fast, easy inflation & deflation
- · Full color box





COMFORT CHOICE+" DUAL PUMP

inflates with the push of the center button



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69160	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	3 minutes	V II <b>(-</b> 8	772 lbs (350 kg)		25.4 lbs [11.5 kg]
69161/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	3 minutes		772 lbs (350 kg)	1	25.4 lbs (11.5 kg)







# TOUGHLITE\* TPU

AIR MATTRESSES

ToughLite™ TPU air mattresses offer a reliable option without sacrificing comfort and durability. These beds resist puncture and damage, are flexible and lightweight, and are made without PVC, resulting in a high-quality air mattress that provides a great night's sleep.





Bestway

- ✓ Formaldehyde Free
- ✓ Phthalate Free
- ✓ BPA Free
- No VOC (Acataldehyde, Tetranforcethyle V.), 4 intentily benzen, 1,4 dickerobenzens, attythenzens, Styrene) Emission

Testing no.: CBG2-TICK-CG2-HL-0000083 www.interteik.com.cn/Tick-Mark



### TOUGHLITE™ TPU 18 IN. / 46 CM **BUILT-IN AC PUMP AIR MATTRESS**







Construction





Pump



Time



Top®








SNUGABLE TOP

- . Designed for indoor use
- Bed Height: 18 in. / 46 cm
- PVC-free ToughLite™ TPU surface material is 2.4x more puncture-resistant, 150x more abrasionresistant, over 80% more stretch-resistant and over 40% lighter than PVC
- · Balanced horizontal I-Beam construction
- · Soft and plush Snugable Top® for maximum comfort and warmth
- · Surrounding frame design prevents roll-off and increases stability
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	TIME	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
69646	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	3-4 minutes		772 lbs (350 kg)	1	16.0 lbs (7.2 kg)
69647/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	3-4 minutes		772 lbs (350 kg)		16.0 lbs (7.2 kg)







# ELEVATEHOUR BINISB

Bestway


### **AIR FURNITURE**

The vibrant line of air furniture from Bestway® is both comfortable and modern. All of our pieces can be used both indoors and outdoors, offering an affordable versatility for everyone. This line of air furniture includes innovative products in a variety of color options that can fit into a wide range of decor styles.



## **PLANOGRAM** STORE DISPLAY INTERNATIONAL DISPLAY U.S. DISPLAY Actual in-store displays may vary. MOD POD" AIR CHAIR

### AIR FURNITURE MATRIX



PRODUC	T TYPE	ITEM#	MATERIAL & BEAM	PICTURE	PG.
Chai	r	75138/E [INTL/US]	PVC     Coil Beam	38	98
Loung	ge	75137/E [INTL/US]	PVC     Coil Beam		100
Chai	r	75052/E (INTL/US)	• PVC • Coil Beam		102
Chair	ī.	75086/E (INTL/US)	PVC     Coil Beam		103
Loung	e	75127/E [INTL/US]	• PVC • I - Beam		104
Loung	e	75114 [INTL]	PVC     Coil Beam		106
Loung	е	75054 [INTL] 75055 [NA]	PVC     Coil Beam		108





### MOD POD™

### AIR CHAIR







Height

Construction







Colors



- · Great for indoor and outdoor use
- · Sturdy coil beam construction
- Modern, optical illusion design
- Extra-wide, comfortable backrest
- 2-way interlocking quick-release valve for fast, easy inflation and deflation
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75138/E	Chair	INTL/US	44 in. x 44 in. x 27.5 in. / 1.12 m x 1.12 m x 70 cm		220 lbs [100 kg]	4	23.7 lbs [10.7 kg]





### **COMFI CUBE™**

### LOUNGER









Valve



2-Way Interlocking Quick Release

- Great for indoor and outdoor use
- · Sturdy coil beam construction
- · Premium backrest and footrest design
- 2-way interlocking quick-release valve for fast, easy inflation and deflation
- Full color box



ITEM # TYPE	LANGUAGE	INFLATED SIZE	FOOT PAD	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
<b>75137/E</b> Lounge	INTL/US	42 in. x 39 in. x 31.5 in. / 1.07 m x 99 cm x 80 cm	19 in. x 19 in. x 14 in. / 48 cm x 48 cm x 36 cm		220 lbs (100 kg)	4	31.3 lbs [14.2 kg]



### INFLATE-A-CHAIR™

### AIR CHAIR







Construction



2-Way Assorted Colors Interlocking and Graphics Quick Release

- . Great for indoor and outdoor use
- 3 assorted colors: Tan, Blue, Red
- · Sturdy coil beam construction
- · Stylish printing
- Comfortable velvet-like surface
- · Beanless bean bag design
- Adjustable seat cushion firmness
- Safety valves
- 2-way interlocking quick-release valve for fast, easy inflation and deflation
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75052/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm	0 0	220 lbs (100 kg)	6	22.5 lbs (10.2 kg)

### INFLATE-A-CHAIR™

### LED AIR CHAIR











7-Color LED Light



Height


Construction

2-Way Interlocking Quick Release

- · Great for indoor and outdoor use
- · Sturdy coil beam construction
- · Comfortable velvet-like surface
- · Product is waterproof
- · Built-in 7-color LED light
- 3 AAA batteries required (not included)
- Safety valves
- · 2-way interlocking quick-release valve for fast, easy inflation and deflation
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75086/E	Chair	INTL/US	40 in. x 38 in. x 28 in. / 1.02 m x 97 cm x 71 cm		220 lbs (100 kg)	4	19.7 lbs [8.9 kg]





### **LEISURE LUXE CHAISE™**

### LOUNGER



**Outdoor Use** 



Height







I-Beam 2-Way Construction Interlocking Quick Release Valve

- Great for indoor and outdoor use
- · Sturdy I-Beam construction
- · Comfortable velvet-like surface
- · Oversized recliner with backrest
- Ergonomic design provide superior comfort
- · 2-way interlocking quick-release valve for fast, easy inflation and deflation
- · Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75127/E	Lounge	INTL/US	52.5 in. x 31 in. x 34.5 in. / 1.33 m x 79 cm x 88 cm	0	220 lbs (100 kg)	4	25.3 lbs (11.5 kg)



### MULTI-MAX™ 4-IN-1

AIR LOUNGER









Construction



Valve



2-Way Interlocking Quick Release

Height

- · Great for indoor and outdoor use
- · Sturdy coil beam construction
- · Convenient folding design
- · Multi-functional air furniture
- Single chair
- Single lounge
- Recliner
- Single bed
- · 2-way interlocking quick-release valve for fast, easy inflation and deflation
- · Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75114	Lounge	INTL	75 in. x 38 in. x 25 in. / 1.91 m x 97 cm x 64 cm	•	330 lbs (150 kg)	4	30.9 lbs (14.0 kg)











ADJUSTABLE POSITIONS

### MULTI-MAX™ 5-IN-1

AIR COUCH WITH POWERTOUCH™ AC AIR PUMP







Coil Beam Construction



**Quick Release** 

**Outdoor Use** Height

Valve

- Great for indoor and outdoor use (75054)
- Great for indoor use (75055)
- · Sturdy coil beam construction
- · Comfortable backrest and armrest
- · Convenient folding design
- · Multi-functional air furniture
  - Double sofa
  - · Double lounge
  - Recliner
  - · Double bed
  - · Double layered bed
- · 2-way interlocking quick-release valve for fast, easy inflation and deflation
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	AC AIR PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75054	Lounge	INTL	74 in. x 60 in. x 25 in. / 1.88 m x 1.52 m x 64 cm					661 lbs (300 kg)	3	32.0 lbs (14.5 kg)
75055	Lounge	NA	74 in. x 60 in. x 25 in. / 1.88 m x 1.52 m x 64 cm	•	62253 (110-120 V)	4 minutes	•	661 lbs (300 kg)	2	25.1 lbs (11.4 kg)





The line of kids air furniture from Bestway® takes on unique shapes that resemble some classic and beloved items. Made to inspire creativity and imagination, these items fit perfectly into bedrooms and playrooms, offering a versatile and affordable option for kids seating.

# U.S. DISPLAY

# **PLANOGRAM** STORE DISPLAY



### INTERNATIONAL DISPLAY









Actual in-store displays may vary.

# KIDS AIR FURNITURE MATRIX



112 | KIDS AIR FURNITURE

PRODUCT TYPE	ITEM#	MATERIAL	PICTURE	PG
Kids Chair	75116/E (INTL/US)	PVC		114
Kids Chair	75122/E (INTL/US)	PVC		114
Kids Chair	75010/E (INTL/US)	PVC		117
Kids Chair	75115/E (INTL/US)	PVC		118
Kids Chair	75123/E (INTL/US)	PVC		119



# **COZY CRITTERS™**

AIR CHAIR





Outdoor Use





Height

• Age: 3+

- Great for indoor and outdoor use
- · Friendly animal graphics
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75116/E	Chair	INTL/US	28 in. x 28 in. x 25 in. / 72 cm x 72 cm x 64 cm [Panda/Monkey]	•	99 lbs (45 kg)	12	23.8 lbs (10.8 kg)
75116/E	Chair	INTL/US	28 in. x 28 in. x 28 in. / 72 cm x 72 cm x 72 cm {Fox}	•	99 lbs (45 kg)	12	23.8 lbs (10.8 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



# **ASTRO GLOW™**

### LED AIR CHAIR





Outdoor Use









Built-in LED Light

Graphics

- Age: 3+
- · Great for indoor and outdoor use
- · Colorful space design
- Built-in purple LED lights automatically shut off after 2 hours
- Purple LED light inside bottom of chair
- · Requires 3 AAA batteries (not included)
- Quick and easy setup
- Full color box





**BUILT-IN LED LIGHT** Automatically shuts off after 2 hours

ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75122/E	Chair	INTL/US	28 in. x 28 in. x 25 in. / 72 cm x 72 cm x 64 cm		99 lbs (45 kg)	8	17.3 lbs (7.8 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

# **BEANLESS™ SOCCER BALL**

CHAIR





Outdoor Use





Chair Height

Fun Soccer Graphics

- Age: 6+
- Great for indoor and outdoor use
- · Beanless bean bag design
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75010/E	Chair	INTL/US	45 in. x 44 in. x 26 in. / 1.14 m x 1.12 m x 66 cm		165 lbs (75 kg)	8	31.2 lbs [14.1 kg]

# **GLITTER DREAM™**

# INFLATE-A-CHAIR™ AIR CHAIR











**Outdoor Use** 

Filled

• Age: 6+

· Great for indoor and outdoor use

· Filled with shimmering silver and purple glitter

· Quick and easy setup

Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75115/E	Chair	INTL/US	45 in. x 44 in. x 26 in. / 1.14 m x 1.12 m x 66 cm	Transparent	165 lbs (75 kg)	8	31.7 lbs (14.4 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

# **MIGHTY MUSHROOM™**

### AIR CHAIR











Outdoor Use

Chair Height

Whimsical Mushroom Design

- Age: 6+
- Great for indoor and outdoor use
- Whimsical mushroom design
- · Quick and easy setup
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75123/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm	Transparent	165 lbs (75 kg)	6	21.7 lbs (9.9 kg)



FLOCKED AIR CAMP PILLOW

67121/E





Outdoor Use Construction

· For indoor or outdoor use

- · Balanced horizontal I-Beam construction
- · Easy to carry
- · For use as a pillow or a cushioned seat
- · Comfortable velvet-like surface
- · Full color box



# FLOCKED NECK PILLOW

67006



- · For indoor or outdoor use
- . Great for long or short trips
- · Comfortable velvet-like surface
- Full color box



# **HEAVY-DUTY** REPAIR PATCH 62068/E

- · Repairs punctures and abrasions on all inflatable items
- · 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- · Blister card



ITEM #	LANGUAGE	SIZE	COLOR(S)	CASE PACK	CASE WEIGHT
67121/E	INTL/US	16.5 in. x 10 in. x 4 in. / 42 cm x 26 cm x 10 cm		36	12.6 lbs (5.7 kg)
67006	INTL	14.5 in. x 9.5 in. x 4 in. / 37 cm x 24 cm x 10 cm		36	8.6 lbs (3.9 kg)
62068/E	INTL/US	6.55 sq. in. / 42.3 cm <sup>2</sup>	3 <del></del> 3	36	1.9 lbs (0.9 kg)

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

# **AIR PUMPS**

All Bestway® pumps are created with both durability and functionality in mind. The high-performance pumps are reliable, and most have both inflation and deflation functions. They are compact in size, making them easy to tote along, and include adaptor nozzles to fit nearly every inflation valve. Powered air pumps are fast and efficient using electricity to quickly inflate items of all sizes.

# **PLANOGRAM** STORE DISPLAY




INTERNATIONAL DISPLAY









U.S. DISPLAY

# AIR STEP™ 300 ML

### MANUAL AIR PUMP



Deflation





3 Valve Adaptors



• 5 in. / 13 cm

- Stroke volume: 0.3 L/cycle
- · Easily switches from inflation to deflation
- Flexible hose
- · Two-color design

- · Large air chamber for rapid inflation
- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Polybag with header card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62147/E	INTL/US	36	12.3 lbs (5.6 kg)

# AIR STEP™ 800 ML MANUAL AIR PUMP



Deflation



Volume





3 Valve Adaptors

- 9 in. x 6 in. / 23 cm x 15 cm
- · Stroke volume: 0.8 L/cycle
- Easily switches from inflation to deflation
- · Flexible hose

- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62023	INTL	12	10.5 lbs (4.8 kg)

# AIR STEP™ 1400 ML MANUAL AIR PUMP











Inflation & Deflation

Stroke Volume

3 Valve Adaptors

- 11 in, x 7.5 in, / 28 cm x 19 cm
- Stroke volume: 1.4 L/cycle
- · Easily switches from inflation to deflation
- · Flexible hose

- · 3 valve adaptors to fit nearly every inflation valve
- Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
62004	INTL	12	15.1 lbs (6.9 kg)

# AIR STEP™ 1600 ML MANUAL AIR PUMP



Inflation &

Deflation



Stroke

Volume






3 Valve Adaptors



- Stroke volume: 1.6 L/cycle
- · Easily switches from inflation to deflation
- · Flexible hose

- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62005/E	INTL/US	12	19.9 lbs [9.0 kg]



# AIR HAMMER™ 850 ML











Volume

3 Valve Adaptors

- 12 in. / 30 cm
- Stroke volume: 0.85 L/cycle

Flexible h		up and down	stroke - rutt-co
ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
62002/E	INTL/US	12	10.6 lbs [4.8 kg]

# AIR HAMMER™ 2800 ML MANUAL AIR PUMP









Adaptors

Stroke

- 14.5 in. / 37 cm
- Stroke volume: 2.8 L/cycle
- . Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- Flexible hose
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62086/E	INTL/US	6	11.1 lbs (5.1 kg)



. 3 valve adaptors to fit nearly every inflation valve

· Designed to provide maximum airflow

# **AIR HAMMER™ 1850 ML** MANUAL AIR PUMP







3 Valve

. 3 valve adaptors to fit nearly every inflation valve

· Designed to provide maximum airflow

Inflation Only

Stroke

Adaptors

- 14 in. / 36 cm
- Stroke volume: 1.85 L/cycle
- Flexible hose

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62003/E	INTL/US	12	14.4 lbs (6.5 kg)

## AIR HAMMER™ 3500 ML MANUAL AIR PUMP



Inflation &

Deflation



Volume







Adaptors

- 19 in. / 48 cm
- Stroke volume: 3.5 L/cycle
- · Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- · Flexible hose
- . 3 valve adaptors to fit nearly every inflation valve
- · Full color box

ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
62030/E	INTL/US	4	9.4 lbs [4.3 kg]



# **AIR HAMMER™ SPORT** HIGH-PRESSURE MANUAL AIR PUMP












Deflation

Pressure

Adaptors

- 9.8 in. x 4 in. x 25.5 in. / 25 cm x 10.5 cm x 65 cm
- Stroke volume: 1.8 L/cycle (one-way), 3.45 L/cycle (two-way)
- · Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- Single/double switch pump (up to 7 PSI in double-action mode, up to 23 PSI in single-action model
- · Suitable for most high-pressure inflatable vessels with working pressure between 5-23 PSI
- · Easy-to-read display with built-in pressure sensor
- Flexible hose
- 5 valve adaptors to fit nearly every inflation valve
- Full color box

27/E INTL/US 4 14.6 lbs (6.6 kg)



ITEM #	VOLTAGE	REQUIRED BATTERIES	RECHARGEABLE	MAX AIR FLOW	MAX AIR PRESSURE	INFLATES & DEFLATES	VALVE ADAPTORS	CERTIFICATION	PG.
62289	5V DC			90 L/min	300 mmH20 (0.427 PSI / 0.029 BAR)	•	3	CE / Safety Mark / EAC / UKCA	128
62289E	5V DC			90 L/min	300 mmH20 (0.427 PSI / 0.029 BAR)	•	3		128
62252	220-240 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)		3	CE/GS/EAC CM/UKCA	128
62253	110-120 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)	•	3	cETLus	128
62253E	110-120 AC			680 L/min	390 mmH2O (0.55 PSI / 0.038 BAR)	*	3	cETLus	128
62254		4 x LR20/D [Not included]		430 L/min	270 mmH20 (0.38 PSI / 0.026 BAR)		3	CE/GS EAC/UKCA	129
62254E		4 x LR20/D (Not included)		430 L/min	270 mmH20 [0.38 PSI / 0.026 BAR]	•	3		129
62299	110-120 AC 12V DC			620 L/min	335 mmH20 (0.476 PSI / 0.0328 BAR)		3	cETLus	129
62299E	110-120 AC 12V DC			620 L/min	335 mmH20 (0.476 PSI / 0.0328 BAR)	ě	3	cETLus	129
62255	220-240 AC 12V DC	₽		490 L/min	335 mmH20 (0.476 PSI / 0.0328 BAR)	•	3	CE / GS EAC / UKCA	129
62257	12V DC			680 L/min	355 mmH20 [0.50 PSI / 0.0348 BAR]		3	CE/GS EAC/UKCA	128
62257E	12V DC			680 L/min	355 mmH20 (0.50 PSI / 0.0348 BAR)	•	3	cETLus	128
62258	62258 220-240 AC		1100 L/min	680 mmH20 (0.97 PSI / 0.067 BAR)		3	CE / GS / EAC CM / UKCA	130	
62259	110-120 AC			1100 L/min	680 mmH20 [0.97 PSI / 0.067 BAR]	•	3	cETLus	130
62259E	110-120 AC			1100 L/min	680 mmH20 [0.97 PSI / 0.067 BAR]	•	3	cETLus	130
62260			4 x 1500 mAH [Integrated]	565 L/min	370 mmH20 (0.52 PSI / 0.036 BAR)	٠	3	CE / GS EAC / UKCA	129
62260E			4 x 1500 mAH (Integrated)	565 L/min	370 mmH20 (0.52 PSI / 0.036 BAR)	•	3	ETLus	129
62247	220-240 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)	<.	4	CE/GS/EAC CM/UKCA	130
62248	110-120 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)	: ●:	4	cETLus	130
62248E	110-120 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)		4	cETLus	130
62265	12V DC			300 L/min	16 PSI	P. C.	5	CE / GS / E-MARK EAC / UKCA	131
62265E	12V DC			300 L/min	16 PSI	<b></b> ₹	5	cETLus	131

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages

# **ELECTRIC AIR PUMP** MATRIX

AC PUMPS feature plugs that household outlet.

DC PUMPS feature plugs that can



# POWERTOUCH POCKET™

**USB ELECTRIC AIR PUMP** 



Inflation & Deflation



Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 2.24 in. x 1.97 in. x 2.56 in. / 5.7 cm x 5 cm x 6.5 cm
- . Max Air Flow: 90 L/min
- DC 5V 2A
- Max Pressure: 300 mmH20 (0.427 PSI / 0.029 BAR)
- Quickly inflates and deflates camping pads and other smaller items
- Pump includes a USB power cord, compatible with AC or DC plugs and some external battery packs
- . Compact size is easy to carry for camping or use on-the-go
- · Two-color design
- . 3 valve adaptors to fit nearly every type of inflation valve
- · Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62289	INTL	12	5.0 lbs (2.3 kg)
62289E	US	12	4.5 lbs (2.0 kg)



### POWERTOUCH™ AC ELECTRIC AIR PUMP



Inflation & Deflation



Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 4.45 in. x 3.98 in. x 4.3 in. / 11.3 cm x 10.1 cm x 11 cm
- . Max Air Flow: 680 L/min
- 110-120V~60Hz.0.95A [62253/E]
- 220-240V~50/60Hz.110W [62252]
- Max Pressure: 390 mmH20 (0.55 PSI / 0.038 BAR)
- · Quickly inflates and deflates almost all inflatable products
- Two-color design
- · Large air chamber for rapid inflation
- . 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62252	INTL	12	12.8 lbs (5.8 kg)
62253/E	NA/US	12	12.8 lbs (5.8 kg)



# POWERTOUCH™ DC ELECTRIC AIR PUMP







Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 4.45 in. x 3.98 in.x 4.8 in. / 11.3 cm x 10.1 cm x 12.2 cm
- . Max Air Flow: 680 L/min
- DC 12V 8A [62257E]
- DC 12V 96W (62257)
- Max Pressure: 355 mmH20 (0.50 PSI / 0.0348 BAR)
- Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow
- · Two-color design
- · Large air chamber for rapid inflation
- · Powered by 12V DC car plug
- · 3 valve adaptors to fit nearly every inflation valve
- · Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62257	INTL	12	15.3 lbs (7.0 kg)
62257E	US	12	15.1 lbs (6.9 kg)



# **POWERTOUCH**<sup>™</sup> AC/DC ELECTRIC AIR PUMP



Inflation & Deflation



Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 4.45 in. x 3.98 in. x 4.21 in. / 11.3 cm x 10.1 cm x 10.7 cm
- Max Air Flow: 620 L/min [62299/E]
- Max Air Flow: 490 L/min (62255)
   Powered by 110V home power
- DC 12V 2.5A [62299/E]
- DC 12V 30W [62255]
- Max Pressure: 335 mmH20 [0.476 PSI / 0.0328 BAR]
- · Quickly inflates and deflates almost all inflatable products
- Designed to provide maximum airflow

- · Two-color design
- · Large air chamber for rapid inflation
- outlet or 12V car outlet [62299/E]
- · Powered by 220V home power outlet or 12V car outlet [62255]
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62255	INTL	12	14.5 lbs (6.6 kg)
62299/E	NA/US	12	14.6 lbs [6.6 kg]



## **POWERTOUCH™** D CELL ELECTRIC AIR PUMP



Inflation & Deflation



Flow



Pressure



3 Valve Adaptors

- 4.88 in, x 4.17 in, x 4.09 in, / 12.4 cm x 10.6 cm x 10.4 cm
- . Max Air Flow: 430 L/min
- DC 6.0V 40W
- Max Pressure: 270 mmH20 (0.38 PSI / 0.026 BAR)
- · Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow
- · Two-color design
- · Large air chamber for rapid inflation
- Uses 4x LR20/D Cell size batteries (not included)
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62254	INTL	12	9.9 lbs [4.5 kg]
62254E	US	12	9.3 lbs [4.2 kg]



## **POWERTOUCH**<sup>™</sup> RECHARGEABLE

**ELECTRIC AIR PUMP** 



Inflation & Deflation





Max Air Pressure



3 Valve Adaptors

- 4.53 in. x 3.98 in. x 4.09 in. / 11.5 cm x 10.1 cm x 10.4 cm
- Max Air Flow: 565 L/min
- DC 4 8V 55W
- Max Pressure: 370 mmH20 (0.52 PSI /0.036 BAR)
- · Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow
- Two-color design
- · Large air chamber for rapid inflation
- Built-in rechargeable batteries 4x 1500mAH capacity
- USB powered
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62260	INTL	12	11.9 lbs (5.4 kg)
62260E	US	12	11.2 lbs [5.1 kg]



# POWERGRIP™ AC ELECTRIC AIR PUMP



Inflation & Deflation





Max Air Pressure



3 Valve Adaptors

- 7.99 in. x 4.84 in. x 4.88 in. / 20.3 cm x 12.3 cm x 12.4 cm
- 110-120V~60Hz,2A [62259/E]
- 220-240V~50/60Hz,210W [62258]
- Max air flow: 1100 L/min
- Max pressure: 680 mmH20 (0.97 PSI / 0.067 BAR)
- · Two-color design
- Quickly inflates and deflates almost all inflatable products
- · Large air chamber for rapid inflation
- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62258	INTL	12	23.8 lbs [10.8 kg]
62259/E	NA/US	12	24.3 lbs [11.0 kg]



# POWERGRIP™ PRO AC ELECTRIC AIR PUMP



Inflation & Deflation



Max Air Flow



Max Air Pressure



4 Valve Adaptors

- 7.8 in. x 4.84 in. x 4.88 in. / 19.8 cm x 12.3 cm x 12.4 cm
- 110-120V~60Hz, 4.5A (62248/E)
- 220-240V~50/60Hz, 500W (62247)
- Max air flow: 1200 L/min
- Max pressure: 1540 mmH20 (2.2 PSI /0.152 BAR)
- Two-color design
- · Quickly inflates and deflates almost all inflatable products
- · Large air chamber for rapid inflation
- · 4 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62247	INTL	12	27.5 lbs (12.5 kg)
62248/E	NA/US	12	27.4 lbs (12.4 kg)

# **POWERGRIP™ SPORT**

### HIGH-PRESSURE DC ELECTRIC AIR PUMP









Max Air Pressure


• 10.16 in. x 9.88 in. x 3.98 in. / 25.8 cm x 25.1 cm x 10.1 cm

Air 5 Valve ure Adaptors

- Deflation Flow Pressure Ad
- DC 12V 9A [62265E]
- DC 12V 108W (62265)
- · Max Air Flow: 300 L/min
- . Max Pressure: 16 PSI
- Suitable for all inflatables from small air chamber items to stand-up paddleboards and professional boats with working pressures between 0-16 PSI
- Dual motor provides great performance at both low and high pressures
- · Powered by 12V DC car plug
- Easy-to-read LCD display with built-in preset pressure sensors
- · Switches between PSI and BAR
- Automatic shut off triggers when predetermined pressure is reached preventing over-inflation
- 5 valve adaptors to fit nearly every inflation valve
- Fully adjustable pressure settings (increments of 0.5 PSI)
- · Full color box















# INDEX

ITEM#	TYPE	PG.
62002/E	Air Pumps	125
62003/E	Air Pumps	125
62004	Air Pumps	124
62005/E	Air Pumps	124
62023	Air Pumps	124
62030/E	Air Pumps	125
62068/E	Accessories	121
62086/E	Air Pumps	125
62147/E	Air Pumps	124
62227/E	Air Pumps	126
62247	Air Pumps	130
62248/E	Air Pumps	130
62252	Air Pumps	128
62253/E	Air Pumps	128
62254/E	Air Pumps	129
62255	Air Pumps	129
62257/E	Air Pumps	128
62258	Air Pumps	130
62259/E	Air Pumps	130
62260/E	Air Pumps	129
62265/E	Air Pumps	131
62289/E	Air Pumps	128
62299/E	Air Pumps	129
67000/E	Outdoor	20
67001/E	Outdoor	20
67002/E	Outdoor	20

ITEM #	TYPE	PG.
67003/E	Outdoor	20
67004	Outdoor	20
67006	Accessories	121
67121/E	Accessories	121
6712Y	Indoor	66
6712Z/E	Indoor	66
6713E	Indoor	68
6713F/E	Indoor	68
6713G	Indoor	54
6713H/E	Indoor	54
67131	Indoor	54
6713J/E	Indoor	54
6713K/E	Outdoor	22
6713L/E	Outdoor	22
6713M/E	Outdoor	22
6713N/E	Outdoor	22
6713P	Indoor	82
6713Q/E	Indoor	82
6716P	Indoor	56
6716Q/E	Indoor	56
6716S/E	Outdoor	32
6716T/E	Outdoor	33
671BD	Indoor	60
671BE/E	Indoor	60
671BQ/E	Indoor	44
671BR/E	Indoor	44

ITEM #	TYPE	PG.
671BS/E	Indoor	44
671BT/E	Indoor	45
671BU/E	Indoor	45
67223/E	Outdoor	21
67224/E	Outdoor	21
67225/E	Outdoor	21
67226/E	Outdoor	21
67287	Outdoor	20
67374/E	Outdoor	20
67401	Indoor	46
67402/E	Indoor	46
67403	Indoor	46
67404/E	Indoor	46
67472	Outdoor	20
67614	Indoor	50
67615/E	Indoor	50
67619/E	Outdoor	26
67624	Indoor	84
69625/E	Indoor	84
67628	Indoor	48
67629/E	Indoor	48
67630	Indoor	48
67631/E	Indoor	48
67680/E	Outdoor	23
67681/E	Outdoor	23
67682/E	Outdoor	23

ITEM #	TYPE	PG.
67690	Indoor	52
67691/E	Indoor	52
67692	Indoor	50
67693/E	Indoor	50
67699/E	Outdoor	24
67703/E	Outdoor	26
67836	Indoor	64
67837/E	Indoor	64
67922/E	Outdoor	28
67923	Indoor	58
67924/E	Indoor	58
67930/E	Outdoor	30
68123/E	Outdoor	36
69048	Indoor	74
69049/E	Indoor	74
69050	Indoor	74
69051/E	Indoor	74
69075	Indoor	76
69076/E	Indoor	76
69078/E	Outdoor	34
69133	Indoor	72
69134/E	Indoor	72
69145	Indoor	78
69146/E	Indoor	78
69160	Indoor	86
69161/E	Indoor	86





Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most. LIVE IT UP TOGETHER WITH BESTWAY.

# **Bestway**







