

2025 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
 Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway* products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



Bestway



ANNIVERSARY 1994 — 2024

Three decades ago, Bestway created its very first product: a beach ball!

Since then, Bestway has produced over **1,100 products** in more than **120 countries** worldwide. In fact, 1 in 50 people around the world owns a Bestway product.

From our commitment to **innovation** and assuring the highest **quality** possible, to our vertically integrated manufacturing systems and **sustainability** efforts, every product Bestway creates centers on one goal: to help our customers get the most out of life by enjoying more adventure and making more memories.

Here's to the first 30 years, and to many, many more as we help people "Live It Up!"

OUR VISION & MISSION

Our Vision has remained the same since we created our very first product - a simple beach ball - in 1994: to create high-quality, innovative, recreational products that bring fun, relaxation and adventure to people's lives. Behind that vision is our mission to create memorable experiences for families who want to splash into summer, relax in winter and make the most of every moment year-round.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. Our advanced online services and customer service team allow customers to easily resolve







CONSUMER DRIVEN

FULLY OWNED PRODUCTION FACILITIES

SERVICE & SOLUTIONS

WHAT'S NEW AT BESTWAY

In 2020, Bestway opened our doors to a new, clean, state-of-the-art manufacturing facility in Vietnam in an effort to diversify our production capabilities globally. With rapid plans for expansion, this new facility offers additional tariff-saving opportunities and flexibility in Bestway's global manufacturing efforts.

Our Vietnam facility currently manufactures air mattresses, air pumps, pool filter pumps, inflatable pools, pool covers and trampolines. These products go through extensive PVC, lab and lifecycle testing to ensure high-quality and longevity.



VIETNAM QA TESTING PROCESS









GLOBAL FACTORIES



JIANGSU



HAIAN



NANTONG



SHANGHAI



VIETNAM

AROUND THE WORLD



SHANGHAL CHINA HO . PRODUCTION



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 55 60 42 02 info@bestwaycorp.be



MOSCOW, RUSSIA

Moscow, metro Taganskaya, st. Bolshiye Kamenschiki, 6, building 1



CHANDLER, U.S.A. R&D . SUBSIDIARY

info@bestwaycorp.us



HONG KONG, CHINA R&D . SUBSIDIARY

+852 2997 7169 info@bestwaycorp.hk



DUBAL U.A.E. SUBSIDIARY

International Media Production Zone (IMPZ) Plot C22 Dubai, United Arab Emirates +971 55 859 3104 / +971 4 2476 743



MILAN, ITALY

R&D . SUBSIDIARY

HAMBURG, GERMANY SUBSIDIARY

Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



LYON, FRANCE

69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



SUBSIDIARY

info@bestway-russia.ru



COPENHAGEN, DENMARK

Amagertorv 17, 3st FI DK-1160 Copenhagen K Denmark +45 78744569

SAN PAULO, BRAZIL SUBSIDIARY

Av Cerro Azul, 2783 Maringá - PR - Brazil Zip Code: 87010-055 +55 44 3052-6006 info@bestwaycorp.com.br



SANTIAGO, CHILE SUBSIDIARY

Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile +562 3203 6438 info@bestwaycorp.lat



SYDNEY, AUSTRALIA SUBSIDIARY

Unit 2/98-104 Carnarvon St Silverwater, NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



WARSAW, POLAND SUBSIDIARY

UI. Ekologiczna 24 05-080 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl

B THE CHANGE MISSION

Our Commitment to a Better Future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging**.







Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38 Categories of Materials



Water is Reused in Factories, Offices & Dormitories



Annual Recipient of "China Top Performing Suppliers on Climate Action" Award



Dear Customer.

We are excited to present our Special Edition Catalog again for the 2025 season! This collection of items is not included in our standard catalogs, and it is only offered to selected partners.

All of these items are designed to offer you something extra, such as new price points, larger assortments of sizes and designs, and exclusive sets.

These products provide the following benefits:

- A broader, more innovative range
- A guaranteed return on investment for your advertising efforts
- The ability to set your own prices due to product differentiation
- An offering of alternative products at attractive prices

These items will be subject to special conditions. If you are interested in the items that you see here, please contact the Bestway team or your Sales Rep for more information.

we look forward to making this the best sales season yet!

The Bestway team

CONTENTS

AGP
Above Ground Pools

46 AGP ACCESSORIES
Pool Accessories

52 LAY-Z-SPA®
Premium Inflatable Hot Tubs
& Ice Baths

HYDRO FORCE®
Inflatable Stand-Up
Paddleboards

HYDRO FORCE® Inflatable Kayaks

HYDRO FORCE®
Boats

122 TOUGHLITE™ TPU
Sleeping Pads

146 SUMMER Inflatable Leisure Products

150 INDEX
Analytical Index



ABOVE GROUND POOLS

When people think of Bestway® pools, they think of summer memories, good quality and reliability. We are always enhancing our overall line to improve durability and longevity. This line encompasses the best and most innovative pools selected for your market.

Fast Set

18 Steel Pro

24 Steel Pro MAX**

Steel Pro MAX™ Splashview™

FAST SET™

Fast and simple to assemble!

Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!



TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

Tritech®


3-layer puncture resistant liner material

Self-Supporting

Inflatable top ring

1-2-3 Setup

Easy to assemble











PRODUCT MATRIX - POOL RANGE


Buchay Feel of	1.83 m x 51 cm - 6' x 20"	Fast Set" Pool	Refer to International Catalog
Bethery	2.44 m x 61 cm - 8' x 24"	Fast Set" Pool	Refer to International Catalog
Bestway Freder	3.05 m x 66 cm - 10' x 26"	Fast Set" Pool	PG. 16
Heatony Facility	3.05 m x 76 cm - 10' x 30"	Fast Set" Pool	Refer to International Catalog
Market 1	3.66 m x 76 cm - 12' x 30"	Fast Set" Pool	Refer to International Catalog
Prim Prim	3.96 m x 84 cm - 13' x 33"	Fast Set" Pool	Refer to International Catalog
	4.57 m x 84 cm - 15' x 33"	Fast Set" Pool	Refer to International Catalog
	4.57 m x 1.07 m - 15' x 42"	Fast Set [™] Pool	Refer to International Catalog
for last	4.57 m x 84 cm - 15' x 33"	Fast Set" Pool	Catalog Refer to International Catalog Refer to International

ABOVE GROUND POOLS

FAST SET™














Required

to Store

Easy to transport





Water Capacity (80%): 3,200 L (845 gal.)

3.05 m x 66 cm / 10' x 26"

				(<u>0</u> <u>0</u>)	/	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
57455	North America	1	8.0 (17.5)			
57455	Oceania	1	8.0 (17.5)			
57456	Europe	1	8.0 (17.5)			
57457	N. America / Asia, Africa & Latin America	1	10.7 (23.5)	58511 (1,249 L / 330 gal.)	110-120V	58093, TYPE: I
57457	Oceania	1	10.1 (22.2)	58381 (1,249 L / 330 gal)	220-240V	58093, TYPE: I
57458	Europe	1	10.6 (23.3)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I
57458	Asia, Africa & Latin America	1	9.7 (21.5)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I

STEEL PRO®

Easy to assemble and very affordable, with a strong, steel frame.

You get a lot of pool for your money with a Bestway® Steel Pro Pool.



FrameLink™ Joints Corrosion prevention

Frosted Finish


Prevents pool liner from sticking in a hot environment

Tritech®

3-layer puncture resistant liner material










Total Control	3.05 m x 66 cm 10' x 26"	Steel Pro® Round Pool	PG. 20
	3.05 m x 76 cm 10' x 30"	Steel Pro® Round Pool	PG. 22
Parity	3.66 m x 76 cm 12' x 30"	Steel Pro* Round Pool	PG. 22
The sales of the s	2.21 m x 1.50 m x 43 cm 7'3" x 59" x 17"	Steel Pro® Rectangular Pool	Refer to International Catalog
	2.59 m x 1.70 m x 61 cm 8'6" x 67" x 24"	Steel Pro® Rectangular Pool	Refer to International Catalog
	3.00 m x 2.01 m x 66 cm 9'10" x 6'7" x 26"	Steel Pro® Rectangular Pool	Refer to International Catalog
MAN	3.66 m x 2.01 m x 66 cm 12' x 6'7" x 26"	Steel Pro® Rectangular Pool	Refer to International Catalog
Taken A	4.00 m x 2.11 m x 81 cm 13'1" x 6'11" x 32"	Steel Pro® Rectangular Pool	Refer to International Catalog

ABOVE GROUND POOLS STEEL PRO®











Water Capacity (90%): 4,062 L (1,073 gal.)

3.05 m x 66 cm / 10' x 26"


ITEM	REGION	PACK	KG (LBS)
56986	North America	1	15.7 (34.5)
56986	Oceania	1	15.7 (34.5)
56985	Europe	1	15.7 (34.5)

ABOVE GROUND POOLS


STEEL PRO®













			3.05 m x 76 cm / 10' x 30"			6 0	4	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE		
56677	Europe	1	16.9 (37.3)					
56678	Oceania	1	19.4 (42.7)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I		
56679	Europe	1	19.1 (42.0)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I		
56679	Asia, Africa & Latin America	11	18.6 (41.0)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I		
56678	Asia, Africa & Latin America	1	19.1 (42.0)	58511 (1,249 L / 330 gal.)	110-120V	58093, TYPE: I		

Water Capacity (90%): 6,473 L (1,710 gal.)

3.66 m	x 76 cm / 12' x 30"			6 4	7		
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	
56706	Europe	1	21.0 (46.3)				
56680	Oceania	1	23.5 (51.7)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I	
56681	Europe	1	23.2 (51.1)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I	
56681	Asia, Africa & Latin America	1	22.7 (50.0)	58381 (1,249 L / 330 gal.)	220-240V	58093, TYPE: I	
56680	Asia, Africa & Latin America	1	23.1 (51.0)	58511 (1,249 L / 330 gal.)	110-120V	58093, TYPE: I	

STEEL PRO MAX[™] ROUND POOLS

These pools take fun, durability and reliability to the MAX.

The Steel Pro MAX[™] above ground pool is designed with a steel frame for increased strength and durability. With the FrameLink[™] or ClickConnect[™] Joints included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!



TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

FrameLink™ Joints
Corrosion prevention

ClickConnect™ Joints

Quick-click system and rust prevention **Frosted Finish**

Prevents pool liner from sticking in a hot environment

Tritech®

3-layer puncture resistant liner material


Prismatic Stone™

Inner liner













3.05 m x 76 cm 10' x 30"	Steel Pro MAX*Pool	Refer to International Catalog	4.27 m x 1.07 m 14' x 42"	Steel Pro MAX*Pool	Refer to International Catalog
3.66 m x 76 cm 12' x 30"	Steel Pro MAX [®] Pool	Refer to International Catalog	4.27 m x 1.07 m 14' x 42"	Steel Pro MAX*Pool	PG. 28
3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX [®] Pool	Refer to International Catalog	4.27 m x 1.22 m 14' x 48"	Steel Pro MAX Pool	Refer to International Catalog
3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX [*] Pool	PG. 26	4.57 m x 1.07 m 15' x 42"	Steel Pro MAX ⁻ Pool	PG. 30
3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX Pool	PG. 28	4.57 m x 1.07 m 15' x 42"	Steel Pro MAX*Pool	Refer to International Catalog
3.66 m x 1.22 m 12' x 48"	Steel Pro MAX"Pool	Refer to International Catalog	4.57 m x 1.22 m 15' x 48"	Steel Pro MAX [®] Pool	Refer to International Catalog
3.96 m x 1.07 m 13' x 42"	Steel Pro MAX [®] Pool	Refer to International Catalog	4.88 m x 1.22 m 16' x 48"	Steel Pro MAX [®] Pool	Refer to International Catalog
3.96 m x 1.22 m 13' x 48"	Steel Pro MAX [®] Pool	Refer to International Catalog	5.49 m x 1.22 m 18' x 48"	Steel Pro MAX [®] Pool	Refer to International Catalog
4.27 m x 84 cm 14' x 33"	Steel Pro MAX" Pool	Refer to International Catalog			

ABOVE GROUND POOLS


STEEL PRO MAXTM







Pattern



Corrosion


Resistant



No Tools Required

Packaging: Full Color Box

Features & Technologies



Water Capacity (90%): 2,417 gal. (9,150 L)

3.6	66 m x	1.00 m /	12' X 39.5		80 D


				6 d	7		L. H
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56709	Europe	1	38.0 (83.8)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58330
56709	Asia, Africa & Latin America	1	36.8 (81.1)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58335

ABOVE GROUND POOLS

STEEL PRO MAXTM
















Tritech®

Convenience





Corrosion





Required



Packaging: 12' x 39.5" = Full Color Box 14' x 42" = Sturdy Cardboard Box with Pictures



Water Capacity (90%): 9,150 L (2,417 gal.)

3.66 m x 1.00 m / 12' x 39.5"

0.00				<u>@ B</u>		W C	7.77
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
5614X	Europe	1	38.0 (83.8)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58330
5614X	Asia Africa & Latin America	1	36.8 (81.1)	58383 (2.006 L / 530 gal.)	220-2401/	58094 TYPE: II	58335

Water Capacity (90%): 13,030 L (3,440 gal.)


4.27 m x 1.07 m / 14' x 42"

4.27 111	X 1.07 III 7 14 X 42			0 0	/	Ш		7.17
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5614Z	Europe	1	53.7 (118.3)	58386 (3,028 L / 800 gal.)	220-240V	58094, TYPE: II	58248	58330
5614Z	Asia, Africa & Latin America	1	51.9 (114.4)	58386 (3,028 L / 800 gal.)	220-240V	58094, TYPE: II	58248	58335

STEEL PRO MAXTM











Hardware



Corrosion







Water Capacity (90%): 14,970 L (3,955 gal.)

	%): 14,970 L (3,955 gal.) X 1.07 m / 15' X 42"		4			租		
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56686	North America	1	56.0 (123.4)	58387 (3,028 L / 800 gal.)	110-120V	58012, TYPE: III - A/C	58038	58335
56686	Oceania	1	56.0 (123.4)	58386 (3,028 L / 800 gal.)	220-240V	58094, TYPE: II	58038	58335
56488	Europe	1	57.7 (127.3)	58386 (3,028 L / 800 gal.)	220-240V	58094, TYPE: II	58038	58330
56488	Asia, Africa & Latin America	1	55.8 (123.0)	58386 (3,028 L / 800 gal.)	220-240V	58094, TYPE: II	58038	58335
56686	Asia, Africa & Latin America	1	55.8 (123.0)	58387 (3,028 L / 800 gal.)	110-120V	58012, TYPE: III - A/C	58038	58335

STEEL PRO MAXTM RECTANGULAR POOLS

The smart choice.

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Steel Pro MAX™ Pool the smart choice for families.



TECHNOLOGY RICHLIGHTS - PRODUCT DESIGN

ClickConnect™ Joints

Quick-click system and rust prevention

Frosted Finish

Prevents pool liner from sticking in a hot environment

Tritech®

3-layer puncture resistant liner material








PRODUCT MATRIX - POOL RANGE

源意	2.82 m x 1.96 m x 84 cm 9'3" x 6'5" x 33"	Steel Pro MAX™ Rectangular Pool	Refer to International Catalog
	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Steel Pro MAX™ Rectangular Pool	PG. 36
	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Steel Pro MAX™ Rectangular Pool	PG. 34
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 36
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 34
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 38
	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 38
	6.40 m x 2.74 m x 1.32 m 21' x 9' x 52"	Steel Pro MAX™ Rectangular Pool	PG. 38

ABOVE GROUND POOLS STEEL PRO MAX™









Bottom

Hardware



Tritech® Construction

Convenience







C-Connector



Packaging: Sturdy Cardboard Box with Pictures



Water Capacity (90%): 6,478 L (1,711 gal.)

4.04 m x 2.01 m x 1.00 m / 13'3" x 6'7" x 39.5"				8	4	Ĭ	題
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56721	Europe	1	61.5 (135.6)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58330
56721	Asia, Africa & Latin America	1_	59.9 (132.0)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58335
56727	Asia, Africa & Latin America	1	59.9 (132.0)	58384 (2,006 L / 530 gal.)	110-120V	58012, TYPE: III - A/C	58335


Water Capacity (90%): 8,124 L (2,146 gal.)

4.12 m x 2.01 m x 1.22 m / 13'6" x 6'7" x 48"				4		儿	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56728	Oceania	1	72.3 (159.4)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58336
56722	Europe	1	74.1 (163.4)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58331
56722	Asia, Africa & Latin America	1	71.9 (158.6)	58383 (2,006 L / 530 gal.)	220-240V	58094, TYPE: II	58336
56728	Asia, Africa & Latin America	1	71.9 (158.6)	58384 (2,006 L / 530 gal.)	110-120V	58012, TYPE: III - A/C	58336

ABOVE GROUND POOLS STEEL PRO MAXTM










Color

Hardware



Packaging: Sturdy Cardboard Box with Pictures



Water Capacity (90%): 6,478 L (1,711 gal.)

4.04 m x 2.01 m x 1.00 m / 13'3" x 6'7" x 39.5"

DECION	DACK	VC (LDC)	EUTER RUMP	YOUTAGE.	CAPTRIDGE	月日 LADDER
Mosalchia.	PACK.	DOE NO SALA	Make the section of the section of	F 2017 / 2017 4		58330
	-1					58335
4	REGION Europe sia, Africa & Latin America	Europe 1	Europe 1 67.1 (147.9)	Europe 1 67.1 (147.9) 58515 (3,596 L / 950 gal.)	Europe 1 67.1 (147.9) 58515 (3,596 L / 950 gal.) 220-240V	Europe 1 67.1 (147.9) 58515 (3,596 L / 950 gal.) 220-240V SAND FILTER

Water Capacity (90%): 8,124 L (2,146 gal.)

4.12 m x 2.01 m x 1.22 m / 13'6" x 6'7" x 48"

ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56456	Europe	1	74.1 (163.4)	58383 (2,006 L / 530 gal.)	220-240 V	58094, Type: II	58331
56456	Asia, Africa & Latin America	1	71.9 (158.6)	58383 (2,006 L / 530 gal.)	220-240V	58094, Type: II	58336
56457	Europe	1	81.0 (178.6)	58515 (3,596 L / 950 gal.)	220-240V	SAND FILTER	58331
56457	Asia, Africa & Latin America	1	78.8 (173.6)	58515 (3,596 L / 950 gal.)	220-240V	SAND FILTER	58336

Water Capacity (90%): 11,532 L (3,046 gal.)

4.88 m x 2.44 m x 1.22 m / 16' x 8' x 48"

					4	A	CONTINUED IN	題
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56671	Europe	1	102.4 (225.6)	58515 (3,596 L / 950 gal.)	220-240 V	SAND FILTER	√	58331
56671	Asia, Africa & Latin America	1	99.6 (219.6)	58515 (3,596 L / 950 gal.)	220-240V	SAND FILTER	√	58336

Water Capacity (90%): 14,812 L (3,913 gal.)

5.49 m x 2.74 m x 1.22 m / 18' x 9' x 48"

					4		W THITIN	風
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56466	Europe	1	111.8 (246.5)	58497 (6,056 L / 1,600 gal.)	220-240 V	SAND FILTER	√	58331
56466	Asia, Africa & Latin America	1	109.3 (241.0)	58497 (6,056 L / 1,600 gal.)	220-240V	SAND FILTER	√	58336

Water Capacity (90%): 19,281 L (5,094 gal.)

6.40 m x 2.74 m x 1.32 m / 21' x 9' x 52"

					4	A		儿
ITEM	REGION	PACK	KC (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5612B	Europe	1 Ea., 2 boxes	139.5 (307.5)	58497 (6,056 L / 1,600 gal.)	220-240 V	SAND FILTER	√	58332
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	137.5 (303.2)	58497 (6,056 L / 1,600 gal.)	220-240V	SAND FILTER	√	58337



STEEL PRO MAX[™] SPLASHVIEW[™]

These pools offer both kids and parents a truly unique experience.

With built-in windows, kids can wave to onlookers while gliding by, and parents can easily keep an eye on them as they swim underwater!



TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

ClickConnect™ Joints

Quick-click system and rust prevention

Frosted Finish

Prevents pool liner from sticking in a hot environment

Tritech®

3-layer puncture resistant liner material








PRODUCT MATRIX - POOL RANGE

	4.27 m x 1.07 m - 14' x 42"	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
	4.88 m x 1.22 m - 16' x 48"	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
Theory O	4.27 m x 2.50 m x 1.00 m 14' x 8'2" x 39.5"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
Service 1	4.88 m x 3.05 m x 1.07 m 16' x 10' x 42"	Steel Pro MAX™ Splashview™ Oval Pool	PG, 42
Rent Control of the C	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Splashview™ Rectangular Pool	PG. 44


STEEL PRO MAX™

SPLASHVIEWTM









Packaging: Sturdy Cardboard Box with Pictures



Water Capacity (90%): 10,949 L (2,893 gal.)


4.88 m x 3.05 m x 1.07 m / 16' x 10' x 42" REGION PACK KG (LBS) FILTER PUMP VOLTAGE CARTRIDGE COVER LADDER ITEM V 56946 Europe 1 76.0 (167.5) 58515 (3,596 L / 950 gal.) 220-240V SAND FILTER 58330 Asia, Africa & Latin America 58335 56946 75.2 (165.7) 58515 (3,596 L / 950 gal.) 220-240V SAND FILTER 7

ABOVE GROUND POOLS

STEEL PRO MAXTM **SPLASHVIEW**TM










Pattern

Bottom

Hardware






Packaging: Sturdy Cardboard Box with Pictures



A STATE OF THE STA	(2.44 m x 1.22 m /	16' x 8'	x 48"		4		WE THAT THE	雕
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561MC	North America	1	96.1 (211.9)	58387 (3,028 L / 800 gal.)	110-120V	58012, Type: III - A/C	√	58336
561MC	Oceania	1	96.1 (211.9)	58386 (3,028 L / 800 gal.)	220-240V	58094, Type: II	√	58336
561MB	Europe	1	98.4 (217.0)	58386 (3,028 L / 800 gal.)	220-240V	58094, Type: II	√	58331
561MB	Asia, Africa & Latin America	1	95.4 (210.4)	58386 (3,028 L / 800 gal.)	220-240V	58094, Type: II	√	58336
561MC	Asia, Africa & Latin America	1	95.4 (210.4)	58387 (3,028 L / 800 gal.)	110-120V	58012, Type: III - A/C		58336



AGP ACCESSORIES

Bestway® offers a range of pool products that can handle cleaning, maintenance and mood. They help pool-owners enjoy their product for as long as possible.

48 Swimfinity™

50 Round Pool Dome

51

Floor Protector

AGP ACCESSORIES

SWIMFINITYTM 58517





Main Features:

- Compatible with in-ground & above ground pools greater than 1.00 m (39.5") deep, 4.57 m (15') long & 2.44 m (8') in width
- Digital LED display indicates distance, time and calories burned and provides illumination at night
- 8 variable speeds flow speeds range from 39 m/min. (128 ft./min.) to 78 m/min. (256 ft./min.)
- Adjustable depth and water flow angle
- Remote control with elastic band
- Easy to set up; simple to operate
- PRCD plug (current surge protector)
- Output Voltage: ±12 V DC 35 A
- Input Power: 1000 W







SWIMFINITY"

SWIM FITNESS SYSTEM

ITEM	REGION	RATING		SIZE	REC. P	OOL LENGTH &	DEPTH	PACK	KG (LBS)	PACKAGING
58517 Europe		220-240V~ (PRCD)	72 cm x 48 cm x 83.50 cm / 28.35" x 18.90" x 32.87"		1.	L: 4.57 m / 15' D: 1.00 m / 39.5"			53.5 (118.0)	Sturdy Cardboard Box With Pictures
INTEN	NSITY /EL	1	2	3	4	5	6		7	8
FLOW (M/FT. P			44.4 m 45.7 ft.	49.8 m 163.4 ft.	55.2 m 181.1 ft.	60.6 m 198.8 ft.	66.0 216.5		71.4 m 234.3 ft.	78.0 m 255.9 ft.

Take water workouts up a notch with the Swimfinity™ Swim Fitness System! Now, anyone can simulate swimming laps in any size pool. With the Swimfinity, water aerobics will never be the same!



ROUND POOL DOME





Main Features:

- Compatible with above ground pools up to 4.88 m (16') in diameter
- UPF 50+ sun protection
- 2 entry points & 8 large, transparent windows
- Setup time: 30 min.
- Full color box

ITEM	SIZE	CORRESPONDING POOL - FITS:	PACK	KG (LBS)
58612	6.00 m x 6.00 m x 2.95 m / 19'8" x 19'8" x 9'8"	Up to 4.88 m / 16'	1	20.4 (45.0)

FLOOR PROTECTOR

58639





Main Features:

- Product Coverage: 2.25 sq. m / 24.2 sq. ft.
- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pools or spas
- Grey color allows differentiation from all the standard floor protectors and better matches with medium/high level pools
- Shrink wrapped with insert card

ITEM	SIZE	CONTENT	COLORS	PACK	KG (LBS)	
58639	50 cm x 50 cm / 20" x 20"	9 Pieces		30	22.8 (50.3)	



PORTABLE HOTTUBS



Nearly a decade of advanced engineering and innovations have built a global name that people know and trust. Lay-Z-Spa® offers an affordable hot tub experience that's convenient to use, easy to set up and offers total relaxation.

60

Lay-Z-Spa® Miami AirJet™

20

Lay-Z-Spa® Boracay AirJet™

Lay-Z-Spa® Palm Springs AirJet™ 6 Sand

74

Lay-Z-Spa® Mauritius Airlet™ 7 Grey Lay-Z-Spa Helsinki Airlet Plus 7 Brown Barrel 90

9

Lay-Z-Spa® Glacial Dip™ Ice Bath Tub 92

Lay-Z-Spa® Glacial Dip™ Ice Bath Tub Lay-Z-Spa Glacial Dip™ Ice Bath Pod



PRODUCT NAME	MIAMI AIRJET™ 4 DARK BLUE	MIAMI AIRJET™ 4 BLACK	MIAMI AIRJET" 6 DARK GREEN	BORAÇAY AIRJET™ 4 BLUE MARBLE	HOLLYWOOD AIRJET" 6 BLACK WAYES	HOLLYWOOD AIRJET™ 6 MARBLE	PALM SPRINGS AIRJET™ 6 SAND
ITEM NUMBER	6001C	60001	6001D	60175	60059	6001F	60017
CAPACITY	2-4 PEOPLE	2-4 PEOPLE	4-6 PEOPLE	2-4 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	4- 6 PEOPLE
MATERIAL	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH*	PVC & TRITECH*	PVC & TRITECH®	MAXHOLD™ & TRITECH®
PUMP TYPE	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
MASSAGE TECH	AIRJET™	AIRJET™	AIRJET**	AIRJET™	AIRJET™	AIRJET™	AIRJET™
INFLATED SIZE	1.80 M X 66 CM 71" X 26"	1.80 M X 66 CM 71" X 26"	1.96 M X 66 CM 77" X 26"	1.80 M X 66 CM 71" X 26"	196 M X 66 CM 77" X 26"	180 M X 180 M X 66 CM 71" X 71" X 26"	196 M X 71 CM 77" X 28"
WATER CAPACITY	669 L (177 GAL.)	669 L (177 GAL.)	908 L (240 GAL.)	669 L (177 GAL.)	908 L (240 GAL.)	778 L (205 GAL)	916 L (242 GAL.)
ENERGYSENSE*	YES	N/A	YES	N/A	N/A	N/A	N/A
NUMBER OF AIRJETS	120	120	140	120	140	140	140
NUMBER OF WATER JETS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
KEY FEATURES	* •	***	***	∃ ¾ ⊕	*	* 0 -	***
PAGE	Refer to International catalog	P. 60	Refer to International catalog	P. 64	Refer to International catalog	Refer to International catalog	P. 70

FEATURES KEY:



SMARTPHONE APP



FREEZE SHIELD® €∏ FOOT MASSAGE



-Ö- LED LIGHTS



MASSAGE REGULATION



IS INTEGRATED SEATS



(*) ENERGYSENSE*





AVUOLDINGEDIEC

	NEW	NEW GEN	NEW GEN	NEW GEN	NEW	NEW	
PRODUCT NAME	HAWAII AIRJET** 6 TERRACOTTA	HAWAII AIRJET** 6 BLUE	BALI AIRJET" 6 GREY RATTAN	BALI AIRJET [™] 7 BROWN RATTAN	ROME AIRJET™ 6 BROWN MARBLE	ROME AIRJET™ 7 SAND MARBLE	MAURITIUS AIRJET™ 7 GREY
ITEM NUMBER	600IG	6001H	6001N	6001P	6001K	6001M	60067
CAPACITY	4-6 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD** & TRITECH*	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD** & TRITECH*	MAXHOLD™ & TRITECH®
PUMP TYPE	ULTRAFIT**	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	EXTERNAL
MASSAGE TECH	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™
INFLATED SIZE	196 M X 71 CM 77" X 28"	180 M X 180 M X 71 CM 71" X 71" X 28"	1.96 M X 71 CM 77" X 28"	2.16 M X 71 CM 85" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"	2 01 M X 2 01 M X 71 CM 79" X 79" X 28"	2.70 M X 1.80 M X 71 CM 8'11" X 71" X 28"
WATER CAPACITY	980 L (259 GAL)	840 L (222 GAL.)	980 L (259 GAL.)	1.260 L (333 GAL)	840 L (222 GAL)	1,180 L (312 GAL)	1,370 L (362 GAL.)
ENERGYSENSE*	YES	YES	YES	YES	YES	YES	N/A
NUMBER OF AIRJETS	140	140	140	180	140	180	180
NUMBER OF WATER JETS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
KEY FEATURES							2 * 0
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 74

PRODUCT MATRIX: **PORTABLE HOT TUBS RANGE**



PRODUCT NAME	DOMINICA HYDROJET™ 6 BROWN	CABO HYDROJET™ 6 BROWN RATTAN	SANTORINI HYDROJET PRO™ 7 GREY	MALDIYES HYDROJET PRO™ 7 BURGUNDY	SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE
ITEM NUMBER	6001S	6001R	600IT	600IU	60010
CAPACITY	4-6 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE	5-7 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®
PUMP TYPE	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
MASSAGE TECH	HYDROJET™	HYDROJET™	HYDROJET PRO™	HYDROJET PRO™	HYDROJET PRO™
INFLATED SIZE	196 M X 71 CM 77" X 28"	180 M X 180 M X 71 CM 71" X 71" X 28"	2.16 M X 80 CM 85" X 31.5"	2.01 M X 2.01 M X 80 CM 79" X 79" X 31,5"	2.30 M X 2.30 M X 71 CM 90.5" X 90.5" X 28"
WATER CAPACITY	810 L (214 GAL.)	795 L (210 GAL.)	1,190 L (314 GAL.)	1,050 L (277 GAL)	1,180 L (312 GAL)
ENERGYSENSE*	YES	YES	YES	YES	YES
NUMBER OF AIRJETS	140	140	180	180	180
NUMBER OF WATER JETS	4	4	10	10	10
KEY FEATURES	⊡ ₩₩₩□	ਰ * ● ● □			
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog

FEATURES KEY:



SMARTPHONE APP













IS INTEGRATED SEATS





IP INTEGRATED PUMP





THERMACORE" SERIES

FORTIFIBER" SERIES



NEW GEN







PRODUCT NAME	CARRARA AIRJET™ 6 GREY STONE	TORONTO AIRJET™ 7 BROWN WOOD	HELSINKI AIRJET PLUS™ 7 BROWN BARREL	
ITEM NUMBER	6001V	6001W	60025	
CAPACITY	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE	
MATERIAL	RIGID FOAM PANELS + TRITECH® COVER	RIGID FOAM PANELS + TRITECH® COVER	FORTIFIBER™	
PUMP TYPE	ULTRAFIT"	ULTRAFIT**	EXTERNAL	
MASSAGE TECH	AIRJET**	AIRJET"	AIRJET PLUS™	
INFLATED SIZE	1.70 M X 65 CM 67" X 25.5"	1,90 M X 70 CM 75" X 27.5"	180 M X 66 CM 71" X 26"	
WATER CAPACITY	850 L (225 GAL)	1,250 L (331 GAL)	1,123 L (297 GAL.)	
ENERGYSENSE*	YES	YES	N/A	
NUMBER OF AIRJETS	140	180	180.	
NUMBER OF WATER JETS	N/A	N/A	N/A	
KEY FEATURES				
PAGE	Refer to International catalog	Refer to International catalog	P. 80	





PORTABLE HOT TUBS

STANDARD SERIES



PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

LAY-Z-SPA® MIAMI AIRJET™ 4 BLACK 60001

HIGHLIGHTS



FREEZE SHIELD'
TECHNOLOGY



CAPACITY 2-4 PEOPLE

Main Features:

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong Tritech* walls are stress-tested to offer durability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents:

- 1 spa, 1 pool cover, 1 spa pump, 1 filter cartridge (VI),
- 1 ChemConnect® dispenser, 1 repair patch, AirJet™ system










ChemConnect*

Tritech® Exterior Cover







SPA FEATURES



WARM AIR



POWER SAVING TIMER



NO TOOLS REQUIRED



MAX TEMP 40°C (104°F)



DETECTION SYSTEM

* MOST SPAS HAVE GROUND

FAULT DETECTION SYSTEM (GDS).

GROUND FAULT



TRITECH® WALL & TOP RING

The outer surface of this spa is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



ITEM NUMBER 60001

WATER CAPACITY 669 L (177 GAL.)

INFLATED SIZE 1.80 M X 66 CM (71" X 26")

INNER SIZE 1.32 M (52")

FILLED WEIGHT 696 KG (1,534 LBS)

RATING 220-240V- 50HZ, 2050W AT 20°C (68°F)

ACTUAL WATER FLOW 1,325 L/H (350 GAL./H)

HEATING SYSTEM APPROX. 1.5-2.0°C/H (3-4°F/H)

CERTIFICATION CE/GS

PACK/GROSS WEIGHT 1 EA., 33.93 KG (74.80 LBS)



⊙∘ •⊙

AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Adjustment

Power Saving Timer

Celsius/Fahrenheit

Heat Activation

Airjet™

Massage

PACKAGING

Packaging: Full Color Box





HIGHLIGHTS



FREEZE SHIELD® TECHNOLOGY



CAPACITY 2-4 PEOPLE



SMARTPHONE APP

Main Features:

- Soothing AirJet™ bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong Tritech® walls are stress-tested to offer durability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents:

1 spa, 1 pool cover, 1 spa pump, 1 filter cartridge (VI), 1 ChemConnect® dispenser, 1 repair patch, AirJet™ system








Filter Cartridge

ChemConnect®

Tritech* Exterior Cover







SPA FEATURES



WARM AIR



POWER SAVING TIMER



NO TOOLS REQUIRED



MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

- MOST SPAS HAVE GROUND
FAILUD DETECTION SYSTEM (CDS



MASSAGE REGULATION 2 Intensity Levels



TRITECH® WALL & TOP RING

The outer surface of this spa is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



ITEM NUMBER 60175

WATER CAPACITY 669 L (177 GAL.)

INFLATED SIZE 1.80 M X 66 CM (71" X 26")

INNER SIZE 1.32 M (52")

FILLED WEIGHT 696 KG (1,534 LBS)

RATING 220-240V- 50HZ, 2050W AT 20°C (68°F)

ACTUAL WATER FLOW 1,325 L/H (350 GAL./H)

HEATING SYSTEM APPROX. 1.5-2.0°C/H (3-4°F/H)

CERTIFICATION CE/GS

PACK/GROSS WEIGHT 1 EA., 33.93 KG (74.80 LBS)



⊙• • •

AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.




BESTWAY SMARTPHONE APP

This innovation makes the Lay-Z-Spa compatible with smart devices. The hot tub Control section of the app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!



DIGITAL CONTROL PANEL





Packaging: Full Color Box





PORTABLE HOT TURS

MAXHOLDTM SERIES



MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.





HIGHLIGHTS



FREEZE SHIELD® TECHNOLOGY



4-6 PEOPLE

Main Features:

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield* automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents:

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect® dispenser, 1 filter cartridge (VI), 1 repair patch, AirJet™ system



Filter

Cartridge

9




ct[®] Tri

ChemConnect[®]

Tritech® Exterior Cover







SPA FEATURES



WARM AIR



POWER SAVING TIMER





MAX TEMP 40°C (104°F)



GROUND FAULT DETECTION SYSTEM • MOST SPAS HAVE GROUND FAULT DETECTION SYSTEM (GDS).



TRITECH* WALL & TOP RING

The outer surface of this spa is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.



SPECIFICATIONS

ITEM NUMBER 60017

WATER CAPACITY 916 L (242 GAL.)

INFLATED SIZE 1.96 M X 71 CM (77" X 28")

INNER SIZE 1.46 M (57")

FILLED WEIGHT 947 KG (2,088 LBS)

RATING 220-240V- 50HZ, 2050W AT 20°C (68°F)

ACTUAL WATER FLOW 1,325 L/H (350 GAL./H)

HEATING SYSTEM APPROX. 1.5 - 2.0°C/H (3-4°F/H)

CERTIFICATION CE/GS

PACK/GROSS WEIGHT 1 EA., 38.50 KG (84.88 LBS)



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/Fahrenheit

Heat Activation

Temperature/Hour Adjustment

Power Button ON/OFF


Water Filter Activation

Airjet™ Massage



Packaging: Full Color Box





HIGHLIGHTS



FREEZE SHIELD® TECHNOLOGY



CAPACITY 5-7 PEOPLE



SMARTPHONE APP

Main Features:

- Soothing AirJet™ bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong Tritech* walls are stress tested to offer durability
- MaxHold* fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield" automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes two cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents:

1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect* dispenser, 1 filter cartridge (VI), 1 repair patch, AirJet™ system



9




Filter Cartridge

ChemConnect*

Tritech* Exterior Cover







SPA FEATURES



WARM AIR



POWER SAVING TIMER



NO TOOLS REQUIRED



MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

MOST SPAS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).



MASSAGE REGULATION 2 Intensity Levels




TRITECH® WALL & TOP RING

The outer surface of this spa is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.



SPECIFICATIONS

ITEM NUMBER	60067
WATER CAPACITY	1,370 L (362 GAL.)
INFLATED SIZE	2.70 M X 1.80 M X 71 CM (8'11" X 71" X 28")
INNER SIZE	2.20 M X 1.30 M (7'3" X 51")
FILLED WEIGHT	1,408 KG (3,103 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.O - 1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 46.30 KG (102.07 LBS)



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.




BESTWAY **SMARTPHONE APP**

This innovation makes the Lay-Z-Spa compatible with smart devices. The hot tub Control section of the app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!



DIGITAL CONTROL PANEL



PACKAGING

Packaging: Full Color Box






FORTIFIBER[™] SERIES



DROP STITCH CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. Not only great for durability, but this also makes the hot tub more spacious on the inside.





HIGHLIGHTS



FREEZE SHIELD® TECHNOLOGY



5-7 PEOPLE



SMARTPHONE APP

Main Features:

- Soothing Airlet Plus™ bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Walls are made of FortiFiber™ material, providing a strong and durable hard-sided spa
- Freeze Shield" automatic heating prevents water from freezing & damaging the soa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect* dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents:

1 spa, 1 pool cover, 1 spa pump, 1 filter cartridge (VI), 1 ChemConnect[®] dispenser, 1 high pressure hand pump, 1 repair patch, AirJet Plus™ system



3




Filter Cartridge

ChemConnect*

Tritech* Exterior Cover







SPA FEATURES



WARM AIR



POWER SAVING TIMER



NO TOOLS REQUIRED



MAX TEMP 40°C (104°F)




GROUND FAULT DETECTION SYSTEM

 MOST SPAS HAVE GROUND FAULT DETECTION SYSTEM (GDS)



MASSAGE REGULATION 2 Intensity Levels



FORTIFIBER™ MATERIAL DROP STITCH STRENGTH & DURABILITY

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.



SPECIFICATIONS

ITEM NUMBER 60025

WATER CAPACITY 1,123 L (297 GAL.)

INFLATED SIZE 1.80 M X 66 CM (71" X 26")

INNER SIZE 1.70 M (67")

FILLED WEIGHT 1,155 KG (2,548 LBS)

RATING 220-240V- 50HZ, 2050W AT 20°C (68°F)

ACTUAL WATER FLOW 1,325 L/H (350 GAL./H)

HEATING SYSTEM APPROX. 1.0-1.5°C/H (2-3°F/H)

CERTIFICATION CE/GS

PACK/GROSS WEIGHT 1 EA., 40.13 KG (88.47 LBS)

AIRJET MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.




BESTWAY SMARTPHONE APP

This innovation makes the Lay-Z-Spa compatible with smart devices. The hot tub Control section of the app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!



DIGITAL CONTROL PANEL



PACKAGING

Packaging: Full Color Box



- C 4 + C C C

TECHNICAL FEATURES & ACCESSORY COMPATIBILITY











LAY-	-Z-SPA® ACCESSORIES	60340 LAY-Z-SPA® HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR	60337 LAY-Z-SPA® 4-IN-1 ACCESSORY TRAY	60327 LAY-Z-SPA® RECHARGEABLE UNDERWATER VACUUM	60323 LAY-Z-SPA® UNDERWATER VACUUM	60321 LAY-Z-SPA®SEAT	60322 LAY-Z-SPA® SOOTHING LED WATERFALL
	6001C MIAMI AIRJET™ 4 DARK BLUE						
	60001 MIAMI AIRJET™ 4 BLACK						
	60175 BORACAY AIRJET™ 4 BLUE MARBLE				SET OF SECOND		
	6001D MIAMI AIRJET™ 6 DARK GREEN				rest to the same of		
	60059 HOLLYWOOD AIRJET™ 6 BLACK WAVES					ALTERNATION STATES	
	6001F HOLLYWOOD AIRJET™ 6 MARBLE					(1)	
	6001H HAWAII AIRJET™ 6 BLUE			and the latest		10 10 14 14 16 16 16 16 16 16 16 16 16 16 16 16 16	
	6001K ROME AIRJET™ 6 BROWN MARBLE						
AIRJET™	60017 PALM SPRINGS AIRJET™ 6 SAND						
	6001N BALI AIRJET™ 6 GREY RATTAN			-			
	6001G HAWAII AIRJET™ 6 TERRACOTTA						
	6001M ROME AIRJET™ 7 SAND MARBLE						
	6001P BALI AIRJET™ 7 BROWN RATTAN		•= -	784			
	60067 MAURITIUS AIRJET™ 7 GREY	FILLWAYER		•			
	6001W TORONTO AIRJET™ 7 BROWN WOOD						
	6001V CARRARA AIRJET™ 6 GREY STONE	0 m 0		(a) (a)			
	60025 HELSINKI AIRJET PLUS™ 7 BROWN BARREL	: ₩1					
	6001S DOMINICA HYDROJET™ 6 BROWN	30			NO		NO
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN			*	NO		NO
	6001T SANTORINI HYDROJET PRO™ 7 GREY				NO		NO
	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY				NO		NO
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE				NO		NO

















60304 LAY-Z-SPA® CANOPY	60305 LAY-Z-SPA® DOME	60306 LAY-Z-SPA® DRINK HOLDER	60307 LAY-Z-SPA® PILLOW	60316 LAY-Z-SPA® PADDED PILLOW	60310 LAY-Z-SPA® ALL IN ONE SPA TOOL SET	60334 LAY-Z-SPA® FLOOR PROTECTOR	60311 LAY-Z-SPA® FILTER CARTRIDGE (VI)	
y ₩		*			**			
d # 2					18			
						:•:		
	19509-00-00				4#34			
			:■6		:■ (3			
3∎6			5∎2		3 m 3	5/ ■ 4		
					. ™ 3			
NO								
NO			3 .					
			*	•		X2	¥ 1	
NO	ST. P. SELLI				-3 ■5	X2		
						X2		
		NO	NO	And the second	car.			
NO	W	NO	NO			74		
		NO	NO					
						X2		
						X2		
						X2		

THERMAL COVER COMPATIBILITY







LAY-Z-	LAY-Z-SPA® THERMAL COVER		60318 1.96 M X 71 CM 77" X 28"	60326 2.16 M X 80 CM 85" X 31.5"	
	6001C MIAMI AIRJET™ 4 DARK BLUE		NO	NO	
	60001 MIAMI AIRJET™ 4 BLACK		NO	NO	
	60175 BORACAY AIRJET™ 4 BLUE MARBLE		NO	NO	
	6001D MIAMI AIRJET™ 6 DARK GREEN	NO		NO	
	60059 HOLLYWOOD AIRJET™ 6 BLACK WAVES	NO		NO	
	6001F HOLLYWOOD AIRJET™ 6 MARBLE	NO	NO	NO	
	6001H HAWAII AIRJET™ 6 BLUE	NO	NO	NO	
	6001K ROME AIRJET™ 6 BROWN MARBLE	NO	NO	NO	
AIRJET™	60017 PALM SPRINGS AIRJET™ 6 SAND	NO		NO	
	6001N BALI AIRJET™ 6 GREY RATTAN	NO		NO	
	6001G HAWAII AIRJET™ 6 TERRACOTTA	NO		NO	
	6001M ROME AIRJET™ 7 SAND MARBLE	NO	NO	NO	
	6001P BALI AIRJET™ 7 BROWN RATTAN	NO	NO		
	60067 MAURITIUS AIRJET™ 7 GREY	NO	NO	NO	
	6001W TORONTO AIRJET™ 7 BROWN WOOD	NO	NO	NO	
	6001V CARRARA AIRJET™ 6 GREY STONE	NO	NO	NO	
	60025 HELSINKI AIRJET PLUS™ 7 BROWN BARREL		NO	NO	
LIVERS JETT	6001S DOMINICA HYDROJET™ 6 BROWN	NO		NO	
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN	NO	NO	NO	
	6001T SANTORINI HYDROJET PRO™ 7 GREY	NO	NO		
HYDROJET PRO™	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY	NO	NO	NO	
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE	NO	NO	NO	










60331	60319	60332	60333
2.36 M X 71 CM 93" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"	2.01 M X 2.01 M X 80 CM 79" X 79" X 31.5"	2.30 M X 2.30 M X 71 CM 90.5" X 90.5" X 28"
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO		NO	NO
NO		NO	NO
NO		NO	NO
NO	NO	NO	NO
NO	NO.	NO	NO
NO	NO	NO	NO
NO	NO		NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	NO	NO	NO
NO	a artific	NO	NO
NO	NO	NO	NO
NO	NO		NO
NO	NO	NO	





TRITECH®

The outer surface is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



CLICKCONNECT™ JOINTS

Corrosion-resistant frame connectors are easy to set up and protect the frame from damage.



FORTIFIBER™

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity.



POLAR -SHIELD™

Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures.

PRODUCT MATRIX: ICE BATH RANGE







PRODUCT NAME	GLACIAL DIP™ ICE BATH POD	GLACIAL DIP™ ICE BATH TUB	GLACIAL DIP™ ICE BATH TUB
ITEM NUMBER	6002K	6002N	60020
SIZE	90 CM X 80 CM 35.5" X 31.5"	150 M X 90 CM X 65 CM 59" X 35.5" X 25.5"	152 M X 92 CM X 71 CM 60" X 36" X 28"
WATER CAPACITY	253 L (67 GAL.)	431 L (114 GAL)	420 L (111 GAL.)
CAPACITY	1	2	1
CONSTRUCTION	TRITECH® WALLS AND STEEL FRAME STRUCTURE	TRITECH® WALLS AND STEEL FRAME STRUCTURE	FORTIFIBER™ DROP STITCH
FILTER PUMP	1.249 L/H (330 GAL /H)	1.249 L/H (330 GAL/H)	1,249 L/H (330 GAL /H)
POLAR-SHIELD™	YES	YES	YES
TOP LID	YES	YES	YES
DRAINING FUNCTION	DRAIN VALVE	DRAIN VALVE	DRAIN VALVE AND PIPE
PAGE	P. 90	P. 91	P. 92

LAY-Z-SPA® GLACIAL DIP™ ICE BATH POD 6002K



HIGHLIGHTS





NO TOOLS REQUIRED

Main Features:

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 20 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m3/h)
- Drain valve







Filter Pump





PVC Cover

Contents:

1 ice bath, 1 filter pump, 1 filter cartridge, 1 cover, repair patch

ITEM NUMBER	6002K
WATER CAPACITY (75%)	253 L (67 GAL.)
SIZE	90 CM X 80 CM / 35.5" X 31.5"
DEPTH	60 CM / 23.5"
FILLED WEIGHT	259 KG (571 LBS)
WATER FLOW RATE	1,249 L/H (330 GAL./H; 1.0 Ma/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 9 KG (19.86 LBS)







GLACIAL DIP™ ICE BATH TUB 6002N





HIGHLIGHTS







Main Features:

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 30 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m3/h)
- Drain valve










PVC Cover

Contents:

1 ice bath, 1 filter pump, 1 filter cartridge, 1 cover, repair patch

ITEM NUMBER	6002N
WATER CAPACITY (75%)	431 L (114 GAL.)
SIZE	1.50 M X 90 CM X 65 CM / 59" X 35.5" X 25.5"
DEPTH	49 CM / 19.2"
FILLED WEIGHT	440 KG (971 LBS)
WATER FLOW RATE	1,249 L/H (330 GAL./H; 1.0 M3/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 12 KG (26.49 LBS)













Main Features:

- FortiFiber™ drop stitch walls are rigid, durable and lightweight
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Inflated by hand pump; setup takes 5 minutes with 1 person
- Reinforced Tritech® cover with locking clips
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Quick inflation/deflation air valve
- Drain pipe







Filter Pump




Tritech® Exterior Cover

Contents:

1 ice bath, 1 hand pump, 1 carry bag, 1 cover, repair patch

ITEM NUMBER	60020
WATER CAPACITY (75%)	420 L (111 GAL.)
SIZE	1.52 M X 92 CM X 71 CM (60" X 36" X 28")
DEPTH	52 CM / 20"
FILLED WEIGHT	434 KG (956 LBS)
WATER FLOW RATE	1,249 L/H (330 GAL./H; 1.0 M³/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 20.50 KG (45 LBS)







BOARDS



The engineering team at Bestway® has crafted and fine-tuned each stand-up paddleboard year after year to offer consumers the most premium option at an affordable price.

White Cap Convertible Set

Oceana™ 10′ 2-in-1 Stand-Up Paddleboard & Kayak Set

Agua Drifter™ View 11'

Stand-Up Paddleboard Set

Oceana™ CompactAir™ 10' Stand-Up

Aqua Journey™ 9' Stand-Up

Agua Drifter™ 11' 2-in-1 Stand-Up Paddleboard & Kayak Set

Aqua Glider™ 10'6" Stand-Up

Glider Elite™ 12'6" 2-in-1 Stand-Up Paddleboard & Kayak Set



TECHNOLOGY

FORTIFIBERTM DROP STITCH CONSTRUCTION

Internal threads create exceptional rigidity and strength for a balanced, stable ride




FORTIFIBER™ AIRE DROP STITCH CONSTRUCTION

Featuring a more lightweight build than traditional FortiFiber, internal threads create exceptional rigidity and strength for a balanced, stable ride



FORTIFIBERTM DROP STITCH CONSTRUCTION WITH TRITECH® STRINGER

Internal threads create exceptional rigidity and strength for a balanced, stable ride; Tritech® triple-layer stringer for added structure and shape



BENEFITS

Bestway's inflatable SUP line offers all the advantages that come along with hard boards, plus these added benefits:

- Easy to transport in a car or on a plane a true money saver, as there is no need to purchase a roof rack or pay expensive shipping costs
- A great choice for beginners the thicker material is generally more stable than a hard board
- Sold as a package deal everything that's needed is included in one lightweight, grab-and-go carrier
- Tough and springy the flexible material is more resilient than a hard board

Ease and portability make an inflatable SUP the ultimate board, especially for beginners. Some models even come with a convenient kit to convert the paddleboard into a kayak, giving the user two options every time they cruise the open water. With a Hydro Force SUP, anyone can have a summer of adventures.

HYDRO FORCE® SUP RANGE



						The state of the s		
TEM N.	65349	65341	65350	65346	65308	65363	65373	65310
NAME	AQUA JOURNEY SET	WHITE CAP CONVERTIBLE SET	OCEANA CONVERTIBLE SET	HUAKA'I SET	KAHAWA! SET	PANORAMA SET	AQUA EXCURSION™ TECH SET	FREESOUL™ TECH CONVERTIBLE S
CATEGORY	ALL ROUND/RECREATIONAL	ALL ROUND/RECREATIONAL	ALL ROUND/RECREATIONAL	ALL ROUND/RECREATIONAL	RIVER	ALL ROUND/RECREATIONAL	TOURING	TOURING
SURFACE LAMINATION	FORTIFIBER™	FORTIFIBER™	FORTIFIBER™	FORTIFIBER™	FORTIFIBER™	FORTIFIBER™	TRITECH*	TRITECH*
LENGTH	2.74 m (9')	3.05 m (10')	3.05 m (10°)	3.05 m (10')	3.10 m (10'2")	3.40 m (11'2")	3.81 m (12'6")	3.40 m (11'2")
WIDTH	76 cm (30")	84 cm (33")	84 cm (33")	84 cm (33")	86 cm (34")	89 cm (35")	79 cm (31")	89 cm (35")
THICKNESS	12 cm (4.75")	12 cm (4.75")	12 cm (4.75")	15 cm (6")	15 cm (6")	15 cm (6")	15 cm (6")	15 cm (6")
WEIGHT CAPACITY	100 kg (220 lbs)	120 kg (265 lbs)	120 kg (265 lbs)	130 kg (287 lbs)	140 kg (309 lbs)	150 kg (330 lbs)	120 kg (265 lbs)	160 kg (353 lbs)
SINGLE ACTION PUMP		100000000000000000000000000000000000000						
DOUBLE ACTION PUMP		5400						
ВАСКРАСК								
DELUXE BACKPACK								
TRITECH BACKPACK				WHEN THE REAL PROPERTY.				
COILED LEASH								
SAFETY LEASH								
REPAIR KIT	Y.						•	
PADDLE	*				250	*		
KAYAK SEAT	-		·					¥
FOOT REST			· ·					
ONE REMOVABLE FIN		•						
TWO REMOVABLE FINS								
THREE REMOVABLE FINS								
OTHER FEATURES		Total Control				SEE THROUGH WINDOW	BÖTTLE HOLDER	*DAGGERBOARD FOR WINDSURF USE *BOTTLE HOLDER
PAGE	Refer to International catalog	P. 100	Refer to International catalog	P. 101	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog

New



New

New

New

New

New

New

New

				The state of the s				
TEM N.	6532A	6532B	6532C	6532D	6532H	6532E	6532F	6532G
IAME	AQUA JOURNEY" 9' STAND-UP PADDLEBOARD SET	OCEANA™ 10' 2-IN-1 STAND-UP PADDLEBOARD & KAYAK SET	OCEANA™ COMPACTAIR™ 10' STAND-UP PADDLEBOARD SET	AQUA DRIFTER™ 11′2-IN-1 STAND- UP PADDLEBOARD & KAYAK SET	AQUA DRIFTER™ VIEW 11' STAND-UP PADDLEBOARD SET	FREESOUL ELITE™ 11' 2-IN-1 STAND-UP PADDLEBOARD & KAYAK SET	AQUA GLIDER® 10'6" STAND-UP PADDLEBOARD SET	GLIDER ELITE™ 12'6" 2-IN-1 STAND-UP PADDLEBOARD & KAYAK SET
ATEGORY	RECREATIONAL	RECREATIONAL	RECREATIONAL	RECREATIONAL	RECREATIONAL	RECREATIONAL	TOURING	TOURING
URFACE LAMINATION	FORTIFIBER** DROP STITCH	FORTIFIBER™ DROP STITCH	FORTIFIBER™ DROP STITCH	FORTIFIBER™ DROP STITCH	FORTIFIBER™ DROP STITCH	FORTIFIBER** DROP STITCH WITH TRITECH* STRINGER	FORTIFIBER™ AIRE DROP STITCH	FORTIFIBER* DROP STITCH WITH TRITECH* STRINGER
ENGTH	2.74 m (9°)	3.05 m (10)	3.05 m (107)	3.35 m (117)	3.35 m (111)	3.35 m (11')	3.20 m (10.6')	3.81 m (12'6")
VIDTH	76 cm (30")	84 cm (33")	84 cm (33")	91.5 cm (36")	91.5 cm (36")	84 cm (33")	79 cm (31")	79 cm (31").
HICKNESS	12 cm (4.75")	15 cm (6")	15 cm (6")	15 cm (6")	15 cm (6")	15 cm (6")	12 cm (4.75°)	15 cm (6")
VEIGHT CAPACITY	100 kg (220 lbs)	130 kg (287 lbs)	130 kg (287 lbs)	150 kg (330 lbs)	140 kg (309 lbs)	150 kg (330 lbs)	110 kg (243 lbs)	150 kg (330 lbs)
INGLE ACTION PUMP	(10)							
IOUBLE ACTION PUMP								
INTRY LEVEL BACKPACK								
REMIUM BACKPACK								
RAVELTECH BACKPACK								
JUICK-RELEASE COILED LEASH ANKLE	N.S.							
JUICK-RELEASE COILED LEASH ANKLE+WAIST								
IEPAIR KIT	34°							
ADDLE	*							
AYAK SEAT								
OOT REST								
INE REMOVABLE FIN								
WO REMOVABLE FINS								
HREE REMOVABLE FINS								
ITHER FEATURES	FRONT ELASTIC ROPE	FRONT ELASTIC ROPE	FRONT ELASTIC ROPE	FRONT ELASTIC ROPE, REAR D-RINGS FOR COOLER	BUILT-IN PANORAMA WINDOW WITH COVER	DOUBLE ELASTIC ROPE, EVA KICK PAD, BOTTLE HOLDER, REAR D-RINGS FOR COOLER	TRAVELTECH™ CONFIGURATION	DOUBLE ELASTIC ROPE, EVA KICK PAD, BOTTLE HOLDER, REAR D-RINGS FOR COOLER
AGE	P. 102	P. 103	P. 104	P. 105	P. 106	P. 107	P. 108	P. 109

WHITE CAP CONVERTIBLE SET

65341



INFLATED SIZE

3.05 m x 84 cm x 12 cm
 10' x 33" x 4.75"

CATEGORY

Category Type: All-Around

FEATURES

FortiFiber™ drop stitch

WEIGHT CAPACITY

120 kg (265 lbs

PASSENGERS



CONTENTS

 1 paddleboard, 1 paddle, 1 hand pump, 1 backpack, 1 coiled leash, 1 seat, 1 footrest, 1 fin, repair kit

CASE PACK

• 1 pc:

KG (LB)

13.9 kg (30.6 lbs)

PACKAGING



HUAKA'I SET

65346



INFLATED SIZE

3.05 m x 84 cm x 15 cm
 10' x 33" x 6"

CATEGORY

Category Type: All-Around

FEATURES

FortiFiber™ drop stitch

WEIGHT CAPACITY

130 kg (287 lb)

PASSENGERS

5 31



CONTENTS

 1 paddleboard, 1 paddle, 1 hand pump, 1 backpack, 1 coiled leash, 1 fin, repair kit


CASE PACK

1 pc

KG (LB)

14.3 kg (31.5 lbs)

PACKAGING



AQUA JOURNEY™ 9' STAND-UP PADDLEBOARD SET

6532A NEW!





INFLATED SIZE

CATEGORY

· Category Type: All Around/Recreational

FEATURES

- FortiFiber™ drop stitch

- Elastic cord for added storage
- Single action pump with pressure gauge (analog)

WEIGHT CAPACITY

100 kg (220 lbs)

PASSENGERS



CONTENTS

pump, 1 backpack, 1 coiled leash, 1 removable fin, repair kit

CASE PACK

KG (LB)

PACKAGING



OCEANA™ 10' 2-IN-1 STAND-UP PADDLEBOARD

& KAYAK SET

6532B





INFLATED SIZE

- . 3.05 m x 84 cm x 15 cm / 10' x 33" x 6"
- 320 L (84 gal.) volume
- 15 psi (1.03 bar) max pressure

CATEGORY

· Category Type: All Around/Recreational

FEATURES

- FortiFiber™ drop stitch
- Quick-release coiled ankle leash
- 1 removable fin
- Non-slip traction pad
- Dual action hand pump with pressure gauge (analog
- Elastic cord for added storage

WEIGHT CAPACITY

130 kg (287 lbs)

PASSENGERS

CONTENTS

 1 paddleboard, 1 paddle, 1 hand pump, 1 backpac 1 coiled leash, 1 seat, 1 footrest, 1 removable fin, repair kit

CASE PACK

1 pcs

KG (LB)

14.4 kg (31.6 lbs)

PACKAGING



OCEANAT COMPACTAIR 10' STAND-UP PADDLEBOARD SET

6532C NEW!





INFLATED SIZE

- . 3.05 m x 84 cm x 15 cm / 10' x 33" x 6"
- 320 L (84 gal.) volume

CATEGORY

· Category Type: All Around/Recreational

Features

- FortiFiber™ drop stitch
- · Quick-Release coiled ankle leash
- Non-slip traction pad

WEIGHT CAPACITY

130 kg (287 lbs)

PASSENGERS




CONTENTS

. 1 paddleboard, 1 paddle, 1 backpack, 1 coiled leash, 1 power cable, 1 removable fin, repair kit

CASE PACK

KG (LB)

PACKAGING



AQUA DRIFTER™ 11' 2-IN-1 STAND-UP PADDLEBOARD

& KAYAK SET

6532D





INFLATED SIZE

- 3.35 m x 91.5 cm x 15 cm / 11' x 36" x 6"
- 380 L (100 gal.) volume
- 15 psi (1.03 bar) max pressure

CATEGORY

Category Type: All Around/Recreational

FEATURES

- FortiFiber™ drop stitch
- Quick-release coiled ankle leash
- 1 removable fin
- Non-slip traction pad
- . Dual action hand pump with pressure gauge (analog)
- Elastic cord for added storage

WEIGHT CAPACITY

150 kg (330 lbs

PASSENGERS

. 1



CONTENTS

 1 paddleboard, 1 paddle, 1 hand pump, 1 backpac 1 coiled leash, 1 seat, 1 footrest, 1 fastening cord 1 removable fin, repair kit

CASE PACK

1 pc:

KG (LB)

15.9 kg (35.1 lbs)

PACKAGING



AQUA DRIFTER™ VIEW 11' STAND-UP PADDLEBOARD SET

6532H NEW!





INFLATED SIZE

- . 3.35 m x 91.5 cm x 15 cm / 11' x 36" x 6"
- 355 L (94 gal.) volume

CATEGORY

Category Type: All Around/Recreational

FEATURES

- FortiFiber™ drop stitch
- · Quick-release coiled ankle leash
- 1 removable fin
- · Non-slip traction pad
- Dual action hand pump with pressure gauge (analog)

WEIGHT CAPACITY

• 140 kg (309 lbs)

PASSENGERS



CONTENTS

pump, 1 backpack, 1 coiled leash, 1 fastening cord, 1 removable fin, repair kit

CASE PACK

KG (LB)

14.9 kg (32.9 lbs)

PACKAGING





FREESOUL ELITE™ 11' 2-IN-1 STAND-UP PADDLEBOARD &

KAYAK SET

6532E NEW!







- . 3.35 m x 84 cm x 15 cm / 11' x 33" x 6"

CATEGORY

Features

- FortiFiber™ drop stitch with Tritech® stringer
- · Elastic cord for added storage
- Dual action hand pump with pressure gauge (analog)

WEIGHT CAPACITY

PASSENGERS



CONTENTS


1 coiled leash, 1 seat, 1 footrest, 1 fastening cord, 3 fins, repair kit

CASE PACK

KG (LB)

• 17.8 kg (39.3 lbs)

PACKAGING



TOURING

AQUA GLIDER™ 10'6" STAND-UP PADDLEBOARD SET

6532F NEW!





INFLATED SIZE

- . 3.20 m x 79 cm x 12 cm / 10'6" x 31" x 4.75"

CATEGORY

FEATURES

- Elastic cord for added storage

WEIGHT CAPACITY

PASSENGERS




CONTENTS

CASE PACK

KG (LB)

PACKAGING



TOURING

GLIDER ELITE™ 12'6" 2-IN-1 STAND-UP PADDLEBOARD

& KAYAK SET

6532G NEW!







CATEGORY

- Dual action hand pump with pressure gauge (analog)
 Premium, durable backpack with large front pocket

WEIGHT CAPACITY

PASSENGERS




CONTENTS

1 paddleboard, 1 paddle, 1 hand pump, 1 backpack,
 1 coiled leash, 1 seat, 1 footrest, 1 fastening cord,

CASE PACK

KG (LB)

PACKAGING





KAYAK



The wide range of kayaks offered by Bestway® means every water explorer can find exactly what they're looking for. From different sizes to materials, these kayaks are perfect for beginners and advanced adventurers.

116 119

Arrow Elite™ X1 Kayak Set

Laconia Elite™ Sport Boat Set

117

120

Surge Elite™ X1 Kayak Set

Giant Unicorn Island

PLANOGRAM STORE DISPLAY



Actual in-store displays may vary.

ENHANCED MATERIALS



- ENHANCES PUNCTURE-RESISTANCE
- INCREASES TENSILE STRETCH-RESISTANCE FOR RIGIDITY AND SPEED WHEN PADDLING
- IMPROVES PRESSURE RETENTION, MAXIMIZING STABILITY AND MINIMIZING AIR LOSS



 ENGINEERED FOR DURABILITY WITH ENHANCED ABRASION RESISTANCE AND IS MORE PUNCTURE-RESISTANT (THAN A STANDARD PVC KAYAK/RAFT/BOAT)




 COMPOSED OF THOUSANDS OF DROP STITCH THREADS CREATING A DURABLE, RIGID STRUCTURE THAT IS ALSO LIGHTWEIGHT AND PORTABLE



HAS GREATER PRESSURE RETENTION AND RIGIDITY
 WITH INCREASED PUNCTURE-RESISTANCE AND DURABILITY
 AGAINST THE ELEMENTS
 (THAN A STANDARD PVC KAYAK/RAFT/BOAT)

HYDRO FORCE® KAYAKS RANGE



ITEM N.	65176	65077	65132	65118	65052
NAME	RAPID™ X1 KAYAK SET	RAPID™ X2 KAYAK SET	RAPID™ X3 KAYAK SET	VENTURA ELITE™ X1 KAYAK SET	VENTURA ELITE™ X2 KAYAK SET
CAPACITY (PEOPLE)	1	2	3	1	2
SIZE	2.90 m x 91 cm 9' 6" x 36"	3.21 m x 1.00 m 10' 6" x 39"	3.81 m x 1.00 m 12′6″ x 39	2.80 m x 86 cm 9'2" x 34"	3.30 m x 86 cm 10' 10" x 34"
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	INFLATA-SHIELD™ PRO	COATED NYLON	COATED NYLON
PADDLE		X2	X2		X2
HAND PUMP					<u> </u>
REMOVABLE FIN	X2	X2	X2	X2	X2
REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH
SEAT		X2	Х3		X2
CARRY BAG	31 P				
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog



ITEM N.	65115	65131	65178	65179	65180
NAME	COVE CHAMPION™ X1 KAYAK SET	COVE CHAMPION™ X2 KAYAK SET	DASH ELITE™ X1 KAYAK SET	ARROW ELITE™ X1 KAYAK SET	SURGE ELITE™ X1 KAYAK SET
CAPACITY (PEOPLE)	1	2	1	1 1 100	
SIZE	2.75 m x 81 cm 9' x 32"	3,31 m x 88 cm 10′ 10″ x 35″	3.35 m x 92 cm x 30 cm 11' x 36" x 12"	3.65 m x 73 cm x 30 cm 12′ x 29″ x 12″	3.12 m x 94 cm x 30 cm 10′ 3″ x 37″ x 12″
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	FORTIFIBER™ AIRE, TOUGHLITE™ TPU	FORTIFIBER™	TRITECH*
PADDLE		X2			
HAND PUMP			,		
REMOVABLE FIN	X2	X2	X2	X2	X2
REPAIR KIT / PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR KIT	REPAIR KIT	REPAIR PATCH
SEAT		X2			
CARRY BAG			420D BACKPACK	1680D BACKPACK	1680D BACKPACK
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 116	P. 117

TOURING

ARROW ELITE™ X1 KAYAK SET

65179





- User Capacity: 1 adult
- Weight Capacity: 160 kg (352 lbs)

STRUCTURE SPECS

- Inflated Size: 3.65 m x 73 cm x 30 cm / 12' x 29" x 12"
- Deflated Size: 3.63 m x 62 cm / 11' 11" x 24"
- . 3 air chamber construction
- . Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- FortiFiber™ drop stitch construction is made of internal threads that are engineered for supreme rigidity, maximum strength, speed and tracking
- · Narrow shape cuts through water to quickly cover long

FEATURES & DESIGN

- · 1 adjustable, molded foam seat with storage compartment
- 1 floor-mounted footrest
- · 2 removable fins in different sizes for directional support in various water conditions
- · Performance Ratings: Stability: 2.75; Speed: 5; Tracking: 5; Maneuverability: 2.75
- · Elastic cord for added storage
- · 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (anaglog)

VALVES


· High pressure inflation / deflation valves

PACKAGING

- Full color box
- 1 Ea., 21.9 kg (48.4 lbs)

CONTENTS

 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 footrest, 1 backpack, repair kit



WHITEWATER

SURGE ELITE™ X1 KAYAK SET





COMPLIANCE / CERTIFICATION

- · User Capacity: 1 adult
- Weight Capacity: 130 kg (286 lbs)

STRUCTURE SPECS

- Inflated Size: 3.12 m x 94 cm x 30 cm / 10' 3" x 37" x 12"
- Deflated Size: 3.16 m x 97 cm / 10' 4" x 38"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Tritech® 3-ply wall construction is engineered for durability with enhanced abrasion resistance and is more punctureresistant (than a standard PVC kayak)
- Rigid, inflatable, self-bailing floor provides stability with drain holes that let out excess water to help keep the cockpit dry
- Designed for efficient maneuverability and spray protection in rough water

FEATURES & DESIGN

- 1 adjustable, molded foam seat with supportive high back and storage compartment
- · 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability: 3.5; Speed: 4; Tracking: 3; Maneuverability: 4.5
- · 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- 2800 mL dual action hand pump with 0.5-2.0 PSI pressure gauge (anaglog)

VALVES

 Quick-inflation / deflation Boston valves

PACKAGING

- Full color box
- 1 Ea., 15.4 kg (33.9 lbs)

CONTENTS

 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 seat booster pad, 1 footrest, 1 backpack, repair patch



HYDRO FORCE® BOATS RANGE



IVAIVIE	CORINTH ELITE™ SPORT BOAT SET	CASPIAN ELITE™ SPORT BOAT SET	MIROVIA ELITE™ SPORT BOAT SET	LACONIA ELITE™ SPORT BOAT SET
CAPACITY (PEOPLE)	2 ADULTS	2 ADULTS	5 ADULTS	5 ADULTS
SIZE	2.30 m x 1.30 m x 33 cm 7′ 6″ x 51″ x 13″	2.30 m x 1.30 m x 33 cm 7′ 6″ x 51″ x 13″	3.30 m x 1.62 m x 44 cm 10′ 10″ x 64″ x 17″	3.35 m x 1.60 m x 47 cm 11' x 63" x 18.5"
MATERIAL	TRITECH*	TRITECH*/ FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR
HAND PUMP		1		
REPAIR KIT	9			
PAIR OF OARS	Ĭ.	3.		
CARRY BAG)*.	
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 119

SPORT BOATS

LACONIA ELITE™ SPORT BOAT SET

65185





COMPLIANCE / CERTIFICATION

- User Capacity: 5 adults
- Weight Capacity: 640 kg (1,411 lbs)

STRUCTURE SPECS

- Inflated Size 3.35 m x 1.60 m x 47 cm / 11' x 63" x 18.5"
- Deflated Size: 3.32 m x 1.92 m / 10' 11" x 76"
- . 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- . Tritech® 3-ply wall construction is engineered for durability with enhanced abrasion resistance and is more punctureresistant (than a standard PVC boat)
- FortiFiber™ floor construction is composed of thousands of drop stitch threads, which creates a durable, rigid structure that is also lightweight and portable

FEATURES & DESIGN

- . 1 sturdy aluminum bench seat
- · Omni-directional oarlocks
- Tube transom
- Durable strake protects against impact and friction
- · Partial grab ropes with built-in grommets for ease of use and docking
- 5 heavy-duty carry handles
- 1 pair of 162 cm (64") aluminum oars
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
- . 15 HP motor mount with tube transom (motor not
- Secure tie-down for oil and gas can


VALVES

PACKAGING

- · Packaging: Sturdy Cardboard Box with Pictures
- Ea., 36.7 kg (81.0 lbs)

CONTENTS

. 1 boat, 1 pair of oars, 1 hand pump, 1 carry bag, repair kit



GIANT UNICORN ISLAND

43228



INFLATED SIZE

6.03 m x 4.19 m x 2.77 m / 19' 9" x 13' 9" x 9' 1"

DEFLATED SIZE

5.90 m x 4.04 m / 19' 4" x 13' 3"

FEATURES

- · Giant colorful unicorn design
- Wraparound grab rope
- 2 extra-wide backrests
- Mesh bottom
- 4 heavy-duty handles
- 6 cup holders
- 1 jumbo cup holder

CONTENTS

- 1 island
- 1 swim-up platform
- 1 carry bag
- · Heavy-duty repair patch

SPECIFICATIONS

WEIGHT CAPACITY	540 kg (1,188 lbs)
PASSENGERS	6
CASE PACK	1 pcs
LB. (KG)	29.5 kg (65.0 lbs)
PACKAGING	Full color box





SLEEPING PADS

WanderLite™ Regular Rectangular Sleeping Pad

RidgeLite™ Insulated Large Mummy Sleeping Pad

AdventuRest™ Insulated Regular Rectangular Sleeping Pad

TerrainLite™ Self-Inflating Regular Mummy Sleeping Pad

ComforTrek™ Luxe Self-Inflating Large Rectangular Sleeping Pad

WanderLite™ Large Rectangular Sleeping Pad

AlpineLite™ Insulated Regular Mummy Sleeping Pad

134

AdventuRest™ Insulated Large Rectangular Sleeping Pad

TerrainPro™ Self-Inflating Regular Mummy Sleeping Pad

WanderLite™ Regular Air Pillow

RidgeLite™ Insulated Regular Mummy Sleeping Pad

AlpineLite™ Insulated Wide Mummy Sleeping Pad

AdventuRest™ Insulated Queen Sleeping Pad

ComforTrek™ Self-Inflating Wide Rectangular Sleeping Pad

TOUGHLITE™ TPU

SLEEPING PADS




Compact sleeping pads designed with an innovative material to give extra comfort and warmth.









PROVIDES INSULATION

R-VALUE:

The measurement of the thermal resistance of the pad

- Standard: ASTM F3340
- The higher the R-value, the better the thermal insulation of the pad

Conditions

Expected Nighttime Temperature

Pad: R-value Range









Warm

Cool

Cold

Extreme

10°C / 50°F

0°C/32°F

-6.7°C / 20°F

-17.8°C / 0°F

Under 2

2-3.9

4-5.4

Above 5.5









BACKCOUNTRY







New Generation

ALPINELITE* INSULATED WIDE MUMMY SLEEPING PAD 69613

RECTANGULAR SLEEPING PAD 69617

New Generation

ADVENTUREST* INSULATED REGULAR

New Generation

ADVENTUREST* INSULATED LARGE RECTANGULAR SLEEPING PAD 69618 **New Generation**

ADVENTUREST* INSULATED QUEEN SLEEPING PAD 69619

1.83 m x 63.5 cm x 7.5 cm (72" x 25" x 3") 1.88 m x 58.5 cm x 7.5 cm (74" x 23" x 3")

2.7

Cool Weather Rated

70D Ripstop Nylon / TPU

1.98 m x 71 cm x 7.5 cm (78" x 28" x 3") 2.03 m x 1.42 m x 15 cm (80" x 56" x 6")

7.6 Extreme Weather Rated

2.7 Cool Weather Rated 3.5 Cool Weather Rated

70D Ripstop Nylon / TPU

70D Ripstop Nylon / TPU

75D Polyester / TPU

70D Ripstop Nylon / TPU

75D Polyester / TPU

75D Polyester / TPU

75D Polyester / TPU

ThermaZone™ (2 Layers Aluminum Film)

THERMOLITE" (Fiber)

THERMOLITE® (Fiber)

THERMOLITE® (Fiber)

Pump Sack

Pump Sack

Pump Sack

Manual Pump (62086)

P. 135

P. 136

P. 137

P. 138

	FRONTCOUNTRY	BACKCOUNTRY	BASE	CAMP
SELF-INFLATING (FOAM CORE SLEEPING PAD)				
	New Generation TERRAINLITE" SELF-INFLATING REGULAR MUMMY SLEEPING PAD 69620	New Generation TERRAINPRO* SELF-INFLATING REGULAR MUMMY SLEEPING PAD 69621	COMFORTREK* SELF-INFLATING WIDE RECTANGULAR SLEEPING PAD 69622	COMFORTREK* LUXE SELF-INFLATING LARGE RECTANGULAR SLEEPING PAD 69623
SIZE	1.83 m x 51 cm x 2.5 cm (72" x 20" x 1")	1.83 m x 51 cm x 5.1 cm (72" x 20" x 2")	1.83 m x 63.5 cm x 7.6 cm (72"x 25"x 3")	1.98 m x 63.5 cm x 10.8 cm (78" x 25" x 4")
R-VALUE	3.8 Cool Weather Rated	4.7 Cold Weather Rated	6.8 Extreme Weather Rated	9.4 Extreme Weather Rated
TOP MATERIAL	70D Ripstop Nylon / TPU	70D Ripstop Nylon / TPU	50D Stretch Knit Polyester / TPU	50D Stretch Knit Polyester / TPU
SIDE MATERIAL	N/A	N/A	N/A	50D Stretch Knit Polyester / TPU
BOTTOM MATERIAL	70D Ripstop Nylon / TPU	70D Ripstop Nylon / TPU	75D Polyester / TPU	75D Polyester / TPU
INSULATION MATERIAL	PU Foam	PU Foam	PU Foam	PU Foam
PUMP	N/A	N/A	N/A	N/A
PAGES	P. 140	P. 141	P. 142	P. 143



Frontcountry

WANDERLITE™ REGULAR RECTANGULAR SLEEPING PAD

69615 NEW GEN.







HIGHLIGHTS



543 g / 1 lb 3 oz Pad Weight



Puncture-Resistant ToughLite" TPU




Fits a Regular Rectangular Sleeping Bag



R-value: Warm Weather Rated

- · Fits a regular sized sleeping bag
- · R-value of 1.3, ideal for warm weather
- Pad Weight: 543 g (1 lb 3 oz)
- Compact, packed size of 10 cm x 10 cm x 19.5 cm / 4" x 4" x 7.5" to easily fit in
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nvlon fabric
- CrossWing™ design features inclined air pockets for comfort and to prevent rolling
- · Low profile valve allows for easy pressure adjustment
- Full color box





Item No.	Size	Air Pump	Pack	kg (Lbs)
69615	1.88 m x 58.5 cm x 6.5 cm / 74" x 23" x 2.5"	N/A	8 PCS	5.5 (12.1)

677 g / 1 lb 8 oz Pad Weight



Puncture-Resistant ToughLite" TPU



Fits a Larger Rectangular Sleeping Bag



R-value: Warm Weather Rated

WANDERLITE™ LARGE RECTANGULAR SLEEPING PAD

69616 NEW GEN.



6.5 cm

· Fits larger sized sleeping bag


R-value of 1.3, ideal for warm weather

Pad Weight: 677 g (1 lb 8 oz)

Compact, packed size of 10.5 cm x 10.5 cm x 23 cm / 4" x 4" x 9" easily fits in

- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- CrossWing™ design features inclined air pockets for comfort and to prevent rolling
- Low profile valve allows for easy pressure adjustment
- Full color box





Item No.	Size	Air Pump	Pack	kg (Lbs)
69616	1.98 m x 71 cm x 6.5 cm / 78" x 28" x 2.5"	N/A	8 PCS	6.7 (14.9)

RIDGELITE™ INSULATED REGULAR MUMMY SLEEPING PAD

69643





7.5 cm 3"



HIGHLIGHTS



531 g / 1 lb 3 oz Pad Weight



Puncture-Resistant ToughLite™TPU




Fits a Regular Mummy Sleeping Bag



R-value: Cold Weather Rated

- · Fits regular mummy sleeping bag
- R-value of 4.9, ideal for cold weather
- Pad Weight: 531 g (1 lb 3 oz)
- Compact, packed size of 10 cm x 10 cm x 24 cm / 4" x 4" x 9.5" to easily fit in your pack
- Puncture-resistant ToughLite™ TPU material and sporty, durable 20D ripstop nylon fabric
- ThermaZone™ features aluminized film for superior insulation
- · Pump sack is durable and lightweight
- · Low profile valve allows for easy pressure adjustment
- Full color box





Item No.	Size	Air Pump	Pack	kg (Lbs)
69643	1.83 m x 51 cm x 7.5 cm / 72" x 20" x 3"	Pump Sack	6 PCS	4.4 (9.8)

RIDGELITE™ INSULATED LARGE MUMMY SLEEPING PAD

69644





HIGHLIGHTS



638 g / 1 lb 7 oz Pad Weight




Puncture-Resistant ToughLite" TPU



Fits a Larger Mummy Sleeping Bag



R-value: Cold Weather Rated




R-value of 4.9, ideal for cold weather

7.5 cm

- Pad Weight: 638 g (1 lb 7 oz)
- Compact, packed size of 10.5 cm x 10.5 cm x 27 cm / 4" x 4" x 10.5"
 Puncture-resistant ToughLite™ TPU material and sporty, durable 20D ripstop nylon fabric
- ThermaZone™ features aluminized film for superior insulation
- Pump sack is durable and lightweight
- Low profile valve allows for easy pressure adjustment
- Full color box





Item No.	Size	Air Pump	Pack	kg (Lbs)
69644	1.93 m x 63.5 cm x 7.5 cm / 76" x 25" x 3"	Pump Sack	6 PCS	5.2 (11.5)

ALPINELITE™ INSULATED

REGULAR MUMMY

SLEEPING PAD

69612 NEW GEN.





7.5 cm





664 g / 1 lb 7 oz Pad Weight



Puncture-Resistant ToughLite* TPU



Fits a Regular Mummy Sleeping Bag




R-value: Extreme Weather Rated

- · Fits regular mummy sleeping bag
- R-value of 7.6, ideal for extreme weather
- Pad Weight: 664 g (1 lb 7 oz)
- Compact, packed size of 10 cm x 10 cm x 24 cm / 4" x 4" x 9.5" to easily fit in your pack
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nvlon fabric
- ThermaZone™ features two layers of aluminized film for superior insulation
- · Pump sack is durable and lightweight
- Low profile valve allows for easy pressure adjustment
- Full color box







Item No.	Size	Air Pump	Pack	kg (Lbs)
69612	1.83 m x 51 cm x 7.5 cm / 72" x 20" x 3"	Pump Sack	6 PCS	5.2 (11.5)

ALPINELITE™ INSULATED WIDE MUMMY SLEEPING PAD

69613 NEW GEN.











764 g / 1 lb 11 oz Pad Weight



Puncture-Resistant ToughLite TPU




Fits a Larger Mummy Sleeping Bag



R-value: Extreme Weather Rated

- Fits a larger mummy sleeping bag
- R-value of 7.6, ideal for extreme weather
- Pad Weight: 764 g (1 lb 11 oz)
- Compact, packed size of 10.5 cm x 10.5 cm x 27 cm / 4" x 4" x 10.5"
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- ThermaZone™ features two layers of aluminized film for superior insulation
- · Pump sack is durable and lightweight
- Low profile valve allows for easy pressure adjustment
- Full color box





Item No.	Size	Air Pump	Pack	kg (Lbs)
69613	1.83 m x 63.5 cm x 7.5 cm / 72" x 25" x 3"	Pump Sack	6 PCS	6.0 (13.2)

Basecamp

ADVENTUREST™ INSULATED REGULAR RECTANGULAR

SLEEPING PAD

69617






7.5 cm 3"



THERMOLITE* is a trademark of The LYCRA company



- R-value of 2.7, ideal for cool weather
- Pad Weight: 825 g (1 lb 13 oz)
- Compact, packed size of 13 cm x 13 cm x 23 cm / 5" x 5" x 9"
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- THERMOLITE® insulation provides lightweight warmth and quiet comfort
- I-Beam design keeps you centered and in place
- Pump sack is durable and lightweight
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- Full color box



825 g / 1 lb 13 oz Pad Weight



Puncture-Resistant ToughLite*TPU




Fits a Regular Rectangular Sleeping Bag



R-value: Cool Weather Rated







Item No.	Size	Air Pump	Pack	kg (Lbs)
69617	1.88 m x 58.5 cm x 7.5 cm / 74" x 23" x 3"	Pump Sack	6 PCS	6.6 (14.5)

Basecamp

ADVENTUREST™ INSULATED LARGE RECTANGULAR SLEEPING PAD

40410





7.5 cm 3"



THERMOLITE" is a trademark of The LYCRA company

- · Fits a larger sleeping bag
- R-value of 2.7, ideal for cool weather
- Pad Weight: 1.06 kg (2 lbs 5 oz)
- Compact, packed size of 13.5 cm x 13.5 cm x 27.5 cm / 5.5" x 5.5" x 11"
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- THERMOLITE® insulation provides lightweight warmth and quiet comfort
- I-Beam design keeps you centered and in place
- Pump sack is durable and lightweight
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- Full color box




1.06 kg / 2 lbs 5 oz Pad Weight



Puncture-Resistant ToughLite*TPU




Fits a Larger Rectangular Sleeping Bag



R-value: Cool Weather Rated





Item No.	Size Air Pump Pack kg (Lbs) 1.98 m x 71 cm x 7.5 cm / 78" x 28" x 3" Pump Sack 6 PCS 8.2 (18.0)			
69618	1.98 m x 71 cm x 7.5 cm / 78" x 28" x 3"	Pump Sack	6 PCS	8.2 (18.0)

Basecamp

ADVENTUREST™ INSULATED QUEEN **SLEEPING PAD**

69619 NEW GEN.





15 cm



THERMOLITE® is a trademark of The LYCRA company








2.17 kg / 4 lbs 12 oz Pad Weight



Puncture-Resistant ToughLite"TPU



Fits a Under Rectangular Sleeping Bag



R-value: Cool Weather Rated


Exclusively

tested for

Formaldehyde Free


Bestway

- · Fits under one or more sleeping bags
- R-value of 3.5 for cool weather
- Pad Weight: 2.17 kg (4 lbs 12 oz)
- Packed size of 19.5 cm x 19.5 cm x 45 cm / 7.5" x 7.5" x 17.5"
- Puncture-resistant ToughLite™ TPU material and durable 75D polyester fabric
- THERMOLITE® insulation provides lightweight warmth and quiet comfort
- I-Beam design keeps you centered and in place with 15 cm height to keep you away from the ground
- Convenient, manual pump makes it easier and faster to inflate the pad
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- Full color box



Intertek








TOUGHLITE™ TPU MATERIAL

Puncture-resistant material with durable 75D polyester fabric







Frontcountry


TERRAINLITE™ SELF-INFLATING REGULAR MUMMY SLEEPING PAD

69620













822 g / 1 lb 13 oz Pad Weight



Puncture-Resistant ToughLite" TPU




Fits a Regular Mummy Sleeping Bag



R-value: Cool Weather Rated

- · Fits a regular mummy sleeping bag
- R-value of 3.8, ideal for cool weather
- Pad Weight: 822 g (1 lb 13 oz)
- Packed size of 14 cm x 54 cm / 5.5" x 21"
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- Foam pad self-inflates once valve is opened, expanding to 2.5 cm thickness
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- · Carry bag with hang tag





Item No.	Size	Air Pump	Pack	kg (Lbs)
69620	1.83 m x 51 cm x 2.5 cm / 72" x 20" x 1"	N/A	4 PCS	4.2 (9.3)

TERRAINPRO™ SELF-INFLATING REGULAR MUMMY SLEEPING PAD

69621





5.1 cm 2"

HIGHLIGHTS



933 g / 2 lbs 1 oz Pad Weight



Puncture-Resistant ToughLite* TPU




Fits a Regular Mummy Sleeping Bag



R-value: Cold Weather Rated

- Fits a regular mummy sleeping bag
- R-value of 4.7, ideal for cold weather
- Pad Weight: 933 g (2 lbs 1 oz)
- Packed size of 15 cm x 54 cm / 6" x 21"
- Puncture-resistant ToughLite™ TPU material and sporty, durable 70D ripstop nylon fabric
- Foam pad self-inflates once valve is opened, expanding to 5.1 cm thickness
- I-shape foam core improves warmth and comfort while reducing the pad's weight
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- Carry bag with hang tag





Item No.	Size	Air Pump	Pack	kg (Lbs)
69621	1.83 m x 51 cm x 5.1 cm / 72" x 20" x 2"	N/A	4 PCS	4.7 (10.4)

Basecamp

COMFORTREK™ SELF-INFLATING WIDE RECTANGULAR SLEEPING PAD

69622





Fits larger sleeping bag

- R-value of 6.8, ideal for extreme weather
- Pad Weight: 1.66 kg (3 lbs 11 oz)
- Packed size of 21 cm x 66 cm / 8" x 26"
- Puncture-resistant ToughLite™ TPU material and soft, yet flexible 50D stretch knit polyester fabric
- Foam pad self-inflates once valve is opened, expanding to 7.6 cm thickness
- I-shape foam core provides thermal insulation and comfort while reducing the pad's weight
- Exclusive SpinSeal™ valve switches air inflow and outflow with rotating inner closure
- · Carry bag with hang tag

HIGHLIGHTS



1.66 kg / 3 lbs 11 oz Pad Weight



Puncture-Resistant ToughLite TPU




Fits a Larger Rectangular Sleeping Bag



R-value: Extreme Weather Rated







Item No.	Size	Air Pump	Pack	kg (Lbs)
69622	1.83 m x 63.5 cm x 7.6 cm / 72" x 25" x 3"	N/A	4 PCS	8.3 (18.3)

Basecamp

COMFORTREK™ LUXE SELF-INFLATING LARGE RECTANGULAR SLEEPING PAD

69623 NEW GEN.





- Fits larger sleeping bag
- R-value of 9.4, ideal for extreme weather
- Pad Weight: 2.42 kg (5 lbs 5 oz)
- Packed size of 26 cm x 66 cm / 10" x 26"
- Puncture-resistant ToughLite™ TPU material and soft, yet flexible 50D stretch knit polyester fabric
- Foam pad self-inflates once valve is opened, expanding to 10.8 cm thickness for extra comfort
- · Offset foam core provides thermal insulation and comfort while reducing the pad's weight
- Exclusive SpinSeal™ valve switches air inflow and outflow with rotating inner closure
- · Carry bag with hang tag

HIGHLIGHTS



2.42 kg / 5 lbs 5 oz Pad Weight



Puncture-Resistant ToughLite" TPU




Fits a Larger Rectangular Sleeping Bag



R-value: Extreme Weather Rated





Item No.	Size	Air Pump	Pack	kg (Lbs)	
69623	1.98 m x 63.5 cm x 10.8 cm / 78" x 25" x 4"	N/A	4 PCS	12.0 (26.5)	

Frontcountry

WANDERLITE™ REGULAR AIR PILLOW

69624 NEW GEN.





HIGHLIGHTS




105 g / 3.7 oz Pillow Weight



Puncture-Resistant ToughLite" TPU

- Regular size pillow
- Pillow Weight: 105 g (3.7 oz)
- Compact, packed size of 6.5 cm x 10 cm / 2.5" x 4"
- Puncture-resistant ToughLite™ TPU material and soft 50D stretch knit polyester fabric with a curved design for neck support
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- · Carry bag with header card



Item No.	Size	Air Pump	Pack	kg (Lbs)
69624	42 cm x 30 cm x 12 cm / 16.5" x 11.5" x 4.5"	N/A	32 PC5	4.2 (9.2)

ALPINELITE™ LARGE AIR PILLOW

69625 NEW GEN.





HIGHLIGHTS




186 g / 6.6 oz Pillow Weight



Puncture-Resistant ToughLite" TPU

- · Deluxe, large-sized pillow
- Pillow Weight: 186 g (6.6 oz)
- Packed size of 9 cm x 12 cm / 3.5" x 4.5"
- Puncture-resistant ToughLite™ TPU material and soft, flexible 75D stretch knit polyester fabric
- Outer fabric covering can be removed for cleaning
- Low profile valve has quick inflation and deflation modes and allows for easy pressure adjustment
- · Carry bag with header card

Item No.	Size	Air Pump	Pack	kg (Lbs)
69625	49.5 cm x 28 cm x 12 cm / 19.5" x 11" x 4.5"	N/A	32 PCS	7.1 (15.7)





SUMMER

Bestway® has all the makings for summertime fun. Stylish and comfortable lounges make the best summer ever for your customers. Make it a Bestway summer!

Flex 'n Fold™ Recliner Lounge

149 Fle

Flex 'n Fold™ Lounge

FLEX 'N FOLD™ RECLINER LOUNGE

43733





- 1.88 m x 98 cm x 38 cm / 74" x 38.5" x 15"
- Convenient pop-up structure is ready for inflation in seconds
- Easy to twist and fold for quick and compact storage
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Comfortable reclined backrest
- 1 cup holder
- 2 air chambers
- Weight capacity: 140 kg (309 lbs)
- Carry bag with round insert card + PDQ
- 8 Ea., 15.9 kg (35.1 lbs)



ComfortCool™ mesh



Cup holder

FLEX 'N FOLD™ LOUNGE

43552





- 1.71 m x 94 cm x 16 cm / 67.5" x 37" x 6"
- Convenient pop-up structure is ready for inflation in seconds
- Easy to twist and fold for quick and compact storage
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Built-in supportive pillow
- 1 cup holder
- 2 air chambers
- Weight capacity: 130 kg (287 lbs)
- Carry bag with round insert card + PDQ
- 8 Ea., 13.9 kg (30.7 lbs)



ComfortCool™ mesh



Cup holder

ITEM	NAME PRODUCT	PAGE	ITEM	NAME PRODUCT	PAC
43228	Giant Unicorn Island	120	60017	Palm Springs AirJet™ 6 Sand	70
43552	Flex 'n Fold™ Lounge	149	6002K	Glacial Dip™ Ice Bath Pod	90
43733	Flex 'n Fold™ Recliner Lounge	148	6002N	Glacial Dip™ Ice Bath Tub	91
561MB	Steel Pro MAX™ Splashview™ Rectangular Pools	45	6002Q	Glacial Dip™ Ice Bath Tub	92
561MC	Steel Pro MAX™ Splashview™ Rectangular Pools	45	60025	Helsinki AirJet™ 7 Brown Barrel	80
5612B	Steel Pro MAX™ Rectangular Pools	38	60067	Mauritius AirJet™ 7 Grey	74
5614X	Steel Pro MAX™ Round Pools	29	60175	Boracay AirJet™ 4 Blue Marble	64
5614Z	Steel Pro MAX™ Round Pools	29	65179	Arrow Elite™ X1 Kayak Set	116
56442	Steel Pro MAX™ Rectangular Pools	37	65180	Surge Elite™ X1 Kayak Set	117
56456	Steel Pro MAX™ Rectangular Pools	37	65185	Laconia Elite™ Sport Boat Set	119
56457	Steel Pro MAX™ Rectangular Pools	37	6532A	Aqua Journey™ 9' Stand-up Paddleboard Set	102
56466	Steel Pro MAX™ Rectangular Pools	38	6532B	Oceana™ 10′ 2-in-1 Stand-Up Paddleboard & Kayak Set	103
56488	Steel Pro MAX™ Round Pools	31	6532C	Oceana™ CompactAir™ 10' Stand-Up Paddleboard Set	10
56671	Steel Pro MAX™ Rectangular Pools	38	6532D	Aqua Drifter™ 11′ 2-in-1 Stand-Up Paddleboard & kayak Set	10
56677	Steel Pro® Round Pools	23	6532E	Freesoul Elite™ 11′ 2-in-1 Stand-Up Paddleboard & Kayak Set	10
56678	Steel Pro® Round Pools	23	6532F	Aqua Glider™ 10′6″ Stand-Up Paddleboard Set	108
56679	Steel Pro® Round Pools	23	6532G	Glider Elite™ 12′6″ 2-in-1 Stand-Up Paddleboard & Kayak Set	109
56680	Steel Pro® Round Pools	23	6532H	Aqua Drifter™ View 11' Stand-Up Paddleboard Set	10
56681	Steel Pro® Round Pools	23	65341	White Cap Convertible Set	10
56686	Steel Pro MAX™ Round Pools	31	65346	Huaka'i Set	10
56706	Steel Pro® Round Pools	23	69612	AlpineLite™ Insulated Regular Mummy Sleeping Pad	13
56709	Steel Pro MAX™ Round Pools	27	69613	AlpineLite™ Insulated Wide Mummy Sleeping Pad	13
56721	Steel Pro MAX™ Rectangular Pools	35	69615	WanderLite™ Regular Rectangular Sleeping Pad	130
56722	Steel Pro MAX™ Rectangular Pools	35	69616	WanderLite™ Large Rectangular Sleeping Pad	13
56727	Steel Pro MAX™ Rectangular Pools	35	69617	AdventuRest™ Insulated Regular Rectangular Sleeping Pad	130
56728	Steel Pro MAX™ Rectangular Pools	35	69618	AdventuRest™ Insulated Large Rectangular Sleeping Pad	13
56946	Steel Pro MAX™ Splashview™ Oval Pools	43	69619	AdventuRest™ Insulated Queen Sleeping Pad	138
56985	Steel Pro® Round Pools	21	69620	TerrainLite™ Self-Inflating Regular Mummy Sleeping Pad	140
56986	Steel Pro® Round Pools	21	69621	TerrainPro™ Self-Inflating Regular Mummy Sleeping Pad	14
57455	Fast Set™ Pools	17	69622	ComforTrek [™] Self-Inflating Wide Rectangular Sleeping Pad	142
57456	Fast Set™ Pools	17	69623	ComforTrek [™] Luxe Self-Inflating Large Rectangular Sleeping Pad	14
57457	Fast Set™ Pools	17	69624	WanderLite™ Regular Air Pillow	144
57458	Fast Set™ Pools	17	69625	AlpineLite™ Large Air Pillow	145
58517	Swimfinity™ Swim Fitness System	48	69643	RidgeLite™ Insulated Regular Mummy Sleeping Pad	132
58612	Round Pool Dome	50	69644	RidgeLite™ Insulated Large Mummy Sleeping Pad	13
58639	Floor Protector	51			
60001	Miami AirJet™ 4 Black	60			



Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most. LIVE IT UP TOGETHER WITH BESTWAY.

Bestway

WWW.BESTWAYCORP.COM F O >









