

2025 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
 Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



Bestway



ANNIVERSARY 1994 — 2024

Three decades ago, Bestway created its very first product: a beach ball!

Since then, Bestway has produced over **1,100 products** in more than **120 countries** worldwide. In fact, 1 in 50 people around the world owns a Bestway product.

From our commitment to **innovation** and assuring the highest **quality** possible, to our vertically integrated manufacturing systems and **sustainability** efforts, every product Bestway creates centers on one goal: to help our customers get the most out of life by enjoying more adventure and making more memories.

Here's to the first 30 years, and to many, many more as we help people "Live It Up!"

OUR VISION & MISSION

Our Vision has remained the same since we created our very first product – a simple beach ball – in 1994: to create high-quality, innovative, recreational products that bring fun, relaxation and adventure to people's lives. Behind that vision is our mission to create memorable experiences for families who want to splash into summer, relax in winter and make the most of every moment year-round.

SERVICE

Bestway is committed to customer satisfaction and providing you with the best product solutions. Our advanced online services and customer service team allow customers to easily resolve issues that arise with their products, offer downloadable manuals and instructional videos, answers to their frequently asked questions and call support.





VERTICALLY



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

WHAT'S NEW AT BESTWAY

In 2020, Bestway opened our doors to a new, clean, state-of-the-art manufacturing facility in Vietnam in an effort to diversify our production capabilities globally. With rapid plans for expansion, this new facility offers additional tariff-saving opportunities and flexibility in Bestway's global manufacturing efforts.

Our Vietnam facility currently manufactures air mattresses, air pumps, pool filter pumps, inflatable pools, pool covers and trampolines. These products go through extensive PVC, lab and lifecycle testing to ensure high-quality and longevity.



VIETNAM QA TESTING PROCESS









AROUND THE WORLD



SHANGHAL CHINA HO • PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 55 60 42 02 info@bestwaycorp.be



MOSCOW, RUSSIA

Moscow, metro Taganskaya, st. Bolshiye Kamenschiki, 6, building 1



CHANDLER, U.S.A. R&D . SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



DUBAL U.A.E.

International Media Production Zone (IMPZ) Plot C22 Dubai, United Arab Emirates +971 55 859 3104 / +971 4 2476 743



MILAN, ITALY

R&D . SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881

info@bestwaycorp.eu

HAMBURG, GERMANY SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



SUBSIDIARY

info@bestway-russia.ru



COPENHAGEN, DENMARK

Amagertory 17, 3rd FI DK-1160

+45 78744569

SAN PAULO, BRAZIL SUBSIDIARY

Av Cerro Azul, 2783 Maringá - PR - Brazil Zip Code: 87010-055 +55 44 3052-6006 info@bestwaycorp.com.br



SANTIAGO, CHILE SUBSIDIARY

+562 3203 6438 info@bestwaycorp.lat



SYDNEY, AUSTRALIA SUBSIDIARY

Unit 2/98-104 Carnaryon St Silverwater, +61 2 9037 1388 info@bestwaycorp.com.au



WARSAW, POLAND SUBSIDIARY

UI. Ekologiczna 24 05-080 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl

B THE CHANGE MISSION

Our Commitment to a Better Future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1,383,000 square feet of factory buildings, each covered in solar panels to equal about 40 soccer fields. As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging**.







Ongoing Energy Reduction Projects to Reduce Emissions



Reuse 38 Categories of Materials



Water is Reused in Factories, Offices & Dormitories



Annual Recipient of "China Top Performing Suppliers on Climate Action" Award



CONTENTS

BOARDS
KAYAKS
RAFTS
BOATS
FLOATS
ACCESSORIES
INDEX



BRAND UPDATE

LOGO



2018 - 2024

2025 - PRESENT

PACKAGING

The new Hydro Force® has arrived! With a re-imagined logo and more modern design, our new branding feels both sporty and premium. We placed great emphasis on individual and unique features as well as updated photography to make a consumer feel both knowledgeable and inspired by our products.

*SUP packaging to be updated in 2026.



OLD PACKAGING



NEW PACKAGING

OVERVIEW

LOGO

An updated, modernized logo and brandmark

PHOTO —

A clear visual of the individual product features

UNIFIED COLOR SCHEME

Declutters the brand and provides a sleek, modern look to our packaging



DYNAMIC HERO IMAGERY

Lower angle with background scenery for a more aspirational feel

DARK BACKGROUND & WAVE TEXTURE

Creates a sharp, high-end foundation to elevate the product imagery, callouts and features

PRODUCT CATEGORY

Brief description of product level and usage for more informed consumer buying decision

PRODUCT CATEGORIES

RECREATIONAL

Wide shape for balance in a variety of water conditions

TOURING

Narrow shape cuts through water to quickly cover long distances

WHITEWATER

Designed for efficient maneuverability and spray protection in rough water

FISHING

Spacious design with enhanced stability and added fishing features

SEEK YOUR ADVENTURE

BOARDS

Stand-up paddleboarding (SUP) has become incredibly popular across the globe, and with a wide variety of Hydro Force® boards to choose from, there's a board for everyone. The engineering team at Bestway® creates boards for both beginners and experienced riders to explore. Each board is crafted, fine-tuned, and ranked for overall maneuverability, tracking, stability, and speed. Year after year, Hydro Force® continues to rule the SUP lineup!



BENEFITS Bestway's inflatable SUP line offers all the advantages that

come along with hard boards, plus these added benefits:

- Easy to transport in a car or on a plane a true money saver, as there is no need to purchase a roof rack or pay expensive shipping costs
- · A great choice for beginners the thicker material is generally more stable than a hard board
- · Sold as a package deal everything that's needed is included in one lightweight, grab-and-go carrier
- Tough and springy the flexible material is more resilient than a hard board


Ease and portability make an inflatable SUP the ultimate board, especially for beginners. Some models even come with a convenient kit to convert the paddleboard into a kayak, giving the user two options every time they cruise the open water. With a Hydro Force® SUP, anyone can have a summer of adventures.



TECHNOLOGY


PVC LAMINATED FORTIFIBER™

FortiFiber[™] drop stitch construction consists of internal threads that create exceptional rigidity and strength for a balanced and stable ride



TRITECH® LAMINATED FORTIFIBER™

The strength and stability of FortiFiber[™] drop stitch construction is made even stronger with triple-layer Tritech® exterior walls that provide added structure and shape



FEATURES

CONVERTIBLE/ KAYAK SEAT

Includes seat and footrest, plus convertible paddle, for use as SUP or kayak

PANORAMA WINDOW

- Open cover to see the water below
- Close cover during rougher water conditions or to prevent glare from sun

TRAVELTECH** DESIGN

Folds horizontally and vertically, for 40% more compact structure than traditional inflatable boards and comes with a compact backpack for easy transport



PLANOGRAM STORE DISPLAY





Actual in-store displays may vary.
*SUP packaging to be updated in 2026.

BOARDS MATRIX





AQUA EXCURSION" TECH SET 65373



11 ft. 2 in. (3.40 m)	12 ft. 6 in. (3.81 m)	
35 in. (89 cm)	31 in. (79 cm)	
6 in. (15 cm)	6 in. (15 cm)	
353 lbs (160 kg)	265 lbs (120 kg)	
96 gal. (366 L)	98 gal. (373 L)	
15 psi (1.03 bar)	15 psi (1.03 bar)	
Touring	Touring	



MANEUVERABILITY TRACKING
STABILITY SPEED

MANEUVERABILITY TRACKING

STABILITY SPEED



AQUA JOURNEY SET PADDLEBOARD

65349

INFLATED SIZE

9 ft. x 30 in. x 4.75 in. / 2.74 m x 76 cm x 12 cm

FEATURES

- 1. Non-slip traction pad
- 2. Convenient deck handle to easily carry the SUP
- Stainless steel ring located at the stem and stern for attachment
- 4. Single action analog pump
- 5. Adjustable 85 in. (217 cm) paddle
- 6. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- · Hand pump
- Backpack
- · Coiled leash
- · Fin
- · Repair kit

MATERIAL	FortiFiber Drop Stitch
CATEGORY	All-Around
SHAPED FOR	Flat water + Small wave riding
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	
CASE PACK	1 pcs
LB. (KG)	24.1 lbs (10.9 kg)
PACKAGING	Full color box





OCEANA CONVERTIBLE SET PADDLEBOARD

65350

INFLATED SIZE

10 ft. x 33 in. x 4.75 in. / 3.05 m x 84 cm x 12 cm

FEATURES

- 1. Non-slip traction pad
- 2. Detachable seat with back and footrest
- Stainless steel ring located at the stem and stern for attachment
- 4. Elastic cord for extra storage
- 5. Adjustable 85 in. (217 cm) paddle can be converted to a double-bladed oar
- 6. Single action analog pump
- 7. Quick inflation / deflation air valve

CONTENTS

- · Paddleboard
- Paddle
- Hand pump
- Backpack
- · Coiled leash
- Seat
- · Footrest
- e sein
- · Repair kit

MATERIAL	FortiFiber Drop Stitch
CATEGORY	All-Around
SHAPED FOR	Flat water + Small wave riding
WEIGHT CAPACITY	265 lbs (120 kg)
PASSENGERS	
CASE PACK	1 pcs
LB. (KG)	30.8 lbs (14.0 kg)
PACKAGING	Full color box





KAHAWAI SET PADDLEBOARD

65308

INFLATED SIZE

10 ft. 2 in. x 34 in. x 6 in. / 3.10 m x 86 cm x 15 cm

FEATURES

- Long rubber fins have greater directionality with strong undertow
- 2. Non-slip traction pad
- Multiple convenient handles to easily carry the SUP and for grabbing during use on river
- 4. Stainless steel ring located at the stem and stern for attachments
- 5. Single action analog pump
- 6. Elastic cord for extra storage
- 7. Adjustable 85 in. (217 cm) paddle
- 8. Quick inflation / deflation air valve

CONTENTS

- · Paddleboard
- Paddle
- · Hand pump
- Backpack
- 3 fins
- Coiled leash
- Repair kit

MATERIAL	FortiFiber Drop Stitch
CATEGORY	River
SHAPED FOR	Flat water + Longer Rides
WEIGHT CAPACITY	309 lbs (140 kg)
PASSENGERS	THE REPORT OF
CASE PACK	1 pcs
LB. (KG)	28.9 lbs (13.1 kg)
PACKAGING	Full color box





PANORAMA™ SET PADDLEBOARD

65363

INFLATED SIZE

11 ft. 2 in. x 35 in. x 6 in. / 3.40 m x 89 cm x 15 cm

FEATURES

- Built-in window with cover allows the user to see through to the water below
- 2. Non-slip traction pad
- 3. 1 removable fin
- 4 Convenient side and deck handles to easily carry the SUP
- 5. Elastic cord for extra storage
- Stainless steel ring located at the stem and stern for leash attachment or docking
- 7. Double action analog pump
- 8. Adjustable 85 in. (217 cm) paddle
- 9. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- Hand pump
- Backpack
- · Coiled leash
- Fin
- Repair kit

MATERIAL	FortiFiber Drop Stitch
CATEGORY	Touring
SHAPED FOR	Flat water + Longer Rides
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	31.6 lbs (14.3 kg)
PACKAGING	Full color box





FREESOUL[™] TECH CONVERTIBLE SET PADDLEBOARD

65310

INFLATED SIZE

11 ft. 2 in. x 35 in. x 6 in. / 3.40 m x 89 cm x 15 cm

FEATURES

- 1. Non-slip traction pad
- 2. 2 removable fins
- 3. Convenient side handles to easily carry the SUP
- 4. Elastic cord for extra storage
- 5. Stainless steel ring located at the stem and stern for attachment
- 6. Double action analog pump
- Adjustable 85 in. (217 cm) paddle can be converted to a double-bladed oar
- 8. Detachable seat with back and footrest
- 9. Quick rig connector (mast foot base not included)
- 10. Bottle holder
- 11. Quick inflation / deflation air valve

CONTENTS

- · Paddleboard
- Paddle
- Hand pump
- Deluxe backpack
- Coiled leash
- Seat
- Footrest
- · Repair kit
- SPECIFICATIONS

MATERIAL	Tritech laminated FortiFiber Drop Stitch
CATEGORY	Touring
SHAPED FOR	Flat water + Longer rides
WEIGHT CAPACITY	353 lbs (160 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	43.1 lbs (19.6 kg)
PACKAGING	Full color box





AQUA EXCURSION™ TECH SET

PADDLEBOARD

65373

INFLATED SIZE

12 ft. 6 in. x 31 in. x 6 in. / 3.81 m x 79 cm x 15 cm

FEATURES

- 1. Non-slip traction pad
- 2. 1 removable fin
- 3. Bottle holder with adjustable elastic
- 4. Convenient deck handle to easily carry the SUP
- 5. Elastic cord for extra storage
- Stainless steel ring located at the stem and stern for attachment
- 7. Double action analog pump
- 8. Adjustable 85 in. (217 cm) paddle
- 9. Quick inflation / deflation air valve

CONTENTS

- Paddleboard
- Paddle
- · Hand pump
- Deluxe backpack
- Coiled leash
- Fin
- · Repair kit

MATERIAL	Tritech® laminated FortiFiber Drop Stitch
CATEGORY	Race/Fast Touring
SHAPED FOR	Flat water + Longer rides
WEIGHT CAPACITY	265 lbs (120 kg)
PASSENGERS	1
CASE PACK	1 pcs
LB. (KG)	37.3 lbs (16.9 kg)
PACKAGING	Full color box





THE GREAT OUTDOORS

KAYAKS

Every water explorer can find what they're looking for with the wide range of kayaks and boats the Hydro Force® line has to offer. From different sizes to materials, these kayaks are perfect for beginners and advanced adventurers alike. With the added benefits of storage and portability that come with inflatable products, Hydro Force® kayaks and boats are the ideal choices for both first-time and avid kayakers.



PLANOGRAM STORE DISPLAY







Actual in-store displays may vary.

ENHANCED MATERIALS



TRITECH® 3-PLY CONSTRUCTION

- ENHANCES PUNCTURE-RESISTANCE
- INCREASES TENSILE STRETCH-RESISTANCE FOR RIGIDITY AND SPEED WHEN PADDLING
- IMPROVES PRESSURE RETENTION, MAXIMIZING STABILITY AND MINIMIZING AIR LOSS

ENGINEERED FOR DURABILITY WITH ENHANCED ABRASION RESISTANCE AND IS MORE PUNCTURE-RESISTANT (THAN A STANDARD PVC KAYAK/RAFT/BOAT)



COMPOSED OF THOUSANDS OF DROP STITCH THREADS CREATING A DURABLE, RIGID STRUCTURE THAT IS ALSO LIGHTWEIGHT AND PORTABLE



HAS GREATER PRESSURE RETENTION AND RIGIDITY WITH INCREASED PUNCTURE-RESISTANCE AND DURABILITY AGAINST THE ELEMENTS (THAN A STANDARD PVC KAYAK/RAFT/BOAT)

KAYAKS MATRIX



INFLATED LENGTH	9 ft. 6 in. (2.90 m)	10 ft. 6 in. (3.21 m)	12 ft. 6 in. (3.81 m)	9 ft. 2 in. (2.80 m)	10 ft. 10 in. (3.30 m)	9 ft. (2.75 m)
NFLATED WIDTH	36 in. (91 cm)	39 in. (1.00 m)	39 in. (1.00 m)	34 in. (86 cm)	34 in. (86 cm)	32 in. (81 cm)
WEIGHT CAPACITY	265 lbs (120 kg)	485 lbs (220 kg)	617 lbs (280 kg)	286 lbs (130 kg)	485 lbs (220 kg)	265 lbs (120 kg)
INTERNAL PRESSURE	0.5 PSI (0.034 BAR)	0.5 PSI (0.034 BAR)	1 PSI (0.070 BAR)	1 PSI (0.070 BAR)	1 PSI (0.070 BAR)	0.5 PSI (0.034 BAR)
PADDLES		2	2			
PASSENGERS	i	ii	iii	i	ii	i
CATEGORY	Recreational	Recreational	Recreational	Recreational	Recreational	Touring
PERFORMANCE RATING	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY TRACKING STABILITY SPEED



NEW

DASH ELITE" X1 KAYAK SET 65178/E



10 ft. 10 in. (3.31 m)	11 ft. (3.35 m)
35 in. (88 cm)	36 in. (92 cm)
485 lbs (220 kg)	375 lbs (170 kg)
0.5 PSI (0.034 BAR)	3 PSI (0.210 BAR) / 10 PSI (0.700 BAR)
2	
ii	

Touring

MANEUVERABILITY TRACKING STABILITY

SPEED


Touring

MANEUVERABILITY TRACKING

STABILITY SPEED

SPEED







INFLATED SIZE

9 ft. 6 in. x 36 in. / 2.90 m x 91 cm

DEFLATED SIZE

9 ft. 6 in. x 37 in. / 2.90 m x 95 cm

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Open cockpit for easy entry and exit
- 3. Adjustable inflatable seat for comfortable seating
- 2 removable fins in different sizes for directional support in various water conditions
- 5. 2 heavy-duty carry handles
- 6. 91 in. (230 cm) aluminum paddle (#62174)
- 7. Air Hammer™ 1850 mL dual action hand pump (#62003)
- 8. Interlocking quick-release valves
- 9. Drain valve

CONTENTS

- Kayak
- Paddle
- Hand pump
- 2 fi
- Carry bag
- · Repair patch





	65176E	65176
MATERIAL	Inflata-Shield	Inflata-Shield
WEIGHT CAPACITY	265 lbs (120 kg)	265 lbs (120 kg)
CASE PACK	1 pcs	1 pcs
LB (KG)	22.8 lbs (10.4kg)	22.8 lbs (10.4kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





2 REMOVABLE FINS IN DIFFERENT SIZES



INFLATED SIZE

10 ft. 6 in. x 39 in. / 3.21 m x 1.00 m

DEFLATED SIZE

10 ft. 8 in. x 39 in. / 3.25 m x 1.00 m

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Open cockpit for easy entry and exit
- 3. 2 adjustable inflatable seats for comfortable seating
- 4. 2 removable fins in different sizes for directional support in various water conditions
- 5. 2 heavy-duty carry handles
- 6. Pair of 91 in. (230 cm) aluminum paddles (#62174)
- 7. Air Hammer™ 1850 mL dual action hand pump (#62003)
- 8. Interlocking quick-release valves
- 9. Drain valve

CONTENTS

- 2 paddles
- Hand pump
- 2 fins
- Carry bag
- Repair patch








	65077E	65077
MATERIAL	Inflata-Shield"	Inflata-Shield"
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	29.2 lbs (13.3kg)	29.2 lbs (13.3kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



點認定

2 REMOVABLE FINS IN DIFFERENT SIZES



INFLATED SIZE

12 ft. 6 in. x 39 in. / 3.81 m x 1.00 m

DEFLATED SIZE

12 ft. 8 in. x 39 in. / 3.85 m x 1.00 m

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Open cockpit for easy entry and exit
- 3. 3 adjustable inflatable seats for comfortable seating
- 2 removable fins in different sizes for directional support in various water conditions
- 5. 2 heavy-duty carry handles
- 6. Pair of 91 in. (230 cm) aluminum paddles (#62174)
- 7. Air Hammer[™] 2800 mL dual action hand pump (#62086)
- 8. Quick-inflation / deflation Boston valves
- 9. Drain valve

CONTENTS

- · Kayak
- 2 paddles
- Hand pump
- · 2 fins
- · Carry bag
- Repair patch

OF ECH TOMS				
	65132E	65132		
MATERIAL	Inflata-Shield Pro	Inflata-Shield Pro		
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)		
CASE PACK	1 pcs	1 pcs		
LB. (KG)	43.2 lbs (19.6kg)	43.2 lbs (19.6kg)		
PACKAGING	Full color box	Full color box		
CERTIFICATION	NMMA	GS		





VENTURA ELITE™ X1 KAYAK SET

65118/E

INFLATED SIZE

9 ft. 2 in. x 34 in. / 2.80 m x 86 cm

DEFLATED SIZE

9 ft. 4 in. x 44 in. / 2.85 m x 1.13 m

FEATURES

- 1. Nylon cover is removable for easy cleaning
- 2. 2 removable side chambers & I-beam floor made from heavy-duty PVC
- 3. Adjustable, molded foam seat with storage compartment
- 4. Oar clasps to secure paddles when not in use
- 5. 2 removable fins in different sizes for directional support in various water conditions
- 6. Partial grab ropes with built-in grommets
- 7. 4 heavy-duty carry handles
- 8. 91 in. (230 cm) aluminum paddle (#62174)
- 9. Air Hammer™ 2800 mL dual action hand pump (#62086)
- 10. Removable mesh gear bag
- 11. Quick-inflation / deflation Boston valves
- 12. Drain valve

CONTENTS

· Gear bag



· Hand pump · Carry bag · Repair patch

	65118E	65118
MATERIAL	Premium Nylon Cover	Premium Nylon Cover
WEIGHT CAPACITY	286 lbs (130 kg)	286 lbs (130 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	29.9 lbs (13.5 kg)	29.9 lbs (13.5 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS IN DIFFERENT SIZES









VENTURA ELITE™ X2 KAYAK SET

65052/E

INFLATED SIZE

10 ft. 10 in. x 34 in. / 3.30 m x 86 cm

DEFLATED SIZE

10 ft. 11 in. x 44 in. / 3.33 m x 1.13 m

FEATURES

- 1. Nylon cover is removable for easy cleaning
- 2. 2 removable side chambers & I-beam floor made from heavy-duty PVC
- 3. 2 adjustable, molded foam seats with storage compartment
- 4. Oar clasps to secure paddles when not in use
- 2 removable fins in different sizes for directional support in various water conditions
- 6. Partial grab ropes with built-in grommets
- 7. 4 heavy-duty carry handles
- 8. Pair of 91 in. (230 cm) aluminum paddles
- 9. Air Hammer™ 2800 mL dual action hand pump (#62086)
- 10. Removable mesh gear bag
- 11. Quick-inflation / deflation Boston valves
- 12. Drain valve

CONTENTS

- Kayak2 paddlesGear bagHand pumpCarry bag
- · 2 fins · Repair patch

	65052E	65052
MATERIAL	Premium Nylon Cover	Premium Nylon Cover
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB (KG)	37.3 lbs (16.9 kg)	37.3 lbs (16.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS




2 REMOVABLE FINS IN DIFFERENT SIZES











INFLATED SIZE

9 ft. x 32 in. / 2.75 m x 81 cm

DEFLATED SIZE

9 ft. x 40 in. / 2.75 m x 1.02 m

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Enclosed cockpit to prevent water pooling
- 3. Inflatable seat for comfort
- 2 removable fins in different sizes for directional support in various water conditions
- 5. Storage cord and net
- 6. Partial grab ropes with built-in grommets
- 7. 91 in. (230 cm) aluminum paddle (#62174)
- 8. Air Hammer™ 1850 mL dual action hand pump (#62003)
- 9. Interlocking quick-release valves
- 10. Drain valve

CONTENTS

- Kavak
- Paddle
- · Hand pump
- 2 fin.
- 211113









SPECIFICATIONS

	65115E	65115
MATERIAL	Inflata-Shield"	Inflata-Shield
WEIGHT CAPACITY	265 lbs (120 kg)	265 lbs (120 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	20.7 lbs (9.4 kg)	20.7 lbs (9.4 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS IN DIFFERENT SIZES



COVE CHAMPION™ X2

KAYAK SET

65131/E

INFLATED SIZE

10 ft. 10 in. x 35 in. / 3.31 m x 88 cm

DEFLATED SIZE

10 ft. 10 in. x 36 in. / 3.31 m x 91 cm

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Enclosed cockpit to prevent water pooling
- 3. 2 adjustable inflatable seats for comfort
- 4. 2 removable fins in different sizes for directional support in various water conditions
- 5. Storage cord and net
- 6. Partial grab ropes with built-in grommets
- 7. Pair of 91 in. (230 cm) aluminum paddles (#62174)
- 8. Air Hammer 1850 mL dual action hand pump (#62003)
- 9. Interlocking quick-release valves
- 10. Drain valve

CONTENTS

- 2 paddles
- 2 fins
- Carry bag
- Repair patch








MALE AND L	651131E	65131
MATERIAL	Inflata-Shield"	Inflata-Shield
WEIGHT CAPACITY	485 lbs (220 kg)	485 lbs (220 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	28.8 lbs (13.1kg)	28.8 lbs (13.1kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



2 REMOVABLE FINS IN DIFFERENT SIZES







INFLATED SIZE

11 ft. x 36 in. x 12 in. / 3.35 m x 92 cm x 30 cm

DEFLATED SIZE

11 ft. 1 in. x 38 in. / 3.38 m x 96 cm

FEATURES

- 1. Adjustable, molded foam seat with supportive high back and storage compartment
- 2. Floor-mounted footrest
- 3. Keel features a water separator for better tracking and improved speed
- 4 2 removable fins in different sizes for directional support in various water conditions
- 5. Elastic cord for added storage
- 6. 4 heavy-duty carry handles
- 7. 91 in. (230 cm) aluminum paddle (#62174)
- 8. 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
- 9. Premium, durable backpack with large front pocket
- 10. High pressure inflation / deflation valves

CONTENTS

- · Kayak · Seat Paddle Footrest Hand pump
 Backpack
- · 2 fins Repair kit




2 REMOVABLE FINS IN DIFFERENT SIZES






	65178E	65178
MATERIAL	ToughLite TPU	ToughLite" TPU
FLOOR MATERIAL	FortiFiber Aire Drop Stitch	FortiFiber Aire Drop Stitch
WEIGHT CAPACITY	375 lbs (170 kg)	375 lbs (170 kg)
CASE PACK	1 pcs	1 pcs
LB (KG)	28.1 lbs (12.8 kg)	28.1 lbs (12.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS









FISH, SIGHT-SEE, EXPLORE

RAFTS

Available in a wide variety of sizes, Hydro Force rafts accommodate each user's needs. Made with durable and puncture-resistant materials, our rafts provide a superior way to paddle, fish or just float along. With the added benefits of storage and portability that come with inflatable products, this collection of rafts promises rides to remember.



RAFTS MATRIX

NEW GEN NEW KONDOR™ 3000 RAFT SET / KONDOR" 1000 RAFT / KONDOR" 2000 RAFT + SET / KONDOR ELITE" 3000 TREK™ X2 TREK" X3 KONDOR ELITE KONDOR ELITE" 2000 RAFT SET 1000 RAFT RAFT + SET RAFT SET RAFT SET 61146E/NE / 61145 61153/E 61154/E 61136E/NE / 61135 61140E/NE + 61142E/NE / 61139 + 61141 13 FT. (3.96 M) 12 FT. (3.66 M) 11 FT. (3.35 M) 10 FT. (3.05 M) OHOAH 9 FT. (2.74 M) 8 FT. (2.44 M) 7 FT. (2.13 M) 6 FT. (1.83 M) 6 FT. (1.83 M) 5 FT. (1.52 M) 4 FT. (1.22 M) 3 FT. (91 CM) 2 FT. (61 CM) 1 FT. (30 CM) INFLATED 7 ft. 7 in. (2.32 m) 9 ft. 8 in. (294 m) 4 ft. 11 in. (149 m) 5 ft. 4 in. (1.62 m) 6 ft. 1 in. (1.85 m) 6 ft. 5 in. (196 m) 6 ft. 11 in. (2.12 m) 8 ft. 1 in. (2.46 m) LENGTH INFLATED 48 in. (1.22 m) 46 in. (1.18 m) 54 in. (1.37 m) 33 in. (85 cm) 38 in. (96 cm) 38 in. (97 cm) 42 in. (1.06 m) WIDTH WEIGHT 120 lbs (55 kg) 176 lbs (80 kg) 210 lbs (95 kg) 264 lbs (120 kg) 410 lbs (186 kg) 440 lbs (200 kg) 551 lbs (250 kg) 794 lbs (360 kg) CAPACITY 61141 61146E/NE 61145 61142E/NE OARS 61142E/NE 61141 61146E/NE 61145 PUMP ii ii+i ii+i iii i+i PASSENGERS Recreational CATEGORY Youth Youth Youth Youth Youth Recreational

NEW

NEW GEN

ADVENTURE ELITE™ X4 RAFT SET 65158/E ADVENTURE ELITE**
X5 RAFT SET
65159/E

VOYAGER™ X3 RAFT SET 65164/E VOYAGER™ X4 RAFT SET 65156/E RANGER ELITE™ X3 RAFT SET 65160/E RANGER ELITE" X4 RAFT SET 65157/E













10 ft. 4 in. (3.15 m)	
65 in. (1.65 m)	
1,102 lbs (500 kg)	







9 ft. 8 in. (295 m)	
51 in. (1.30 m)	
880 lbs (400 kg)	



10 ft. 6 in. (3.20 m)

iiii











Recreational

Recreational

Fishing

Fishing

ishing

Fishing





61136E/NE RAFT

INFLATED SIZE

4 ft. 11 in. x 33 in. /

FEATURES

- Inflatable floor for extra comfort
- 2. Sturdy oarlocks
- Front tow rope for easy transport
- Interlocking quick release valve

CONTENTS

- Boat
- Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	120 lbs (55 kg)	
PASSENGERS	1 Adult	
CASE PACK	6 pcs	
LB. (KG)	17.6 lbs (8.0 kg)	
PACKAGING	Full color box	

61140E/NE RAFT 61142E/NE RAFT SET

INFLATED SIZE

6 ft. 1 in. x 38 in. / 1.85 m x 97 cm

FEATURES

- 1. Inflatable floor for extra comfort
- 2. Sturdy oarlocks
- 3. Front tow rope for easy transport
- 4. 1 pair of 49 in. (124 cm) oars (#62015) (61142E/NE)
- 5. Air Step 300 mL single action foot pump (#62147) (61142E/NE)
- 6. Interlocking quick release valve

CONTENTS

- · Boat
- · Pair of oars (61142E/NE)
- Foot pump (61142E/NE)
- · Repair patch





	61140E/NE	61142E/NE
WEIGHT CAPACITY	210 lbs (95 kg)	210 lbs (95 kg)
PASSENGERS	1 Adult + 1 Child	1 Adult + 1 Child
CASE PACK	6 pcs	3 pcs
LB. (KG)	28.2 lbs (12.8 kg)	24.6 lbs (11.2 kg)
PACKAGING	Full color box	Full color box





61146E/NE RAFT SET

INFLATED SIZE

6 ft, 11 in. x 48 in. / 2.12 m x 1.22 m

FEATURES

- 1. Inflatable floor for extra comfort
- 2. Sturdy oarlocks
- 3. Front tow rope for easy transport
- 4. 1 pair of 49 in. (124 cm) oars (#62015)
- 5. Air Hammer 850 mL dual action hand pump (#62002)
- 6. Interlocking quick release valve

CONTENTS

- · Boat
- · Pair of oars
- · Hand pump
- · Repair patch







WEIGHT CAPACITY	410 lbs (186 kg)	
PASSENGERS	2 Adults + 1 Child	
CASE PACK	3 pcs	
LB. (KG)	33.3 lbs (15.1 kg)	
PACKAGING	Full color box	



KONDOR ELITETM 1000



61135 RAFT

INFLATED SIZE

5 ft. 4 in. x 38 in. / 1.62 m x 96 cm

FEATURES

- 1 3 air chamber construction
- 2 Inflatable floor for extra comfort
- 3. Sturdy oarlocks
- Wraparound grab rope with built-in grommets
- 5. Heavy-duty handle
- 6. Interlocking quick release valves

CONTENTS

- Boat
- · Repair patch



SPECIFICATIONS

WEIGHT CAPACITY	176 lbs (80 kg)	
PASSENGERS	1 Adult	
CASE PACK	6 pcs	
LB. (KG)	32.1 lbs (14.6 kg)	
PACKAGING	Full color box	

61139 RAFT 61141 RAFT SET

INFLATED SIZE

6 ft. 5 in. x 42 in. / 1.96 m x 1.06 m

FEATURES

- 1. 3 air chamber construction
- 2. Inflatable floor for extra comfort
- 3. Sturdy oarlocks
- 4. Oar clasps
- Wraparound grab rope with built-in grommets
- 6. Heavy-duty handle
- 7. Pair of 49 in. (124 cm) oars (#62015) (61141)
- Air Step 300 mL single action foot pump (#62147) (61141)
- 9. Interlocking quick release valves

CONTENTS

- Boat
- · Pair of oars (61141)
- Foot pump (61141)
- · Repair patch







	61139	61141
WEIGHT CAPACITY	264 lbs (120 kg)	264 lbs (120 kg)
PASSENGERS	1 Adult + 1 Child	1 Adult + 1 Child
CASE PACK	3 pcs	3 pcs
LB. (KG)	25.8 lbs (11.6 kg)	35.7 lbs (16.2 kg)
PACKAGING	Full color box	Full color box



61145 RAFT SET

INFLATED SIZE

8 ft. 1 in. x 48 in. / 2.46 m x 1.22 m

FEATURES

- 1. 3 air chamber construction
- 2. Inflatable floor for extra comfort
- 3. Sturdy oarlocks
- 4. Oar clasps
- Wraparound grab rope with built-in grommets
- 6. Heavy-duty handle
- 7 Pair of 49 in. (124 cm) pars (#62015)
- 8. Air Hammer 850 mL dual action hand pump (#62002)
- 9. Interlocking quick release valves

CONTENTS

- Boat
- Pair of oars
- Hand pump
- Repair patch










WEIGHT CAPACITY	440 lbs (200 kg)	
PASSENGERS	2 Adults + 1 Child	
CASE PACK	2 pcs	
LB. (KG)	34.0 lbs (15.4 kg)	
PACKAGING	Full color box	







INFLATED SIZE

7 ft. 7 in. x 46 in. / 2.32 m x 1.18 m

DEFLATED SIZE

8 ft. x 52 in. / 2.45 m x 1.31 m

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Sturdy oarlocks
- 3. Oar clasps
- Wraparound grab rope with built-in grommets
- 5. Heavy-duty carry handle
- 6. Pair of 49 in. (1.24 m) oars (#62015)
- 7. Air Hammer 850 mL dual action hand pump (#62002)
- 8. Interlocking quick-release valves

CONTENTS

- Boat
- · Pair of oars
- · Hand pump
- · Repair patch



	61153E	61153
MATERIAL	Inflata-Shield	Inflata-Shield
WEIGHT CAPACITY	551 lbs (250 kg)	551 lbs (250 kg)
CASE PACK	2 pcs	2 pcs
LB. (KG)	34.8 lbs (15.8 kg)	34.8 lbs (15.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





INFLATED SIZE

9 ft. 8 in. x 54 in. / 2.94 m x 1.37 m

DEFLATED SIZE

10 ft. 2 in. x 62 in. / 3.09 m x 1.57 m

FEATURES

- 1. Firm and rigid inflatable floor
- 2. Sturdy oarlocks
- 3. Oar clasps
- 4. Wraparound grab rope with built-in grommets
- 5. Heavy-duty carry handle
- 6. Pair of 49 in. (1.24 m) oars (#62015)
- 7. Air Hammer 1850 mL dual action hand pump (#62003)
- 8. Interlocking quick-release valves

CONTENTS

- Boat
- · Pair of oars
- Hand pump
- · Repair patch



	61154E	61154
MATERIAL	Inflata-Shield	Inflata-Shield
WEIGHT CAPACITY	794 lbs (360 kg)	794 lbs (360 kg))
CASE PACK	2 pcs	2 pcs
LB. (KG)	51.8 lbs (23.5 kg)	51.8 lbs (23.5 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



ADVENTURE ELITE™ X4 NEW RAFT SET

65158/E

INFLATED SIZE

10 ft. 4 in. x 65 in. / 3.15 m x 1.65 m

DEFLATED SIZE

10 ft. 10 in. x 73 in. / 3.31 m x 1.86 m

FEATURES

- 1. Includes motor mount grommets for use with 1.5 HP (11 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 2 comfortable inflatable seats with backrests
- 4. Sturdy oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. 2 heavy-duty carry handles
- 9. Pair of 57 in. (145 cm) aluminum cars
- 10. Air Hammer 2800 mL dual action hand pump (#62086)
- 11. Gear pouch for storing essentials
- 12. Quick-inflation / deflation Boston valves
- 13. Interlocking quick-release valves

CONTENTS

- · Gear pouch
- Pair of oars · Carry bag
- · Hand pump · Repair patch



	65158E	65158
MATERIAL	Inflata-Shield Pro	Inflata-Shield Pro
WEIGHT CAPACITY	1,102 lbs (500 kg)	1,102 lbs (500 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	54.2 lbs (24.6 kg)	54.2 lbs (24.6 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS







ADVENTURE ELITE™ X5 RAFT SET

65159/E

INFLATED SIZE

11 ft. 11 in. x 65 in. / 3.64 m x 1.66 m

DEFLATED SIZE

12 ft. 4 in. x 74 in. / 3.77 m x 1.87 m

FEATURES

- Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 2 comfortable inflatable seats with backrests and I removable cushion
- 4. Sturdy oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. 2 heavy-duty carry handles
- 9. Pair of 57 in. (145 cm) aluminum oars (#62064)
- 10. Air Hammer 2800 mL dual action hand pump (#62086)
- 11. Gear pouch for storing essentials
- 12. Quick-inflation / deflation Boston valves
- 13. Interlocking quick-release valves

CONTENTS

- · Boat · Gear pouch
- · Pair of oars · Carry bag
- · Hand pump · Repair patch




	65159E	65159
MATERIAL	Inflata-Shield Pro	Inflata-Shield Pro
WEIGHT CAPACITY	1,323 lbs (600 kg)	1,323 lbs (600 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	62.0 lbs (28.1 kg)	62.0 lbs (28.1 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS













INFLATED SIZE

9 ft. 8 in. x 54 in. / 2.94 m x 1.37 m

DEFLATED SIZE

10 ft. 2 in. x 63 in. / 3.09 m x 1.59 m

FEATURES

- Includes motor mount grommets for use with 1.5 HP (1.1 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 2 comfortable inflatable seats
- 4. Sturdy oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. I heavy-duty carry handle
- 9. Pair of 57 in. (145 cm) aluminum oars (#62064)
- 10. Air Hammer 1850 mL dual action hand pump (#62003)
- 11. Gear pouch for storing essentials
- 12. Interlocking quick-release valves

CONTENTS

- Boat
- · Pair of oars
- · Hand pump
- Gear pouch
- · Carry bag
- Repair patch



	65164E	65164
MATERIAL	Inflata-Shield	Inflata-Shield"
WEIGHT CAPACITY	794 lbs (360 kg)	794 lbs (360 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	32.7 lbs (14.8 kg)	32.7 lbs (14.8 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





INFLATED SIZE

11 ft. 6 in. x 57 in. / 3.50 m x 1.45 m

DEFLATED SIZE

12 ft. x 66 in. / 3.66 m x 1.68 m

FEATURES

- Includes motor mount grommets for use with 1.5 HP
 (1.1 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 2 comfortable inflatable seats
- 4. Sturdy oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. 1 heavy-duty carry handle
- 9. Pair of 57 in. (145 cm) aluminum oars (#62064)
- 10. Air Hammer 1850 mL dual action hand pump (#62003)
- 11. Gear pouch for storing essentials
- 12. Interlocking quick-release valves


CONTENTS

- Boat
- · Pair of oars
- Hand pump
- · Gear pouch
- · Carry bag
- · Repair patch



	65156E	65156
MATERIAL	Inflata-Shield"	Inflata-Shield
WEIGHT CAPACITY	1,058 lbs (480 kg)	1,058 lbs (480 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	38.5 lbs (17.4 kg)	38.5 lbs (17.4 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS







INFLATED SIZE

9 ft. 8 in. x 51 in. x 18 in. / 2.95 m x 1.30 m x 46 cm

DEFLATED SIZE

9 ft. 10 in. x 59 in. / 3.00 m x 1.50 m

FEATURES

- Includes motor mount grommets for use with 2 HP (1.5 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 2 removable seat cushions
- 4. Omni-directional oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. 2 heavy-duty carry handles
- 9. Pair of 60 in. (152 cm) aluminum oars
- 10. Air Hammer 2800 mL dual action hand pump (#62086)
- 11. Gear pouch for storing essentials
- 12. Quick-inflation / deflation Boston valves
- 13. Interlocking quick-release valves

CONTENTS

- Boat Gear pouch
- · Pair of oars · Carry bag
- · Hand pump · Repair patch







	65160E	65160
MATERIAL	Tritech	Tritech*
WEIGHT CAPACITY	880 lbs (400 kg)	880 lbs (400 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	42.0 lbs (19.1 kg)	42.0 lbs (191 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS



INFLATED SIZE

10 ft. 6 in. x 58 in. x 19 in. / 3.20 m x 1.48 m x 47 cm

DEFLATED SIZE

10 ft. 9 in. x 66 in. / 3.28 m x 1.68 m

FEATURES

- 1. Includes motor mount grommets for use with 3 HP (2.2 kW) mount (motor and mount not included)
- 2. Firm and rigid inflatable floor
- 3. 3 removable seat cushions
- 4. Omni-directional oarlocks
- 5. Oar clasps
- 6. Built-in fishing rod holders
- 7. Wraparound grab rope with built-in grommets
- 8. 2 heavy-duty carry handles
- 9. Pair of 60 in. (152 cm) aluminum oars
- 10. Air Hammer 2800 mL dual action hand pump (#62086)
- 11. Gear pouch for storing essentials
- 12. Quick-inflation / deflation Boston valves
- 13. Interlocking quick-release valves

CONTENTS

- · Gear pouch · Pair of oars · Carry bag
- · Hand pump · Repair patch





	65157E	65157
MATERIAL	Tritech	Tritech
WEIGHT CAPACITY	1,103 lbs (500 kg)	1,103 lbs (500 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	50.4 lbs (22.9 kg)	50.4 lbs (22.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS





YOUR ADVENTURE AWAITS

BOATS

A lightweight and durable option for dedicated boaters, the Hydro Force® line of sport boats provides an easy and convenient way to get on the water. From floating along to fishing excursions, these boats are made of durable materials that will hold up season after season. This collection provides the storage and portability benefits of inflatable products, along with the durability and capability of hard-sided boats.



BOATS MATRIX





SPORT BOAT SET

65177/E

INFLATED SIZE

7 ft. 6 in. x 51 in. x 13 in. / 2.30 m x 1.30 m x 33 cm

FEATURES

- 3 HP motor mount with marine-grade plywood transom (motor not included)
- 2. Firm and rigid inflatable floor
- 3. Removable seat cushion
- 4. Omni-directional oarlocks
- 5. Durable strake protects against impact and friction
- 6. Steel tow rings
- 7. 33 ft (10 m) tow rope
- 8. Partial grab ropes with built-in grommets
- 9. Pair of 60 in. (152 cm) aluminum oars
- 2800 mL dual action hand pump with 0.5-2.0 PSI pressure gauge (analog)
- 11. Quick-inflation / deflation Boston valves
- 12. Interlocking quick-release valves
- 13. Quick-release drain valve

CONTENTS

- Boat
- Pair of oars
- · Hand pump
- · Carry bag
- · Repair kit

	65177E	65177
MATERIAL	Tritech®	Tritech*
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	52.7 lbs (23.9 kg)	52.7 lbs (23.9 kg)
PACKAGING	Full color box	Full color box
CERTIFICATION	NMMA	GS







CASPIAN ELITETS SPORT BOAT SET

65046/E

INFLATED SIZE

7 ft. 6 in. x 51 in. x 13 in. / 2.30 m x 1.30 m x 33 cm

FEATURES

- 3 HP motor mount with marine-grade plywood transom (motor not included)
- 2. Sturdy aluminum bench seat
- 3. Omni-directional oarlocks
- 4. Durable strake protects against impact and friction
- 5 Steel tow rings
- 6. 33 ft. (10 m) tow rope
- 7. Partial grab ropes with built-in grommets
- 8. Pair of 57 in. (145 cm) oars
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
- 10. High pressure inflation / deflation valves
- 11. Quick-release drain valve

CONTENTS

- Boat
- · Pair of oars
- · Hand pump
- Repair kit



	65046E	65046
MATERIAL	Tritech ⁶	Tritech®
FLOOR MATERIAL	FortiFiber" Drop Stitch	FortiFiber Drop Stitch
WEIGHT CAPACITY	617 lbs (280 kg)	617 lbs (280 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	57.3 lbs (26.0 kg)	57.3 lbs (26.0 kg)
PACKAGING	Sturdy cardboard box with pictures	Sturdy cardboard box with pictures
CERTIFICATION	NMMA	GS









MIROVIA ELITE™ SPORT BOAT SET

65049/E

INFLATED SIZE

10 ft. 10 in. x 64 in. x 17 in. / 3.30 m x 1.62 m x 44 cm

FEATURES

- 15 HP motor mount with marine-grade plywood transom (motor not included)
- 2. Sturdy aluminum bench seat
- 3. Omni-directional oarlocks
- 4. Durable strake protects against impact and friction
- 5. Keel for better direction and ease through the water
- 6. Steel tow rings
- 7. 33 ft (10 m) tow rope
- 8. Partial grab ropes with built-in grommets
- 9. 4 heavy-duty carry handles
- 10. Pair of 64 in. (162 cm) aluminum oars
- 11. 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)
- 12. Secure tie-down for oil and gas can
- 13. High pressure inflation / deflation valves
- 14. Quick-release drain valve

CONTENTS

- Boat
- Pair of oars
- Hand pump
- · Carry bag
- Repair kit

	65049E	65049
MATERIAL	Tritech*	Tritech*
FLOOR MATERIAL	FortiFiber Drop Stitch	FortiFiber Drop Stitch
WEIGHT CAPACITY	1,411 lbs (640 kg)	1,411 lbs (640 kg)
CASE PACK	1 pcs	1 pcs
LB. (KG)	98.5 lbs (44.7 kg)	98.5 lbs (44.7 kg)
PACKAGING	Sturdy cardboard box with pictures	Sturdy cardboard box with pictures
CERTIFICATION	NMMA	GS










LIFE'S BETTER ON THE LAKE

FLOATS

Hydro Force® was made for fun in the sun with family and friends! Featuring top-notch, durable designs for the pool, river or beach, and fun accessories including built-in backrests, cup holders and storage buckets, it's a recipe for next-level comfort and endless hours of good times!





FLOATS MATRIX

TUBES

INFLATED SIZE


WEIGHT

CAPACITY

PASSENGERS

NEW GEN BREEZE RIDER™ WHITECAP RIDER" RAPID RIDER SINGLE TUBE SINGLE TUBE SINGLE TUBE 36401/E 43108/E 43116/E 41.5 in. x 41.5 in. x 10.5 in. / 41.5 in. x 17.5 in. / 48 in. x 19 in. / 1.06 m x 1.06 m x 27 cm 1.06 m x 45 cm 1.22 m x 48.5 cm 220 lbs (100 kg) 220 lbs (100 kg) 330 lbs (150 kg)


LOUNGES




	NEW GEN	NEW GEN		
	RAPID RIDER™ DOUBLE TUBE 43113/E	RAPID RIDER [™] QUAD TUBE 43115E	RAPID RIDER" SINGLE CANOPY TUBE 43725/E	RAPID RIDER [™] ULTRA SINGLE TUBE 43726/E
NFLATED SIZE	7 ft. 10.5 in. x 48 in. x 19.5 in. / 2.40 m x 1.22 m x 50 cm	7 ft. 11 in. x 7 ft. 11 in. x 20 in. / 2.41 m x 2.41 m x 51 cm	48.5 in. x 48.5 in. x 20 in. / 1.23 m x 1.23 m x 51 cm	60 in. x 52 in. x 195 in. / 1.52 m x 1.32 m x 50 cm
WEIGHT CAPACITY	550 lbs (250 kg)	1,102 lbs (500 kg)	330 lbs (150 kg)	496 lbs (225 kg)
PASSENGERS	ii	iiii		110



ISLANDS



	NEW		NEW DESIGN
	DAY DRIFTER" ISLAND 43842/E	SUMMER SLIDE ACTIVITY ISLAND 43728/E	TROPICAL BREEZE ISLAND 43105/E
INFLATED SIZE	9 ft. 2 in. x 8 ft. 10 in. x 17 in. / 2.79 m x 2.69 m x 43 cm	11 ft. 11 in. x 9 ft. 8 in. x 30 in. / 3.65 m x 2.95 m x 77 cm	12 ft. 3 in. x 8 ft. 8 in. x 28.5 in. / 3.73 m x 2.64 m x 73 cm
WEIGHT CAPACITY	1,102 lbs (500 kg)	1,102 lbs (500 kg)	1,320 lbs (600 kg)
PASSENGERS	iiiii	iiiii	iiiiii





PLANOGRAM STORE DISPLAY



ENHANCED MATERIALS



Inflata-Shield™ is a puncture resistant material that provides our lounges and islands with:

- An extra strong barrier that holds up against rocks and sharp objects
- Increased tensile strength limiting stretching and allowing for greater rigidity
- Embossed texture to enhance products' grip



Color Shield[™] protective layer prevents the color printing from transferring onto skin when wet. Plus, it also keeps the colors bright and vibrant for use summer after summer!



BREEZE RIDERTM COLOR **SINGLE TUBE**



36401/E

INFLATED SIZE

41.5 in. x 41.5 in. x 10.5 in. / 1.06 m x 1.06 m x 27 cm


DEFLATED SIZE

FEATURES

- 2. Partial grab rope with built-in grommets

CONTENTS

- Single tube
- · Repair patch



WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	1
CASE PACK	6 pcs
LB. (KG)	12.0 lbs (5.4 kg)
PACKAGING	Full color box



43108/E

INFLATED SIZE

41.5 in. x 17.5 in. /

DEFLATED SIZE

47 in / 119 m

FEATURES


- Premium construction with backrest
- 2. Cooling mesh bottom
- 3. 1 cup holder
- Wraparound grab rope with built-in grommets
- 5. 2 heavy-duty carry handles
- 6. Interlocking quick release valves

CONTENTS

- Single tube
- · Repair patch



MATERIAL	Inflata-Shield
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	i de la
CASE PACK	6 pcs
LB (KG)	20.4 lbs (9.2 kg)
PACKAGING	Full color box



RAPID RIDER COLOR SHIELD SINGLE TUBE





43116/E

INFLATED SIZE

48 in. x 19 in./ 122 m x 48.5 cm

DEFLATED SIZE

53 in. x 53 in. / 135 m x 135 m

FEATURES

- 1. 2 Clasp N Go connectable buckles
- 2. Premium construction with backrest
- 3 Cooling mesh bottom
- 4. 2 cup holders
- 5. Wraparound grab rope with built-in grommets
- 6. 2 heavy-duty carry handles
- 7. Interlocking quick release valves

CONTENTS

- Single tube
- Repair patch



43113/E

INFLATED SIZE

7 ft. 10.5 in. x 48 in. x 19.5 in. / 240 m x 122 m x 50 cm

DEFLATED SIZE

8 ft. 3 in. x 52 in. / 2.51 m x 1.32 m

FEATURES

- 1. 2 Clasp N Go connectable buckles
- 2. 2 backrests
- 3. Cooling mesh bottom
- 4. 2 cup holders
- 5. Built-in inflatable cooler
- 6. Built-in storage compartment
- 7. Wraparound grab rope with built-in grommets
- 8. 2 heavy-duty carry handles
- 9. Interlocking quick release valves

CONTENTS

- Double tube
- Repair patch

BEBRA

SPECIFICATIONS

MATERIAL	Inflata-Shield
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	
CASE PACK	4 pcs
LB. (KG)	20.0 lbs (9.1 kg)
PACKAGING	Full color box

MATERIAL	Inflata-Shield
WEIGHT CAPACITY	550 lbs (250 kg)
PASSENGERS	2
CASE PACK	2 pcs
LB. (KG)	22.7 lbs (10.3 kg)
PACKAGING	Full color box

RAPID RIDER QUAD TUBE



43115E

INFLATED SIZE

7 ft. 11 in. x 7 ft. 11 in. x 20 in. / 2.41 m x 2.41 m x 51 cm

DEFLATED SIZE

8 ft. 5 in. x 8 ft. 5 in. / 2.57 m x 2.57 m

FEATURES


- Premium construction with 4 backrests
- 2. Cooling mesh bottom
- 3. 4 cup holders
- 4. 4 built-in coolers
- 5. Wraparound grab rope with built-in grommets
- 6. 2 heavy-duty carry handles
- 7. Interlocking quick release valves

CONTENTS

- Quad tube
- · Repair patch

Sent of their deviction in the sent paint in the sent price.	
Inflata-Shield"	
1,102 lbs (500 kg)	
4	
1 pcs	
20.6 lbs (9.4 kg)	
Full color box	





RAPID RIDER[™] SINGLE CANOPY TUBE

43725/E

INFLATED SIZE

48.5 in. x 48.5 in. x 20 in. / 1.23 m x 1.23 m x 51 cm

DEFLATED SIZE

54 in. x 54 in. / 1.37 m x 1.37 m

FEATURES

- 1 2 Clasp 'N Go connectable buckles
- Removable sunshade for protection from harsh sunlight
- Premium construction with backrest
- 4. Cooling mesh bottom
- 5. 1 cup holder
- Wraparound grab rope with built-in grommets
- 7 2 heavy-duty carry handle
- 8. Interlocking quick release valves

CONTENTS

- Single tube
- Sunshade
- · Repair patch



MATERIAL	Inflata-Shield
WEIGHT CAPACITY	330 lbs (150 kg)
PASSENGERS	1
CASE PACK	3 pcs
LB. (KG)	21.4 lbs (9.7 kg)
PACKAGING	Full color box

RAPID RIDER™ ULTRA SINGLE TUBE



INDIGO WAVETM LOUNGE



43726/E

INFLATED SIZE

60 in. x 52 in. x 19.5 in. / 1.52 m x 1.32 m x 50 cm

DEFLATED SIZE

65 in. x 58 in. /

FEATURES

- 1. 2 Clasp 'N Go connectable buckles
- Premium construction with backrest
- 3. Cooling mesh bottom
- 4. 1 cup holder
- 1 splash-proof zippered storage compartment
- Wraparound grab rope with built-in grommets
- 7. 2 heavy-duty carry handles
- 8. Interlocking quick release valves

CONTENTS

- Single tube
- · Repair patch



43533/E

INFLATED SIZE

6 ft. x 38 in. x 21 in. / 1.83 m x 97 cm x 53.5 cm

DEFLATED SIZE

6 ft. 3 in. x 42 in. / 1.91 m x 1.07 m

FEATURES

- Premium construction with armrests and headrest
- 2. 1 cup holder

CONTENTS

- Lounge
- Repair patch



SPECIFICATIONS

MATERIAL	Inflata-Shield"
WEIGHT CAPACITY	496 lbs (225 kg)
PASSENGERS	t .
CASE PACK	3 pcs
LB. (KG)	24.5 lbs (11.1 kg)
PACKAGING	Full color box

MATERIAL	Inflata-Shield™
WEIGHT CAPACITY	220 lbs (100 kg)
PASSENGERS	
CASE PACK	6 pcs
LB. (KG)	25.6 lbs (11.6 kg)
PACKAGING	Full color box





SUN SOAKER[™] FLOATING PLATFORM

43542/E

INFLATED SIZE

8 ft. 10 in x 72 in x 10 in / 2.69 m x 1.83 m x 25.5 cm

DEFLATED SIZE

9 ft. 6 in. x 6 ft. 3 in. / 2.90 m x 1.91 m

FEATURES

- 1 4 Clasp 'N Go connectable buckles
- 2. Extra wide pillows on each end
- 3. 2 cup holders
- 4. Interlocking quick release valves

CONTENTS

- Platform
- Repair patch



Land Control	
Inflata-Shield	Inflata-Shield
880 lbs (400 kg)	880 lbs (400 kg)
4	4
2 pcs	2 pcs
34.2 lbs (15.5 kg)	34.5 lbs (15.6 kg)
Full color box	Full color box
	2 pcs 34.2 lbs (15.5 kg)

LAZY DAYZTM COLOR SHIELD ISLAND



43536/E

INFLATED SIZE

7 ft. 10 in. x 25 in. / 2.39 m x 63.5 cm

DEFLATED SIZE

8 ft. 5 in x 8 ft. 5 in. / 2.56 m x 2.56 m

FEATURES


- 1. 4 extra-wide pillow backrests
- 2. Cooling mesh area
- 3. 4 cup holders
- 4. 2 built-in storage compartments
- 5. Wraparound grab rope with built-in grommets
- 6 2 heavy-duty carry handles
- 7. Interlocking quick release valves

CONTENTS

- Anchor bag
- Repair patch



MATERIAL	Inflata-Shield
WEIGHT CAPACITY	880 lbs (400 kg)
PASSENGERS	4
CASE PACK	1 pcs
LB (KG)	27.4 lbs (12.4 kg)
PACKAGING	Full color box
Albert Mary Mary	



43842/E

INFLATED SIZE

9 ft. 2 in x 8 ft. 10 in x 17 in. / 2.79 m x 2.69 m x 43 cm

DEFLATED SIZE

9 ft 10 in x 9 ft 5 in / 3.00 m x 2.87m

FEATURES

- 1. 2 Clasp 'N Go™ connectable buckles
- 2. Premium construction with backrest
- 3. Cooling mesh bottom
- 4. Open center area to dip feet into the water
- 5. 5 cup holders
- 6. 5 heavy-duty carry handles
- 7. Interlocking quick-release valves


CONTENTS

- island
- Repair patch

MATERIAL	Inflata-Shield™		
WEIGHT CAPACITY	1,102 lbs (500 kg)		
PASSENGERS	5		
CASE PACK	1 pcs		
LB (KG)	19.6 lbs (8.9 kg)		
PACKAGING	Full color box		







SUMMER OASIST COLOR ISLAND



43645/E

INFLATED SIZE

10 ft. x 6 ft. 1 in. x 23 in. / 3.05 m x 1.86 m x 58 cm

DEFLATED SIZE

10 ft. 6 in. x 6 ft. 6 in. /

FEATURES

- 1. Removable sunshade for protection from harsh sunlight
- 2. Extra-wide pillow backrest
- 3. Cooling mesh seating area
- 4. 4 cup holders
- 5. Partial grab rope with built-in grommets for ease of use and docking
- 6 2 heavy-duty carry handles
- 7. Interlocking quick release valves

CONTENTS

- · Island
- Sunshade
- Anchor bag
- · Repair patch



MATERIAL	Inflata-Shield
WEIGHT CAPACITY	880 lbs (400 kg)
PASSENGERS	4
CASE PACK	1 pcs
LB. (KG)	290 lbs (13.2 kg)
PACKAGING	Full color box

SUNNY LOUNGE COLOR SHIELD ISLAND

43407/E

INFLATED SIZE

9 ft. 6 in. x 8 ft. 8 in. x 33 in. / 291 m x 2.65 m x 83 cm

DEFLATED SIZE

9 ft. 10 in. x 9 ft. / 3.00 m x 2.75 m

FEATURES

- Removable sunshade for protection from harsh sunlight
- 2. 3 supportive backrests
- 3. Cooling mesh area
- 4. 5 cup holders
- 5. Partial grab rope with built-in grommets
- 6. 2 heavy-duty carry handles
- 7. Interlocking quick-release valves

CONTENTS

- Island
- Sunshade
- Anchor bag
- · Repair patch

MATERIAL	Inflata-Shield**	
WEIGHT CAPACITY	1,102 lbs (500 kg)	
PASSENGERS	5	
CASE PACK	1 pcs	
LB. (KG)	49.3 lbs (22.4 kg)	
PACKAGING	Full color box	







TROPICAL BREEZET COLOR

43105/E

INFLATED SIZE

12 ft. 3 in. x 8 ft. 8 in. x 28.5 in. / 3.73 m x 2.64 m x 73 cm

DEFLATED SIZE

12 ft. 9 in. x 9 ft./ 3.89 m x 2.74 m

FEATURES

- 1. Removable sunshade for protection from harsh sunlight
- 2. Extra-wide pillow backrest
- 3. Cooling mesh area
- 4. 1 removable zippered cooler bag
- 5. Swim-up water entry pad
- 6. 6 cup holders
- 7. Grab rope on both ends with built-in grommets
- 8 4 heavy-duty carry handles
- 9. Interlocking quick-release valves

CONTENTS

- Island
- Anchor bag
- Cooler bag
- Sunshade
- Repair patch

MATERIAL	Inflata-Shield		
WEIGHT CAPACITY	1,320 lbs (600 kg)		
PASSENGERS	6		
CASE PACK	1 pcs		
LB. (KG)	58.4 lbs (26.5 kg)		
PACKAGING	Full color box		





SUMMER SLIDE ACTIVITY ISLAND

COLOR

43728/E

INFLATED SIZE

11 ft. 11 in. x 9 ft. 8 in. x 30 in. / 3.65 m x 2.95 m x 77 cm

DEFLATED SIZE

12 ft. 4 in. x 10 ft. 2 in. / 376 m x 3.11 m

FEATURES

- 1. 1 detachable slide
- 2. Cooling mesh seating area
- 3. 4 cup holders
- 4. Partial grab rope with built-in grommets for ease of use and docking
- 5. 5 heavy-duty carry handles
- 6. Interlocking quick release valves

CONTENTS

- · Island
- · Slide
- Anchor bag
- · Repair patch

MATERIAL	Inflata-Shield		
WEIGHT CAPACITY	1,102 lbs (500 kg)		
PASSENGERS	5		
CASE PACK	1 pcs		
LB (KG)	56.0 lbs (25.4 kg)		
PACKAGING	Full color box		





MAKING YOUR LIFE A BREEZE

ACCESSORIES

Perfect for any of our rafts, kayaks and boats, Hydro Force® accessories make navigating the open water a breeze. Built from durable materials and providing a variety of features, these accessories are essential for each exploration down the river, around the lake or out on the ocean.



ALUMINUM KAYAK PADDLE



OARS

62174/E

LENGTH

91 in. / 230 cm

FEATURES

- 1. 91 in. (230 cm) aluminum paddle
- 2 3 locking positions allow for right or left-handed feathering adjustment
- 3. 5-section structure for easy transportation and storage
- 4. Asymmetric blade design
- 5. Comfortable, non-slip handle made of shrinkable polyolefin



SPECIFICATIONS

CASE PACK	6 prs
LB (KG)	15.0 lbs (6.8 kg)
PACKAGING	Polybag with header card



62015/E

LENGTH

49 in. / 124 cm

FEATURES

- 1. 3-section structure
- 2. Easy to assemble and disassemble
- 3. Ribbed blade
- 4. Light and strong plastic material



SPECIFICATIONS

CASE PACK	12 prs		
LB. (KG)	28.9 lbs (13.1 kg)		
PACKAGING	Polybag with header card		

PREMIUM OARS

62064/E

LENGTH

57 in. / 145 cm

FEATURES

- 1. Multi-functional
 - Use as two 57 in (145 cm) oars
- Combine and use as a single 86 in. (218 cm) twin blade paddle
- 2. Aluminum pole sectionals
- 3. Sturdy twist-locking section connectors




CASE PACK	6 prs	
LB. (KG)	19.0 lbs (8.6 kg)	
PACKAGING	Polybag with header card	



BOAT COMPATIBILITY CHART

	PRODUCT	62174/E	62015/E	62064/E	MAX. POWER
65115/E	Cove Champion XI Kayak Set	in playing and			
65131/E	Cove Champion X2 Kayak Set				
65176/E	Rapid X1 Kayak Set				
65077/E	Rapid" X2 Kayak Set		1971		
65132/E	Rapid X3 Kayak Set	41. *40.	Turk pw 11		
65118/E	Ventura Elite" X1 Kayak Set	- 1" - x - 1"			
65052/E	Ventura Elite" X2 Kayak Set				
65178/E	Dash Elite® XI Kayak Set				
61136E/NE / 61135	Kondor" 1000 Raft/ Kondor Elite 1000 Raft			Y. Z.	
61140E/NE / 61139	Kondor 2000 Raft / Kondor Elite 2000 Raft				
61142E/NE / 61141	Kondor 2000 Raft Set / Kondor Elite 2000 Raft Set		17714		
61146E/NE / 61145	Kondor 3000 Raft Set / Kondor Elite 3000 Raft Set	M.R.			
61153/E	Trek X2 Raft Set				
61154/E	Trek X3 Raft Set				
65164/E	Voyager X3 Raft Set			**************************************	1.5 HP (1.1 kW)
65156/E	Voyager X4 Raft Set				1.5 HP (1.1 kW)
65160/E	Ranger Elite X3 Raft Set				2.0 HP (1.5 kW)
65157/E	Ranger Elite" X4 Raft Set				3.0 HP (2.25 kW
65158/E	Adventure Elite X4 Raft Set	JEXMEN			1.5 HP (1.1 kW)
65159/E	Adventure Elite" X5 Raft Set				1.5 HP (1.1 kW)
65177/E	Corinth Elite Sport Boat Set				3.0 HP (2.25 kW
65046/E	Caspian Elite Sport Boat Set				3.0 HP (2.25 kW
65049/E	Mirovia Elite Sport Boat Set				15.0 HP (11.2 kW)



AIR STEPTM MANUAL AIR PUMPS

62147/E 300ML

FEATURES

- 1. 5 in. / 13 cm
- 2 Stroke volume: 0.3 L/cycle
- 3. Easily switches from inflation to deflation
- 4. Flexible hose
- 5. Two-color design
- 6. Large air chamber for rapid inflation
- 3 valve adaptors to fit nearly every inflation valve
- 8. Designed to provide maximum airflow
- 9. Polybag with header card

SPECIFICATIONS

CASE PACK	36 pcs
LB. (KG)	12.3 lbs (5.6 kg)
LANGUAGE	INTL/US



62023 800ML

FEATURES

- 1. 9 in. x 6 in. / 23 cm x 15 cm
- 2. Stroke volume: 0.8 L/cycle
- Easily switches from inflation to deflation
- 4. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- Designed to provide maximum airflow
- 7. Shrink-wrapped with insert card



CASE PACK	12 pcs
LB. (KG)	10.5 lbs (4.8 kg)
LANGUAGE	INTL



AIR HAMMER™ MANUAL AIR PUMPS

62002/E 850ML

FEATURES

- 1. 12 in. / 30 cm
- 2. Stroke volume: 0.85 L/cycle
- Quickly inflates with the up and down stroke
- 4. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- 6. Designed to provide maximum airflow
- 7. Full color box

SPECIFICATIONS

CASE PACK	12 pcs	
LB. (KG)	10.6 lbs (4.8 kg)	
LANGUAGE	INTL/US	



62003/E 1850ML

FEATURES

- 1. 14 in. / 36 cm
- 2. Stroke volume: 1.85 L/cycle
- Quickly inflates with the up and down stroke
- 4. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- 6. Designed to provide maximum airflow
- 7. Full color box

SPECIFICATIONS

CASE PACK	12 pcs	
LB. (KG)	14.4 lbs (6.5 kg)	
LANGUAGE	INTL/US	



62086/E 2800ML

FEATURES

- 1. 14.5 in. / 37 cm
- 2. Stroke volume: 2.8 L/cycle
- Quickly inflates or deflates with the up and down stroke
- Easily switches from inflation to deflation
- 5. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- 7. Full color box

CASE PACK	6 pcs
LB (KG)	11.1 lbs (5.1 kg)
LANGUAGE	INTL/US



62004 1400ML

FEATURES

- 1. 11 in. x 7.5 in. / 28 cm x 19 cm
- 2. Stroke volume: 1.4 L/cycle
- 3. Easily switches from inflation to deflation
- 4. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- 6. Designed to provide maximum airflow
- 7. Shrink-wrapped with insert card



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	15.1 lbs (6.9 kg)
LANGUAGE	INTL

62030/E 3500ML

FEATURES

- 1. 19 in. / 48 cm
- 2. Stroke volume: 3.5 L/cycle
- Quickly inflates or deflates with the up and down stroke
- 4. Easily switches from inflation to deflation
- 5. Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- 7. Full color box

SPECIFICATIONS

CASE PACK 4 pcs	
LB. (KG)	9.4 lbs (4.3 kg)
LANGUAGE	INTL/US



62005/E 1600ML

FEATURES

- 1. 11 in. x 8.5 in. / 28 cm x 22 cm
- 2. Stroke volume: 1.6 L/cycle
- 3. Easily switches from inflation to deflation
- 4. Flexible hose
- 5. 3 valve adaptors to fit nearly every inflation valve
- 6. Designed to provide maximum airflow
- 7. Shrink-wrapped with insert card



SPECIFICATIONS

CASE PACK	12 pcs
LB. (KG)	19.9 lbs (9.0 kg)
LANGUAGE	INTL/US

SPORT HIGH-PRESSURE

62227/E

FEATURES

- 1. 9.8 in. x 4 in. x 25.5 in. / 25 cm x 10.5 cm x 65 cm
- 2. Stroke volume: 18 L/cycle (one-way), 3.45 L/cycle (two-way)
- 3. Quickly inflates or deflates with the up and down stroke
- 4. Easily switches from inflation to deflation
- Single/double switch pump (up to 7 PSI in double-action mode, up to 23 PSI in single-action mode)
- Suitable for most high-pressure inflatable vessels with working pressure between 5-23 PSI
- 7. Easy-to-read display with built-in pressure sensor
- 8. Flexible hose
- 9. 5 valve adaptors to fit nearly every inflation valve
- 10. Full color box

CASE PACK	4 pcs	
LB. (KG)	14.6 lbs (6.6 kg)	
LANGUAGE	INTL / US	



ELECTRIC AIR PUMPS


	VOLTAGE	REQUIRED BATTERIES	RECHARGEABLE	MAX AIR FLOW	MAX AIR PRESSURE	INFLATES & DEFLATES	VALVE ADAPTORS	CERTIFICATION
62252	220-240 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)	*	3	CE/GS/EAC/CM/UKCA
62253	110-120 AC		376	680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)		3	cETLus
62253E	110-120 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)	*	3	cETLus
62254		4x LR20/D (Not included)	NEX PRES	430 L/min	270 mmH20 (0.38 PSI / 0.026 BAR)		3	CE / GS / EAC / UKCA
62254E		4x LR20/D (Not included)		430 L/min	270 mmH20 (0.38 PSI / 0.026 BAR)	*	3	
62255	220-240 AC 12V DC			490 L/min	335 mmH20 (0.476 PSI / 0.0328 BAR)		3	CE/GS/EAC/UKCA
62299	110-120 AC 12V DC	THE W		620 L/min	335 mmH2O (0.476 PSI / 0.0328 BAR)		3	cETLus
62299E	110-120 AC 12V DC			620 L/min	335 mmH2O (0.476 PSI / 0.0328 BAR)		3	cETLus
62257	12V DC			680 L/min	355 mmH2O (0.50 PSI / 0.0348 BAR)	*	3	CE / GS / EAC / UKCA
62257E	12V DC			680 L/min	355 mmH20 (0.50 PSI / 0.0348 BAR)		3	CETLUS
62258	220-240 AC			1100 L/min	680 mmH20 (0.97 PSI / 0.067 BAR)		ä	CE/GS/EAC/CM/UKCA
62259	110-120 AC			1100 L/min	680 mmH20 (0.97 PSI / 0.067 BAR)	*	3	cETLus
62259E	110-120 AC			1100 L/min	680 mmH20 (0.97 PSI / 0.067 BAR)		3	cETLus
62260			4x 1500 mAH (Integrated)	565 L/min	370 mmH20 (0.52 PSI / 0.036 BAR)		3	CE/GS/EAC/UKCA
62260E			4x 1500 mAH (Integrated)	565 L/min	370 mmH20 (0.52 PSI / 0.036 BAR)	¥I.		ETLus
62247	220-240 AC		(110.5)	1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)		4	CE/GS/EAC/CM/UKCA
62248	110-120 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)		:4	cETLus
62248E	110-120 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)		4	cETLus
62265	12V DC	F F M. R		300 L/min	16 PSI	18	5	CE / GS / E-Mark / EAC / UKCA
62265E	12V DC			300 L/min	16 PSI	6.56	5	cETLus
62289	5V DC	FILE FO		90 L/min	300 mmH20 (0.427 PSI / 0.029 BAR)		3	CE / Safety Mark / EAC / UKCA
62289E	5V DC	IXP/TE		90 L/min	300 mmH20 (0.427 PSI / 0.029 BAR		3	


AC AIR PUMPS

Feature plugs that can be inserted directly into a household outlet.

DC AIR PUMPS

Feature plugs that can be inserted into a car outlet.





POWERTOUCH™ ELECTRIC AIR PUMPS





62289/E

FEATURES

- 1. 2.24 in. x 1.97 in. x 2.56 in. / 5.7 cm x 5 cm x 6.5 cm
- 2. Max Air Flow: 90 L/min
- 3. Max Pressure: 300 mmH20 (0.427 PSI / 0.029 BAR)
- 4. Quickly inflates and deflates camping pads and other smaller items
- 5. DC 5V 2A
- Pump includes a USB power cord, compatible with AC or DC plugs and some external battery packs
- 7. Compact size is easy to carry for camping or use on-the-go
- 8. Two-color design
- 9. 3 valve adaptors to fit nearly every type of inflation valve
- 10. Full color box

	62289E	62289
CASE PACK	12 pcs	12 pcs
LB. (KG)	4.5 lbs (2.0 kg)	5.0 lbs (2.3 kg)
LANGUAGE	US	INTL

AC



62252 / 62253/E

FEATURES

- 1. 4.45 in. x 3.98 in. x 4.3 in. / 11.3 cm x 10.1 cm x 11 cm
- 2. Max Air Flow: 680 L/min
- 3. 110-120V~60Hz,0.95A (62253/E)
- 4. 220-240V~50/60Hz,110W (62252)
- 5. Max Pressure: 390 mmH20 (0.55 PSI / 0.038 BAR)
- 6. Quickly inflates and deflates almost all inflatable products
- 7. Designed to provide maximum airflow
- 8. Two-color design
- 9. Large air chamber for rapid inflation
- 10. 3 valve adaptors to fit nearly every inflation valve
- 11. Full color box

SPECIFICATIONS

	62253/E	62252
CASE PACK	12 pcs	12 pcs
LB. (KG)	12.8 lbs (5.8 kg)	12.8 lbs (5.8 kg)
LANGUAGE	NA / US	INTL

DC



62257/E

FEATURES

- 1. 4.45 in. x 3.98 in.x 4.80 in. / 11.3 cm x 10.1 cm x 12.2 cm
- 2. Max Air Flow: 680 L/min
- 3. DC 12V 8A (62257E)
- 4. DC 12V 96W (62257)
- 5. Max Pressure: 355 mmH20 (0.50 PSI / 0.0348 BAR)
- 6. Quickly inflates and deflates almost all inflatable products
- 7. Designed to provide maximum airflow
- 8. Two-color design
- 9. Large air chamber for rapid inflation
- 10. Powered by 12V DC car plug
- 11. 3 valve adaptors to fit nearly every inflation valve
- 12. Full color box

SPECIFICATIONS

	62257E	62257
CASE PACK	12 pcs	12 pcs
LB. (KG)	15.1 lbs (6.9 kg)	15.3 lbs (7.0 kg)
LANGUAGE	US	INTL

AC/DC



62255 / 62299/E

FEATURES

- 1. 4.45 in. x 3.98 in. x 4.21 in. / 11.3 cm x 10.1 cm x 10.7 cm
- 2. Max Air Flow: 620 L/min (62299/E)
- 3. Max Air Flow: 490 L/min (62255)
- 4. DC 12V 2.5A (62299/E)
- 5. DC I2V 30W (62255)
- 6. Max Pressure: 335 mmH20 (0.476 PSI / 0.0328 BAR)
- 7. Quickly inflates and deflates almost all inflatable products
- 8. Designed to provide maximum airflow
- 9. Two-color design
- 10. Large air chamber for rapid inflation
- 11. Powered by 110V home power outlet or 12V car outlet (62299/E)
- 12. Powered by 220V home power outlet or 12V car outlet (62255)
- 13. 3 valve adaptors to fit nearly every inflation valve
- 14 Full color box

	62299/E	62255
CASE PACK	12 pcs	12 pcs
LB. (KG)	14.6 lbs (6.6 kg)	14.5 lbs (6.6 kg)
LANGUAGE	NA/US	INTL



POWERTOUCH™ ELECTRIC AIR PUMPS D CELL RECHARGEABLE



62254/E

FEATURES

- 1. 4.88 in x 4.17 in x 4.09 in / 12.4 cm x 10.6 cm x 10.4 cm
- 2. Max Air Flow: 430 L/min
- 3. DC 6.0V 40W
- 4. Max Pressure: 270 mmH20 (0.38 PSI / 0.026 BAR)
- 5. Quickly inflates and deflates almost all inflatable products
- 6. Designed to provide maximum airflow
- 7. Two-color design
- 8. Large air chamber for rapid inflation
- 9. Uses 4x LR20/D Cell size batteries (not included)
- 10.3 valve adaptors to fit nearly every inflation valve
- 11. Full color box



62260/E

FEATURES

- 1. 4.53 in. x 3.98 in. x 4.09 in. / 11.5 cm x 10.1 cm x 10.4 cm
- 2. Max Air Flow: 565 L/min
- 3. DC 4.8V 55W
- 4. Max Pressure: 370 mmH20 (0.52 PSI /0.036 BAR)
- 5. Quickly inflates and deflates almost all inflatable products
- 6. Designed to provide maximum airflow
- 7. Two-color design
- 8. Large air chamber for rapid inflation
- 9. Built-in rechargeable batteries 4x 1500 mAH capacity
- 10. USB powered
- 11. 3 valve adaptors to fit nearly every inflation valve
- 12. Full color box

SPECIFICATIONS

	62254E	62254
CASE PACK	12 pcs	12 pcs
LB. (KG)	9.3 lbs (4.2 kg)	9.9 lbs (4.5 kg)
LANGUAGE	us	INTL

	62260E	62260
CASE PACK	12 pcs	12 pcs
LB. (KG)	11.2 lbs (5.1 kg)	11.9 lbs (5.4 kg)
LANGUAGE	US	INTL

POWERGRIP™ ELECTRIC AIR PUMPS

AC

PRO AC



62258 / 62259/E

FEATURES

- 1. 799 in. x 4.84 in. x 4.88 in. / 20.3 cm x 12.3 cm x 12.4 cm
- 2. 110-120V~60Hz,2A (62259/E)
- 3. 220-240V~50/60Hz,210W (62258)
- 4. Max air flow: 1100 L/min
- 5. Max pressure: 680 mmH20 (0.97 PSI / 0.067 BAR)
- 6. Two-color design
- 7. Quickly inflates and deflates almost all inflatable products
- 8. Large air chamber for rapid inflation
- 9. 3 valve adaptors to fit nearly every inflation valve
- 10. Designed to provide maximum airflow
- 11. Full color box



62247 / 62248/E

FEATURES

- 1. 7.8 in. x 4.84 in. x 4.88 in. / 19.8 cm x 12.3 cm x 12.4 cm
- 2. 110-120V~60Hz, 4.5A (62248/E)
- 3. 220-240V~50/60Hz, 500W (62247)
- 4. Max air flow: 1200 L/min
- 5. Max pressure: 1540 mmH20 (2.2 PSI / 0.152 BAR)
- 6. Two-color design
- 7. Quickly inflates and deflates almost all inflatable products
- 8. Large air chamber for rapid inflation
- 9. 4 valve adaptors to fit nearly every inflation valve
- 10. Designed to provide maximum airflow
- 11. Full color box

SPECIFICATIONS

	62248/E	62247		
CASE PACK	12 pcs	12 pcs		
LB. (KG)	27.4 lbs (12.4 kg)	27.5 lbs (12.5 kg)		
LANGUAGE	NA/US	INTL		

DC - SPORT HIGH-PRESSURE



62265/E

FEATURES

- 1. 1016 in x 988 in x 398 in / 258 cm x 251 cm x 101 cm
- 2. DC 12V 9A (62265E)
- 3 DC 12V 108W (62265)
- 4. Max Air Flow: 300 L/min
- 5. Max Pressure: 16 PSI
- Suitable for all inflatables from small air chamber items to stand-up paddleboards and professional boats with working pressures between 0-16 PSI
- 7. Dual motor provides great performance at both low and high pressures
- 8. Powered by 12V DC car plug
- 9. Easy-to-read LCD display with built-in preset pressure sensors
- 10. Switches between PSI and BAR
- Automatic shut off triggers when predetermined pressure is reached preventing over-inflation
- 12. 5 valve adaptors to fit nearly every inflation valve
- 13. Fully adjustable pressure settings (increments of 0.5 PSI)
- 14. Full color box

SPECIFICATIONS

	62265E	62265		
CASE PACK	6 pcs	6 pcs		
LB. (KG)	28.7 lbs (13.0 kg)	28.9 lbs (13.1 kg)		
LANGUAGE	US	INTL		

	62259/E	62258		
CASE PACK	12 pcs	12 pcs		
LB. (KG)	24.3 lbs (11.0 kg)	23.8 lbs (10.8 kg)		
LANGUAGE	NA/US	INTL		





INDEX

65349	AQUA JOURNEY SET	P22	65159/E	ADVENTURE ELITE™ X5 RAFT SET	P66			
65350	OCEANA CONVERTIBLE SET	P24	65164/E	VOYAGER™ X3 RAFT SET	P68	62064/E	PREMIUM OARS	P106
65308	KAHAWAI SET	P26	65156/E	VOYAGER™ X4 RAFT SET	P69	62147/E	AIR STEP™ PUMPS	P108
65363	PANORAMA™ SET	P28	65160/E	RANGER ELITE™ X3 RAFT SET	P70	62023	AIR STEP™ PUMPS	P108
						62004	AIR STEP™ PUMPS	P109
65310	FREESOUL™ TECH CONVERTIBLE SET	P30	65157/E	RANGER ELITE™ X4 RAFT SET	P71	62005/E	AIR STEP™ PUMPS	P109
65373	AQUA EXCURSION™ TECH SET	P32	65177/E	CORINTH ELITE™ SPORT BOAT SET	P76	62002/E	AIR HAMMER™ PUMPS .	P108
65176/E	RAPID™ XI KAYAK SET	P40	65046/E	CASPIAN ELITE™ SPORT BOAT SET	P78	62003/E	AIR HAMMER™ PUMPS	P108
65077/E	RAPID™ X2 KAYAK SET	P41	65049/E	MIROVIA ELITE™ SPORT BOAT SET	P80	62086/E	AIR HAMMER™ PUMPS	P108
65132/E	RAPID™ X3 KAYAK SET	P42	36401/E	BREEZE RIDER™ SINGLE TUBE	P88	62030/E	AIR HAMMER™ PUMPS	P109
65118/E	VENTURA ELITE™ X1 KAYAK SET	P44	43108/E	WHITECAP RIDER™ SINGLE TUBE	P89	62227/E	AIR HAMMER™ PUMPS	P109
65052/E	VENTURA ELITE™ X2 KAYAK SET	P46	43116/E	RAPID RIDER™ SINGLE TUBE	P90	62289/E	POWERTOUCH POCKET™ USB ELECTRIC AIR PUMP	P112
65115/E	COVE CHAMPION™ XI KAYAK SET	P48	43113/E	RAPID RIDER™ DOUBLE TUBE	P90	62252	POWERTOUCH™ AC ELECTRIC AIR PUMP	P113
65131/E	COVE CHAMPION™ X2 KAYAK SET	P49	43115E	RAPID RIDER™ QUAD TUBE	P91	62253/E	POWERTOUCH™ AC ELECTRIC AIR PUMP	P113
65178/E	DASH ELITE™ XI KAYAK SET	P50	43725/E	RAPID RIDER™ SINGLE CANOPY TUBE	P92	62257/E	POWERTOUCH™ DC ELECTRIC AIR PUMP	P113
61136E/NE	KONDOR™ 1000 RAFT	P58	43726/E	RAPID RIDER™ ULTRA SINGLE TUBE	P93	62255	POWERTOUCH™ AC/DC ELECTRIC AIR PUMP	P113
61140E/NE	KONDOR™ 2000 RAFT	P58	43533/E	INDIGO WAVE™ LOUNGE	P93	62299/E	POWERTOUCH™ AC/DC ELECTRIC AIR PUMP	P113
61142E/NE	KONDOR™ 2000 RAFT SET	P58	43542/E	SUN SOAKER™ FLOATING PLATFORM	P94	62254/E	POWERTOUCH™ D CELL ELECTRIC AIR PUMP	
61146E/NE	KONDOR™ 3000 RAFT SET	P59	43536/E	LAZY DAYZ™ ISLAND	P95	62260/E	POWERTOUCH™ RECHARGEABLE ELECTRIC AIR PUMP	
61135	KONDOR ELITE™ 1000 RAFT	P60	43842/E	DAY DRIFTER™ ISLAND	P96	62258	POWERGRIP™ AC ELECTRIC AIR PUMP	P115
61139	KONDOR ELITE™ 2000 RAFT	P60	43645/E	SUMMER OASIS™ ISLAND	P98	62259/E	POWERGRIP™ AC ELECTRIC AIR PUMP	P115
61141	KONDOR ELITE™ 2000 RAFT SET	P60	43407/E	SUNNY LOUNGE™ ISLAND	P99			
61145	KONDOR ELITE™ 3000 RAFT SET	P61	43105/E	TROPICAL BREEZE™ ISLAND	P100	62247	POWERGRIP™ PRO AC ELECTRIC AIR PUMP	P115
61153/E	TREK™ X2 RAFT SET	P62	43728/E	SUMMER SLIDE™ ACTIVITY ISLAND	P102	62248/E	POWERGRIP™ PRO AC ELECTRIC AIR PUMP	P115
61154/E	The same of the sa					62265/E	POWERGRIP™ SPORT HIGH-PRESSURE DC ELECTRIC AIR PUMI	P P115
	TREK™ X3 RAFT SET	P63	62174/E	ALUMINUM KAYAK PADDLE	P106			
65158/E	ADVENTURE ELITE™ X4 RAFT SET	P64	62015/E	OARS	P106			



Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most. LIVE IT UP TOGETHER WITH BESTWAY.

Bestway

WWW.BESTWAYCORP.COM | | O |







©2024 Bestway Inflatables & Material Corp. All rights reserved. ⊚ ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

