

Bestway

Bestway
HYDRUM

ABOVE GROUND POOLS

2026 CATALOG

Bestway

2026

CATALOG COLLECTION

Enjoy our extensive
collection of products
in our six catalogs.

- Above Ground Pools
 - Air Mattresses
 - Hot Tubs
 - Summer & License
 - Watersports
 - Camping Gear*
- Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



OUR *Mission*

Bestway is on a mission to bring the fun to every household in every country worldwide. We help our customers get more out of life and make lasting memories in all seasons through our dependable, affordable and innovative recreational products. We want everyone to "Live It Up" as our global tagline reflects.



OUR vision

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.



SHANGHAI, CHINA HQ • PRODUCTION

No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
+86 21 6913 5588
info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing,
Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
+852 2997 7169
info@bestwaycorp.hk



ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road,
Chandler, AZ 85286,
United States of America
+1 480 838 3888
info@bestwaycorp.us



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098
San Giuliano M.se (Mi), Italy
+39 02 9884 881
info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148
9700 Oudenaarde, Belgium
+32 475 93 45 86
info@bestwaycorp.be



COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3rd Fl
1160 Copenhagen K, Denmark
+45 78744569
info@bestwayscandinavia.eu



GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534
Neumünster, Germany
+49 4321 555 05 - 0
info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières
69700 Chassagny Beauvallon
+33 4 97 04 92 99
info@bestwaycorp.fr



WARSAW, POLAND SUBSIDIARY

Ul. Ekologiczna 24 05-090
Kladyń Poland
+48 22 60 22 508
info@bestwaycorp.pl



DUBAI, U.A.E. SUBSIDIARY

Unit 805, Fortune Tower,
Cluster C, Jumeirah Lake Towers,
P.O. Box 120673
Dubai, United Arab Emirates
+9714-2622333
info@bestwayme.com



PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, n° 1018, Quadra 001,
Lote 025 - Maringá - PR - Brazil
Zip Code: 87070-030
+55 44 3052-6006
info@bestwaycorp.com.br



SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court
Silverwater NSW 2128, Australia
+61 2 9037 1388
info@bestwaycorp.com.au



SANTIAGO, CHILE SUBSIDIARY

Av del Valle Sur 576, Ciudad Empresarial,
Huechuraba, Santiago, Chile
+562 3203 6400
info@bestwaycorp.cl

GLOBAL *factories*

Bestway® is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.



YANCHENG



HAI'AN



NANTONG



SHANGHAI



VIETNAM



1



MATERIAL
PRODUCTION

2



PRODUCT
ASSEMBLY

3



PACKING



OUR COMMITMENT TO A *better future*

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources, waste and packaging.**



Ongoing Energy
Reduction Projects
to Reduce Emissions



Reuse 38
Categories
of Materials



Reuse Water
in Multiple
Facilities



Annual
CDP
Disclosure



20%
OVERALL ENERGY
POWERED
BY SOLAR



215,000
SQ. METERS OF
**SOLAR
PANELS**



99.7%
OF SCRAP
MATERIALS ARE
REUSED*
*0.3% of waste is incinerated



OVER
30,000
TONS OF PVC
REUSED IN 2024



PAPER PACKAGING
MADE WITH
90%
POST-CONSUMER
**RECOVERED
MATERIALS**




OVERALL
PACKAGING
97%
RECYCLABLE



CONTENTS

KID & PET POOLS	PG. 14
FAST SET™ POOLS	PG. 20
STEEL PRO® POOLS	PG. 26
STEEL PRO MAX™ POOLS	PG. 32
APX 365™ POOLS	PG. 56
HYDRIUM™ POOLS	PG. 62
POOL ACCESSORIES	PG. 72
Filtration	PG. 74
Environment	PG. 83
Maintenance Equipment	PG. 88
Pool Covers – Ground Cloths	PG. 103
INDEX	PG. 114





TECHNOLOGY

Our innovative above ground pool technology takes Bestway® products to the next level. Through extensive research and product development, we have enhanced each line of above ground pools so that there is something for everyone.



ADVANCED CONNECTION SYSTEMS

The advanced design of our frame connection systems is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.



DURABLE FRAMEWORK

Steel pool frames are built to last, even under the considerable weight of water and families having fun. In testing, our frames are proven to provide superior resistance to bending or damage. They never showed signs of rusting - even after 92 days of testing!



PERFECT FROSTED FINISH

Our steel pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The finish serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown easier than before!



PLANOGRAM

Hydrotherapy

PLANOGRAM



BESTWAY® ABOVE GROUND POOL PACKAGING

With a modern and informational design, our packaging looks great on the shelf. Prospective pool owners will get an appealing and cohesive feel for our different lines of above ground pools. At a quick glance, prospective pool owners can easily determine the type of above ground pool that fits their needs and desires.

PLANOGRAM

Actual in-store displays may vary.



U.S. DISPLAY





INTERNATIONAL DISPLAY



KID & PET POOLS

ABOUT


Play pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

HIGHLIGHTS



UV CAREFUL™

Safe, Shaded Fun in the Sun™



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



EASY SETUP

It's as easy as 1-2-3!
Simply unpack, build and fill!

PRODUCT MATRIX

MY FIRST PLAY POOLS				SPLASH-IN-SHADE POOL	FETCHIN' FUN™ PET PLAY POOL	FETCHIN' FUN™ PET PLAY POOL & ELEVATED BED
56217/E 48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm PG. 16	56283 5 ft. x 15 in. / 1.52 m x 38 cm PG. 16	57241/E 5 ft. x 15 in. / 1.52 m x 38 cm PG. 16	561CF/E 7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm PG. 17	56543/E & 56432 8 ft. x 20 in. / 2.44 m x 51 cm PG. 17	561KM/E 4 ft. x 12 in. / 1.22 m x 30.5 cm PG. 18	561RG/E 40 in. x 29 in. x 8 in. / 1.02 m x 74 cm x 20 cm PG. 19





MY FIRST FRAME POOL

WATER CAPACITY (90%): 153 GAL. (580 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Corrosion-resistant steel frame
- Frame and liner setup takes 10 minutes with 1-2 people
- Drain valve
- Not available for US market



MY FIRST FRAME POOL

WATER CAPACITY (90%): 96 GAL. (365 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	28.0 (12.7)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



MY FIRST FAST SET™ POOL

WATER CAPACITY (80%): 126 GAL. (477 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	29.3 (13.3)	Full color box

- Age: 2+
- Tritech® puncture-resistant, UV-resistant sidewalls are reliable against weight, strain and movement
- Easy, no-tool setup - ready for water in 10 minutes with 1-2 people
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage



MY FIRST FRAME POOL AND SANDPIT

WATER CAPACITY (90%): 96 GAL. (365 L) / SAND CAPACITY (50%): 441 LBS (200 KG)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
561CF/E	7 ft. x 48 in. x 12 in. / 2.13 m x 1.22 m x 30.5 cm	4	78.5 (35.6)	Full color box

- Age: 2+
- Walls constructed with DuraPlus™ material, which is reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- Corrosion resistant metal frames
- Easy to set up and take down for off-season storage
- Pool and sandpit combo gives kids two ways to play
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



SPLASH-IN-SHADE PLAY POOL

WATER CAPACITY (90%): 446 GAL. (1,688 L)

ITEM #	REGION	SIZE	PACK	LBS (KG)	PACKAGING
56543E	US	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	North America				
56543	Oceania				
56432	Europe				

- Tritech® puncture-resistant, UV-resistant sidewalls are reliable against weight, strain and movement
- Corrosion-resistant steel frame with frosted finish
- FrameLink™ joints prevent metal-on-metal damage
- Frame and liner setup takes 40 minutes with 2-3 people
- Outer wall with tropical leaf printing
- UPF 40+ sun protection
- Water mister on the top of shade attaches to garden hose
- Compatible with Bestway® filter pumps (not included)
- Attach built-in flow control drain valve to a garden hose (with included adapter) to release water





FETCHIN' FUN™ PET PLAY POOL

WATER CAPACITY (90%): 77 GAL. (292 L)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
561KM/E	4 ft. x 12 in. / 1.22 m x 30.5 cm	6	51.6 (23.4)	Full color box

- Tritech® puncture-resistant, UV-resistant sidewalls are reliable against weight, strain and movement
- Corrosion-resistant steel frame
- Frame and liner setup takes 10 minutes with 1-2 people
- Outer liner with playful dog graphics
- Drain valve





FETCHIN' FUN™ PET PLAY POOL & ELEVATED BED

WATER CAPACITY (90%): 34 GAL. (130 L) / COT WEIGHT CAPACITY: 99 LBS (45 KG)

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
561RG/E	40 in. x 29 in. x 8 in. / 1.02 m x 74 cm x 20 cm	4	50.9 (23.1)	Full color box

- Designed for dual use - pet pool or elevated bed
- Corrosion-resistant steel frame with matte finish
- Frame and liner setup takes 10 minutes with 1-2 people
- Tritech® puncture-resistant, UV-resistant pool liner is reliable against weight, strain and movement
- Pool liner with playful dog graphics
- Breathable mesh bed center enhances cooling airflow and is easy to clean
- Drain valve



FAST SET™

ABOUT


Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

HIGHLIGHTS



SELF-SUPPORTING INFLATABLE TOP RING

No tools needed! Simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



EASY SETUP

It's as easy as 1-2-3!
Simply unpack, inflate and fill!

PRODUCT MATRIX

20 - 24 IN. / 51 - 61 CM		30 - 33 IN. / 76 - 84 CM				42 IN. / 1.07 M
6 ft. x 20 in. / 1.83 m x 51 cm PG. 22	8 ft. x 24 in. / 2.44 m x 61 cm PG. 22	10 ft. x 30 in. / 3.05 m x 76 cm PG. 22	12 ft. x 30 in. / 3.66 m x 76 cm PG. 23	13 ft. x 33 in. / 3.96 m x 84 cm PG. 25	15 ft. x 33 in. / 4.57 m x 84 cm PG. 25	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 25



FEATURES & TECHNOLOGIES

SELF-SUPPORTING INFLATABLE TOP RING



BUILD



TRITECH® 3-LAYER PUNCTURE-RESISTANT LINER



CONVENIENCE



PACKAGING FULL COLOR BOX



6 FT. X 20 IN. / 1.83 M X 51 CM
WATER CAPACITY (80%): 248 GAL. (940 L)

ITEM #	REGION	PACK	LBS (KG)
57392E	US	4	26.5 (12.0)
57392	Europe	4	26.5 (12.0)

8 FT. X 24 IN. / 2.44 M X 61 CM
WATER CAPACITY (80%): 497 GAL. (1,880 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57448	Europe	1	12.2 (5.5)			
57450	Europe	1	18.0 (8.2)	330 gal./1,249 L	220-240 V	Type: I
57450	Asia, Africa & Latin America	1	16.3 (7.4)	330 gal./1,249 L	220-240 V	Type: I

10 FT. X 30 IN. / 3.05 M X 76 CM
WATER CAPACITY (80%): 1,004 GAL. (3,800 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57266	Europe	1	18.1 (8.2)			
57269E	US	1	24.4 (11.1)	330 gal./1,249 L	110-120 V	Type: I
57269	Oceania	1	22.9 (10.4)	330 gal./1,249 L	220-240 V	Type: I
57270	Europe	1	23.9 (10.8)	330 gal./1,249 L	220-240 V	Type: I
57270	Asia, Africa & Latin America	1	22.1 (10.0)	330 gal./1,249 L	220-240 V	Type: I
57269	Asia, Africa & Latin America	1	23.6 (10.7)	330 gal./1,249 L	110-120 V	Type: I

12 FT. X 30 IN. / 3.66 M X 76 CM

WATER CAPACITY (80%): 1,421 GAL. [5,377 L]



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57273	Europe	1	27.5 [12.5]			
57275	N. America / Asia, Africa & Latin America	1	33.4 [15.1]	330 gal./1,249 L	110-120 V	Type: I
57275	Oceania	1	32.1 [14.6]	330 gal./1,249 L	220-240 V	Type: I
57274	Europe	1	33.1 [15.0]	330 gal./1,249 L	220-240 V	Type: I
57274	Asia, Africa & Latin America	1	31.4 [14.2]	330 gal./1,249 L	220-240 V	Type: I



FEATURES & TECHNOLOGIES

SELF-SUPPORTING INFLATABLE TOP RING



BUILD




Pattern



Inner Liner



TRITECH® 3-LAYER PUNCTURE- RESISTANT LINER



CONVENIENCE



Drain Valve



Super Compact
Easy To Transport



No Tools Required
Easy To Assemble



Easy To Store

PACKAGING FULL COLOR BOX





13 FT. X 33 IN. / 3.96 M X 84 CM

WATER CAPACITY (80%): 1,939 GAL. (7,340 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57375E	US	1	43.0 (19.5)	530 gal./2,006 L	110-120 V	Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	42.8 (19.4)	530 gal./2,006 L	110-120 V	Type: III - A/C
57375	Oceania	1	41.4 (18.8)	530 gal./2,006 L	220-240 V	Type: II
57376	Europe	1	41.4 (18.8)	530 gal./2,006 L	220-240 V	Type: II
57376	Asia, Africa & Latin America	1	40.7 (18.5)	530 gal./2,006 L	220-240 V	Type: II

15 FT. X 33 IN. / 4.57 M X 84 CM

WATER CAPACITY (80%): 2,556 GAL. (9,677 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57315E	US	1	54.6 (24.8)	530 gal./2,006 L	110-120 V	Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	54.8 (24.9)	530 gal./2,006 L	110-120 V	Type: III - A/C
57315	Oceania	1	53.2 (24.1)	530 gal./2,006 L	220-240 V	Type: II
57313	Europe	1	53.3 (24.2)	530 gal./2,006 L	220-240 V	Type: II
57313	Asia, Africa & Latin America	1	52.6 (23.9)	530 gal./2,006 L	220-240 V	Type: II

15 FT. X 42 IN. / 4.57 M X 1.07 M

WATER CAPACITY (80%): 3,266 GAL. (12,362 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
57371E	US	1	79.1 (35.9)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓
57371	N. America / Asia, Africa & Latin America	1	78.9 (35.8)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓
57371	Oceania	1	77.7 (35.2)	530 gal./2,006 L	220-240 V	Type: II	✓
57372	Europe	1	80.6 (36.6)	530 gal./2,006 L	220-240 V	Type: II	✓
57372	Asia, Africa & Latin America	1	76.6 (34.7)	530 gal./2,006 L	220-240 V	Type: II	✓

STEEL PRO®

ABOUT


Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

HIGHLIGHTS



FRAMELINK™ JOINTS CORROSION PREVENTION

Simple to set up, FrameLink joints ensure remarkable strength and durable frame connection – all with a protective coating that prevents damage.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



FROSTED FINISH

The specialty finish on the pool frame prevents the liner from sticking to the steel supports, especially when it's hot outside.

PRODUCT MATRIX

17 IN. / 43 CM	24 - 26 IN. / 61 - 66 CM			32 IN. / 81 CM
7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm PG. 28	8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm PG. 28	9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm PG. 28	12 ft. x 6 ft. 7 in. x 26 in. / 3.66 m x 2.01 m x 66 cm PG. 30	13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm PG. 29




FEATURES & TECHNOLOGIES

FRAMELINK™ JOINTS

CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



No Tools Required
Easy To Assemble

PACKAGING

FULL COLOR BOX



7 FT. 3 IN. X 59 IN. X 17 IN. / 2.21 M X 1.50 M X 43 CM

WATER CAPACITY (90%): 317 GAL. (1,200 L)

ITEM #	REGION	PACK	LBS (KG)
56401	Europe / Asia, Africa & Latin America	1	21.2 (9.6)

8 FT. 6 IN. X 67 IN. X 24 IN. / 2.59 M X 1.70 M X 61 CM

WATER CAPACITY (90%): 608 GAL. (2,300 L)

ITEM #	REGION	PACK	LBS (KG)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe / Asia, Africa & Latin America	1	29.7 (13.5)

9 FT. 10 IN. X 6 FT. 7 IN. X 26 IN. / 3.00 M X 2.01 M X 66 CM

WATER CAPACITY (90%): 872 GAL. (3,300 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56404	Europe / Asia, Africa & Latin America	1	37.4 (17.0)			
56412E	US	1	44.4 (20.1)	330 gal./1,249 L	110-120 V	Type: I
56412	N. America / Asia, Africa & Latin America	1	43.5 (19.7)	330 gal./1,249 L	110-120 V	Type: I
56412	Oceania	1	43.5 (19.7)	330 gal./1,249 L	220-240 V	Type: I
56411	Europe	1	44.0 (19.9)	330 gal./1,249 L	220-240 V	Type: I
56411	Asia, Africa & Latin America	1	41.8 (19.0)	330 gal./1,249 L	220-240 V	Type: I

13 FT. 1 IN. X 6 FT. 11 IN. X 32 IN. / 4.00 M X 2.11 M X 81 CM

WATER CAPACITY (90%): 1,506 GAL. (5,700 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56512E	US	1	61.9 (28.1)			
56512	North America	1	61.9 (28.1)			
56512	Oceania	1	61.9 (28.1)			
56405	Europe / Asia, Africa & Latin America	1	61.9 (28.1)			
56425E	US	1	67.0 (30.4)	330 gal./1,249 L	110-120 V	Type: I
56425	N. America / Asia, Africa & Latin America	1	65.8 (29.9)	330 gal./1,249 L	110-120 V	Type: I
56425	Oceania	1	65.8 (29.9)	330 gal./1,249 L	220-240 V	Type: I
56424	Europe	1	67.5 (30.6)	330 gal./1,249 L	220-240 V	Type: I
56424	Asia, Africa & Latin America	1	65.1 (29.5)	330 gal./1,249 L	220-240 V	Type: I



FEATURES & TECHNOLOGIES

FRAMELINK™ JOINTS

CORROSION PREVENTION



BUILD




Pattern




Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



No Tools Required
Easy To Assemble

PACKAGING

FULL COLOR BOX



12 FT. X 6 FT. 7 IN. X 26 IN. / 3.66 M X 2.01 M X 66 CM

WATER CAPACITY (90%): 1,056 GAL. (4,000 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
561FT	Europe / Asia, Africa & Latin America	1	49.6 (22.5)			
561FV	Europe	1	55.2 (25.0)	330 gal./1,249 L	220-240 V	Type: I
561FV	Asia, Africa & Latin America	1	53.0 (24.0)	330 gal./1,249 L	220-240 V	Type: I





STEEL PRO MAX™

ABOUT

The Steel Pro MAX above ground pool is designed with durability, strength and family fun in mind. Built with enhanced materials, these pools will last for years to come.

HIGHLIGHTS




FRAMELINK™ AND CLICKCONNECT™ JOINTS CORROSION PREVENTION

Simple to set up, the connection systems ensure remarkable strength and durable frame connection all with a protective coating that prevents damage.



The ClickConnect System also features quick-click technology that expedites the set-up process.

All 12 ft. / 3.66 m diameter and under pools are built with FrameLink, while larger pools are built with ClickConnect.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



FROSTED FINISH

The specialty finish on the pool frame prevents the liner from sticking to the steel supports, especially when it's hot outside.

PRODUCT MATRIX

ROUND POOLS														
10 ft. x 30 in. / 3.05 m x 76 cm PG. 34	12 ft. x 30 in. / 3.66 m x 76 cm PG. 34	12 ft. x 39.5 in. / 3.66 m x 1.00 m PG. 34	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 34	13 ft. x 42 in. / 3.96 m x 1.07 m PG. 36	13 ft. x 48 in. / 3.96 m x 1.22 m PG. 39	14 ft. x 33 in. / 4.27 m x 84 cm PG. 39	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 39	14 ft. x 48 in. / 4.27 m x 1.22 m PG. 39	14 ft. x 42 in. / 4.27 m x 1.07 m PG. 40	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 40	15 ft. x 42 in. / 4.57 m x 1.07 m PG. 42	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 45	16 ft. x 48 in. / 4.88 m x 1.22 m PG. 45	18 ft. x 48 in. / 5.49 m x 1.22 m PG. 45



RECTANGULAR POOLS

9 ft. 3 in. x 6 ft. 5 in. x 33 in. /
2.82 m x 1.96 m x 84 cm
PG. 46



13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. /
4.04 m x 2.01 m x 1.00 m
PG. 46



16 ft. x 8 ft. x 48 in. /
4.88 m x 2.44 m x 1.22 m
PG. 46



18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 46



OVAL POOLS

10 ft. x 6 ft. 7 in. x 33 in. /
3.05 m x 2.00 m x 84 cm
PG. 48



14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m
PG. 48



16 ft. x 10 ft. x 42 in. /
4.88 m x 3.05 m x 1.07 m
PG. 48



18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 48



14 ft. x 8 ft. 2 in. x 39.5 in. /
4.27 m x 2.50 m x 1.00 m
PG. 51



18 ft. x 9 ft. x 48 in. /
5.49 m x 2.74 m x 1.22 m
PG. 51



20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m
PG. 53



20 ft. x 12 ft. x 48 in. /
6.10 m x 3.66 m x 1.22 m
PG. 54




FEATURES & TECHNOLOGIES


FRAMELINK™ JOINTS CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required Easy To Assemble

PACKAGING FULL COLOR BOX & STURDY CARDBOARD BOX WITH PICTURES



10 FT. X 30 IN. / 3.05 M X 76 CM

WATER CAPACITY (90%): 1,236 GAL. (4,678 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56406	Europe	1	37.9 (17.2)			
56407E	US	1	43.6 (19.8)	330 gal./1,249 L	110-120 V	Type: I
56407	N. America / Asia, Africa & Latin America	1	43.4 (19.7)	330 gal./1,249 L	110-120 V	Type: I
56407	Oceania	1	43.4 (19.7)	330 gal./1,249 L	220-240 V	Type: I
56408	Europe	1	42.7 (19.4)	330 gal./1,249 L	220-240 V	Type: I
56408	Asia, Africa & Latin America	1	42.5 (19.3)	330 gal./1,249 L	220-240 V	Type: I

12 FT. X 30 IN. / 3.66 M X 76 CM

WATER CAPACITY (90%): 1,710 GAL. (6,473 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
5616FE	US	1	55.3 (25.1)	530 gal./2,006 L	110-120 V	Type: III - A/C
56417	N. America / Asia, Africa & Latin America	1	52.2 (23.7)	330 gal./1,249 L	110-120 V	Type: I
56417	Oceania	1	52.2 (23.7)	330 gal./1,249 L	220-240 V	Type: I
56416	Europe	1	52.7 (23.9)	330 gal./1,249 L	220-240 V	Type: I
56416	Asia, Africa & Latin America	1	51.5 (23.4)	330 gal./1,249 L	220-240 V	Type: I

12 FT. X 39.5 IN. / 3.66 M X 1.00 M

WATER CAPACITY (90%): 2,417 GAL. (9,150 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	530 gal./2,006 L	110-120 V	Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	530 gal./2,006 L	220-240 V	Type: II	
56418	Europe	1	83.5 (37.9)	530 gal./2,006 L	220-240 V	Type: II	✓
56418	Asia, Africa & Latin America	1	82.0 (37.2)	530 gal./2,006 L	220-240 V	Type: II	✓
56260	Asia, Africa & Latin America	1	63.9 (29.0)	530 gal./2,006 L	220-240 V	Type: II	

12 FT. X 48 IN. / 3.66 M X 1.22 M

WATER CAPACITY (90%): 2,708 GAL. (10,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56421	N. America / Asia, Africa & Latin America	1	105.5 (47.8)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓	✓
56421	Oceania	1	105.5 (47.8)	530 gal./2,006 L	220-240 V	Type: II	✓	✓
56420	Europe	1	110.6 (50.2)	530 gal./2,006 L	220-240 V	Type: II	✓	✓
56420	Asia, Africa & Latin America	1	104.7 (47.5)	530 gal./2,006 L	220-240 V	Type: II	✓	✓



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION




BUILD






Pattern
 Inner Liner
 Hardware



TRITECH®
FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



3-Ply PVC Wall
Support Band



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD
BOX WITH PICTURES



13 FT. X 42 IN. / 3.96 M X 1.07 M
WATER CAPACITY [90%]: 2,941 GAL. (11,133 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CANOPY
561FXE	US	1	113.3 (51.4)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓	✓	✓
561FX	Oceania	1	111.7 (50.7)	530 gal./2,006 L	220-240 V	Type: II	✓	✓	✓
561FY	Europe	1	114.8 (52.1)	530 gal./2,006 L	220-240 V	Type: II	✓	✓	✓
561FY	Asia, Africa & Latin America	1	110.9 (50.3)	530 gal./2,006 L	220-240 V	Type: II	✓	✓	✓
561FX	Asia, Africa & Latin America	1	110.9 (50.3)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓	✓	✓





FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD




Color




Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



3-Ply PVC Wall
Support Band



No Tools Required
Easy To Assemble

PACKAGING FULL COLOR BOX & STURDY CARDBOARD BOX WITH PICTURES





13 FT. X 48 IN. / 3.96 M X 1.22 M

WATER CAPACITY (90%): 3,352 GAL. (12,690 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5618UE	US	1	123.0 [55.8]	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
5618W	Europe	1	126.2 [57.3]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
5618W	Asia, Africa & Latin America	1	120.2 [54.5]	800 gal./3,028 L	220-240 V	Type: II	✓	✓

14 FT. X 33 IN. / 4.27 M X 84 CM

WATER CAPACITY (90%): 2,700 GAL. (10,220 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56597E	US	1	81.3 [36.9]	530 gal./2,006 L	110-120 V	Type: III - A/C
56597	N. America / Asia, Africa & Latin America	1	81.1 [36.8]	530 gal./2,006 L	110-120 V	Type: III - A/C
56597	Oceania	1	81.1 [36.8]	530 gal./2,006 L	220-240 V	Type: II
56595	Europe	1	79.4 [36.0]	530 gal./2,006 L	220-240 V	Type: II
56595	Asia, Africa & Latin America	1	79.1 [35.9]	530 gal./2,006 L	220-240 V	Type: II

14 FT. X 42 IN. / 4.27 M X 1.07 M

WATER CAPACITY (90%): 3,440 GAL. (13,030 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56948E	US	1	117.1 [53.1]	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
56949	N. America / Asia, Africa & Latin America	1	115.0 [52.1]	800 gal./3,028 L	110-120 V	Type: III - A/C	✓	✓
56949	Oceania	1	115.0 [52.1]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56950	Europe	1	118.3 [53.7]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56950	Asia, Africa & Latin America	1	114.4 [51.9]	800 gal./3,028 L	220-240 V	Type: II	✓	✓

14 FT. X 48 IN. / 4.27 M X 1.22 M

WATER CAPACITY (90%): 4,024 GAL. (15,232 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5613HE	US	1	132.3 [60.0]	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
5612Y	N. America / Asia, Africa & Latin America	1	130.2 [59.1]	800 gal./3,028 L	110-120 V	Type: III - A/C	✓	✓
5612Y	Oceania	1	130.2 [59.1]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
5612X	Europe	1	135.2 [61.3]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
5612X	Asia, Africa & Latin America	1	129.4 [58.7]	800 gal./3,028 L	220-240 V	Type: II	✓	✓

FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS

CORROSION PREVENTION



BUILD




Pattern



Inner Liner



Hardware



TRITECH®

FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING

STURDY CARDBOARD BOX WITH PICTURES



2 SPLASHVIEW™ WINDOWS

14 FT. X 42 IN. / 4.27 M X 1.07 M

WATER CAPACITY (90%): 3,440 GAL. (13,030 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561JNE	US	1	123.9 [56.2]	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
561JK	N. America / Asia, Africa & Latin America	1	122.2 [55.4]	800 gal./3,028 L	110-120 V	Type: III - A/C	✓	✓
561JK	Oceania	1	122.2 [55.4]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
561JM	Europe	1	125.7 [57.0]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
561JM	Asia, Africa & Latin America	1	121.4 [55.1]	800 gal./3,028 L	220-240 V	Type: II	✓	✓

4 SPLASHVIEW™ WINDOWS

16 FT. X 48 IN. / 4.88 M X 1.22 M

WATER CAPACITY (90%): 5,145 GAL. (19,480 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56726E	US	1	170.0 [77.1]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56726	N. America / Asia, Africa & Latin America	1	169.0 [76.7]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56726	Oceania	1	169.0 [76.7]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56725	Europe	1	174.9 [79.3]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56725	Asia, Africa & Latin America	1	169.4 [76.8]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓





Bestway

STEEL PRO MAX™

SPLASHVIEW™

Built-in, watertight windows bring function and fun to our line of Steel Pro MAX™ Splashview™ pools. Kids can smile and wave as they pass by, and parents can keep an eye on them even when they're underwater!


FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS


CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required Easy To Assemble

PACKAGING

STURDY CARDBOARD BOX WITH PICTURES




15 FT. X 42 IN. / 4.57 M X 1.07 M

WATER CAPACITY (90%): 3,955 GAL. (14,970 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	LED LIGHT
561GBE	US	1	128.4 (58.2)	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓	✓
561GC	N. America / Asia, Africa & Latin America	1	126.2 (57.3)	800 gal./3,028 L	110-120 V	Type: III - A/C	✓	✓	✓
561GC	Oceania	1	126.2 (57.3)	800 gal./3,028 L	220-240 V	Type: II	✓	✓	✓
561GD	Europe	1	130.2 (59.1)	800 gal./3,028 L	220-240 V	Type: II	✓	✓	✓
561GD	Asia, Africa & Latin America	1	125.5 (56.9)	800 gal./3,028 L	220-240 V	Type: II	✓	✓	✓





BACKYARD AMBIANCE AT THE TOUCH OF A BUTTON LED LIGHT WITH REMOTE CONTROL

7 Colors | 8 Modes | 3 Speeds | 5 Brightness Levels



FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS
CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



No Tools Required
Easy To Assemble

PACKAGING
STURDY CARDBOARD BOX WITH PICTURES





15 FT. X 48 IN. / 4.57 M X 1.22 M

WATER CAPACITY (90%): 4,231 GAL. [16,015 L]



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56690E	US	1	140.8 [63.9]	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
56439	N. America / Asia, Africa & Latin America	1	138.6 [62.9]	800 gal./3,028 L	110-120 V	Type: III - A/C	✓	✓
56439	Oceania	1	138.6 [62.9]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56438	Europe	1	143.1 [64.9]	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56438	Asia, Africa & Latin America	1	137.9 [62.6]	800 gal./3,028 L	220-240 V	Type: II	✓	✓

16 FT. X 48 IN. / 4.88 M X 1.22 M

WATER CAPACITY (90%): 5,145 GAL. [19,480 L]



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5613AE	US	1	156.3 [70.9]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
5613A	N. America / Asia, Africa & Latin America	1	155.3 [70.5]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
5613A	Oceania	1	155.3 [70.5]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
5612Z	Europe	1	163.6 [74.2]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
5612Z	Asia, Africa & Latin America	1	155.7 [70.6]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓

18 FT. X 48 IN. / 5.49 M X 1.22 M

WATER CAPACITY (90%): 6,092 GAL. [23,062 L]



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56463E	US	1	174.0 [78.9]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56463	N. America / Asia, Africa & Latin America	1	173.0 [78.5]	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56463	Oceania	1	173.0 [78.5]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56462	Europe	1	180.8 [82.0]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56462	Asia, Africa & Latin America	1	173.4 [78.7]	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓

FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS

CORROSION PREVENTION



BUILD



Color




Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



C-Connector



No Tools Required
Easy To Assemble

PACKAGING

STURDY CARDBOARD
BOX WITH PICTURES



9 FT. 3 IN. X 6 FT. 5 IN. X 33 IN. / 2.82 M X 1.96 M X 84 CM

WATER CAPACITY (90%): 967 GAL. (3,662 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56629	Europe	1	87.0 (39.4)	330 gal./1,249 L	220-240 V	Type: I
56629	Asia, Africa & Latin America	1	86.3 (39.1)	330 gal./1,249 L	220-240 V	Type: I

13 FT. 3 IN. X 6 FT. 7 IN. X 39.5 IN. / 4.04 M X 2.01 M X 1.00 M

WATER CAPACITY (90%): 1,711 GAL. (6,478 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56441	Europe	1	135.6 (61.5)	530 gal./2,006 L	220-240 V	Type: II	✓
56441	Asia, Africa & Latin America	1	132.0 (59.9)	530 gal./2,006 L	220-240 V	Type: II	✓

16 FT. X 8 FT. X 48 IN. / 4.88 M X 2.44 M X 1.22 M

WATER CAPACITY (90%): 3,046 GAL. (11,532 L)




ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56670	Europe	1	208.7 (94.7)	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56670	Asia, Africa & Latin America	1	202.8 (92.0)	800 gal./3,028 L	220-240 V	Type: II	✓	✓

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

WATER CAPACITY (90%): 3,913 GAL. (14,812 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56536E	US	1	225.5 (102.3)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56467	N. America / Asia, Africa & Latin America	1	225.2 (102.2)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56467	Oceania	1	225.2 (102.2)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56465	Europe	1	230.2 (104.4)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56465	Asia, Africa & Latin America	1	224.9 (102.0)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓




FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS


CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant Steel Frame



3-Ply PVC Wall Support Band



T-Connector

PACKAGING

FULL COLOR BOX & STURDY CARDBOARD BOX WITH PICTURES



10 FT. X 6 FT. 7 IN. X 33 IN. / 3.05 M X 2.00 M X 84 CM

WATER CAPACITY (90%): 969 GAL. (3,668 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
5613ZE	US	1	69.4 (31.5)	330 gal./1,249 L	110-120 V	Type: I
5613Z	N. America / Asia, Africa & Latin America	1	69.2 (31.4)	330 gal./1,249 L	110-120 V	Type: I
5613Z	Oceania	1	69.2 (31.4)	330 gal./1,249 L	220-240 V	Type: I
5614A	Europe	1	69.7 (31.6)	330 gal./1,249 L	220-240 V	Type: I
5614A	Asia, Africa & Latin America	1	69.7 (31.6)	330 gal./1,249 L	220-240 V	Type: I

14 FT. X 8 FT. 2 IN. X 39.5 IN. / 4.27 M X 2.50 M X 1.00 M

WATER CAPACITY (90%): 1,915 GAL. (7,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56622E	US	1	112.9 (51.2)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓
56622	N. America / Asia, Africa & Latin America	1	111.3 (50.5)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓
56622	Oceania	1	111.3 (50.5)	530 gal./2,006 L	220-240 V	Type: II	✓
56620	Europe	1	113.4 (51.5)	530 gal./2,006 L	220-240 V	Type: II	✓
56620	Asia, Africa & Latin America	1	110.6 (50.2)	530 gal./2,006 L	220-240 V	Type: II	✓

16 FT. X 10 FT. X 42 IN. / 4.88 M X 3.05 M X 1.07 M

WATER CAPACITY (90%): 2,893 GAL. (10,949 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56655E	US	1	149.2 (67.7)	1,000 gal./3,785 L	110-120 V	Type: III - A/C	✓	✓
56448	Europe	1	148.2 (67.2)	800 gal./3,028 L	220-240 V	Type: II	✓	✓
56448	Asia, Africa & Latin America	1	145.9 (66.2)	800 gal./3,028 L	220-240 V	Type: II	✓	✓

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

WATER CAPACITY (90%): 3,548 GAL. (13,430 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56711E	US	1	187.9 (85.2)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56711	Oceania	1	186.8 (84.7)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56710	Europe	1	193.3 (87.7)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56710	Asia, Africa & Latin America	1	187.0 (84.8)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



Pattern



Inner Liner



Hardware



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame



3-Ply PVC Wall
Support Band



T-Connector

PACKAGING STURDY CARDBOARD BOX WITH PICTURES



SPLASHVIEW™

Built-in, watertight windows bring function and fun to our line of Steel Pro MAX™ Splashview™ pools. Kids can smile and wave as they pass by, and parents can keep an eye on them even when they're underwater!





2 SPLASHVIEW™ WINDOWS

14 FT. X 8 FT. 2 IN. X 39.5 IN. / 4.27 M X 2.50 M X 1.00 M

WATER CAPACITY (90%): 1,915 GAL. (7,250 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56715E	US	1	121.2 (55.0)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓	✓
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	530 gal./2,006 L	110-120 V	Type: III - A/C	✓	✓
56715	Oceania	1	119.6 (54.2)	530 gal./2,006 L	220-240 V	Type: II	✓	✓
56714	Europe	1	121.8 (55.3)	530 gal./2,006 L	220-240 V	Type: II	✓	✓
56714	Asia, Africa & Latin America	1	118.7 (53.8)	530 gal./2,006 L	220-240 V	Type: II	✓	✓

4 SPLASHVIEW™ WINDOWS

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

WATER CAPACITY (90%): 3,548 GAL. (13,430 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56717E	US	1	197.7 (89.7)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
56717	Oceania	1	196.7 (89.2)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56716	Europe	1	202.9 (92.0)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
56716	Asia, Africa & Latin America	1	196.9 (89.3)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓




FEATURES & TECHNOLOGIES


CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



TRITECH® FROSTED FINISH



CONVENIENCE



Drain Valve



Corrosion-Resistant
Steel Frame




3-Ply PVC Wall
Support Band



T-Connector

PACKAGING STURDY CARDBOARD BOX WITH PICTURES





20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M
 WATER CAPACITY (90%): 5,347 GAL. (20,241 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5611SE	US	1	212.4 (96.4)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	1,500 gal./5,678 L	110-120 V	Type: III - A/C	✓	✓
5611S	Oceania	1	211.4 (95.9)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
5611R	Europe	1	217.6 (98.7)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	1,500 gal./5,678 L	220-240 V	Type: III - A/C	✓	✓



FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS
CORROSION PREVENTION




BUILD





Pattern Inner Liner Hardware



TRITECH® **FROSTED FINISH** **MULTI-COLORED LED LIGHT**



CONVENIENCE



PACKAGING
STURDY CARDBOARD BOX WITH PICTURES



2 COMFORT JET™ MASSAGE NOZZLES
20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M
WATER CAPACITY (90%): 5,347 GAL. (20,241 L)



ITEM #	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	LED LIGHT
56720E	US	1	219.2 (99.4)	2,500 gal./9,463 L	110-120 V	Type: IV - B	✓	✓
56720	N. America / Asia, Africa & Latin America	1	218.2 (99.0)	2,500 gal./9,463 L	110-120 V	Type: IV - B	✓	✓
56720	Oceania	1	218.2 (99.0)	2,500 gal./9,463 L	220-240 V	Type: IV - B	✓	✓
56719	Europe	1	224.8 (102.0)	2,500 gal./9,463 L	220-240 V	Type: IV - B	✓	✓
56719	Asia, Africa & Latin America	1	219.8 (99.7)	2,500 gal./9,463 L	220-240 V	Type: IV - B	✓	✓





BUILT-IN SPA JETS!

Two built-in massage nozzles
produce concentrated water jet
streams for a soothing massage.

APX 365™

ABOUT

APX 365 leads the frame pool market in durability, strength and functionality. Built with Polar-Shield™ protection, groundbreaking weather defense technology, these pools can stay up all year long without damage to the frame or liner.

HIGHLIGHTS



POLAR-SHIELD™ PROTECTION YEAR-ROUND WEATHER DEFENSE

The first of its kind in the above ground pool market, Polar-Shield weather defense technology means no off-season storage is needed! Polar-Shield protects the liner against the outdoor elements, even in chillier temperatures.




GALVANIZED STEEL FORTIFIED CORROSION-RESISTANCE FOR LONGER LIFESPAN

The galvanized steel frame is coated in a layer of zinc for fortified corrosion-resistance. The unparalleled durability, strength and stability results in a longer lifespan for the pool frame.



CLICKCONNECT™ JOINTS ANTI-RUST, QUICK-CLICK CONNECTORS

Simple to set up, the ClickConnect joints ensure remarkable strength and durable frame connection. They feature a protective coating and galvanized steel insert to prevent damage, accompanied with quick-click technology to expedite the set-up process.



TRITECH® PUNCTURE-RESISTANT LINER

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



OCTAGON-SHAPED POLES For APX 365 Round Pools Only

The galvanized steel frame is constructed in an octagon shape, rather than an oval. This shape is proven to prevent bending and structural damage during use.

PRODUCT MATRIX

52 IN. / 1.32 M

18 ft. x 52 in. /
5.49 m x 1.32 m
PG. 58




20 ft. x 52 in. /
6.10 m x 1.32 m
PG. 58

22 ft. x 52 in. /
6.71 m x 1.32 m
PG. 58

18 ft. x 9 ft. x 52 in. /
5.49 m x 2.74 m x 1.32 m
PG. 60

24 ft. x 12 ft. x 52 in. /
7.32 m x 3.66 m x 1.32 m
PG. 60

31 ft. 4 in. x 16 ft. x 52 in. /
9.56 m x 4.88 m x 1.32 m
PG. 60






FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD




POLAR-SHIELD™



GALVANIZED STEEL FRAME



TRITECH®



CONVENIENCE



Drain Valve



Corrosion-Resistant
Galvanized Steel



3-Ply PVC Wall
Support Band



No Tools Required
Easy To Assemble

PACKAGING STURDY CARDBOARD BOX WITH PICTURES



18 FT. X 52 IN. / 5.49 M X 1.32 M
WATER CAPACITY (90%): 6,869 GAL. (26,000 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561KBE	US	1	263.8 (119.6)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KB	N. America / Asia, Africa & Latin America	1	262.5 (119.1)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KB	Oceania	1	262.5 (119.1)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KC	Europe	1	271.5 (123.2)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KC	Asia, Africa & Latin America	1	264.1 (119.8)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓

20 FT. X 52 IN. / 6.10 M X 1.32 M
WATER CAPACITY (90%): 8,781 GAL. (33,240 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561KDE	US	1	295.3 (134.0)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KD	N. America / Asia, Africa & Latin America	1	294.5 (133.6)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KD	Oceania	1	294.5 (133.6)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KE	Europe	1	303.6 (137.7)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KE	Asia, Africa & Latin America	1	295.5 (134.0)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓

22 FT. X 52 IN. / 6.71 M X 1.32 M
WATER CAPACITY (90%): 10,668 GAL. (40,377 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561JYE	US	1	320.9 (145.6)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561JY	N. America / Asia, Africa & Latin America	1	319.5 (144.9)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561JY	Oceania	1	319.5 (144.9)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561JZ	Europe	1	329.0 (149.2)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561JZ	Asia, Africa & Latin America	1	320.5 (145.4)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓





FEATURES & TECHNOLOGIES

CLICKCONNECT™ JOINTS CORROSION PREVENTION



BUILD



POLAR-SHIELD™



GALVANIZED STEEL FRAME



TRITECH®



CONVENIENCE



Drain Valve



Corrosion-Resistant Galvanized Steel



C-Connector



No Tools Required
Easy To Assemble

PACKAGING STURDY CARDBOARD BOX WITH PICTURES



18 FT. X 9 FT. X 52 IN. / 5.49 M X 2.74 M X 1.32 M
WATER CAPACITY (90%): 4,352 GAL. (16,477 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561MFE	US	1	277.5 (125.9)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561MF	N. America / Asia, Africa & Latin America	1	277.1 (125.7)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561MF	Oceania	1	277.1 (125.7)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KA	Europe	1	283.1 (128.4)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KA	Asia, Africa & Latin America	1	277.4 (125.8)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓

24 FT. X 12 FT. X 52 IN. / 7.32 M X 3.66 M X 1.32 M
WATER CAPACITY (90%): 7,937 GAL. (30,045 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561KHE	US	1 Ea., 2 boxes	385.8 (175.0)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KH	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	381.1 (172.9)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KH	Oceania	1 Ea., 2 boxes	381.1 (172.9)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KG	Europe	1 Ea., 2 boxes	389.8 (176.8)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KG	Asia, Africa & Latin America	1 Ea., 2 boxes	385.8 (175.0)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓

31 FT. 4 IN. X 16 FT. X 52 IN. / 9.56 M X 4.88 M X 1.32 M
WATER CAPACITY (90%): 13,798 GAL. (52,231 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GALVANIZED LADDER
561KKE	US	1 Ea., 2 boxes	522.3 (236.9)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KK	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	522.0 (236.8)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓
561KK	Oceania	1 Ea., 2 boxes	522.0 (236.8)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KJ	Europe	1 Ea., 2 boxes	525.4 (238.3)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓
561KJ	Asia, Africa & Latin America	1 Ea., 2 boxes	522.0 (236.8)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓





HYDRIUM™

ABOUT

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be used as a more permanent landscaping feature.

HIGHLIGHTS



GALVANIZED STEEL SIDEWALLS & FRAME SUPPORT

The tough, steel structure of a Hydrium pool provides unparalleled durability and damage-resistance.



YEAR-ROUND PROTECTION

Resistant to damage from scratches, abrasions and cracks 365 days a year, Hydrium pools are perfect to keep in your yard year-round.



INTEGRATED SURFACE SKIMMER

Built-in skimmers collect larger debris before it reaches the filter pump, extending the lifespan of both the pool and the pump.



FASTLATCH™ SYSTEM

The innovative FastLatch™ System speeds assembly time and eliminates multiple nuts and bolts. Simply fit the two ends of the wall together and secure with the sturdy pole!

PRODUCT MATRIX

48 IN. / 1.22 M					52 IN. / 1.32 M												
10 ft. x 48 in. / 3.05 m x 1.22 m PG. 64	NEW GEN.	12 ft. x 48 in. / 3.66 m x 1.22 m PG. 64	NEW GEN.	15 ft. x 48 in. / 4.57 m x 1.22 m PG. 64	NEW GEN.	16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.66 m x 1.22 m PG. 66	NEW GEN.	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m PG. 66	NEW GEN.	16 ft. x 52 in. / 4.88 m x 1.32 m PG. 68	NEW GEN.	18 ft. x 52 in. / 5.49 m x 1.32 m PG. 68	NEW GEN.	24 ft. x 52 in. / 7.32 m x 1.32 m PG. 68	NEW GEN.	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m PG. 68	NEW GEN.
																	



Bestway
HYDRUM

FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION PROTECTED AGAINST THE ELEMENTS



BUILD



BUILT-IN SKIMMER



FASTLATCH™ SYSTEM



POLAR-SHIELD™



CONVENIENCE



Reinforced
Steel Sidewalls



Premium
Pool Liner



Shipped On
A Pallet

PACKAGING

STURDY CARDBOARD
BOX WITH PICTURES



NEW
GEN.

10 FT. X 48 IN. / 3.05 M X 1.22 M

WATER CAPACITY (90%): 2,018 GAL. (7,630 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
56566	Europe	1	228.3 (103.6)	950 gal./3,596 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓

NEW
GEN.

12 FT. X 48 IN. / 3.66 M X 1.22 M

WATER CAPACITY (90%): 2,906 GAL. (10,990 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
56575	Oceania	1	259.2 (117.6)	950 gal./3,596 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
56574	Europe	1	259.2 (117.6)	950 gal./3,596 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓


NEW
GEN.

15 FT. X 48 IN. / 4.57 M X 1.22 M

WATER CAPACITY (90%): 4,605 GAL. (17,430 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RJE	US	1	319.4 (144.9)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RJ	Oceania	1	323.8 (146.9)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
56384	Europe	1	323.8 (146.9)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓



FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION
PROTECTED AGAINST
THE ELEMENTS



BUILD



BUILT-IN SKIMMER



FASTLATCH™ SYSTEM



POLAR-SHIELD™



CONVENIENCE



PACKAGING

STURDY CARDBOARD
BOX WITH PICTURES



NEW
GEN.

**16 FT. 5 IN. X 12 FT. X 48 IN. /
5.00 M X 3.66 M X 1.22 M**
WATER CAPACITY (90%): 4,305 GAL. (16,296 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RQE	US	1	380.8 (172.7)	950 gal./3,596 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RQ	Oceania	1	385.2 (174.7)	950 gal./3,596 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
56586	Europe	1	385.2 (174.7)	950 gal./3,596 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓

NEW
GEN.

**20 FT. X 12 FT. X 48 IN. /
6.10 M X 3.66 M X 1.22 M**
WATER CAPACITY (90%): 5,265 GAL. (19,929 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RRE	US	1	468.6 (212.6)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RR	Oceania	1	473.0 (214.6)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
56369	Europe	1	473.0 (214.6)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓



Bestway
HYDRUM™

FEATURES & TECHNOLOGIES

YEAR-ROUND PROTECTION PROTECTED AGAINST THE ELEMENTS



BUILD



BUILT-IN SKIMMER



FASTLATCH™ SYSTEM



POLAR-SHIELD™



CONVENIENCE



Reinforced Steel Sidewalls



Premium Pool Liner



Reinforced Side Legs (Oval Pools Only)



Shipped On A Pallet

PACKAGING STURDY CARDBOARD BOX WITH PICTURES



NEW GEN.

16 FT. X 52 IN. / 4.88 M X 1.32 M
WATER CAPACITY (90%): 5,678 GAL. (21,490 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RKE	US	1	443.2 (201.0)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RK	Oceania	1	447.6 (203.0)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561CU	Europe	1	447.6 (203.0)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓

NEW GEN.

18 FT. X 52 IN. / 5.49 M X 1.32 M
WATER CAPACITY (90%): 7,192 GAL. (27,221 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RME	US	1	494.3 (224.2)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RM	Oceania	1	498.7 (226.2)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561CS	Europe	1	498.7 (226.2)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓

NEW

24 FT. X 52 IN. / 7.32 M X 1.32 M
WATER CAPACITY (90%): 12,999 GAL. (49,200 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RNE	US	1	604.0 (274.0)	2,200 gal./8,327 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RN	Oceania	1	606.7 (275.2)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RP	Europe	1	608.0 (275.8)	2,200 gal./8,327 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓

NEW GEN.

24 FT. X 12 FT. X 52 IN. / 7.32 M X 3.66 M X 1.32 M
WATER CAPACITY (90%): 7,157 GAL. (27,090 L)



ITEM #	REGION	PACK	LBS (KG)	SAND FILTER PUMP	VOLTAGE	FILTRATION METHOD	COVER	GROUND CLOTH	GALVANIZED LADDER	CHEMCONNECT® DISPENSER
561RSE	US	1	662.7 (300.6)	1,600 gal./6,056 L	110-120 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561RS	Oceania	1	667.1 (302.6)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓
561CW	Europe	1	667.1 (302.6)	1,600 gal./6,056 L	220-240 V	Polysphere™ Pool Filtration Balls	✓	✓	✓	✓



Bestway
HYDRUM™

MULTI-COLOR WATERFALL!

Built-in waterfall runs continuously when connected to the sand filter pump and puts on a beautiful light show!

7 Colors | 8 Modes (only for pool size: 24 FT. X 52 IN. / 7.32 M X 1.32 M)



Make Summer



Bestway

Steel Pro MAX™ Splashview™ Round Pool Set



To Last a Lifetime

Creating picture-perfect moments
full of splashes and smiles.

POOL ACCESSORIES

ABOUT

Bestway® offers a wide range of products to help pool-owners maintain and clean their pools, enhance the ambiance of the surrounding area, and enjoy their product for as long as possible.

CATEGORIES



FILTRATION

Bestway cartridge and sand filter pumps come in many different sizes to give each pool-owner the options they need to keep their pools sparkling.



ENVIRONMENT

From lights to fountains, Bestway outdoor environment items add personality to the pool area.



MAINTENANCE EQUIPMENT

Bestway's variety of items, from vacuums to skimming nets, help pool-owners maintain crystal clear water by removing floating debris.



POOL COVERS & GROUND CLOTHS

Protect the pool water and the yard with Bestway items, made specifically for covering the pool or the ground beneath it.

PLANOGRAM

Actual in-store displays may vary.

U.S. DISPLAY



INTERNATIONAL DISPLAY



POOL PUMP RANGE

ITEM	58511/E	58381	58384/E	58383	58387	58386	58388E	58390/E	58389	58392/E	58391	58871/E	58870
PRODUCT PHOTO													
HOSE SIZE	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm	
ADAPTERS INCLUDED								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm	
FILTER CARTRIDGE OR SAND GRAIN/POLYSPHERE™	58093 (I)		58012 (III-A/C) 58094 (II)		58012 (III-A/C) 58094 (II)		58012 (III-A/C)	58012 (III-A/C)		58095 (IV-B)		0.5 lbs (240 g) of Polysphere™ Pool Filtration Balls	
PUMP FLOW RATE GAL. (L) / HOUR	330 (1,249)		530 (2,006)		800 (3,028)		1,000 (3,785)	1,500 (5,678)		2,500 (9,463)		1,500 (5,678)	
SYSTEM FLOW RATE GAL. (L) / HOUR	280 (1,060)		480 (1,817)		580 (2,195)		780 (2,952)	1,050 (3,974)		2,050 (7,760)		1,050 (3,974)	
POOL COMPATIBILITY	For use with 300-2,200 gal. (1,100-8,300 L) pools		For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-16,400 gal. (1,100-62,000 L) pools		For use with 300-8,400 gal. (1,100-31,700 L) pools	
RATING	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W	110-120V~, 1.8A	220-240V~, 86W

58516/E 58515 58515GS			58498/E 58497 58497GS			58500/E 58499 58499GS			58692/E 58486 58486GS		
			 58497, 58498/E			 58499, 58500/E			 58486, 58692/E		
1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm		
			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. (3.8 / 3.2 cm)		
Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg. Polysphere™ compatible			Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg. Polysphere™ compatible		
950 (3,596)			1,600 (6,056)			2,200 (8,327)			3,000 (11,355)		
600 (2,271)			1,400 (5,300)			1,800 (6,813)			2,200 (8,327)		
550 (2,082)			1,300 (4,920)			1,700 (6,435)			2,000 (7,570)		
For use with 300-4,800 gal. (1,100-18,100 L) pools			For use with 300-11,200 gal. (1,100-42,300 L) pools			For use with 300-14,400 gal. (1,100-54,500 L) pools			For use with 300-17,600 gal. (1,100-66,600 L) pools		
For use with 300-4,400 gal. (1,100-16,600 L) pools			For use with 300-10,400 gal. (1,100-39,300 L) pools			For use with 300-13,600 gal. (1,100-51,400 L) pools			For use with 300-16,000 gal. (1,100-60,500 L) pools		
110-120V~, 1A			220-240V~, 85W			110-120V~, 3.5A			220-240V~, 280W		
			110-120V~, 3.2A			220-240V~, 230W			110-120V~, 4.8A		
									220-240V~, 500W		

A LOOK AT THE BUILD OF BESTWAY® FILTERS

CARTRIDGE FILTER PUMPS

Leave the dirty work to Bestway filter pumps. Two hoses are included with each pump and are attached at two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.



SAND FILTER PUMPS

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



BENEFITS OF A SAND FILTER PUMP

- Longer lifespan than traditional cartridge pumps
- Requires minimal maintenance
- Includes strainer to catch larger particles



FILTER PUMP - 330 GAL. (1,249 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V~, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V~, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V~, 16W	4	25.1 (11.4)	58093 - Type I



FILTER PUMP - 530 GAL. (2,006 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V~, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V~, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V~, 29W	4	29.4 (13.3)	58094 - Type II



FILTER PUMP - 800 GAL. (3,028 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V~, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V~, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C



FILTER PUMP - 1,000 GAL. (3,785 L)

ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C





FILTER PUMP - 1,500 GAL. (5,678 L)



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)	58012 - Type III - A/C

FILTER PUMP - 2,500 GAL. (9,463 L)



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	FILTER CARTRIDGE
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V~, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V~, 350W	1	24.5 (11.1)	58095 - Type IV - B

**POLYSHERE™
POOL FILTRATION
BALLS INCLUDED**

POLYSHERE™ FILTER PUMP



ITEM #	PUMP FLOW RATE GAL. (L) / HR	SYSTEM FLOW RATE GAL. (L) / HR	POOL CAPACITY	CERTIFICATION	RATING	PACK	LBS (KG)	POLYSHERE CAPACITY LBS (G)
58871E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	16.4 (7.5)	included 0.5 (240)
58871	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	16.1 (7.3)	included 0.5 (240)
58870	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	16.1 (7.3)	included 0.5 (240)



SAND FILTER - 950 GAL. (3,596 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58515	CE	220-240V~, 85W	10.5 (27)	1	17.1 (7.8)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	1	18.5 (8.4)
58516	C-ETL	110-120V~, 1A	10.5 (27)	1	18.2 (8.3)
58516E	ETL-US	110-120V~, 1A	10.5 (27)	1	18.4 (8.4)

ITEM #	SAND CAPACITY LBS (KG)	POLYSPHERE CAPACITY LBS (KG)
58515	18.7 (8.5)	0.53 (240)
58515GS	18.7 (8.5)	0.53 (240)
58516	18.7 (8.5)	0.53 (240)
58516E	18.7 (8.5)	0.53 (240)

Pump Flow Rate: 950 gal./h (3,596 L/h)
System Flow Rate: 600 gal./h (2,271 L/h)
System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)
Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

- Uses approximately 18.7 lbs (8.5 kg) #20 silica sand, 0.45-0.85 mm or 0.53 lbs (240 g) Polysphere™ Pool Filtration Balls (neither included)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.25 in. (3.2 cm) valves
- Full color box

58497, 58498/E

58497GS



SAND FILTER - 1,600 GAL. (6,056 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58497	CE	220-240V~, 230W	10 (25.4)	1	25.5 (11.6)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	1	32.0 (14.5)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	1	25.8 (11.7)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	1	26.0 (11.8)

ITEM #	SAND CAPACITY LBS (KG)	POLYSPHERE CAPACITY LBS (KG)
58497	19.8 (9.0)	0.55 (250)
58497GS	79.4 (36.0)	2.20 (1,000)
58498	19.8 (9.0)	0.55 (250)
58498E	19.8 (9.0)	0.55 (250)

Pump Flow Rate: 1,600 gal./h (6,056 L/h)
System Flow Rate: 1,400 gal./h (5,300 L/h)
System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)
Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

- Uses approximately 19.8 lbs (9 kg) #20 silica sand, 0.45-0.85 mm or 0.55 lbs (250 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.2 lbs (1 kg) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Flange clamp with 360° degree rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

58499, 58500/E

58499GS



SAND FILTER - 2,200 GAL. (8,327 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN. (CM)	PACK	LBS (KG)
58499	CE	220-240V~, 280W	12.5 (32)	1	30.1 (13.6)
58499GS	CE/GS	220-240V~, 280W	16.6 (42.2)	1	35.2 (16.0)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	1	30.4 (13.8)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	1	30.6 (13.9)

ITEM #	SAND CAPACITY LBS (KG)	POLYSPHERE CAPACITY LBS (KG)
58499	44.1 (20.0)	1.23 (560)
58499GS	99.2 (45.0)	2.78 (1,260)
58500	44.1 (20.0)	1.23 (560)
58500E	44.1 (20.0)	1.23 (560)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
System Flow Rate: 1,800 gal./h (6,813 L/h)
System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)
Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

- Uses approximately 44.1 lbs (20 kg) #20 silica sand, 0.45-0.85 mm or 1.23 lbs (560 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 99.2 lbs (45 kg) #20 silica sand, 0.45-0.85 mm or 2.78 lbs (1,260 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Flange clamp with 360° rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box

58486, 58692/E

58486GS



SAND FILTER - 3,000 GAL. (11,355 L)

ITEM #	CERTIFICATION	RATING	TANK DIA. IN (CM)	PACK	LBS (KG)
58486	CE	220-240V~, 500W	15 (38.5)	1	36.8 (16.7)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	1	43.9 (19.9)
58692	C-ETL	110-120V~, 4.8A	15 (38.5)	1	36.6 (16.6)
58692E	ETL-US	110-120V~, 4.8A	15 (38.5)	1	36.8 (16.7)

ITEM #	SAND CAPACITY LBS (KG)	POLYSPHERE CAPACITY LBS (G)
58486	79.4 (36.0)	2.20 (1,000)
58486GS	121.3 (55.0)	3.40 (1,540)
58692	79.4 (36.0)	2.20 (1,000)
58692E	79.4 (36.0)	2.20 (1,000)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)

System Flow Rate: 2,200 gal./h (8,327 L/h)

System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)

Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools

Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

- Uses approximately 79.4 lbs (36 kg) #20 silica sand, 0.45-0.85 mm or 2.20 lbs (1,000 g) Polysphere™ Pool Filtration Balls (neither included)
- Uses approximately 121.3 lbs (55 kg) #20 silica sand, 0.45-0.85 mm or 3.40 lbs (1,540 g) Polysphere™ Pool Filtration Balls (neither included) (For GS only)
- Durable, corrosion-resistant tank
- 6-position handle to easily switch filter functions (filter, closed, backwash, rinse, drain, circulate)
- Built-in timer lets you set an automated working period (For 58486/GS only)
- Flange clamp with 360 degree rotation
- Easy-to-read pressure gauge
- Pre-filter strainer basket catches larger debris to increase pump efficiency & longevity
- Preassembled for quick & easy installation
- Compatible with 1.5 in. (3.8 cm) threaded valves and 1.25 in. (3.2 cm) valves using included adapters
- Full color box



NEW GEN.

POLYSPHERE™ POOL FILTRATION BALLS

ITEM #	PACK	LBS (KG)	PACKAGING
58475/E	12	19.0 (8.6) 18.8 (8.5)	Full Color Box
58945/E	24pcs 58475/E	40.7 (18.5) 39.7 (18.0)	Full Color Box, loaded in Display Shelf

- Compatible with most sand filter pumps
- Reusable sand replacement - 0.06 lbs (28 g) of filtration balls = 2.2 lbs (1 kg) of sand
- Hand-wash only with included mesh bag
- Made with recyclable & non-toxic material
- Lower pressure allows for higher flow rate & longer lifespan
- Lightweight & easy to transport
- Not compatible with sand filter backwashing function
- Each box of 58475/E contains 1.1 lbs (500 g) Polysphere™ filtration balls



58475

58475E

SAND FILTER	REGION	WEIGHT IF USING SAND, LBS (KG)	WEIGHT IF USING POLYSPHERE, LBS (G)
950 gal. /h (3,596 L/h)	All	18.74 (8.5)	0.53 (240)
1,600 gal. /h (6,056 L/h)	Except GS	19.84 (9)	0.55 (250)
1,600 gal. /h (6,056 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)



58945E

FILTER CARTRIDGE RANGE

ITEM	58093/E	58094	58012/E	58095/E
PRODUCT PHOTO	 Twin Pack	 Twin Pack		
SIZE	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
PUMP TYPE	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V~)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V~) 1,500 gal. (5,678 L) (220-240 V~)	2,500 gal. (9,463 L)
PACK	12	12	12	6
LBS (KG)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.4 (2.5)
PACKAGING	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

HOSE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58368	9 ft. 10 in. / 3 m long, 1.5 in. / 3.8 cm diameter	6	16.1 (7.3)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.5 in. / 3.8 cm hoses



HOSE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58369	9 ft. 10 in. / 3 m long, 1.25 in. / 3.2 cm diameter	12	18.1 (8.2)	Full Color Box

- Compatible with cartridge & sand filter pumps that use 1.25 in. / 3.2 cm hoses





SOLARFLOW™ 2 GAL. / 8 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58694/E	19.5 in. x 19.5 in. x 86 in. / 50 cm x 50 cm x 2.18 m	2.1 (8)	1	19.6 (8.9)	Full Color Box

- Black 2.1 gal. (8 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Fixed oversized shower head
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SOLARFLOW™ 5 GAL. / 20 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58695/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	5.2 (20)	1	30.0 (13.5)	Full Color Box

- Black 5.2 gal. (20 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Quick connector for easy connection to garden hose (hose not included)



SOLARFLOW™ 9 GAL. / 35 L OUTDOOR SHOWER

ITEM #	SIZE	WATER RESERVOIR, GAL. (L)	PACK	LBS (KG)	PACKAGING
58696/E	24.5 in. x 24.5 in. x 86 in. / 62 cm x 62 cm x 2.18 m	9.2 (35)	1	40.6 (18.4)	Full Color Box

- Black & gray 9.2 gal. (35 L) shower reservoir allows the sun to heat the water
- Easy to install with included base or can be mounted to most surfaces
- Large base provides stability
- Adjustable shower head can be fixed or handheld and has multiple spray settings
- Adjustable water flow and temperature handle
- Convenient soap tray
- Quick connector for easy connection to garden hose (hose not included)





FLOATBRIGHT™ SOLAR LED POOL FOUNTAIN

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58849/E	7.64 in. x 7.17 in. x 6.66 in. / 19.4 cm x 18.2 cm x 6.75 cm	6	10.4 (4.7)	Full Color Box

- 7-color LED light (9 alternating modes: 7 fixed & 2 alternating)
- Fountain turns on automatically in the water, unless manually powered off
- Solar-powered light turns on automatically at night
- Charges in 5-10 hours, runs for 3 hours at a time
- One-touch ON/OFF buttons
- Fountain & top light with 1 hour auto-shutoff
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Fountain sprays up to 19.5 in. (50 cm) in height
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep



FLOATBRIGHT™ LED POOL LIGHT

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58419/E	Ø5.5 in. / Ø14 cm	12	8.4 (3.8)	Full Color Box

- 4-color LED light (7 modes: 1 fixed & 6 alternating)
- Requires 3x AA batteries (not included)
- One-touch ON/OFF button
- 1 hour auto-shutoff
- IP68 waterproof rating - completely submerge-proof and protects from dust
- Light projects up to 8 ft. (2.44 m) in diameter & 5 ft. (1.52 m) deep
- Can be used in or out of the water



SOLARFLOAT™ LED POOL LIGHT

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58111/E	Ø7 in. / Ø18 cm	24	22.2 (10.1) 20.3 (9.2)	Full Color Box

- 7-color LED light (1 alternating mode)
- Solar-powered light turns on automatically at night
- Runs for 8 hours at a time
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Can be used in or out of the water





SOLARGLOW™ LED CHEMICAL DISPENSER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58943/E	7 in. x 7 in. x 8.5 in. / 18 cm x 18 cm x 21.5 cm	6	14.3 (6.5) 13.9 (6.3)	Full Color Box

- Holds 3 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- 4-color LED light (3 light patterns with 9 color options: 4 fixed & 5 combinations)
- Solar-powered light turns on automatically at night
- Charges in 7-10 hours (depending on weather conditions), runs for 6-8 hours at a time
- Wireless waterproof remote control changes light mode from up to 49 ft. (15 m) away
- IP68 waterproof rating - completely submerge-proof and protects from dust



SOOTHING LED WATERFALL

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58619/E	13.6 in. x 9.5 in. x 12.6 in. / 34.5 cm x 24 cm x 32 cm	3	18.7 (8.5)	Full Color Box

- Compatible with 530-3,000 gal. (2,006-11,335 L) cartridge & sand filter pumps
- Compatible with all above ground frame pools (except steel wall pools)
- Lightshow and waterfall can be used together or independently
- 7-color detachable LED light (8 modes: 7 fixed & 1 alternating)
- Light requires 3x AA batteries (not included)
- Waterfall runs continuously when connected to filter pump
- 2 hour light auto-shutoff
- IP67 waterproof rating - completely submerge-proof and protects from dust
- Includes 1.5 in. / 3.8 cm and 1.25 in. / 3.2 cm hose adapter



POOL CLEANER RANGE

ITEM	58013/E AquaClear™ Pool Maintenance Kit	58794/E AquaClear™ Pool Accessories Kit	58212/E AquaPristine™ Pool Vacuum	58234/E AquaClean™ Pool Maintenance Kit	58237/E AquaClean™ Deluxe Maintenance Kit	58282/E AquaClean™ Pool Vacuum
PRODUCT PHOTO						
RECOMMENDED POOL						
	Any model	Any model				Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Up to 12 ft. (3.66 m) wide	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter		Any model
	Any model	Any model				
DETAILS						
OPERATING SYSTEM	Garden Hose - Venturi Effect	Garden Hose - Venturi Effect		Filter and Sand Pumps - flow rate above 530 gal./h (2,006 L/h)		
HANDLING	Manual	Manual	Manual	Manual	Manual	Manual
POLE LENGTH	65.7 in. (1.67 m)	63.3 in. / 1.61 m	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)	
HOSE LENGTH			19.5 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)	
VALVE COMPATIBILITY			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	
INNER WALL CLEANING			Yes	Yes	Yes	Yes
MINIMUM FLOW			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)
HIGHLIGHTS	• Reusable debris bag • Skimmer net	• Reusable debris bag • Skimmer net • ChemGuard™ chemical dispenser • Pool & spa test strips • Heavy-duty repair patch	• Reusable debris bag • Two angled conversion nozzles, one with brush	• Reusable debris bag • Skimmer net	• Reusable debris bag • Skimmer net • Automatic pool surface skimmer	

58770/E AquaTech™ Cordless Pool Vacuum	58771/E AquaSurge™ Rechargeable Pool Vacuum	58831/E AquaSurge™ Pool Maintenance Kit	58946+58921/E AquaGrip™ Handheld Pool Vacuum	58864/E AquaTronix™ G100 Robotic Pool Vacuum	58765 + 58766/E AquaTronix™ G200 Robotic Pool Vacuum	58942+58941/E AquaTronix™ Pro G300 Robotic Pool Vacuum & Skimmer
						
			NEW			NEW
						Works on the bottom and top of the pool
Any model	Any model	Any model	Any model			
Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 16 ft. (4.88 m) in diameter	Up to 24 ft. (7.32 m) in diameter	Up to 24 ft. (7.32 m) in diameter
Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 16 ft. (4.88 m) in diameter	Up to 24 ft. (7.32 m) in diameter	Up to 24 ft. (7.32 m) in diameter
Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 18 ft. (5.49 m) in length	Up to 31 ft. 4 in. (9.56 m) in length	Up to 31 ft. 4 in. (9.56 m) in length
Up to 10 ft. (3.05 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 20 ft. (6.10 m) wide	Up to 18 ft. (5.49 m) in length	Up to 26 ft. (7.92 m) in length	Up to 26 ft. (7.92 m) in length
Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter			Up to 24 ft. (7.32 m) in diameter
Any model	Any model	Any model	Any model			
	Rechargeable lithium battery	Rechargeable lithium battery		Rechargeable lithium battery	Rechargeable lithium battery	Rechargeable lithium battery
Manual	Manual	Manual	Manual	Automatic	Automatic	Automatic
41.3 in. (1.05 m)	78.7 in. (2.00 m)	78.7 in. (2.00 m)	78.7 in. (2.00 m)			
Yes	Yes	Yes	Yes			
- 8x AA batteries (not included) - Reusable debris bag	- Battery recharges in 4-5 hours - ~50 min. run-time - Reusable debris bag - Interchangeable vacuum heads	- Battery recharges in 4-5 hours - ~50 min. run-time - Reusable debris bag - Interchangeable vacuum heads - Skimmer head has durable mesh netting - Brush head has curved edges to quickly remove algae and grime	- Battery recharges in 3.5 hours - ~90 min. run-time - Reusable stainless steel strainer - Type VI filter cartridge for smaller debris - Interchangeable vacuum heads	- Cordless design for full range motion - ~30 min. run-time - Built-in sensors activate the device - Directional jet system - Top handles for quick direction changes - Large 0.4 gal. (1.5 L) easy-to-clean debris compartment - Quick-click buckle clasps	- Cordless design for full range motion - ~90 min. run-time - Built-in sensors activate the device - Anti-slip wheels & directional jet system - Large 0.9 gal. (3.5 L) easy-to-clean debris compartment - Quick-click buckle clasps	- Cordless design for full range motion - ~120 min. run-time - Built-in sensors activate the device - Wheels & directional jet system - Side & top handles for quick direction changes - Large 0.9 gal. (3.5 L) and 1.6 gal. (6 L) easy-to-clean debris compartment - Quick-click buckle clasps



AQUACLEAN™ POOL VACUUM

ITEM #	PAGE	LBS (KG)	PACKAGING
58282/E	12	22.2 (10.1)	Header Card

- Compatible with in-ground and above ground pools
- Compatible with poles with inner diameter of 1.2 in. / 30 mm, hoses with inner diameters of 1.25 in. / 32 mm or 1.5 in. / 38 mm and corresponding leaf canister (not included)
- Brushes remove algae and grime



AQUAPRISTINE™ POOL VACUUM

ITEM #	PAGE	LBS (KG)	PACKAGING
58212/E	6	29.3 (13.3) 30.3 (13.8)	Full Color Box

Pole Length: 74.6 in. / 1.90 m

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15 ft. (4.57 m) in diameter
- 4-piece aluminum pole is easy to assemble
- Removable and reusable debris bag
- 2 interchangeable cleaning heads: standard and brush
- Hose (19.5 ft. / 6.00 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Includes adapter for skimmer pumps





AQUATECH™ CORDLESS POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58770/E	6	19.6 (8.9) 19.0 (8.6)	Full Color Box

Pole Length: 41.3 in. / 1.05 m

- Compatible with above ground pools up to 10 ft. (3.05 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- Requires 8x AA batteries (not included)
- Simple press-button operation
- Large 0.23 gal. (0.9 L) transparent debris compartment



AQUASURGE™ RECHARGEABLE POOL VACUUM

ITEM #	PACK	LBS (KG)	PACKAGING
58771/E	4	15.7 (7.1)	Full Color Box

Pole Length: 78.7 in. / 2.00 m

- Compatible with above ground pools up to 20 ft. (6.10 m) in diameter
- Lightweight, connectable pole for easy length adjustment in hard-to-reach areas
- 2 interchangeable vacuum heads to clean flat walls or corners
- Built-in rechargeable battery runs for approximately 50 min. & recharges in 4-5 hours
- Simple press-button operation
- USB port for charging
- Large 0.12 gal. (0.54 L) transparent debris compartment



AQUAGRIP™ HANDHELD POOL VACUUM

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58921E	US			
58921	N. America	2	20.3 (9.2)	Full Color Box
58946	Except N. America & US			

Pole Length: 78.7 in. / 2.00 m

- Compatible with above ground and in-ground pools up to 20 ft. (6.10 m) in diameter and up to 6 ft. 6.5 in. (1.99 m) deep
- Detachable, lightweight pole allows for handheld use and for cleaning hard-to-reach areas
- 2 interchangeable vacuum heads to clean steps, walls, corners and floors
- Built-in rechargeable battery runs for approximately 90 min. & recharges in 3.5 hours
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- LED guide light illuminates debris for efficient and effective cleaning
- Large 0.53 gal. (2 L) transparent debris compartment with stainless steel strainer to catch larger debris and Type VI filter cartridge for smaller debris



AQUATRONIX™ G100 ROBOTIC POOL VACUUM

ITEM #	PACK	LBX (KG)	PACKAGING
--------	------	----------	-----------

58864/E 1 7.9 (3.6) Full Color Box

- Recommended for flat-bottom above ground pools up to 194 ft.² (18 m²) in total area
- Recommended pool sizes:
 - Round - Up to 16 ft. (4.88 m) in diameter
 - Rectangular - Up to 18 ft. (5.49 m) in length
 - Oval - Up to 18 ft. (5.49 m) in length
- Not compatible with steel wall pools
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 30 min. & recharges in 2.5-4.5 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Top handles for quick direction changes & easy retrieval from the water
- Large 0.4 gal. (1.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance



AQUATRONIX™ G200 ROBOTIC POOL VACUUM

ITEM #	REGION	VOLTAGE	PACK	LBX (KG)	PACKAGING
--------	--------	---------	------	----------	-----------

58766E US
58766 N. America 100-240V ~ 9.0V DC 2A 1 13.2 (6.0) Full Color Box
58765 Except N. America & US

- Recommended for flat-bottom above ground pools up to 538 ft.² (50 m²) in total area
- Recommended pool sizes:
 - Round - Up to 24 ft. (7.32 m) in diameter
 - Rectangular - Up to 31 ft. 4 in. (9.56 m) in length
 - Oval - Up to 26 ft. (7.92 m) in length
- Not compatible with steel wall pools
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 90 min. & recharges in 5-6 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Anti-slip wheels and directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Side & top handles for quick direction changes & easy retrieval from the water
- Large 0.9 gal. (3.5 L) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance





AQUATRONIX™ PRO G300 ROBOTIC POOL VACUUM & SKIMMER

ITEM #	REGION	VOLTAGE	PACK	LBS (KG)	PACKAGING
58941E	US				
58941	N. America	100-240V ~ 12.6V DC 1.8A	1	16.6 (7.5)	Full Color Box
58942	Except N. America & US				

- Recommended for flat-bottom above ground pools up to 538 ft.² (50 m²) in total area
- Recommended pool sizes:
 - Round - Up to 24 ft. (7.32 m) in diameter
 - Rectangular - Up to 31 ft. 4 in. (9.56 m) in length
 - Oval - Up to 26 ft. (7.92 m) in length
- 2-in-1 automatic pool cleaner propels itself along the pool bottom & water surface to collect debris
- 2 interchangeable vacuum & skimmer bodies
- Built-in rechargeable battery runs for approximately 120 min. & recharges in 3-4 hours
- Timer sets intended run time in 1-hour increments
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Wheels & directional jet system creates optimal movability and pivots easily when encountering walls or obstacles
- Parks along pool wall when battery has 2-3 minutes remaining for convenient removal
- Side & top handles for quick direction changes & easy retrieval from the water
- Easy-to-clean debris compartments - vacuum holds 0.9 gal. (3.5 L), skimmer holds 1.6 gal. (6 L)
- Quick-click buckle clasps for easy assembly and maintenance



2-IN-1 **VACUUM & SKIMMER**
CLEANS THE SURFACE & THE FLOOR



AQUANET™ POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58660/E	19.5 in. x 11.5 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card


- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material



AQUASCOOP™ POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58635/E	64 in. / 1.63 m	12	12.0 (5.4)	Header Card

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight, collapsible aluminum pole
- Net with durable mesh material that repairs itself when rubbed between 2 fingers
- Angled design easily collects debris from pool floor and corners



AQUANET™ ESSENTIAL POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material



AQUASCOOP™ ESSENTIAL POOL SKIMMER

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Net with durable mesh material





POOL SURFACE SKIMMER

ITEM #	PACK	LBS (KG)	PACKAGING
58233/E	4	19.1 (8.7)	Full Color Box

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools (except steel wall pools)
- Durable & corrosion-resistant plastic material
- Large strainer basket attaches to the filter pump to trap larger debris before water is filtered through the pump
- Easy to install without additional hoses or adapters
- Adjustable hanger attaches to pool wall



AQUASCRUB™ ROTATABLE POOL BRUSH

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58786/E	8 in. / 20.5 cm	12	6.8 (3.1)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Rotatable by 180°
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



AQUABROOM™ POOL BRUSH

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm (not included)
- Push pins attach broom head to pole
- Curved brush head quickly removes algae and grime from pool walls, corners and floor



POLE

ITEM #	SIZE	PACK	LBS (KG)	PACKAGING
58279/E	11 ft. 10 in. / 3.60 m	24	45.2 (20.5)	Polybag with Labels

- Lightweight aluminum material
- 1.2 in. / 30 mm inner diameter
- Attaches to pool-cleaning accessories
- Loaded in PDQ





AQUACLEAR™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum connects to a garden hose to create suction (hose not included)
- Skimmer head has durable mesh netting



AQUACLEAR™ POOL ACCESSORIES KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58794/E	4	12.4 (5.6)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m

- Compatible with pools up to 13 ft. (3.96 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Chemical floater with built-in chemical-handling glove and thermometer; dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 6.5 sq. in. (42 sq. cm) stick-on patches





AQUASURGE™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58831/E	2	11.8 (5.4)	Full Color Box

Pole Length: 78.7 in. / 2.00 m

- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Lightweight pole with interchangeable vacuum, skimmer and brush heads
- Vacuum with 2 interchangeable heads
- Vacuum has a built-in rechargeable battery that runs for approximately 50 min.
- Vacuum has 0.12 gal. (0.54 L) transparent debris compartment
- Skimmer head has durable mesh netting
- Brush head has curved edges to quickly remove algae and grime



AQUACLEAN™ POOL MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting
- Includes adapter for skimmer pumps



AQUACLEAN™ DELUXE MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	PACKAGING
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m

- Compatible with 530 gal. (2,006 L) or larger cartridge & sand filter pumps
- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Automatic pool skimmer features a large strainer basket that attaches to the filter pump to trap larger debris before water is filtered through the pump
- Lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum head has a reusable debris bag
- Vacuum hose (24.5 ft. / 7.50 m length, 1.25 in. / 32 mm diameter) attaches to the filter pump to create suction
- Skimmer head has durable mesh netting





SOLAR-POWERED POOL HEATER PAD

ITEM #	PACK	LEN (ft)	PACKAGING
58423/E	4	58.5 (26.5)	Full Color Box

- Compatible with up to 2,500 gal. (9,462 L) cartridge filter pumps & 2,200 gal. (8,327 L) sand filter pumps
- Durable weather-resistant material
- Energy-efficient heating and temperature regulation
- Increases pool temperatures by 5-9°F (3-5°C) depending on weather conditions
- Multiple may be needed for larger pool sizes
- Includes adapters compatible with 1.25 in. (3.2 cm) and 1.5 in. (3.8 cm) hoses



POOL HEATER

ITEM #	PACK	LEN (ft)	PACKAGING
58259	4	51.6 (23.4)	Full Color Box

- Compatible with 1,000 gal. (3,785 L) or smaller cartridge & sand filter pumps
- Compatible with above ground pools between 400-4,500 gal. (1,520-17,035 L) in water capacity
- Temperature regulation (≤ 2.9 kW) for all year pool use
- Equipped with residual current device for electrical safety
- Easy installation and use
- Water sensor power switch and temperature control panel with on/off button
- Maximum temperature output: 104°F (40°C)
- Not available for US market



POOL DRAIN PUMP

ITEM #	PUMP FLOW RATE GAL. (L) / HR	CERTIFICATION	RATING	PACK	LBS (KG)	PACKAGING
58230	800 (3,028)	CE	220-240V~, 80W	4	30.5 (13.8)	Full Color Box

- Pump Flow Rate: 800 gal./h (3,028 L/h)
- Durable, corrosion-resistant materials
- Quickly & automatically drains pool water
- 16.5 ft. / 5.00 m drain hose with 1.25 in. / 32 mm diameter
- Includes garden hose adapters

16.5 ft. / 5 m
Long Drain Hose



CE





NEW
GEN.

HYDROGENIC™ 2 G/H SALTWATER CHLORINATOR

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58772E	110-120V~, 0.31A		9.6 (4.3)	
58772	110-120V~, 0.31A	1	8.8 (4.0)	Full Color Box
58773	220-240V~, 19W		7.9 (3.6)	

- Chlorine Output: 2 g/h
- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 2,200 gal. (8,327 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self locking function
- Timer runs 1-10 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)



NEW
GEN.**HYDROGENIC™ 6 G/H SALTWATER CHLORINATOR**

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58677E	110-120V~, 1.2A		13.0 (5.9)	
58677	110-120V~, 1.2A	1	12.2 (5.5)	Full Color Box
58678	220-240V~, 80W		11.2 (5.1)	

- Chlorine Output: 6 g/h
- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 7,000 gal. (26,498 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes and hair
- Easy-to-use control panel with self locking function
- Timer runs 1-10 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)

NEW
GEN.**HYDROGENIC™ 12 G/H SALTWATER CHLORINATOR**

ITEM #	RATING	PACK	LBS (KG)	PACKAGING
58774E	110-120V~, 0.8A		14.9 (6.8)	
58774	110-120V~, 0.8A	1	14.1 (6.4)	Full Color Box
58775	220-240V~, 100W		13.1 (5.9)	

- Chlorine Output: 12 g/h
- Compatible with 330 gal. (1,249 L) or larger cartridge & sand filter pumps
- Compatible with above ground pools up to 15,000 gal. (56,775 L) in capacity
- Uses salt to produce chlorine that keeps the pool clean while being gentle on skin, eyes & hair
- Easy-to-use control panel with self locking function
- Timer runs 1-10 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time
- Automatic self-cleaning mode
- Electrode lifespan alert notifies you when the electrode needs attention
- Includes adapters for most above ground pools
- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)





DIGITAL FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58764/E	24	9.9 [4.5]	Clam Shell

- Easy-to-read, backlit LCD screen displays both Fahrenheit and Celsius
- Built-in solar-powered battery
- One-touch ON/OFF button
- String attached to keep thermometer in place
- Temperature range: 32-122°F / 0-50°C
- IPX7 waterproof rating - completely submerge-proof
- Shatterproof, long-lasting design



NEW

SOLARGLOW™ LED CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58943/E	6	14.3 [6.5] 13.9 [6.3]	Full box color

- Holds 3 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- 4-color LED light (3 light patterns with 9 color options: 4 fixed & 5 combinations)
- Solar-powered light turns on automatically at night
- Charges in 7-10 hours (depending on weather conditions), runs for 6-8 hours at a time
- Wireless waterproof remote control changes light mode from up to 49 ft. (15 m) away
- IP68 waterproof rating - completely submerge-proof and protects from dust



CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58210	24	4.4 [2.0]	Shrink Wrapped with Insert Card

- Dispenses 1 in. / 2.5 cm chlorine or bromine tablets (not included)
- Adjustable dial controls release of chemicals



FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58072/E	36	6.7 (3.1)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58769/E	24	13.7 (6.2)	Corrugated Sleeve Box

- Holds 3 chlorine or bromine tablets up to 3 in. / 7.6 cm in diameter (not included)
- Adjustable dial controls release of chemicals



DECORATIVE FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	PACKAGING
58763/E	24	7.5 (3.4)	Blister Card

- Easy-to-read temperature gradation in both Fahrenheit and Celsius
- Floating design stays on the water's surface
- String attached to keep thermometer in place
- Shatterproof, long-lasting design



CHEMGUARD™ CHEMICAL DISPENSER

ITEM #	PACK	LBS (KG)	PACKAGING
58701/E	12	11.0 (5.0)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid becomes built-in glove for safe handling of chemical tablets
- Child safe lock secures lid
- Adjustable dial controls release of chemicals
- Integrated thermometer has easy-to-read temperature gauge with Fahrenheit and Celsius display



COLLAPSIBLE
DESIGN

HEAVY DUTY REPAIR PATCH

ITEM #	PACK	LBS (KG)	PACKAGING
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. [42.3 sq. cm] stick-on patches
- Repairs punctures and abrasions on all inflatable items



UNDERWATER ADHESIVE REPAIR PATCH

ITEM #	PACK	LBS (KG)	PACKAGING
62091/E	36	2.3 (1.0)	Blister Card

- 10 pcs included
- 6.55 sq. in. [42.3 sq. cm] stick-on patches
- Repairs punctures and abrasions on pools and other underwater items



POOL & SPA TEST STRIPS

ITEM #	PACK	LBS (KG)	PACKAGING
58142/E	24	3.0 (1.4) 2.7 (1.2)	Full Color Box

- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- Loaded in PDQ



24 Ea.

POOL & SPA SALTWATER TEST STRIPS

ITEM #	PACK	LBS (KG)	PACKAGING
58767/E	24	2.8 (1.3) 2.5 (1.2)	Full Color Box

- Uses an instant color-match system to measure salt levels (0-8000 ppm)
- 18-month shelf life
- Loaded in PDQ



24 Ea.

GROUND CLOTHS

ITEM #	SIZE	FITS POOLS:	PACK	LBS (KG)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- Up to 8 ft. (2.44 m) in diameter	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- Up to 10 ft. (3.05 m) in diameter	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- Up to 12 ft. (3.66 m) in diameter	4	12.0 (5.5)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- Up to 15 ft. (4.57 m) in diameter	4	16.8 (7.6)

- PE material
- Provides extra protection for the bottom of the pool
- Full color box



FLOOR PROTECTOR

ITEM #	SIZE	CONTENTS	COLORS	PACK	LBS (KG)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
58636/E	31 in. x 31 in. / 78 cm x 78 cm			8	33.4 (15.1)

- Multiple packages may be needed to cover the desired area
- Provides added protection for pools or spas
- Shrink wrapped with insert card





58335/E

58330 & 58787E

FLIP & LOCK™

33 IN. / 84 CM POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
--------	--------	------	----------	-----------

58430	Except North America	1	12.8 (5.8)	Sturdy Cardboard Box with Pictures
-------	----------------------	---	------------	------------------------------------

- Compatible with above ground pools up to 33 in. (84 cm) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly

42 IN. / 1.07 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
--------	--------	------	----------	-----------

58335E	US		15.9 (7.2)	
58335	N. America / Asia, Africa & L. America	1	15.9 (7.2)	Sturdy Cardboard Box with Pictures
58330	Europe		19.4 (8.8)	
58787E	US		19.4 (8.8)	

- Compatible with above ground pools up to 42 in. (1.07 m) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position (58330 & 58787E)



58336/E



58331 & 58611E



FLIP & LOCK™



58337/E



58332 & 58788E



FLIP & LOCK™

48 IN. / 1.22 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58336E	US		21.1 [9.6]	
58336	N. America / Asia, Africa & L. America	1	21.1 [9.6]	Sturdy Cardboard Box with Pictures
58331	Europe		26.2 [11.9]	
58611E	US		26.0 [11.8]	

- Compatible with above ground pools up to 48 in. (1.22 m) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position (58331 & 58611E)

52 IN. / 1.32 M POOL LADDER

ITEM #	REGION	PACK	LBS (KG)	PACKAGING
58337E	US		25.3 [11.5]	
58337	N. America / Asia, Africa & L. America	1	25.3 [11.5]	Sturdy Cardboard Box with Pictures
58332	Europe		29.0 [13.1]	
58788E	US		29.9 [13.6]	

- Compatible with above ground pools up to 52 in. (1.32 m) tall
- Corrosion-resistant metal frame with heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position (58332 & 58788E)

SOLAR POOL COVERS

ITEM #	SIZE DIAMETER	FITS BESTWAY POOLS:	PACK	LBS (KG)
58241/E	9 ft. 6 in. / 2.89 m	- 10 ft. (3.05 m) Round Frame Pools - 10 ft. (3.05 m) Round Inflatable Ring Pools - 10 ft. (3.05 m) Round Steel Wall Pools	2	4.1 (1.9)
58242/E	11 ft. 8 in. / 3.56 m	- 12 ft. (3.66 m) Round Frame Pools - 12 ft. (3.66 m) & 13 ft. (3.96 m) Round Inflatable Ring Pools - 12 ft. (3.66 m) Round Steel Wall Pools	2	6.4 (2.9)
58252/E	13 ft. 8 in. / 4.17 m	- 13 ft. (3.96 m) & 14 ft. (4.27 m) Round Frame Pools - 15 ft. (4.57 m) Round Inflatable Ring Pools	2	8.0 (3.6)
58253/E	15 ft. 2 in. / 4.62 m	- 15 ft. (4.57 m) & 16 ft. (4.88 m) Round Frame Pools - 15 ft. (4.57 m) & 16 ft. (4.88 m) Round Steel Wall Pools	2	9.4 (4.2)
58173/E	17 ft. 3 in. / 5.27 m	- 18 ft. (5.49 m) Round Frame Pools - 18 ft. (5.49 m) Round Steel Wall Pools	1	6.4 (2.9)
58240	12 ft. 5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft. 3 in. x 6 ft. 7 in. (4.04 m x 2.01 m) & 13 ft. 6 in. x 6 ft. 7 in. (4.12 m x 2.01 m) Rectangular Frame Pools	2	4.2 (1.9)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. (6.40 m x 2.74 m) & 24 ft. x 12 ft. (7.32 m x 3.66 m) Rectangular Frame Pools	1	6.8 (3.1)

- PE material
- Uses solar energy to warm the pool water and prevent heat from escaping
- Carry bag with insert card



POOL COVERS

ITEM #	SIZE DIAMETER	FITS BESTWAY POOLS:	PACK	LBS (KG)
58032/E	7 ft. 10 in. / 2.40 m	- 8 ft. (2.44 m) Round Inflatable Ring Pools	6	18.1 (8.2)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Round Frame Pools - 10 ft. (3.05 m) Round Inflatable Ring Pools	6	26.7 (12.1)
58037/E	12 ft. 1 in. / 3.70 m	- 12 ft. (3.66 m) Round Frame Pools - 12 ft. (3.66 m) Round Inflatable Ring Pools	6	37.1 (16.8)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Round Frame Pools	6	47.2 (21.4)
58292	13 ft. 2 in. / 4.01 m	- 13 ft. (3.96 m) Round Frame Pools - 13 ft. (3.96 m) Round Inflatable Ring Pools - 12 ft. (3.66 m) Round Steel Wall Pools	6	41.1 (18.7)
58038/E	15 ft. 5 in. / 4.70 m	- 15 ft. (4.57 m) Round Frame Pools - 15 ft. (4.57 m) Round Inflatable Ring Pools	4	36.4 (16.5)
58249/E	16 ft. 2 in. / 4.93 m	- 16 ft. (4.88 m) Round Frame Pools - 15 ft. (4.57 m) Round Steel Wall Pools	4	39.6 (18.0)
58039/E	18 ft. / 5.49 m	- 18 ft. (5.49 m) Round Frame Pools - 16 ft. (4.88 m) Round Steel Wall Pools	4	48.7 (22.1)

- PVC material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



POOL COVERS

ITEM #	SIZE	FITS BESTWAY® POOLS:	PACK	LBS (KG)
58103	7 ft. 4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft. 3 in. x 59 in. (2.21 m x 1.50 m) Rectangular Frame Pools	8	9.3 (4.2)
58105	8 ft. 8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft. 6 in. x 67 in. (2.59 m x 1.70 m) Rectangular Frame Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft. 9 in. / 3.04 m x 2.05 m	- 9 ft. 10 in. x 6 ft. 7 in. (3.00 m x 2.01 m) Rectangular Frame Pools	6	10.3 (4.7)
58107	13 ft. 5 in. x 7 ft. 5 in. / 4.10 m x 2.26 m	- 13 ft. 1 in. x 6 ft. 11 in. (4.00 m x 2.11 m) Rectangular Frame Pools	6	14.9 (6.8)

- PE material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



POOL COVERS

ITEM #	SIZE	FITS BESTWAY® POOLS:	PACK	LBS (KG)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft. 7 in. (3.05 m x 2.00 m) Oval Frame Pools	6	20.3 (9.2)
58425	14 ft. x 7 ft. 6 in. / 4.27 m x 2.30 m	- 14 ft. x 8 ft. 2 in. (4.27 m x 2.50 m) Oval Frame Pools	6	30.6 (13.9)
58442	8 ft. 10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft. 3 in. x 6 ft. 5 in. (2.82 m x 1.96 m) Rectangular Frame Pools	6	19.1 (8.7)
58232	13 ft. x 6 ft. 1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. (4.12 m x 2.01 m) & 13 ft. 3 in. x 6 ft. 7 in. (4.04 m x 2.01 m) Rectangular Frame Pools	6	27.4 (12.4)

- PVC material
- Drain holes prevent water accumulation
- Rope secures cover
- Full color box



PREMIUM POOL COVERS

ITEM #	SIZE	FITS BESTWAY® POOLS:	PACK	LBS (KG)
58948/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Round Frame Pools	4	16.0 (7.3)
58949/E	12 ft. / 3.66 m	- 12 ft. (3.66 m) Round Frame Pools	4	20.9 (9.5)
58950/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Round Frame Pools	4	25.9 (11.7)
58951/E	15 ft. / 4.57 m	- 15 ft. (4.57 m) Round Frame Pools	3	24.5 (11.1)
58952/E	16 ft. / 4.88 m	- 16 ft. (4.88 m) Round Frame Pools	3	26.3 (11.9)
58953/E	18 ft. / 5.49 m	- 18 ft. (5.49 m) Round Frame Pools	3	31.9 (14.5)
58954/E	20 ft. / 6.10 m	- 20 ft. (6.10 m) Round Frame Pools	2	25.4 (11.5)
58955/E	22 ft. / 6.71 m	- 22 ft. (6.71 m) Round Frame Pools	1	15.2 (6.9)

- Premium, strengthened material is tear-resistant and UV-resistant
- Polar-Shield™ enhanced cover can be used year-round, withstands temperatures down to -13°F (-25°C)
- Wind-resistant tightening mechanism keeps the cover in place in most weather conditions
- Drain holes prevent water accumulation



WIND-RESISTANT,
SECURE CLASP

BESTWAY *timeline*

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



1999

Bestway Hong Kong & USA opens

2002



Bestway Central & South America opens

Introduced groundbreaking Fast Set pools

2004

Bestway Yancheng factory opens



2006

Bestway Australia opens

Solar panels installed across production facilities



2007



Bestway Nantong factory opens
Revolutionized outdoor market with the first-ever inflatable hot tub, Lay-Z-Spa

2008

Bestway Brazil opens



2011

Bestway Italy & France & Germany opens





Bestway Hai'an factory opens
Launched fashionable floats line,
becoming trendsetters in the
category

2017 



Bestway Vietnam
factory opens

2019



Bestway USA moves to
new office

Bestway Belux BV opens

2022



2024

2014

Bestway refreshes their
company branding

Launched above ground pools,
camping gear & watersports
equipment categories



2018

Bestway Eastern Europe &
Middle East opens

2021

Bestway Scandinavia
opens



2023



Introduced sleeping
pad category

Bestway France
moves to new office

2025



Introduced
trampoline category

Bestway Belux BV
moves to new office





AWARDS & *Accolades*

Bestway is a world-renowned company who cares – and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2015



2017



Lay-Z-Spa
TV Advertisement

2018



Amazing
Record Holder

2020



2021



Category Winner

2022 - 2024



Best Companies
in Arizona

2022



Garden & Pools

2017



Lay-Z-Spa
Paris AirJet

2017 + 2019



On Climate
Change Mitigation

2018



Walmart Supplier
Growth Forum

2018



Lay-Z-Spa
Maldives HydroJet Pro

2020



On Climate Action

2021



Lay-Z-Spa
Palma HydroJet Pro

2021



Lay-Z-Spa
Hollywood AirJet, Santorini HydroJet Pro,
Zurich AirJet, Thermal Covers

2022



Lay-Z-Spa
Zurich AirJet, Thermal Covers

2022



IE Magazine

2023



In the Chinese
Manufacturing Industry

2024



For Sustainable Development
Projects in Support of Life

2024



2022 + 2023



2022



2022



2022



2023



Spa & Sauna


2023




2023



San Francisco
HydroJet Pro





INDEX

561CF/E	My First Frame Pool and Sandpit	P 17
561CS	Hydrium™ Pool Set	P 68
561CU	Hydrium™ Pool Set	P 68
561CW	Hydrium™ Oval Pool Set	P 68
561FT	Steel Pro® Rectangular Pool	P 30
561FV	Steel Pro® Rectangular Pool Set	P 30
561FX/E	Steel Pro MAX™ Round Pool Set	P 36
561FY	Steel Pro MAX™ Round Pool Set	P 36
561GBE	Steel Pro MAX™ LED Round Pool Set	P 42
561GC	Steel Pro MAX™ LED Round Pool Set	P 42
561GD	Steel Pro MAX™ LED Round Pool Set	P 42
561GFE	Steel Pro MAX™ Round Pool Set	P 34
561JK	Steel Pro MAX™ Splashview™ Round Pool Set	P 40
561JM	Steel Pro MAX™ Splashview™ Round Pool Set	P 40
561JNE	Steel Pro MAX™ Splashview™ Round Pool Set	P 40
561JV/E	APX 365™ Round Pool Set	P 58
561JZ	APX 365™ Round Pool Set	P 58
561KA	APX 365™ Rectangular Pool Set	P 60
561KB/E	APX 365™ Round Pool Set	P 58
561KC	APX 365™ Round Pool Set	P 58
561KD/E	APX 365™ Round Pool Set	P 58
561KE	APX 365™ Round Pool Set	P 58
561KG	APX 365™ Rectangular Pool Set	P 60
561KH/E	APX 365™ Rectangular Pool Set	P 60
561KJ	APX 365™ Rectangular Pool Set	P 60
561KK/E	APX 365™ Rectangular Pool Set	P 60
561KM/E	Fetchin' Fun™ Pet Play Pool	P 18
561MF/E	APX 365™ Rectangular Pool Set	P 60
561RG/E	Fetchin' Fun™ Pet Play Pool & Elevated Bed	P 18

561RJ/E	Hydrium™ Pool Set	P 64
561RK/E	Hydrium™ Pool Set	P 68
561RM/E	Hydrium™ Pool Set	P 68
561RN/E	Hydrium™ Pool Set	P 68
561RP	Hydrium™ Pool Set	P 68
561RQ/E	Hydrium™ Oval Pool Set	P 66
561RR/E	Hydrium™ Oval Pool Set	P 66
561RS/E	Hydrium™ Oval Pool Set	P 68
561IR	Steel Pro MAX™ Oval Pool Set	P 53
561IS/E	Steel Pro MAX™ Oval Pool Set	P 53
5612X	Steel Pro MAX™ Round Pool Set	P 39
5612Y	Steel Pro MAX™ Round Pool Set	P 39
5612Z	Steel Pro MAX™ Round Pool Set	P 45
5613A/E	Steel Pro MAX™ Round Pool Set	P 45
5613HE	Steel Pro MAX™ Round Pool Set	P 39
5613Z/E	Steel Pro MAX™ Oval Pool Set	P 48
5614A	Steel Pro MAX™ Oval Pool Set	P 48
5618UE	Steel Pro MAX™ Round Pool Set	P 39
5618W	Steel Pro MAX™ Round Pool Set	P 39
56217/E	My First Frame Pool	P 16
56260	Steel Pro MAX™ Round Pool Set	P 34
56283	My First Frame Pool	P 16
56369	Hydrium™ Oval Pool Set	P 66
56384	Hydrium™ Pool Set	P 64
56401	Steel Pro® Rectangular Pool	P 28
56403	Steel Pro® Rectangular Pool	P 28
56404	Steel Pro® Rectangular Pool	P 28
56405	Steel Pro® Rectangular Pool	P 29
56406	Steel Pro MAX™ Round Pool	P 34
56407/E	Steel Pro MAX™ Round Pool Set	P 34
56408	Steel Pro MAX™ Round Pool Set	P 34
56411	Steel Pro® Rectangular Pool Set	P 28

56412/E	Steel Pro® Rectangular Pool Set	P 28
56416	Steel Pro MAX™ Round Pool Set	P 34
56417	Steel Pro MAX™ Round Pool Set	P 34
56418	Steel Pro MAX™ Round Pool Set	P 34
56419	Steel Pro MAX™ Round Pool Set	P 34
56420	Steel Pro MAX™ Round Pool Set	P 34
56421	Steel Pro MAX™ Round Pool Set	P 34
56424	Steel Pro® Rectangular Pool Set	P 29
56425/E	Steel Pro® Rectangular Pool Set	P 29
56432	Splash-in-Shade Play Pool	P 17
56438	Steel Pro MAX™ Round Pool Set	P 45
56439	Steel Pro MAX™ Round Pool Set	P 45
56441	Steel Pro MAX™ Rectangular Pool Set	P 46
56448	Steel Pro MAX™ Oval Pool Set	P 48
56462	Steel Pro MAX™ Round Pool Set	P 45
56463/E	Steel Pro MAX™ Round Pool Set	P 45
56465	Steel Pro MAX™ Rectangular Pool Set	P 46
56467	Steel Pro MAX™ Rectangular Pool Set	P 46
56496/E	Steel Pro® Rectangular Pool	P 28
56512/E	Steel Pro® Rectangular Pool	P 29
56536E	Steel Pro MAX™ Rectangular Pool Set	P 46
56543/E	Splash-in-Shade Play Pool	P 17
56566	Hydrium™ Pool Set	P 64
56574	Hydrium™ Pool Set	P 64
56575	Hydrium™ Pool Set	P 64
56586	Hydrium™ Oval Pool Set	P 66
56595	Steel Pro MAX™ Round Pool Set	P 39
56597/E	Steel Pro MAX™ Round Pool Set	P 39
56620	Steel Pro MAX™ Oval Pool Set	P 48
56622/E	Steel Pro MAX™ Oval Pool Set	P 48
56629	Steel Pro MAX™ Rectangular Pool Set	P 46
56655E	Steel Pro MAX™ Oval Pool Set	P 48

56670	Steel Pro MAX™ Rectangular Pool Set	P 46
56690E	Steel Pro MAX™ Round Pool Set	P 45
56710	Steel Pro MAX™ Oval Pool Set	P 48
56711/E	Steel Pro MAX™ Oval Pool Set	P 48
56714	Steel Pro MAX™ Splashview™ Oval Pool Set	P 51
56715/E	Steel Pro MAX™ Splashview™ Oval Pool Set	P 51
56716	Steel Pro MAX™ Splashview™ Oval Pool Set	P 51
56717/E	Steel Pro MAX™ Splashview™ Oval Pool Set	P 51
56719	Steel Pro MAX™ Comfort Jet™ Oval Pool Set	P 54
56720/E	Steel Pro MAX™ Comfort Jet™ Oval Pool Set	P 54
56725	Steel Pro MAX™ Splashview™ Round Pool Set	P 40
56726/E	Steel Pro MAX™ Splashview™ Round Pool Set	P 40
56948E	Steel Pro MAX™ Round Pool Set	P 39
56949	Steel Pro MAX™ Round Pool Set	P 39
56950	Steel Pro MAX™ Round Pool Set	P 39
57241/E	My First Fast Set™ Pool	P 16
57266	Fast Set™ Pool	P 22
57269/E	Fast Set™ Pool Set	P 22
57270	Fast Set™ Pool Set	P 22
57273	Fast Set™ Pool	P 23
57274	Fast Set™ Pool Set	P 23
57275	Fast Set™ Pool Set	P 23
57313	Fast Set™ Pool Set	P 25
57315/E	Fast Set™ Pool Set	P 25
57371/E	Fast Set™ Pool Set	P 25
57372	Fast Set™ Pool Set	P 25
57375/E	Fast Set™ Pool Set	P 25
57376	Fast Set™ Pool Set	P 25
57392/E	Fast Set™ Pool	P 22
57448	Fast Set™ Pool	P 22
57450	Fast Set™ Pool Set	P 22
58000	Ground Cloth	P 103

58001/E	Ground Cloth	P 103	58242/E	Round Solar Pool Cover	P 106	58424	Oval Pool Cover	P 107	58771/E	AquaSurge™ Rechargeable Pool Vacuum	P 89
58002/E	Ground Cloth	P 103	58248/E	Round Pool Cover	P 106	58425	Oval Pool Cover	P 107	58772/E	Hydrogenic™ 2 G/H Saltwater Chlorinator	P 98
58003/E	Ground Cloth	P 103	58249/E	Round Pool Cover	P 106	58430	Pool Ladder	P 104	58773	Hydrogenic™ 2 G/H Saltwater Chlorinator	P 98
58012/E	Filter Cartridge (III-A/C)	P 82	58252/E	Round Solar Pool Cover	P 106	58442	Rectangle Pool Cover	P 107	58774/E	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 99
58013/E	AquaClear™ Pool Maintenance Kit	P 94	58253/E	Round Solar Pool Cover	P 106	58475/E	Polysphere™ Pool Filtration Balls	P 81	58775	Hydrogenic™ 12 G/H Saltwater Chlorinator	P 99
58032/E	Round Pool Cover	P 106	58259	Pool Heater	P 96	58486/GS	Sand Filter	P 81	58786/E	AquaScrub™ Rotatable Pool Brush	P 93
58036/E	Round Pool Cover	P 106	58277	AquaScoop™ Essential Pool Skimmer	P 92	58497/GS	Sand Filter	P 80	58787E	Flip & Lock™ Pool Ladder	P 104
58037/E	Round Pool Cover	P 106	58278/E	AquaNet™ Essential Pool Skimmer	P 92	58498/E	Sand Filter	P 80	58788E	Flip & Lock™ Pool Ladder	P 105
58038/E	Round Pool Cover	P 106	58279/E	Pole	P 93	58499/GS	Sand Filter	P 80	58794/E	AquaClear™ Pool Accessories Kit	P 94
58039/E	Round Pool Cover	P 106	58280/E	AquaBroom™ Pool Brush	P 93	58500/E	Sand Filter	P 80	58831/E	AquaSurge™ Pool Maintenance Kit	P 95
58072/E	Floating Pool Thermometer	P 101	58282/E	AquaClean™ Pool Vacuum	P 88	58511/E	Filter Pump	P 78	58849/E	FloatBright™ Solar LED Pool Fountain	P 84
58093/E	Filter Cartridge (I)	P 82	58292	Round Pool Cover	P 106	58515/GS	Sand Filter	P 80	58864/E	AquaTronix™ G100 Robotic Pool Vacuum	P 90
58094	Filter Cartridge (II)	P 82	58330	Flip & Lock™ Pool Ladder	P 104	58516/E	Sand Filter	P 80	58870	Polysphere™ Filter Pump	P 79
58095/E	Filter Cartridge (IV-B)	P 82	58331	Flip & Lock™ Pool Ladder	P 105	58611E	Flip & Lock™ Pool Ladder	P 105	58871/E	Polysphere™ Filter Pump	P 79
58103	Rectangle Pool Cover	P 107	58332	Flip & Lock™ Pool Ladder	P 105	58619/E	Soothing LED Waterfall	P 85	58921/E	AquaGrip™ Handheld Pool Vacuum	P 89
58105	Rectangle Pool Cover	P 107	58335/E	Pool Ladder	P 104	58635/E	AquaScoop™ Pool Skimmer	P 92	58941/E	AquaTronix™ Pro G300 Robotic Pool Vacuum & Skimmer	P 91
58106	Rectangle Pool Cover	P 107	58336/E	Pool Ladder	P 105	58636/E	Floor Protector	P 103	58942	AquaTronix™ Pro G300 Robotic Pool Vacuum & Skimmer	P 91
58107	Rectangle Pool Cover	P 107	58337/E	Pool Ladder	P 105	58660/E	AquaNet™ Pool Skimmer	P 92	58943/E	SolarGlow™ LED Chemical Dispenser	P 85/100
58111/E	SolarFloat™ LED Pool Light	P 84	58368	Hose	P 82	58677/E	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 99	58945/E	Polysphere™ Display	P 81
58142/E	Pool & Spa Test Strips	P 102	58369	Hose	P 82	58678	Hydrogenic™ 6 G/H Saltwater Chlorinator	P 99	58946	AquaGrip™ Handheld Pool Vacuum	P 89
58173/E	Round Solar Pool Cover	P 106	58381	Filter Pump	P 78	58692/E	Sand Filter	P 81	58948/E	Round Premium Pool Cover	P 107
58210	Chemical Dispenser	P 100	58383	Filter Pump	P 78	58694/E	SolarFlow™ 2 Gal. / 8 L Outdoor Shower	P 83	58949/E	Round Premium Pool Cover	P 107
58212/E	AquaPristine™ Pool Vacuum	P 88	58384/E	Filter Pump	P 78	58695/E	SolarFlow™ 5 Gal. / 20 L Outdoor Shower	P 83	58950/E	Round Premium Pool Cover	P 107
58220/E	Floor Protector	P 103	58386	Filter Pump	P 78	58696/E	SolarFlow™ 9 Gal. / 35 L Outdoor Shower	P 83	58951/E	Round Premium Pool Cover	P 107
58228	Rectangle Solar Pool Cover	P 106	58387	Filter Pump	P 78	58701/E	ChemGuard™ Chemical Dispenser	P 101	58952/E	Round Premium Pool Cover	P 107
58230	Pool Drain Pump	P 97	58388E	Filter Pump	P 78	58763/E	Decorative Floating Pool Thermometer	P 101	58953/E	Round Premium Pool Cover	P 107
58232	Rectangle Pool Cover	P 107	58389	Filter Pump	P 79	58764/E	Digital Floating Pool Thermometer	P 100	58954/E	Round Premium Pool Cover	P 107
58233/E	Pool Surface Skimmer	P 93	58390/E	Filter Pump	P 79	58765	AquaTronix™ G200 Robotic Pool Vacuum	P 90	58955/E	Round Premium Pool Cover	P 107
58234/E	AquaClean™ Pool Maintenance Kit	P 95	58391	Filter Pump	P 79	58766/E	AquaTronix™ G200 Robotic Pool Vacuum	P 90	62068/E	Heavy Duty Repair Patch	P 102
58237/E	AquaClean™ Deluxe Maintenance Kit	P 95	58392/E	Filter Pump	P 79	58767/E	Pool & Spa Saltwater Test Strips	P 102	62091/E	Underwater Adhesive Repair Patch	P 102
58240	Rectangle Solar Pool Cover	P 106	58419/E	FloatBright™ LED Pool Light	P 84	58769/E	Chemical Dispenser	P 101			
58241/E	Round Solar Pool Cover	P 106	58423/E	Solar-Powered Pool Heater Pad	P 96	58770/E	AquaTech™ Cordless Pool Vacuum	P 89			

LIVE IT UP!

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.

LIVE IT UP with **Bestway**



WWW.BESTWAYCORP.COM   

©2025 Bestway Inflatables & Material Corp. All rights reserved.
®™ Trademarks owned and managed by Bestway Inflatables & Material Corp.