

Bestway.

2026 CATALOG COLLECTION


Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
 Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





OUR

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.





SHANGHAI, CHINA

No. 208 Jin Yuan Wu Road, Shanghai, 201812, China +86 21 6913 5588 info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycors.hk



ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S, McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881 info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 475 93 45 86 info@bestwaycorp.be



COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3st Fl 1160 Copenhagen K, Denmark +45 78744569 info@bestwayscandinavia.eu



GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers Zi Les Platières 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestway.corp.fr



WARSAW, POLANE SUBSIDIARY

UI. Ekologiczna 24 05-080 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl



DUBAI, U.A.E. SUBSIDIARY

Unit 805, Fortune Tower, Cluster C, Jumeirah Lake Towers, P O Box 120673 Dubal, United Arab Emirates + 9714-2622333 info@bestwayme.com



PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, nº 1018, Quadra-001, Lote 025 - Maringá - PR - Brazil Zip Code: 87070-030 +55 44 3052-6006 info@bestwaycorp.com.br



SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court Silverwater NSW 2128, Australia +612 9037 1388 info@bestwaycorp.com.au



SANTIAGO, CHILE SUBSIDIARY

Av del Valle Sur 576, Ciudad Empresarial, Huechuraba, Santiago, Chile +562 3203 6400 info@bestwaycorp.lat

GLOBAL

Bestway® is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.









HAI'AN



NANTONG



SHANGHAI



VIETNAM

MATERIAL PRODUCTION

2



PRODUCT







our commitment to a better future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: **renewable resources**, **waste and packaging**.



Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38 Categories of Materials



Reuse Water in Multiple Facilities



Annual CDP Disclosure





MAKING BESTWAY[®] MEMORIES

Here at Bestway, we have your customer's comfort in mind. With many options to choose from, there is an air mattress for everyone. Our air mattresses are easy to use and give your customers the comfort and rest they need and desire. Because many of the air mattresses can be used both indoors as well as outdoors, there's an option for customers in every season!





CONTENTS

TECHNOLOGY OUTDOOR AIR MATTRESSES INDOOR AIR MATTRESSES - TRITECH® - TOUGH GUARD™ / FORTECH® - ALWAYZAIRE® - TOUGHLITE™ TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS		
INDOOR AIR MATTRESSES - TRITECH® - TOUGH GUARD® / FORTECH® - ALWAYZAIRE® - TOUGHLITE® TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	NOLOGY	10-11
- TRITECH® - TOUGH GUARD™ / FORTECH® - ALWAYZAIRE® - TOUGHLITE™ TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	OOR AIR MATTRESSES	12-25
- TOUGH GUARD" / FORTECH° - ALWAYZAIRE® - TOUGHLITE™ TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	OR AIR MATTRESSES	26-61
- ALWAYZAIRE® - TOUGHLITE™ TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	TECH®	30-41
- TOUGHLITE™ TPU AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	JGH GUARD™ / FORTECH®	42-49
AIR FURNITURE - AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	VAYZAIRE®	50-57
- AIR FURNITURE - KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	JGHLITE" TPU	58-61
- KIDS AIR FURNITURE ACCESSORIES AIR PUMPS	URNITURE	64-81
ACCESSORIES AIR PUMPS	FURNITURE	68-75
AIR PUMPS	S AIR FURNITURE	76-81
	SSORIES	82-83
	UMPS	84-97
INDEX 1	(102-103

TECHNOLOGY & STRUCTURE

Bestway's ultimate goal is to provide the most comfortable and durable air mattresses in the industry - and we've heavily invested our time and resources to make it happen. Our innovations have led to new technologies, new materials and a better experience for our customers.

TRITECH®

STRONG INTERNAL MATERIAL PROVIDES SUPPORT & PREVENTS STRETCHING

- 3-layer material allows beds to keep their shape no matter how many times they're inflated or deflated
- Stretch-resistant to reduce air pressure loss and maintain comfort
- Stands up against the typical weight, strain and movement of a good night's sleep

stretch-resistance, ensures the bed keeps its shape over time, and decreases bed sagging.

DESIGNED FOR DURABILITY

44% MORE STRETCH RESISTANT

CONSTRUCTED FOR COMFORT

19% MORE PRESSURE RETENTION

ENGINEERED FOR FIRMNESS

18%

STRONGER'

*Compared to an Equivalent Size Vinyl Air Mattress

HIGH-GAUGE VINYL

ensures maximum performance by increasing the strength and stability of internal beams.

POLYESTER MESH increases

TOUGH GUARD* / FORTECH*

STURDY EXTERNAL MATERIAL EXPERTLY BLENDS COMFORT & DURABILITY

- Durable fabric reduces risk of puncture and abrasions for a long-lasting sleep solution
- Industry-leading strength keeps bed shape and reduces air pressure loss
- Temperature-regulated material ensures consumer comfort overnight by not getting too warm or cold

PREMIUM MATERIAL

150X MORE ABRASION RESISTANT

DESIGNED FOR DURABILITY

92% MORE STRETCH RESISTANT

COMFORTABLE & CONVENIENT

36% MORE PRESSURE RETENTION

LONG LIFESPAN

75% MORE PUNCTURE RESISTANT

*Compared to an Equivalent Size Vinyl Air Mattress

HIGH GAUGE VINYL

ensures maximum performance by sealing in air and preventing pressure loss overnight.

POLYESTER MATERIAL provides temperature-regulation and protection from stretching, punctures and abrasions.

TOUGHLITE" TPU

SOFT, LUXURIOUS EXTERNAL MATERIAL PROVIDES EXCEPTIONAL DURABILITY

- · Exceptional puncture and abrasion resistance ensures luxurious comfort night after night
- · PVC-free material is more durable, resulting in lower waste over time
- · Weighs almost half as much as traditional air mattresses, resulting in a compact fold for storage or transport

ENHANCED STRENGTH

MORE PUNCTURE RESISTANT

MATERIAL THAT LASTS

MORE ABRASION RESISTANT

LASTING COMFORT

MORE STRETCH-RESISTANT


EASY TO TRANSPORT

#40%

LIGHTER'

LUXURIOUS DURABILITY

*Compared to an Equivalent Size Vinyl Air Mattress



NYLON MATERIAL

provides temperatureregulation and protection from stretching, punctures and abrasions.

HIGH-PERFORMANCE TPU

is a naturally flexible material, providing lightweight convenience.

ALWAYZAIRE® DUAL PUMP

NEVER WAKE UP ON THE FLOOR!

With Bestway's innovative dual pump technology, consumers can rest easy knowing their beds will remain fully inflated all night long.

- **▶ REDUCES AIR LOSS**
- **▶ ELIMINATES OVER-INFLATION**



PRIMARY PUMP

Automatically inflates and deflates the bed to the ideal air pressure.



SECONDARY PUMP

Monitors air pressure and silently re-inflates the bed to maintain maximum comfort.



1. STANDARD ESSENTIAL COMFORT

The baseline model keeps the bed at the



2. REMOVABLE & RECHARGEABLE

One full battery charge inflates the bed and



3. COMFORT CHOICE+" CUSTOMIZABLE FIRMNESS

The dual pump features a comfort dial, allowing the user to customize the firmness of their bed.



OUTDOOR AIR MATTRESSES

Bestway's outdoor air mattresses let you take the adventure outside without compromising on comfort. Whether you are camping or just want to enjoy a night under the stars in your own backyard, you will find an outdoor air mattress to fit your needs. Featuring both essential comfort and upgraded materials, this collection provides a comfortable night's sleep for every adventure.





OUTDOOR AIR MATTRESSES MATRIX



ITEM#	HEIGHT	MATERIAL & BEAM	SIZE	PICTURE	PU	МР	PG.
67000/E (INTL/US)	8.75 IN. / 22 CM	PVC Coil Beam	Jr. Twin	4		-	16
67001/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Twin			-	16
67002/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Full			-9	16
67003/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Queen			-	16
67004 (INTL)	8.75 IN. / 22 CM	• PVC • Coil Beam	King			-	16
67287 [INTL]	8,75 IN. / 22 CM	• PVC • Coil Beam	Full		Handheld AC Pump		16
67374/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Queen		Manual Hand Pump		16
67223/E [INTL/US]	11 IN. / 28 CM	PVC Coil Beam	Jr. Twin		Built-in Foot Pump		17
67224/E [INTL/US]	11 IN. / 28 CM	• PVC • Coil Beam	Twin		Built-in Foot Pump		17
67225/E (INTL/US)	11 IN. / 28 CM	• PVC • Coil Beam	Full		Built-in Foot Pump		17
67226/E (INTL/US)	11 IN. / 28 CM	• PVC • Coil Beam	Queen		Built-in Foot Pump		17
67619/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Twin	A	Bag Pump		18
67703/E (INTL/US)	8.75 IN. / 22 CM	• PVC • Coil Beam	Queen		Bag Pump		18

ITEM#	HEIGHT	MATERIAL & BEAM	SIZE	PICTURE	PUMP	PG.
6713K (INTL)	10 IN. / 25 CM	 Tritech[®] Vertical I-Beam 	Jr. Twin		120	19
6713L/E (INTL/US)	10 IN. / 25 CM	Tritech® Vertical I-Beam	Twin		~	19
6713M [INTL]	10 IN. / 25 CM	• Tritech® • Vertical I-Beam	Full		~	19
6713N/E (INTL/US)	10 IN. / 25 CM	Tritech® Vertical I-Beam	Queen		141	19
67699/E (INTL/US)	14 IN. / 36 CM	Tritech® Vertical I-Beam	Queen		161	20
67922/E (INTL/US)	10 IN. / 25 CM	Tritech® Vertical I-Beam	Twin/ King		120	21
67930/E (INTL/US)	12 IN. / 30 CM	Tritech® Vertical I-Beam	Queen		Built-in Battery Pump	22
67165/E (INTL/US)	10 IN. / 25 CM	Tritech® Vertical I-Beam	Queen		Built-in USB Rechargeable Pump	23
6716T/E [INTL/US]	14 IN. / 36 CM	Tritech® Horizontal I-Beam	Queen		Built-in USB Rechargeable Pump	24
69078E [US]	14 IN. / 36 CM	• Tough Guard** • Horizontal I-Beam	Queen		Removable AlwayzAire® Rechargeable Dual Pump	25

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



AIR PUMP TYPES



Manual Hand Pump



Handheld AC Pump



Built-in Foot Pump



Bag Pump



Built-in Battery Pump



Built-in USB Rechargeable Pump



Removable AlwayzAire® Rechargeable Dual Pump

8.75 IN. / 22 CM AIR MATTRESS









Coil Beam 2-Way
Construction Interlocking Quick
Release Valve

- · Comfortable flocked sleeping surface
- Full color box








FOR: 67374 FOR: 67287

ITEM #	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP INCLUDED	PILLOW INCLUDED	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67000,	E Jr. Twin	INTL/US	73 in. x 30 in. x 8.75 in. / 1.85 m x 76 cm x 22 cm			330 lbs (150 kg)	6	26.3 lbs (11.9 kg)
67001	E Twin	INTL/US	74 in. x 39 in. x 8.75 in. / 1.88 m x 99 cm x 22 cm			330 lbs (150 kg)	6	33.5 lbs [15.2 kg]
67002	E Full	INTL/US	75 in. x 54 in. x 8.75 in. / 1.91 m x 1.37 m x 22 cm		-	661 lbs (300 kg)	4	30.4 lbs [13.8 kg]
67003/	E Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm		-	661 lbs [300 kg]	3	26.9 lbs [12.2 kg]
67004	King	INTL	80 in. x 72 in. x 8.75 in. / 2.03 m x 1.83 m x 22 cm	-		661 lbs [300 kg]	2	21.1 lbs [9.6 kg]
67287	Full	INTL	75 in. x 54 in. x 8.75 in. / 1.91 m x 1.37 m x 22 cm	62252 (220-240 V)	-	661 lbs (300 kg)	3	27.5 lbs [12.5 kg]
67374	E Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm	62002	2 pillows	661 lbs (300 kg)	3	32.1 lbs [14.6 kg]



11 IN. / 28 CM **BUILT-IN FOOT PUMP AIR MATTRESS**













Bed Height Indoor & Outdoor Use Construction

Built-in 2-Way
Foot Pump Interlocking Quick
Release Valve



- Bed Height (without pillow): 8.75 in. / 22 cm
- · Comfortable flocked sleeping surface
- Full color box








FOR: 67224 / 67226

FOR: 67223 / 67225

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN FOOT PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67223/E	Jr. Twin	INTL/US	73 in. x 30 in. x 11 in. / 1.85 m x 76 cm x 28 cm	•			330 lbs [150 kg]	6	32.4 lbs [14.7 kg]
67224/E	Twin	INTL/US	74 in. x 39 in. x 11 in. / 1.88 m x 99 cm x 28 cm			-	330 lbs (150 kg)	6	39.7 lbs [18.0 kg]
67225/E	Full	INTL/US	75 in. x 54 in. x 11 in. / 1.91 m x 1.37 m x 28 cm		- /4 <u></u>		661 lbs [300 kg]	4	35.1 lbs [15.9 kg]
67226/E	Queen	INTL/US	80 in. x 60 in. x 11 in. / 2.03 m x 1.52 m x 28 cm	diam's	1	1 = 3	661 lbs (300 kg)	3	30.8 lbs [14.0 kg]



BUILT-IN FOOT PUMP

ROLL & RELAX™ 8.75 IN. / 22 CM

STORAGE BAG PUMP AIR MATTRESS







Height



Construction







Inflation System




 AirCinch™ Inflation System - splash-proof storage bag functions as an air pump and inflatable pillow

- · Innovative pump system inflates mattress within 90 seconds (~12 compressions) without the hassle of a heavy pump (67703/E)
- · Innovative pump system inflates mattress within 50 seconds (~6 compressions) without the hassle of a heavy pump (67619/E)
- · Comfortable flocked sleeping surface
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	COLOR	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67619/E	Twin	INTL/US	74 in. x 39 in. x 8.75 in. / 1.88 m x 99 cm x 22 cm	0			330 lbs (150 kg)	4	28.2 lbs [12.8 kg]
67703/E	Queen	INTL/US	80 in. x 60 in. x 8.75 in. / 2.03 m x 1.52 m x 22 cm	6	-		661 lbs [300 kg]	4	42.5 lbs (19.3 kg)



COLLECT

TRITECH® 10 IN. / 25 CM

AIR MATTRESS












I-Beam Interlocking Quick Construction Release Valve

- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- · Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6713K	Jr. Twin	INTL	73 in. x 30 in. x 10 in. / 1.85 m x 76 cm x 25 cm			-	330 lbs (150 kg)	6	31.2 lbs [14.1 kg]
6713L/E	Twin	INTL/US	74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm		-	S-0	330 lbs (150 kg)	4	25.2 lbs [11.4 kg]
6713M	Full	INTL	75 in. x 54 in. x 10 in. / 1.91 m x 1.37 m x 25 cm	-	- 1	-	661 lbs (300 kg)	4	34.8 lbs [15.8 kg]
6713N/E	Queen	INTL/US	80 in. x 60 in. x 10 in. / 2.03 m x 1.52 m x 25 cm	v (=, ;			661 lbs (300 kg)	3	30.3 lbs (13.7 kg)



TRITECH® 14 IN. / 36 CM

AIR MATTRESS



Outdoor Use











Pillow

Height


Vertical 2-Way I-Beam Interlocking Quick Construction Release Valve

• Bed Height (with pillow): 14 in. / 36 cm

- Bed Height (without pillow): 12 in. / 30 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- Comfortable flocked sleeping surface
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	INFLATION	STORAGE BAG	WEIGHT CAPACITY	PACK	CASE WEIGHT
67699/E	Queen	INTL/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	-	/=/	_	661 lbs (300 kg)	2	25.4 lbs (11.5 kg)



TRITECH® 10 IN. / 25 CM CONNECT AND REST™ 3-IN-1 **AIR MATTRESS**



Outdoor Use









I-Beam

Interlocking Quick Positions Construction Release Valve

• Bed Height (Single Layer): 10 in. / 25 cm

Height

- Bed Height (Double Layer): 20 in. / 51 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- 3-in-1 air mattress can be used as 2 Twin air mattresses, a King air mattress or a double layer Twin air mattress
- · Connected with adjustable buckles
- · Comfortable flocked sleeping surface
- Full color box





FOR: 67922

ITEM #	TYPE	LANGUAGE	INFLATED SIZE	AIR PUMP	TIME	BAG	CAPACITY	PACK	WEIGHT
67922/E	Twin / King	INTL/US	74 in. x 39 in. x 10 in. / 1.88 m x 99 cm x 25 cm				330 lbs (150 kg) / 661 lbs (300 kg)	2	24.1 lbs (10.9 kg)

74 in. [1.88 m]

39 in. (99 cm)

TRITECH® 12 IN. / 30 CM

BUILT-IN BATTERY PUMP AIR MATTRESS







Height



Built-in **Battery Pump** (Batteries not

included



Time



Interlocking Quick



Pillow




I-Beam Construction

- Bed Height (with pillow): 12 in. / 30 cm
- Bed Height (without pillow): 8.75 in. / 22 cm
- . Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- Built-in battery pump uses 4x D Cell batteries (not included) and inflates the bed in 3 minutes
- · Comfortable flocked sleeping surface
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67930/E	Queen	INTL/US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	6 V	3 minutes	_	661 lbs (300 kg)	2	22.5 lbs [10.2 kg]




BUILT-IN BATTERY PUMP Inflates the bed in 3 minutes

TRITECH® 10 IN. / 25 CM

BUILT-IN RECHARGEABLE PUMP AIR MATTRESS







Vertical I-Beam

Construction







Built-in USB Rechargeable Time Pump

Interlocking Quick Release Valve




• Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC

- · Built-in rechargeable pump inflates the bed in 2 minutes and deflates instantly when pump is removed
- · Remove pump to charge with included USB cable; 1 battery charge = 2 full inflations
- · Comfortable flocked sleeping surface
- · Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE	CASE WEIGHT
6716S/E	Queen	INTL/US	80 in. x 60 in. x 10 in. / 2.03 m x 1.52 m x 25 cm	3.7 V	2 minutes	-	661 lbs (300 kg)	2	23.9 lbs (10.8 kg)



REMOVABLE & RECHARGEABLE PUMP One full battery charge inflates the bed twice

TRITECH® 14 IN. / 36 CM **BUILT-IN RECHARGEABLE PUMP AIR MATTRESS**







Horizontal Height I-Beam







Inflation Rechargeable Pump

Interlocking Quick Release Valve





REMOVABLE & **RECHARGEABLE PUMP** One full battery charge inflates the bed twice

• Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC


Construction

- · Built-in rechargeable pump inflates the bed in 4 minutes and deflates instantly when pump is removed
- · Remove pump to charge with included USB cable; 1 battery charge = 2 full inflations
- · Comfortable flocked sleeping surface
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6716T/E	Queen	INTL/US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	3.7 V	4 minutes	_	661 lbs (300 kg)	2	31.6 lbs (14.3 kg)



ALWAYZAIRE® 14 IN. / 36 CM

TOUGH GUARD™

RECHARGEABLE DUAL PUMP AIR MATTRESS







Height

I-Beam



Rechargeable Pump



Time

Interlocking Quick

Release Valve









Included

Backlight



DUAL PUMP

One full battery charge fully inflates the bed and maintains pressure for up to 7 nights


- . Bed Height (with pillow): 14 in. / 36 cm
- . Bed Height (without pillow): 13 in. / 33 cm
- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC

Construction

- . Built-in rechargeable AlwayzAire® dual pump inflates the bed in 3 minutes and deflates instantly when pump is removed
- · Remove pump to charge with included USB cable; 1 battery charge = 1 full inflation & 7 nights of continuous power
- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night
- · Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69078E	Queen	US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	7.4 V	3 minutes	•	772 lbs [350 kg]	2	36.7 lbs [16.6 kg]





Bestway is committed to making innovative, quality products for all walks of life. That commitment means that our indoor air mattresses are constructed with super soft sleeping surfaces for a great night's rest. Plus, they are easy to inflate and deflate! They're ideal for guests, work wonderfully for spare rooms, game rooms and anywhere you need extra sleeping space.





INDOOR AIR MATTRESSES MATRIX



ITEM #	HEIGHT	MATERIAL & BEAM	SIZE	PICTURE	PU	МР	PG.
671BQ [INTL] 671BQE [US]	12 IN. / 30 CM	Tritech® Vertical I-Beam	Twin		Built-in USB Pump	Ŷ	32
671BR (INTL) 671BRE (US)	12 IN. / 30 CM	Tritech® Vertical I-Beam	Full		Built-in USB Pump	Ŷ	32
671BS (INTL) 671BSE (US)	12 IN. / 30 CM	 Tritech® Vertical I-Beam 	Queen		Built-in USB Pump	Ŷ	32
671BT [INTL] 671BTE [US]	14 IN. / 36 CM	 Tritech^e Vertical I-Beam 	Twin		Built-in USB Pump	Ŷ	33
671BU (INTL) 671BUE (US)	14 IN. / 36 CM	Tritech Vertical I-Beam	Queen		Built-in USB Pump	Ý	33
67401 (INTL) 67402/E (NA/US)	18 IN. / 46 CM	Tritech® Vertical I-Beam	Twin		Built-in AC Pump		34
67403 [INTL] 67404/E [NA/US]	18 IN. / 46 CM	 Tritech® Vertical I-Beam 	Queen		Built-in AC Pump	0 0	34
67628 [INTL] 67629/E [NA/US]	18 IN. / 46 CM	• Tritech® • Vertical I-Beam	Twin		Built-in AC Pump		35
67630 [INTL] 67631/E [NA/US]	18 IN. / 46 CM	Tritech® Vertical I-Beam	Queen	MANN	Built-in AC Pump		35
67614 (INTL) 67615/E (NA/US)	22 IN. / 56 CM	• Tritech® • Vertical I-Beam	Queen		Built-in AC Pump		36
67692 [INTL] 67693/E [NA/US]	22 IN. / 56 CM	Tritech® Vertical I-Beam	King		Built-in AC Pump		36

ITEM #	HEIGHT	MATERIAL & BEAM	SIZE	PICTURE	PU	MP	PG.
67690 (INTL) 67691/E (NA/US)	24 IN. / 61 CM	Tritech® Horizontal I-Beam	Queen		Built-in AC Pump		37
6713G (INTL) 6713H/E (NA/US)	20 IN. / 51 CM	• Tritech® • Horizontal I-Beam	Twin	No.	Built-in AC Pump		38
6713I (INTL) 6713J/E (NA/US)	20 IN. / 51 CM	• Tritech® • Horizontal I-Beam	Queen	32	Built-in AC Pump		38
6716P (INTL) 6716Q/E (NA/US)	20 IN. / 51 CM	• Tritech® • Wave Beam	Queen	9	Built-in AC Pump		39
67923 (INTL) 67924/E (NA/US)	33 IN. / 84 CM	Tritech® Horizontal I-Beam	Queen		Built-in AC Pump		40
671BD (INTL) 671BE/E (NA/US)	33 IN. / 84 CM	• Tritech® • Horizontal I-Beam	Queen		Built-in AC Pump		41
69048 (INTL) 69049/E (NA/US)	18 IN. / 46 CM	• Fortech®/ Tough Guard™ • Wave Beam	Twin		Built-in AC Pump		44
69050 (INTL) 69051/E (NA/US)	18 IN. / 46 CM	• Fortech®/ Tough Guard™ • Wave Beam	Queen		Built-in AC Pump		44


ITEM#	HEIGHT	MATERIAL & BEAM	SIZE	PICTURE	PUI	мр	PG.
69075 (INTL) 69076/E (NA/US)	18 IN. / 46 CM	 Fortech®/ Tough Guard™ Wave Beam 	Queen		Built-in AC Pump		46
69145 (INTL) 69146/E (NA/US)	20 IN. / 51 CM	 Fortech®/ Tough Guard™ Coil Beam 	Queen		Built-in AC Pump		48
6713P (INTL) 6713Q/E (NA/US)	18 IN. / 46 CM	PVC Wave Beam	Twin		Built-in AlwayzAire® Dual Pump		52
67624 (INTL) 67625/E (NA/US)	18 IN. / 46 CM	PVC Wave Beam	Queen		Built-in AlwayzAire [®] Dual Pump		54
69160 [INTL] 69161/E [NA/US]	20 IN. / 51 CM	• Fortech®/ Tough Guard® • Wave Beam	Queen	+ 83	Built-in AlwayzAire® Comfort Choice+™ Dual Pump		56
69646 (INTL) 69647/E (NA/US)	18 IN. / 46 CM	ToughLite™ TPU Horizontal I-Beam	Queen		Built-in AC Pump		60

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages


AIR PUMP TYPES




Built-in USB Pump



Built-in AC Pump




Built-in AlwayzAire® Dual Pump



Built-in AlwayzAire® Comfort Choice+™ Dual Pump





TRITECH AIR MATTRESSES

Tritech® beds are both exceptionally comfortable and dependable. With a polyester mesh core encased in two layers of laminated PVC, this material provides superior strength and durability. Air mattresses with the Tritech internal support system keep their shape no matter how many times they're inflated or deflated. Plus, air mattresses are stress-tested against the typical weight, strain and movement of a good night's sleep to guarantee longevity.



TRITECH® 12 IN. / 30 CM **BUILT-IN USB PUMP AIR MATTRESS**



Outdoor Use

Bed



Vertical I-Beam Construction



Built-in Inflation **USB Pump**



Built-in





BUILT-IN USB PUMP Compatible with AC or DC plugs and some external battery packs

. Bed Height (with pillow): 12 in. / 30 cm

Height


- Bed Height (without pillow): 8.75 in. / 22 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Pump includes a USB cord, compatible with AC or DC plugs and some external battery packs
- · Comfortable flocked sleeping surface
- · Full color box





FOR: 671BQ / 671BR / 671BS

TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
Twin	INTL	74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm	5V 2A-	3 minutes		330 lbs (150 kg)	3	23.3 lbs (10.6 kg)
Twin	US	74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm	5V 2A~	3 minutes	-	330 lbs (150 kg)	3	23.3 lbs (10.6 kg)
Full	INTL	75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm	5V 2A~	3-4 minutes		661 lbs (300 kg)	2	19.8 lbs [9.0 kg]
Full	US	75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm	5V 2A~	3-4 minutes	-	661 lbs (300 kg)	2	19.8 lbs [9.0 kg]
Queen	INTL	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	5V 2A~	3-4 minutes	1=1	661 lbs (300 kg)	2	22.3 lbs [10.1 kg]
Queen	US	80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	5V 2A-	3-4 minutes	_	661 lbs (300 kg)	2	22.3 lbs (10.1 kg)
	Twin Twin Full Full Queen	Twin INTL Twin US Full INTL Full US Queen INTL	Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm Full US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm	TYPE LANGUAGE INFLATED SIZE PUMP Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- Full US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A-	TYPE LANGUAGE INFLATED SIZE PUMP TIME Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A~ 3 minutes Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A~ 3 minutes Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A~ 3-4 minutes Full US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A~ 3-4 minutes Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A~ 3-4 minutes	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — Full US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes —	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — 330 lbs (150 kg) Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — 330 lbs (150 kg) Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs (300 kg) Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs (300 kg)	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY PACK Twin INTL 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — 330 lbs (150 kg) 3 Twin US 74 in. x 39 in. x 12 in. / 1.88 m x 99 cm x 30 cm 5V 2A- 3 minutes — 330 lbs (150 kg) 3 Full INTL 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs (300 kg) 2 Full US 75 in. x 54 in. x 12 in. / 1.91 m x 1.37 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs (300 kg) 2 Queen INTL 80 in. x 60 in. x 12 in. / 2.03 m x 1.52 m x 30 cm 5V 2A- 3-4 minutes — 661 lbs (300 kg) 2



TRITECH® 14 IN. / 36 CM **BUILT-IN USB PUMP AIR MATTRESS**







Vertical Height I-Beam

Construction



Inflation **USB Pump**






- Bed Height (with pillow): 14 in. / 36 cm
- Bed Height (without pillow): 12 in. / 30 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Pump includes a USB cord, compatible with AC or DC plugs and some external battery packs
- · Comfortable flocked sleeping surface
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
671BT	Twin	INTL	75 in. x 38 in. x 14 in. / 1.91 m x 97 cm x 36 cm	5V 2A~	3-4 minutes		330 lbs (150 kg)	2	19.7 lbs [8.9 kg]
671BTE	Twin	US	75 in. x 38 in. x 14 in. / 1.91 m x 97 cm x 36 cm	5V 2A~	3-4 minutes		330 lbs [150 kg]	2	19.7 lbs [8.9 kg]
671BU	Queen	INTL	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	5V 2A-	5-6 minutes	-	661 lbs (300 kg)	2	28.7 lbs (13.0 kg)
671BUE	Queen	US	80 in. x 60 in. x 14 in. / 2.03 m x 1.52 m x 36 cm	5V 2A-	5-6 minutes		661 lbs (300 kg)	2	28.7 lbs (13.0 kg)



BUILT-IN USB PUMP Compatible with AC or DC plugs and some external

TRITECH® 18 IN. / 46 CM **BUILT-IN AC PUMP AIR MATTRESS**





















BUILT-IN AC PUMP



Bed Height

Vertical I-Beam Construction

Pump

Built-in


• Bed Height (with pillow): 18 in. / 46 cm

- Bed Height (without pillow): 15 in. / 38 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- Full color box





TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes	•	330 lbs (150 kg)	2	22.0 lbs (10.0 kg)
Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes		330 lbs (150 kg)	2	22.0 lbs (10.0 kg)
Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes	•	661 lbs (300 kg)	2	32.0 lbs [14.5 kg]
Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes		661 lbs (300 kg)	2	32.0 lbs [14.5 kg]
	Twin Twin Queen	Twin INTL Twin NA/US Queen INTL	Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	TYPE LANGUAGE INFLATED SIZE PUMP Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V	TYPE LANGUAGE INFLATED SIZE PUMP TIME Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes •	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • 330 lbs [150 kg] Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • 330 lbs [150 kg] Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes • 661 lbs [300 kg]	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY PACK Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • 330 lbs (150 kg) 2 Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • 330 lbs (150 kg) 2 Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes • 661 lbs (300 kg) 2



TRITECH® 18 IN. / 46 CM **BUILT-IN AC PUMP AIR MATTRESS**



BUILT-IN AC PUMP















Height

I-Beam Construction

Pump

Inflation Time

Included


• Bed Height (with pillow): 18 in. / 46 cm

- Bed Height (without pillow): 15 in. / 38 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes		330 lbs (150 kg)	2	25.4 lbs (11.5 kg)
Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes	Y•	330 lbs (150 kg)	2	25.4 lbs (11.5 kg)
Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes		661 lbs (300 kg)	2	36.7 lbs (16.7 kg)
Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes		661 lbs (300 kg)	2	36.7 lbs [16.7 kg]
	Twin Twin Queen	Twin INTL Twin NA/US Queen INTL	Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	TYPE LANGUAGE INFLATED SIZE PUMP Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V	TYPE LANGUAGE INFLATED SIZE PUMP TIME Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes •	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • 330 lbs [150 kg] Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • 330 lbs [150 kg] Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes • 661 lbs [300 kg]	TYPE LANGUAGE INFLATED SIZE PUMP TIME BAG CAPACITY PACK Twin INTL 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 220-240 V 3 minutes • 330 lbs (150 kg) 2 Twin NA/US 75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm 110-120 V 3 minutes • 330 lbs (150 kg) 2 Queen INTL 80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm 220-240 V 4 minutes • 661 lbs (300 kg) 2



TRITECH® 22 IN. / 56 CM **BUILT-IN AC PUMP AIR MATTRESS**

















Included



BUILT-IN AC PUMP



Bed Height

I-Beam Construction

Pump

Built-in

• Bed Height (with pillow): 22 in. / 56 cm

- Bed Height (without pillow): 20 in. / 51 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box








FOR: 67692

ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67614	Queen	INTL	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	21.2 lbs [9.6 kg]
67615/E	Queen	NA/US	80 in. x 60 in. x 22 in. / 2.03 m x 1.52 m x 56 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	21.2 lbs (9.6 kg)
67692	King	INTL	80 in. x 76 in. x 22 in. / 2.03 m x 1.93 m x 56 cm	220-240 V	5 minutes		661 lbs (300 kg)	1	25.6 lbs [11.6 kg]
67693/E	King	NA/US	80 in. x 76 in. x 22 in. / 2.03 m x 1.93 m x 56 cm	110-120 V	5 minutes		661 lbs (300 kg)	1	25.6 lbs [11.6 kg]



TRITECH® 24 IN. / 61 CM **BUILT-IN AC PUMP AIR MATTRESS**















BUILT-IN AC PUMP



Bed Height

Horizontal I-Beam Construction

Built-in Pump

Inflation Time


Built-in Pillow Included

- Bed Height (with pillow): 24 in. / 61 cm
- Bed Height (without pillow): 22 in. / 56 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67690	Queen	INTL	80 in, x 60 in, x 24 in, / 2,03 m x 1.52 m x 61 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	21.3 lbs (9.7 kg)
67691/E	Queen	NA/US	80 in. x 60 in. x 24 in. / 2.03 m x 1.52 m x 61 cm	110-120 V	5 minutes	M- 10	661 lbs (300 kg)	. 1	21.3 lbs (9.7 kg)



TRITECH® 20 IN. / 51 CM **BUILT-IN AC PUMP AIR MATTRESS**



BUILT-IN AC PUMP



Use



Height











I-Beam Construction

Built-in Pump

Inflation Time


• Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC

- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6713G	Twin	INTL	75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm	220-240 V	3 minutes		330 lbs (150 kg)	2	28.3 lbs (12.8 kg)
6713H/E	Twin	NA/US	75 in. x 38 in. x 20 in. / 1.91 m x 97 cm x 51 cm	110-120 V	3 minutes	•	330 lbs (150 kg)	2	28.3 lbs (12.8 kg)
67131	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	4 minutes	•	661 lbs (300 kg)	2	40.5 lbs (18.4 kg)
6713J/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	4 minutes	•	661 lbs (300 kg)	2	40.5 lbs (18.4 kg)



TRITECH® 20 IN. / 51 CM

TRULEISURE™ **BUILT-IN AC PUMP AIR MATTRESS**













Included





BUILT-IN AC PUMP

Bed Height

and is 18% stronger than PVC

Construction


Pump

- Time
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure
- · Comfortable flocked sleeping surface and side
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6716P	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	5 minutes		661 lbs (300 kg)	1	24.3 lbs (11.0 kg)
6716Q/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	24.3 lbs [11.0 kg]



TRITECH® 33 IN. / 84 CM SLEEKFLOW™ HEADBOARD **BUILT-IN AC PUMP AIR MATTRESS**









Pump

Height

Horizontal I-Beam Construction

Inflation Time

Built-in Headboard


Storage Bag Included

- Bed Height (headboard): 33 in. / 84 cm
- Bed Height (sleep surface): 18 in. / 46 cm
- Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
67923	Queen	INTL	89 in. x 60 in. x 33 in. / 2.26 m x 1.52 m x 84 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	24.1 lbs [10.9 kg]
67924/E	Queen	NA/US	89 in. x 60 in. x 33 in. / 2.26 m x 1.52 m x 84 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	24.1 lbs [10.9 kg]



TRITECH® 33 IN. / 84 CM LOUNGELUX™ HEADBOARD **BUILT-IN AC PUMP AIR MATTRESS**









I-Beam Construction









Headboard


Included


- · Bed Height (headboard): 33 in. / 84 cm
- Bed Height (sleep surface): 18 in. / 46 cm
- . Tritech® Internal Support System is 44% more stretch resistant, retains 19% more pressure and is 18% stronger than PVC
- · Comfortable flocked sleeping surface
- Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
671BD	Queen	INTL	90 in. x 60 in. x 33 in. / 2.29 m x 1.52 m x 84 cm	220-240 V	5 minutes	•	661 lbs (300 kg)	1	25.9 lbs (11.7 kg)
671BE/E	Queen	NA/US	90 in. x 60 in. x 33 in. / 2.29 m x 1.52 m x 84 cm	110-120 V	5 minutes	•	661 lbs (300 kg)	1	25.9 lbs [11.7 kg]







TOUGH GUARD™ / FORTECH® 18 IN. / 46 CM

BUILT-IN AC PUMP AIR MATTRESS



















Height

Construction

Built-in Pump


- . Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Luxurious wave beam design provides an even and supportive sleeping surface
- · Surrounding frame design prevents roll-off and increases stability
- Full color box







ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69048	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3-4 minutes		397 lbs (180 kg)	2	30.1 lbs (13.6 kg)
69049/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3-4 minutes	•	397 lbs (180 kg)		30.1 lbs (13.6 kg)
69050	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	5 minutes		772 lbs (350 kg)		22.8 lbs [10.4 kg]
69051/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	5 minutes		772 lbs (350 kg)	1	22.8 lbs (10.4 kg)



PREMIUM SOFT TOP" Sleep surface traps air to provide more cushion, comfort and support



TOUGH GUARD™ / FORTECH® 18 IN. / 46 CM

SNUGABLE TOP® BUILT-IN AC PUMP AIR MATTRESS









Construction



Pump




Time







Storage Ba Included



Height


- Luxurious wave beam design provides an even and supportive sleeping surface
- Surrounding frame design prevents roll-off and increases stability

75% more puncture resistant than PVC

· Full color box








SNUGABLE TOP*

Soft and plush for maximum comfort and warmth



TOUGH GUARD™ / FORTECH® 20 IN. / 51 CM

DUVET TOP BUILT-IN AC PUMP AIR MATTRESS





Height



Construction



Pump







Time



- Tough Guard™ exterior is 150x more abrasion resistant, 92% more stretch resistant and 75% more puncture resistant than PVC
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box




DUVET TOP

Removable & washable duvet top provides a soft, comfortable sleep surface



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69145	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	5 minutes		772 lbs (350 kg)		27.5 lbs [12.5 kg]
69146/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	5 minutes		772 lbs (350 kg)		27.5 lbs [12.5 kg]









ALWAYZAIRE® 18 IN. / 46 CM

BUILT-IN DUAL PUMP AIR MATTRESS

























Bed Height

Wave Beam Construction

Built-in Pump

Time

Interlocking Quick Release Valve

USB-A & USB-C Ports

Backlight



· Luxurious wave beam design provides an even and supportive sleeping surface

- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- · Comfortable flocked sleeping surface and sides
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
6713P	Twin	INTL	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	220-240 V	3 minutes	11-11-11	330 lbs (150 kg)		18.3 lbs (8.3 kg)
6713Q/E	Twin	NA/US	75 in. x 38 in. x 18 in. / 1.91 m x 97 cm x 46 cm	110-120 V	3 minutes		330 lbs (150 kg)	1	18.3 lbs (8.3 kg)





ALWAYZAIRE® 18 IN. / 46 CM

BUILT-IN DUAL PUMP AIR MATTRESS





















Included



Wave Beam Construction

Built-in Pump

Time

Interlocking Quick

& USB-C

Backlight


· Luxurious wave beam design provides an even and supportive sleeping surface

- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- · Comfortable flocked sleeping surface and sides
- · Surrounding frame design prevents roll-off and increases stability
- Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	TIME	STORAGE BAG	CAPACITY	PACK	CASE WEIGHT
67624	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	4 minutes	•	661 lbs (300 kg)	1	26.3 lbs (11.9 kg)
67625/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	4 minutes	ur Ersi	661 lbs (300 kg)	1	26.3 lbs (11.9 kg)



SOFT BACKLIGHT

4 | ALWAYZAIRE® AIR MATTRESSES



ALWAYZAIRE® 20 IN. / 51 CM TOUGH GUARD™ / FORTECH® BUILT-IN COMFORT CHOICE+™ DUAL PUMP AIR MATTRESS.





Height



Construction



Interlocking Quick Time Release Valve



Ports



& USB-C Backlight




Included



COMFORT CHOICE+™ DUAL PUMP

Innovative dual pump provides the push of the center button




- . Luxurious wave beam design provides an even and supportive sleeping surface
- · Internal sensors silently reinflate the bed to maintain the intended air pressure throughout the night (must be plugged in all night for dual pump to function properly)
- · Innovative dual pump provides customizable firmness with the rotation of the dial and inflates with the push of the center button
- Premium Soft Top™ sleep surface traps air to provide more cushion, comfort and support
- · Surrounding frame design prevents roll-off and increases stability
- · Full color box





ITEM #	ТҮРЕ	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69160	Queen	INTL	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	220-240 V	3 minutes		772 lbs (350 kg)	1	25.4 lbs (11.5 kg)
69161/E	Queen	NA/US	80 in. x 60 in. x 20 in. / 2.03 m x 1.52 m x 51 cm	110-120 V	3 minutes		772 lbs (350 kg)	1	25.4 lbs [11.5 kg]









TOUGHLITE™ TPU 18 IN. / 46 CM

BUILT-IN AC PUMP AIR MATTRESS









Pump





Bed Height

Horizontal I-Beam Construction

Inflation Time

Snugable Top®


Included

- PVC-free ToughLite™ TPU surface material is 2.4x more puncture-resistant, 150x more abrasion-resistant, over 80% more stretchresistant and over 40% lighter than PVC
- Surrounding frame design prevents roll-off and increases stability
- · Full color box




ITEM #	TYPE	LANGUAGE	INFLATED SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
69646	Queen	INTL	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	220-240 V	3-4 minutes		772 lbs (350 kg)	1	16.0 lbs (7.2 kg)
69647/E	Queen	NA/US	80 in. x 60 in. x 18 in. / 2.03 m x 1.52 m x 46 cm	110-120 V	3-4 minutes		772 lbs (350 kg)	1	16.0 lbs (7.2 kg)












Wake up on cloud nine no matter where you go to sleep.





AIR FURNITURE MATRIX



ITEM #	PRODUCT NAME	PRODUCT TYPE	MATERIAL	PICTURE	PG
75153/E 75154/E 75155/E (INTL/US)	Inflate-A-Chair™ Air Chair	Chair	PVC Coil Beam		68
75086/E [INTL/US]	Inflate-A-Chair** LED Air Chair	Chair	PVC Coil Beam		69
75138/E (INTL/US)	Mod Pod™ Air Chair	Chair	• PVC • Coil Beam	98	70
75137/E (INTL/US)	Comfi Cube™ Lounger	Lounge	• PVC • Coil Beam		71
75127/E [INTL/US]	Leisure Luxe Chaise™ Lounger	Lounge	• PVC • I-Beam		72
75054 (INTL) 75055 (NA)	Multi-Max™ 5-in-1 Air Couch	Lounge	• PVC • Coil Beam		74
75116/E INTL/US]	Cozy Critters™ Air Chair	Kids Chair	PVC	8	76
75122/E INTL/US)	Astro Glow™ LED Air Chair	Kids Chair	PVC		78
75010/E INTL/US]	Beanless™ Soccer Ball Chair	Kids Chair	PVC		79
75115/E INTL/US)	Glitter Dream™ Inflate-A-Chair™ Air Chair	Kids Chair	PVC		80
75123/E INTL/US)	Mighty Mushroom™ Air Chair	Kids Chair	PVC	F	81



INFLATE-A-CHAIR™

AIR CHAIR









Indoor & Outdoor Use Chair Height Construction

- Stylish printing
- Comfortable velvet-like surface
- Beanless bean bag design
- Adjustable seat cushion firmness
- Safety valves
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75153/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm	•	220 lbs (100 kg)	6	22.5 lbs [10.2 kg]
75154/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm		220 lbs (100 kg)	6	22.5 lbs [10.2 kg]
75155/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm	•	220 lbs (100 kg)	6	22.5 lbs [10.2 kg]

INFLATE-A-CHAIR™

LED AIR CHAIR







Height

Coil Beam



Valve



Construction

2-Way Interlocking Quick Release 7-Color LED Light

• Comfortable velvet-like surface

- · Product is waterproof
- Built-in 7-color LED light
- 3 AAA batteries required (not included)
- Safety valves
- · Full color box











7-COLOR LED LIGHT

ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75086/E	Chair	INTL/US	40 in. x 38 in. x 28 in. / 1.02 m x 97 cm x 71 cm		220 lbs (100 kg)	4	19.7 lbs [8.9 kg]

MOD POD™

AIR CHAIR















- Modern, optical illusion design
- · Extra-wide, comfortable backrest
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75138/E	Chair	INTL/US	44 in. x 44 in. x 27.5 in. / 1.12 m x 1.12 m x 70 cm		220 lbs (100 kg)	4	23.7 lbs [10.7 kg]

COMFI CUBE™

LOUNGER










Coil Beam Construction 2-Way Interlocking Quick Release Valve





• Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	FOOT PAD	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75137/E	Lounge	INTL/US	42 in. x 39 in. x 31.5 in. / 1.07 m x 99 cm x 80 cm	19 in. x 19 in. x 14 in. / 48 cm x 48 cm x 36 cm	9	220 lbs [100 kg]	4	31.3 lbs (14.2 kg)

LEISURE LUXE CHAISE™

LOUNGER



Outdoor Use









Horizontal 2-Way
I-Beam Interlocking
Construction Quick Release Valve

- · Comfortable velvet-like surface
- · Oversized recliner with backrest
- · Ergonomic design provides superior comfort
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75127/E	Lounge	INTL/US	52.5 in. x 31 in. x 34.5 in. / 1.33 m x 79 cm x 88 cm		220 lbs (100 kg)	4	25.3 lbs (11.5 kg)



MULTI-MAX™ 5-IN-1

AIR COUCH WITH POWERTOUCH™ AC AIR PUMP



Outdoor Use



Height



2-Way Interlocking Construction



Quick Release Valve



- · Great for indoor use (75055)
- · Comfortable backrest and armrest
- · Convenient folding design
- · Multi-functional air furniture
- Double sofa
- · Double lounge
- Recliner
- · Double bed
- Double layered bed
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	AC AIR PUMP	TIME	STORAGE BAG	CAPACITY	CASE PACK	CASE WEIGHT
75054	Lounge	INTL	74 in. x 60 in. x 25 in. / 1.88 m x 1.52 m x 64 cm	•	=	-	= 1	661 lbs (300 kg)	3	32.0 lbs (14.5 kg)
75055	Lounge	NA	74 in. x 60 in. x 25 in. / 1.88 m x 1.52 m x 64 cm	•	62253 (110-120 V)	4 minutes		661 lbs (300 kg)	2	25.1 lbs (11.4 kg)













ADJUSTABLE POSITIONS

COZY CRITTERS™

AIR CHAIR







Indoor & Outdoor Use Chair Height

Friendly animal graphics

Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75116/E	Chair	INTL/US	28 in. x 28 in. x 25 in. / 72 cm x 72 cm x 64 cm [Panda/Monkey] 28 in. x 28 in. x 28 in. / 72 cm x 72 cm x 72 cm [Fox]		99 lbs (45 kg)	12	23.8 lbs (10.8 kg)



ASTRO GLOW™

LED AIR CHAIR












Built-in LED Light

Indoor & Outdoor Use

- Colorful space design
- Purple LED light inside bottom of chair
- Requires 3 AAA batteries (not included)
- · Quick and easy setup
- Full color box





ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75122/E	Chair	INTL/US	28 in. x 28 in. x 25 in. / 72 cm x 72 cm x 64 cm	>	99 lbs (45 kg)	8	17.3 lbs (7.8 kg)

BEANLESS™ SOCCER BALL

CHAIR









Indoor & Outdoor Use

Chair Height

Fun Soccer Graphics

- Beanless bean bag design
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75010/E	Chair	INTL/US	45 in. x 44 in. x 26 in. / 1.14 m x 1.12 m x 66 cm		165 lbs (75 kg)	8	31.2 lbs (14.1 kg)

GLITTER DREAM™ INFLATE-A-CHAIR™ AIR CHAIR









Height





Outdoor Use

Glitter Filled

- · Filled with shimmering silver and purple glitter
- · Quick and easy setup
- Full color box



ITEM #	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75115/E	Chair	INTL/US	45 in. x 44 in. x 26 in. / 1.14 m x 1.12 m x 66 cm	Transparent	165 lbs (75 kg)	8	31.7 lbs [14.4 kg]

MIGHTY MUSHROOM™

AIR CHAIR










Indoor & Outdoor Use Chair Height

Whimsical Mushroom Design

- Whimsical mushroom design
- · Quick and easy setup
- Full color box



ITEM#	TYPE	LANGUAGE	INFLATED SIZE	COLOR(S)	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
75123/E	Chair	INTL/US	44 in. x 44 in. x 26 in. / 1.12 m x 1.12 m x 66 cm	Transparent	165 lbs (75 kg)	6	21.7 lbs (9.9 kg)



FLOCKED AIR CAMP PILLOW

67121/E





- · Easy to carry
- · Use as a pillow or a cushioned seat
- · Comfortable velvet-like surface
- Full color box



FLOCKED NECK PILLOW

67006



- · Great for long or short trips
- · Comfortable velvet-like surface
- · Full color box



HEAVY-DUTY REPAIR PATCH 62068/E

- · Repairs punctures and abrasions on all inflatable items
- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- · Blister card



ITEM #	LANGUAGE	SIZE	COLOR(S)	CASE PACK	CASE WEIGHT
67121/E	INTL/US	16.5 in. x 10 in. x 4 in. / 42 cm x 26 cm x 10 cm		36	12.6 lbs (5.7 kg)
67006	INTL	14.5 in. x 9.5 in. x 4 in. / 37 cm x 24 cm x 10 cm	•	36	8.6 lbs (3.9 kg)
62068/E	INTL/US	6.55 sq. in. / 42.3 cm ²	9.—-	36	1.9 lbs (0.9 kg)

AIR PUMPS

All Bestway® pumps are created with both durability and functionality in mind. The high-performance pumps are reliable, and most have both inflation and deflation functions. They are compact in size, making them easy to tote along, and include adaptor nozzles to fit nearly every inflation valve. Powered air pumps are fast and efficient using electricity to quickly inflate items of all sizes.



PLANOGRAM STORE DISPLAY



INTERNATIONAL DISPLAY









Actual in-store displays may vary.

MANUAL AIR PUMPS MATRIX



ITEM #	PRODUCT NAME	SIZE	STROKE VOLUME	PICTURE	PC
62147/E	Air Step™ 300 ML Manual Air Pump	5 in. / 13 cm	0.3 L/cycle		88
62023	Air Step™ 800 ML Manual Air Pump	9 in. x 6 in. / 23 cm x 15 cm	0.8 L/cycle	3	88
62004	Air Step™ 1400 ML Manual Air Pump	11 in. x 7.5 in. / 28 cm x 19 cm	1.4 L/cycle		88
62005/E	Air Step™ 1600 ML Manual Air Pump	11 in. x 8.5 in. / 28 cm x 22 cm	1.6 L/cycle		88
62002/E	Air Hammer™ 850 ML Manual Air Pump	12 in. / 30 cm	0.85 L/cycle		89
62003/E	Air Hammer™ 1850 ML Manual Air Pump	14 in. / 36 cm	1.85 L/cycle		89
52086/E	Air Hammer™ 2800 ML Manual Air Pump	14.5 in. / 37 cm	2.8 L/cycle	İ	89
52030/E	Air Hammer™ 3500 ML Manual Air Pump	19 in. / 48 cm	3.5 L/cycle	I	89
52321/E	Air Hammer™ Sports Ball Manual Air Pump	8 in. / 20 cm	0.055 L/cycle		90
52227/E	Air Hammer™ Sport High-Pressure Manual Air Pump	25.5 in, / 65 cm	1.8 L/cycle (one-way) 3.45 L/cycle (two-way)		91

ITEM #	PRODUCT NAME	SIZE	MAX AIR FLOW	PICTURE	PC
62289/E	PowerTouch Pocket™ USB Electric Air Pump	2.24 in. x 1.97 in. x 2.56 in. / 5.7 cm x 5 cm x 6.5 cm	्रंट 90 L/min		93
62322/E	PowerTouch Pocket ^{**} Rechargeable Electric Air Pump	2.24 in. x 2.01 in. x 3.66 in. / 5.7 cm x 5.1 cm x 9.3 cm	200 L/min	Ti.	93
62252 + 62253/E	PowerTouch™ AC Electric Air Pump	4.45 in. x 3.98 in. x 4.3 in. / 11.3 cm x 10.1 cm x 11 cm	680 L/min		94
62257/E	PowerTouch™ DC Electric Air Pump	4.45 in. x 3.98 in. x 4.8 in. / 11.3 cm x 10.1 cm x 12.2 cm	680 L/min	4	94
62255 + 62299/E	PowerTouch™ AC/DC Electric Air Pump	4,45 in. x 3.98 in. x 4.21 in. / 11.3 cm x 10.1 cm x 10.7 cm	490 L/min [62255] 620 L/min [62299/E]		94
62254/E	PowerTouch™ D Cell Electric Air Pump	4.88 in. x 4.17 in. x 4.09 in. / 12.4 cm x 10.6 cm x 10.4 cm			95
62260/E	PowerTouch™ Rechargeable Electric Air Pump	4.53 in. x 3.98 in. x 4.09 in. / 11.5 cm x 10.1 cm x 10.4 cm	565 L∕min	T.	95
62258 + 62259/E	PowerGrip™ AC Electric Air Pump	7.99 in. x 4.84 in. x 4.88 in. / 20.3 cm x 12.3 cm x 12.4 cm	1100 L/min	O	96
62247 + 62248/E	PowerGrip™ Pro AC Electric Air Pump	7.8 in. x 4.84 in. x 4.88 in. / 19.8 cm x 12.3 cm x 12.4 cm	1200 L/min		96
62323/E	PowerGrip™ SUP DC Electric Air Pump	8.66 in. x 6.3 in. x 3.54 in. / 22 cm x 16 cm x 9 cm	250 L/min (low pressure) 75 L/min (high pressure)	4	97

ELECTRIC **AIR PUMPS** MATRIX



AIR STEP™ 300 ML

MANUAL AIR PUMP









Adaptors



- 5 in. / 13 cm
- Stroke volume: 0.3 L/cycle
- · Easily switches from inflation to deflation
- · Flexible hose
- Two-color design



- inflation valve
- Designed to provide maximum airflow
- · Polybag with header card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62147/E	INTL/US	36	12.3 lbs (5.6 kg)

- · Large air chamber for rapid inflation
- 3 valve adaptors to fit nearly every

AIR STEP™ 1400 ML









Volume



3 Valve Adaptors

- 11 in. x 7.5 in. / 28 cm x 19 cm
- · Stroke volume: 1.4 L/cycle
- Easily switches from inflation to deflation
- · Flexible hose

- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62004	INTL	12	15.1 lbs (6.9 kg)

AIR STEP™ 800 ML MANUAL AIR PUMP



Deflation

Flexible hose



Volume

· Easily switches from inflation to deflation

9 in. x 6 in. / 23 cm x 15 cm

· Stroke volume: 0.8 L/cycle







- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62023	INTL	12	10.5 lbs (4.8 kg)

AIR STEP™ 1600 ML MANUAL AIR PUMP



Inflation &

Deflation



Stroke

Volume



Adaptors



• 11 in. x 8.5 in. / 28 cm x 22 cm

- Stroke volume: 1.6 L/cycle
- · Easily switches from inflation to deflation
- Flexible hose

- · 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- · Shrink-wrapped with insert card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62005/E	INTL/US	12	19.9 lbs (9.0 kg)

AIR HAMMER™ 850 ML MANUAL AIR PUMP







3 Valve Adaptors



Stroke Volume

- 12 in. / 30 cm
- Stroke volume: 0.85 L/cycle
- · Quickly inflates with the up and down stroke · Full color box
- · Flexible hose





- · Designed to provide maximum airflow
- LANGUAGE CASE PACK CASE WEIGHT ITEM # INTL/US 10.6 lbs (4.8 kg) 62002/E 12

AIR HAMMER™ 1850 ML MANUAL AIR PUMP



Only



Volume









. 3 valve adaptors to fit nearly every inflation valve

· Designed to provide maximum airflow

14 in. / 36 cm

· Stroke volume: 1.85 L/cycle

· Quickly inflates with the up and down stroke · Full color box

· Flexible hose

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62003/E	INTL/US	12	14.4 lbs (6.5 kg)

AIR HAMMER™ 2800 ML MANUAL AIR PUMP



Deflation



Volume









- Stroke volume: 2.8 L/cycle
- . Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- · Flexible hose
- · 3 valve adaptors to fit nearly every inflation valve
- · Full color box

ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
62086/E	INTL/US	6	11.1 lbs (5.1 kg)

AIR HAMMER™ 3500 ML MANUAL AIR PUMP



Inflation &

Deflation



Stroke

Volume





3 Valve Adaptors

- 19 in. / 48 cm
- Stroke volume: 3.5 L/cycle
- · Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- · Flexible hose
- 3 valve adaptors to fit nearly every inflation valve
- · Full color box

ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
62030/E	INTL/US	4	9.4 lbs (4.3 kg)





AIR HAMMER™ SPORTS BALL MANUAL AIR PUMP











Inflation Only

Max Stroke Volume

Pressure

3 Air Needles

2 Adaptors

- 8 in. / 20 cm
- Stroke volume: 0.055 L/cycle
- Inflates items between 0-12 PSI
- · Quick and easy inflation
- · Lightweight and portable, 8 in. pump
- · Built-in needle and adaptor storage
- Includes pressure gauge to detect air pressure
- Compatible with most sports and inflatable balls
- Blister card

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62321/E	INTL/US	12	5.5 lbs (2.5 kg)



AIR HAMMER™ SPORT HIGH-PRESSURE MANUAL AIR PUMP










Deflation

Pressure

Adaptors

- 9.8 in. x 4 in. x 25.5 in. / 25 cm x 10.5 cm x 65 cm
- Stroke volume: 1.8 L/cycle (one-way), 3.45 L/cycle (two-way)
- · Quickly inflates or deflates with the up and down stroke
- · Easily switches from inflation to deflation
- Single/double switch pump (up to 7 PSI in double-action mode, up to 23 PSI in single-action mode)
- · Suitable for most high-pressure inflatable vessels with working pressure between 5-23 PSI
- Easy-to-read display with built-in pressure sensor
- 5 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT	estway
62227/E	INTL/US	4	14.6 lbs [6.6 kg]	Alexander
				75.463(00 000



ELECTRIC AIR PUMPS

AC PUMPS feature plugs that can be inserted directly into a household outlet.

DC PUMPS feature plugs that can be inserted into a car outlet.

ITEM#	PICTURE	VOLTAGE	REQUIRED BATTERIES	RECHARGEABLE	MAX AIR FLOW	MAX AIR PRESSURE	INFLATES & DEFLATES	VALVE ADAPTORS	CERTIFICATION	PG.
62247	69	220-240 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)	•	4	CE/GS/EAC/CM/ UKCA	96
62248/E	10 9	110-120 AC			1200 L/min	1540 mmH20 (2.2 PSI / 0.152 BAR)	٠	4	cETLus	96
62252	1	220-240 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)		3	CE/GS/EAC/CM/ UKCA	94
62253/E	1	110-120 AC			680 L/min	390 mmH20 (0.55 PSI / 0.038 BAR)		3	cETLus	94
62254/E			4 x LR20/D (Not included)		430 L/min	270 mmH20 (0.38 PSI / 0.026 BAR)	•	3	CE/GS/EAC/UKCA (62254)	95
62255	1	220-240 AC 12V DC			490 L/min	335 mmH20 (0.476 PSI / 0.0328 BAR)	٠	3	CE / GS / EAC / UKCA	94
62299/E		110-120 AC 12V DC			620 L/min	335 mmH20 [0.476 PSI / 0.0328 BAR]	J.	3	cETLus	94
62257/E	1	12V DC			680 L/min	355 mmH20 [0.50 PSI / 0.0348 BAR]	•	3	CE / GS / EAC / UKCA (62257) cETLus (62257E)	94
62258	- 14.	220-240 AC			1100 L/min	680 mmH20 [0.97 PSI / 0.067 BAR]		3	CE/GS/EAC/CM/ UKCA	96
62259/E	10 h	110-120 AC			1100 L/min	680 mmH20 (0.97 PSI / 0.067 BAR)	•	3	cETLus	96
62260/E		4.8V DC		4 x 1500 mAH (Integrated)	565 L/min	370 mmH20 (0.52 PSI / 0.036 BAR)		3	CE / GS / EAC / UKCA (62260) ETLus (62260E)	95
62289/E	110	5V DC			90 L/min	300 mmH20 [0.427 PSI / 0.029 BAR]	•	3	CE / Safety Mark / EAC / UKCA [62289]	93
62322/E	Ti.	5V DC		1600 mAH (Li-ion batteries)	200 L/min	458 mmH20 [0.65 PSI / 0.045 BAR]	1.6	3	CE / EAC / UKCA (62322)	93
62323/E	Anth	12V DC			250 L/min (low-pressure) 75 L/min (high-pressure)	20 PSI	3€6	7	CE / GS / EAC / UKCA (62323) ETLus (62323E)	97

US (E) = USA English Language Only; INTL = Multi-Language; NA = Four Languages



POWERTOUCH POCKET™

USB ELECTRIC AIR PUMP







Flow

Pressure





3 Valve Adaptors

- 2.24 in. x 1.97 in. x 2.56 in. / 5.7 cm x 5 cm x 6.5 cm
- Max Air Flow: 90 L/min
- DC 5V 2A
- Max Pressure: 300 mmH20 (0.427 PSI / 0.029 BAR)
- Quickly inflates and deflates camping pads and other smaller items
- Pump includes a USB power cord, compatible with AC or DC plugs and some external battery packs
- . Compact size is easy to carry for camping or use on-the-go
- Two-color design
- 3 valve adaptors to fit nearly every type of inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62289	INTL	12	4.7 lbs (2.1 kg)
62289E	US	12	4.5 lbs (2.0 kg)

NEW



POWERTOUCH POCKET™

RECHARGEABLE ELECTRIC AIR PUMP







Max Air



Max Air Pressure



3 Valve Adaptors

- 2.24 in, x 2.01 in, x 3.66 in, / 5.7 cm x 5.1 cm x 9.3 cm
- Max Air Flow: 200 L/min
- Max Pressure: 458 mmH20 (0.65 PSI / 0.045 BAR)
- · Inflates and deflates most inflatable products
- · Portable and compact
- · Built-in 1600 mAH rechargeable Li-ion batteries
- Battery life indicator light (integrated into power button)
- . LED light with 3 brightness settings and SOS mode
- Powerbank function: 5V 2A output
- 30-minute runtime
- · IP44 weatherproof
- . 3 valve adaptors to fit most inflation valves
- Full color box

	ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
	62322	INTL	12	8.0 lbs (3.6 kg)
57	62322E	US	12	8.0 lbs (3.6 kg)





POWERTOUCH™



POWERTOUCH™ AC ELECTRIC AIR PUMP



Inflation & Deflation

. Max Air Flow: 680 L/min

Two-color design

Full color box

110-120V~60Hz,0.95A [62253/E]

220-240V~50/60Hz.110W (62252)

· Large air chamber for rapid inflation



Flow

• 4.45 in. x 3.98 in. x 4.3 in. / 11.3 cm x 10.1 cm x 11 cm

Max Pressure: 390 mmH20 (0.55 PSI / 0.038 BAR)

. 3 valve adaptors to fit nearly every inflation valve

. Quickly inflates and deflates almost all inflatable products



Max Air Pressure



3 Valve Adaptors

DC ELECTRIC AIR PUMP





Max Air



3 Valve



Inflation & Deflation

Max Air Flow

Pressure

Adaptors

- 4.45 in. x 3.98 in. x 4.8 in. / 11.3 cm x 10.1 cm x 12.2 cm
- Max Air Flow: 680 L/min
- DC 12V 8A [62257E]
- DC 12V 96W [62257]
- Max Pressure: 355 mmH20 [0.50 PSI / 0.0348 BAR]
- Quickly inflates and deflates almost all inflatable products
- . Designed to provide maximum airflow
- · Two-color design
- · Large air chamber for rapid inflation
- · Powered by 12V DC car plug
- . 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62252	INTL	12	12.8 lbs (5.8 kg)
62253/E	NA/US	12	12.8 lbs (5.8 kg)

			CASE WEIGHT
62257	INTL	12	15.3 lbs (7.0 kg)
62257E	US	12	15.1 lbs (6.9 kg)
	62257 62257E		

POWERTOUCH™ AC/DC ELECTRIC AIR PUMP



Inflation & Deflation



Flow



Max Air Pressure



3 Valve Adaptors

- 4.45 in, x 3.98 in, x 4.21 in, / 11.3 cm x 10.1 cm x 10.7 cm
- Max Air Flow: 620 L/min [62299/E]
- Max Air Flow: 490 L/min [62255]
 Powered by 110V home power
- DC 12V 2.5A [62299/E]
- DC 12V 30W [62255]
- Max Pressure: 335 mmH20 [0.476 PSI / 0.0328 BAR]
- · Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow

- Two-color design
- · Large air chamber for rapid inflation
- outlet or 12V car outlet (62299/E)
- · Powered by 220V home power outlet or 12V car outlet (62255)
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62255	INTL	12	14.5 lbs (6.6 kg)
62299/E	NA/US	12	14.6 lbs (6.6 kg)



POWERTOUCH[™] D CELL ELECTRIC AIR PUMP



Inflation & Deflation



Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 4.88 in. x 4.17 in. x 4.09 in. / 12.4 cm x 10.6 cm x 10.4 cm
- Max Air Flow: 430 L/min
- DC 6.0V 40W
- Max Pressure: 270 mmH20 (0.38 PSI / 0.026 BAR)
- Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow
- Two-color design
- · Large air chamber for rapid inflation
- Uses 4x LR20/D Cell size batteries (not included)
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ŧ.	ITEM#	LANGUAGE	CASE PACK	CASE WEIGHT
50	62254	INTL	12	9.9 lbs (4.5 kg)
	62254E	US	12	9.3 lbs (4.2 kg)



POWERTOUCH™

RECHARGEABLE ELECTRIC AIR PUMP







Flow



Pressure




3 Valve Adaptors

4.53 in. x 3.98 in. x 4.09 in. / 11.5 cm x 10.1 cm x 10.4 cm

- Max Air Flow: 565 L/min
- DC 4.8V 55W
- Max Pressure: 370 mmH20 (0.52 PSI /0.036 BAR)
- Quickly inflates and deflates almost all inflatable products
- · Designed to provide maximum airflow
- · Two-color design
- Large air chamber for rapid inflation
- Built-in rechargeable batteries 4x 1500mAH capacity
- · USB powered
- · 3 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62260	INTL	12	11.9 lbs (5.4 kg)
62260E	US	12	11.2 lbs (5.1 kg)





POWERGRIP™ AC ELECTRIC AIR PUMP



Inflation & Deflation



Max Air Flow



Max Air Pressure



3 Valve Adaptors

- 7.99 in. x 4.84 in. x 4.88 in. / 20.3 cm x 12.3 cm x 12.4 cm
- 110-120V~60Hz,2A (62259/E)
- 220-240V~50/60Hz,210W (62258)
- . Max air flow: 1100 L/min
- Max pressure: 680 mmH20 (0.97 PSI / 0.067 BAR)
- · Two-color design
- Quickly inflates and deflates almost all inflatable products
- · Large air chamber for rapid inflation
- 3 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62258	INTL	12	23.8 lbs (10.8 kg)
62259/E	NA/US	12	24.3 lbs (11.0 kg)



POWERGRIP™ PRO AC ELECTRIC AIR PUMP



Inflation & Deflation



Max Air



Max Air Pressure



4 Valve Adaptors

- 7.8 in. x 4.84 in. x 4.88 in. / 19.8 cm x 12.3 cm x 12.4 cm
- 110-120V~60Hz, 4.5A [62248/E]
- 220-240V-50/60Hz, 500W [62247]
- Max air flow: 1200 L/min
- Max pressure: 1540 mmH20 (2.2 PSI /0.152 BAR)
- · Two-color design
- · Quickly inflates and deflates almost all inflatable products
- · Large air chamber for rapid inflation
- · 4 valve adaptors to fit nearly every inflation valve
- · Designed to provide maximum airflow
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62247	INTL	12	27.5 lbs [12.5 kg]
62248/E	NA/US	12	27.4 lbs (12.4 kg)

NEW



POWERGRIP™ SUP DC ELECTRIC AIR PUMP











Inflation & Deflation

Max Air Flow

Max Air Pressure

7 Valve Adaptors

Digital Display & Automatic Shut Off

- 8.66 in. x 6.3 in. x 3.54 in. / 22 cm x 16 cm x 9 cm
- · Low Pressure Maximum Airflow: 250 L/min
- High Pressure Maximum Airflow: 75 L/min
- Max Pressure: 20 PSI
- · Suitable for all inflatables from small air chamber items to stand-up paddleboards and professional boats with working pressures between 0-20 PSI
- · Powered by 12V DC car plug
- · Digital display with real-time pressure monitoring and PSI/BAR/kPa pressure unit settings

- · Fully adjustable pressure settings (increments
- · Automatic shut off triggers when target pressure is reached preventing over-inflation
- · Dual motor provides great performance at both low and high pressures
- · Features an automatic cooling system
- Flexible hose
- · 7 valve adaptors to fit nearly every inflation valve
- Full color box

ITEM #	LANGUAGE	CASE PACK	CASE WEIGHT
62323	INTL	6	21.6 lbs (9.8 kg)
62323E	US	6	21.6 lbs (9.8 kg)



BESTWAY

stway Central &

Bestway Europe Introduced opens Fast Set p

1998

Bestway Central & South America opens

Introduced groundbreaking Fast Set pools


2002



Bestway Australia opens

Solar panels installed across production facilities

2006



Bestway Brazil opens

2008

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



Bestway Hong Kong & USA opens



Bestway Yancheng factory opens



Bestway Nantong factory opens

Revolutionized outdoor market with the first-ever inflatable hot tub, Lay-Z-Sp



Bestway Italy & France & Germany opens



























Bestway is a world-renowned company who cares – and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2015

2017

Lay-Z-Spa TV Advertisement

2018

Amazing Record Holder



2020

2021



Category Winner

2022 - 2024

Best Companies in Arizona

2022



Garden & Pools





INDEX

ITEM#	TYPE	PG.
62002/E	Accessories	89
62003/E	Accessories	89
62004	Accessories	88
62005/E	Accessories	88
62023	Accessories	88
62030/E	Accessories	89
62068/E	Accessories	83
62086/E	Accessories	89
62147/E	Accessories	88
62227/E	Accessories	91
62247	Accessories	96
62248/E	Accessories	96
62252	Accessories	94
62253/E	Accessories	94
62254/E	Accessories	95
62255	Accessories	94
62257/E	Accessories	94
62258	Accessories	96
62259/E	Accessories	96
62260/E	Accessories	95
62289/E	Accessories	93
62299/E	Accessories	94
62321/E	Accessories	90
62322/E	Accessories	93
62323/E	Accessories	97
67000/E	Outdoor	16
67001/E	Outdoor	16
67002/E	Outdoor	16

ITEM #	TYPE	PG.
67003/E	Outdoor	16
67004	Outdoor	16
67006	Accessories	83
67121/E	Accessories	83
6713G	Indoor	38
6713H/E	Indoor	38
67131	Indoor	38
6713J/E	Indoor	38
6713K	Outdoor	19
6713L/E	Outdoor	19
6713M	Outdoor	19
6713N/E	Outdoor	19
6713P	Indoor	52
6713Q/E	Indoor	52
6716P	Indoor	39
6716Q/E	Indoor	39
6716S/E	Outdoor	23
6716T/E	Outdoor	24
671BD	Indoor	41
671BE/E	Indoor	41
671BQ/E	Indoor	32
671BR/E	Indoor	32
671BS/E	Indoor	32
671BT/E	Indoor	33
671BU/E	Indoor	33
67223/E	Outdoor	17
67224/E	Outdoor	17
67225/E	Outdoor	17

ITEM#	TYPE	PG.
67226/E	Outdoor	17
67287	Outdoor	16
		16
67374/E	Outdoor	
67401	Indoor	34
67402/E	Indoor	34
67403	Indoor	34
67404/E	Indoor	34
67614	Indoor	36
67615/E	Indoor	36
67619/E	Outdoor	18
67624	Indoor	54
67628	Indoor	35
67629/E	Indoor	35
67630	Indoor	35
67631/E	Indoor	35
67690	Indoor	37
67691/E	Indoor	37
67692	Indoor	36
67693/E	Indoor	36
67699/E	Outdoor	20
67703/E	Outdoor	18
67922/E	Outdoor	21
67923	Indoor	40
67924/E	Indoor	40
67930/E	Outdoor	22
69048	Indoor	44
69049/E	Indoor	44
69050	Indoor	44

ITEM#	TYPE	PG.
69051/E	Indoor	44
69075	Indoor	46
69076/E	Indoor	46
69078E	Outdoor	25
69145	Indoor	48
69146/E	Indoor	48
69160	Indoor	56
69161/E	Indoor	56
69625/E	Indoor	54
69646	Indoor	60
69647/E	Indoor	60
75010/E	Kids Furniture	79
75054	Furniture	74
75055	Furniture	74
75086/E	Furniture	69
75115/E	Kids Furniture	80
75116/E	Kids Furniture	76
75122/E	Kids Furniture	78
75123/E	Kids Furniture	81
75127/E	Furniture	72
75137/E	Furniture	71
75138/E	Furniture	70
75153/E	Furniture	68
75154/E	Furniture	68
75155/E	Furniture	68



LIVEIT

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.

LIVE IT UP with Bestway.



WWW.BESTWAYCORP.COM



