

2026 CATALOG

### Bestway.

### CATALOG COLLECTION


### Enjoy our extensive collection of products in our six catalogs.


- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear\*
   Only available for INTL

#### **Digital Catalogs**

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





# OUR

Bestway\* is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.





SHANGHAI, CHINA

No. 208 Jin Yuan Wu Road, Shanghai, 201812, China +86 21 6913 5588 info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881 info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 475 93 45 86 info@bestwaycorp.be



#### COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3<sup>rd</sup> Fl 1160 Copenhagen K, Denmark +45 78744569 Info@bestwayscandinavia.eu



#### GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



#### LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



#### WARSAW, POLANI SUBSIDIARY

UI. Ekologiczna 24 05-081 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl



#### DUBAI, U.A.E. SUBSIDIARY

Unit 805, Fortune Tower, Cluster C, Jumeirah Lake Towers, P O Box 120673 Dubai, United Arab Emirates + 9714-262233 info@bestwayme.com



#### PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, n° 1018, Quadra 001, Lote 025 - Maringá - PR - Brazil Zip Code: 87070-030 +55 44 3052-6006 info@bestwaycoro.com.br



#### SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court Silverwater NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



#### SANTIAGO, CHILE SUBSIDIARY

Av del Valle Sur 576, Ciudad Empresarial, Huechuraba, Santiago, Chile +562 3203 6400 info@bestwaycorp.lat

# GLOBAL

Bestway<sup>®</sup> is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.









HAI'AN



NANTONG



SHANGHAI



VIETNAM









### OUR COMMITMENT TO A

# better future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: renewable resources, waste and packaging.



Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38
Categories



Reuse Water in Multiple Facilities



Annual CDP Disclosure







# WELCOME

Over a decade of advanced engineering innovations have built a name that people all around the world have grown to trust.

Lay-Z-Spa® offers an affordable hot tub experience that's convenient to use, easy to set up and provides total relaxation.

Backed by the Bestway® customer service team, consumers can enjoy peace of mind while relaxing in their new hot tub.

With different massage technologies, Lay-Z-Spa offers the ultimate way to rest and recharge.





### CONTENTS



PRODUCT & MASSAGE TECHNOLOGY

TECHNOLOGIES

PUMP TECHNOLOGY

PRODUCT SAFETY

MATERIAL TECHNOLOGY

SMARTPHONE APP

PRODUCT PLANOGRAM

PRODUCT MATRIX

#### STANDARD SERIES

MIAMI AIRJET™ 4 6001C | PG 26-29

MIAMI AIRJET™ 6 6001D | PG 30-3

IBIZA AIRJET™ 6 6002U | PG 34-3

HOLLYWOOD LUXE AIRJET\*\* 6 60059 | PG 38-4

HOLLYWOOD LUXE AIRJET™ 6 6001F | PG 42-4

#### MAXHOLD SERIES

HAWAII SMART AIRJET™ 6 6001G | PG 50-53

HAWAII SMART AIRJET\*\* 6 6001H | PG 54-57

HAWAII SMART AIRJET™ 8 6001J | PG 58-61

BALI SMART AIRJET™ 6 6001N | PG 62-65

BALI SMART AIRJET™ 7 6001P | PG 66-69

ROME SMART AIRJET™ 6 6001K | PG 70-73

ROME SMART AIRJET\*\* 7 6001M | PG 74-77

DOMINICA SMART HYDROJET''' 6 60015 | PG 78-81

SMART HYDROJET\*\* (

SANTORINI SMART HYDROJET PRO™ 7 6001T | PG 86-89

MALDIVES SMART HYDROJET PRO™ 6001U | PG 90-93

SAN FRANCISCO SMART HYDROJET PRO™7 60010 | PG 94-97

### THERMACORE SERIES

CARRARA SMART AIRJET™ 6

TORONTO SMART AIRJET™ 7 6001W | PG 104-107

#### ICE BATH SERIES

GLACIAL DIP™ ICE BATH POD 6002K | PG 110-11

GLACIAL DIP™ ICE BATH TUB 6002N | PG 112-113

GLACIAL DIP" ICE BATH TUB 6002Q | PG 114-115

#### XTRAS

RECHARGEABLE UNDERWATER VACUUM 60327 | PG 118

ALL IN ONE TOOL SET

POOL & SPA TEST STRIPS

POOL & SPA SALTWATER TEST STRIPS 58767 | PG 118

FILTER CARTRIDGE (VI)

HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR 60340 | PG 119

HOT TUB SEAT

FLOOR PROTECTOR 60334 | PG 119

PADDED PILLOW

PILLOW 60307 | PG120 4-IN-1 ACCESSORY TRAY 60337 | PG 120

DRINK HOLDER

7-COLOR LED LIGHT 60303 | PG 121

SOOTHING LED WATERFALL

CANOPY 60304 | PG 12

DOME 60305 | PG 12

ROUND ENERGYSENSE® THERMAL COVERS 60317, 60318, 60326, 60331

SQUARE ENERGYSENSE® THERMAL COVERS 60319, 60332, 60333 | PG 123

### PRODUCT TECHNOLOGY



#### THE ORIGINAL PREMIUM PORTABLE SPA

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa® has become as industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa leads the market. High-functioning components and durability are the main priorities of the hot tub line, providing consumers with products they can depend on.



#### FREEZE SHIELD® TECHNOLOGY

COMFORT IN THE COLD

Freeze Shield® successfully equips the hot tub for year-round, all-weather use. Designed with innovative winterizing technology and an improved material, these hot tubs automatically increase water circulation and heating when temperatures are low to preven the inner parts from damage.



#### **\$\$\$**\text{INCREASED ENERGY EFFICIENCY

HIGH HEAT RETENTION, LOW ELECTRICITY USE

The EnergySense® thermal covers and liners retain more heat than PVC material alone. This allows the hot tub to heat up faster and stay hotter longer, leading to as much as 40-60% higher energy-efficiency.



## MASSAGE TECHNOLOGY





Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing air into the water, surrounding you with a calming bubble massage.





Enjoy a deeper massage with the HydroJet System! Along with the bubble massage, there are a few adjustable nozzles next to the pump that release a more targeted massage.





HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the hot tub release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.

# PUMP TECHNOLOGY

Every Lay-Z-Spa hot tub set comes with a multi-function pump that inflates the hot tub, heats the water and runs the filtration system. Each hot tub is assembled using the pump, no additional tools required!


### HIGH-TECH COMPONENTS AND DECREASED NOISE

EFFICIENT · DURABLE · RELIABLE

The internal pump components are designed to work efficiently, while reducing the noise level as much as possible during use. Engineered with a rotor and blade, our pumps are specifically designed to have a soft internal connection, reducing the noise.

#### ADVANCED HEATING SYSTEM

By using advanced materials to create our heating mechanism, we ensure efficient temperature control. The internal structure is protected by six layers of insulation to prevent electrical damage.







# PRODUCT SAFETY


Safety is our top priority when designing and producing our inflatable hot tubs. We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.


#### GDS

#### **GROUND DETECTION SYSTEM**

With safety as a priority, every hot tub is equipped with our advanced, market-leading Ground Detection System, which monitors the energy supply to ensure it is being used safely.

If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.







#### **GLEDS**

#### GROUND LINE ELECTRIC DETECTION SYSTEM

Once the hot tub is plugged in, the system continuously monitors the ground of the electrical system in the house and will advise the user with the E18 code if there is other electricity detected.





## MATERIAL TECHNOLOGY

#### PVC CONSTRUCTION

**ESSENTIAL STRENGTH AND COMFORT** 

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

#### MAXHOLD" CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold" fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.

#### THERMACORE CONSTRUCTION

**EXCEPTIONAL STABILITY** 

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.








#### 3-LAYER STRENGTH

This exclusive formula of mesh encased in PVC offers three layers of puncture, abrasion and stretch resistance to protect the hot tub.



# SMARTPHONE APP CONTROL



#### **DELIVERING CONVENIENCE AND COMFORT**

With the Bestway SmartSpa<sup>11</sup> app, control is right in the palm of your hand. This innovation makes the Lay-Z-Spa one of the most convenient in the market. Compatible with smart devices, the app lets you control the hot tub's temperature, run the filtration system, and control the massage system with just the touch of a button! Plus, you can even set a timer for the temperature and filtration systems.



#### HEAT CONTROL

Create, save and edit multiple timers to apply the perfect temperature anytime throughout the week



#### **SET TIMER**

Set the Power Saving Timer to only rur the system during the selected times




#### **FILTRATION**

Allows for multiple timers to be created for water filter activation



### PLANOGRAM



### 2026 LAY-Z-SPA MATRIX

	STANDARD SERIES				MAXHOLD SERIES						
			NEW					NEW			
											THE
			IBIZA AIRJET 6		HOLLYWOOD LUXE AIRJET 6						
	60010										
EXTERNAL CONSTRUCTION											
					778 L (205 gal.)						
					140						
	Ž	*	¥	<b>奉</b> -0-	*-0-	<b>6</b> *			8	图者	<b>3</b> %
					42-45						

#### FEATURES KEY



SMARTPHONE APP



LED LIGHTS



FREEZE SHIELD\* OR POLAR-SHIELD\*



FOOT MASSAGE



INTEGRATED SEATS

#### - THERMACORE SERIES -

#### ICE BATH SERIES

	DOMINICA	CABO	SANTORINI	MALDIVES	SAN FRANCISCO		1 3 5 4	0.110
<b>≘</b> ☆				图卷点	2 4 a			
		<u> </u>	€∏ IS	€N IS	€ IS	☐ .ii ≈01		
							112=113	

## STANDARD SERIES

#### PVC CONSTRUCTION

#### **ESSENTIAL STRENGTH AND COMFORT**

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.







# MIAMI AIRJET 4 6001C


- Soothing AirJet™ bubble massage system (120 jets)
- Energy Sense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



#### **DIMENSIONS**



# MIAMI

#### TRITECH® MATERIAL


#### WALL AND TOP RING


The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING







#### **SPECIFICATIONS**

WATER CAPACITY	669 L (177 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.32 m (52")
FILLED WEIGHT	699 kg (1,541 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 37.85 kg (83.44 lbs)


#### **FEATURES**











### DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet™ Massage






### MIAMI AIRJET 6 6001D

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense<sup>®</sup> insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser
- 1 repair patch



### MIAMI AIRJET 6

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING







#### **SPECIFICATIONS**

WATER CAPACITY	908 L (240 gal.)
INFLATED SIZE	1.96 m x 66 cm (77" x 26")
INNER SIZE	1.48 m (58")
FILLED WEIGHT	942 kg (2,076 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.12 kg (90.65 lbs)

#### **FEATURES**






MASSAGE SYSTEM



MULTI-FUNCTION



4-6 PEOPLE



### DIGITAL CONTROL PANEL

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat Activation



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet'" Massage





### IBIZA AIRJET 6 6002Ú

- Soothing AirJet<sup>\*\*</sup> bubble massage system (140 jets)
- EnergySense\* insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech® walls are stress tested to offer durability
- · Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 pump
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser
- 1 repair patch





#### TRITECH\* MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### **ENERGYSENSE** INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING







WATER CAPACITY	778 L (205 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
INNER SIZE	1.32 m x 1.32 m (52" x 52")
FILLED WEIGHT	812 kg (1,790 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 42.35 kg (93.36 lbs)

#### **FEATURES**







MULTI-FUNCTION





ED Display

Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

> > Heat

°C Temperature/
°F Hour
Adjustment

Power Button ON/OFF

Water Filter Activation

… AirJet™ Massage





# HOLLYWOOD LUXE AIRJET 6 60059

- Soothing AirJet™ bubble massage system (140 jets)
- · Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield\* automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- ChemConnect<sup>®</sup> dispenser provides a stable level of chlorine throughout the hot tub
- · Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water





- · Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS

• 1 liner

• 1 LED light strip

• 1 cover

4 pillows

- · 1 repair patch
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser



# HOLLYWOOD LUXE AIRJET 6 60059

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



WATER CAPACITY	908 L (240 gal.)
INFLATED SIZE	1.96 m x 66 cm (77" x 26")
INNER SIZE	1.48 m (58")
FILLED WEIGHT	938 kg (2,068 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 37.15 kg (81.90 lbs)



#### **FEATURES**



FREEZE SHIELD®



AIRJET™ MASSAGE SYSTEM






MULTI-FUNCTION



7-COLOR LED LIGHTS



LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat Activation

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet™ Massage





# HOLLYWOOD -LUXE AIRJET 6 6001F

- Soothing AirJet™ bubble massage system (140 jets)
- · Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield\* automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- · ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water













- · Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### **CONTENTS**

• 1 liner

• 1 LED light strip

• 1 cover

• 4 pillows

· 1 pump

- 1 repair patch
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser



1.80 m

41 cm

# HOLLYWOOD LUXE AIRJET 6 6001F

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### **SPECIFICATIONS**

WATER CAPACITY	778 L (205 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
INNER SIZE	1.32 m x 1.32 m (52" x 52")
FILLED WEIGHT	809 kg (1,783 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 38.51 kg (84.90 lbs)



#### **FEATURES**



FREEZE SHIELD®



AIRJET"
MASSAGE SYSTEM










7-COLOR LED LIGHTS



Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

Heat -Activation Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

- AirJet" Massage









Enjoy calming moments in the luxury of your own backyard.

# MAXHOLD SERIES

#### MAXHOLD" CONSTRUCTION

#### PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.








## HAVVAII SMARTAIRJET 6 6001G

- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense\* insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech\* walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure. retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel. one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- · ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect\* dispenser
- 1 repair patch



### HAWAII SMART AIRJET 6 6001G

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD MATERIAL

#### INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE® INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	980 L (259 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.51 m (59")
FILLED WEIGHT	1,014 kg (2,235 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.16 kg (90.74 lbs)









#### **FEATURES**






MASSAGE SYSTEM





4-6 PEOPLE





LED Display

Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

> > Heat

AirJet"

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

.... Wi-Fi Connection





### HAVAII SMARTAIRJET 6


- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield\* automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>™</sup> pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- ....
- · 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



#### **DIMENSIONS**



### HAWAII SMART AIRJET® 6 6001H

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD" MATERIAL

#### INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

	Tanana and and and and and and and and an
WATER CAPACITY	840 L (222 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	874 kg (1,926 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.60 kg (91.71 lbs)







#### **FEATURES**



SHIELD®




MASSAGE SYSTEM




MULTI-FUNCTION









Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





## HAVAII SMARTAIRJET 8


- Soothing AirJet™ bubble massage system (190 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 cover
- · 1 pump
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser
- 1 repair patch



#### **DIMENSIONS**



#### NEW

### HAWAII SMART AIRJET 8

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD\* MATERIAL

#### INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.




The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING


#### **SPECIFICATIONS**

WATER CAPACITY	1,440 L (380 gal.)
INFLATED SIZE	2.36 m x 71 cm (93" x 28")
INNER SIZE	1.91 m (75")
FILLED WEIGHT	1,482 kg (3,267 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 51.87 kg (114.35 lbs)









#### **FEATURES**





MASSAGE SYSTEM









Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat Activation

AirJet™ Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





## BALI SMART AIRJET 6


- Soothing AirJet™ bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>™</sup> pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1
- 1 pump
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser
- 1 repair patch



#### **DIMENSIONS**



### BALI SMART AIRJET 6 6001N

#### TRITECH\* MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD" MATERIAL

#### INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.


#### **ENERGYSENSE\* INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	980 L (259 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.51 m (59")
FILLED WEIGHT	1,014 kg (2,235 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 40.65 kg (89.62 lbs)







#### **FEATURES**






MASSAGE SYSTEM





4-6 PEOPLE







Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

.. WI-FI Connection






## BALI SMARTAIRJET 7

- Soothing AirJet<sup>™</sup> bubble massage system (180 jets)
- EnergySense\* insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech\* walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>a</sup> automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>™</sup> pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

#### CONTENTS

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect\* dispenser
- 1 repair patch



### BALI SMART AIRJET\* 7 6001P

#### TRITECH MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD" MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE® INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	1,260 L (333 gal.)
INFLATED SIZE	2.16 m x 71 cm (85" x 28")
INNER SIZE	1.71 m (67")
FILLED WEIGHT	1,298 kg (2,861 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 46.21 kg (101.87 lbs)











SHIELD®




AIRJET™ MASSAGE SYSTEM





5-7 PEOPLE





LED Display

Lock/Unlock
Button

Power Saving
Timer

Celsius/
Fahrenheit

Heat
Activation

Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection






## ROME SMARTAIRJET 6

- Soothing AirJet<sup>\*\*</sup> bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Triteche walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>™</sup> pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

#### **CONTENTS**

- 1 liner
- -----
- · 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect\* dispenser
- 1 repair patch



# ROME SMART AIRJET 6

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE\* INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	840 L (222 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	874 kg (1,926 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.11 kg (90.63 lbs)







#### **FEATURES**




SHIELD\*



MASSAGE SYSTEM







LED Display

Lock/Unlock Button

Power Saving

Celsius/ Fahrenheit

Heat Activation

AirJet™ Massage Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection






## ROME SMARTAIRJET 7

- Soothing AirJet™ bubble massage system (180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit<sup>™</sup> pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 liner
  - (Article)
- 1 00
- 1 filter cartridge (VI)
- · 1 ChemConnect® dispenser
- 1 repair patch



# ROME SMART AIRJET\* 7

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD MATERIAL

#### INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	1,180 L (312 gal.)
INFLATED SIZE	2.01 m x 2.01 m x 71 cm (79" x 79" x 28")
INNER SIZE	1.51 m x 1.51 m (59" x 59")
FILLED WEIGHT	1,219 kg (2,687 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 47.45 kg (104.61 lbs)



#### **FEATURES**



FREEZE SHIELD®




MASSAGE SYSTEM



MULTI-FUNCTION







LED Display

Lock/Unlock
Button

Power Saving
Timer

Celsius/
Fahrenheit

Heat
Activation

AirJet"
Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

.... Wi-Fi Connection






### DOMINICA SMART HYDROJET 6 6001S

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- · EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- · Digital control panel & pump with integrated filtration system, includes cup holders and is accessible from inside the hot tub
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 liner
- · 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 4 pillows
- 1 repair patch





# DOMINICA SMART HYDROJET 6

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	810 L (214 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.46 m (57")
FILLED WEIGHT	854 kg (1,883 lbs)
RATING	220-240V~ 50Hz, 2150W at 20°C (68°F)
ACTUAL WATER FLOW	3,975 L/h (1,050 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 54.97 kg (121.19 lbs)







#### **FEATURES**



SHIELD

CAPACITY

4-6 PEOPLE



HYDROJET\*\* MASSAGE SYSTEM



PADDED


PILLOWS



MULTI-FUNCTION PUMP



**SMARTPHONE** 








## CABO SMART HYDROJET 6 6001R

- · Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield<sup>®</sup> automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- · Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- · 1 liner
- 1 cover
- · 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 4 pillows
- · 1 repair patch





# CABO SMART HYDROJET 6

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.


#### MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING



#### **SPECIFICATIONS**

WATER CAPACITY	795 L (210 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	840 kg (1,852 lbs)
RATING	220-240V~ 50Hz, 2150W at 20°C (68°F)
ACTUAL WATER FLOW	3,975 L/h (1,050 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 55.70 kg (122.80 lbs)







#### **FEATURES**



SHIELD®

CAPACITY



HYDROJET™ MASSAGE SYSTEM



PADDED

PILLOWS

4-6 PEOPLE



MULTI-FUNCTION PUMP



**SMARTPHONE** 









### SANTORINI SMART HYDROJET PRO 7 6001T

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- · Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- · ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors













- Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- · 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- · 2 water powered LED lights
- · 1 repair patch



# SANTORINI SMART HYDROJET PRO\* 7

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	1,190 L (314 gal.)
INFLATED SIZE	2.16 m x 80 cm (85" x 31.5")
INNER SIZE	1.66 m (65")
FILLED WEIGHT	1,252 kg (2,760 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 76.31 kg (168.23 lbs)







### **FEATURES**







HYDROJET PRO™ MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 5-7 PEOPLE



PILLOWS




7-COLOR LED LIGHTS



INTEGRATED SEATS



**SMARTPHONE** 









### MALDIVES SMART HYDROJET PRO 7 6001U

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- · EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- · Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · ColorJet LED lights alternate between 7 different colors















· Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- · 2 water powered LED lights
- · 1 repair patch



### MALDIVES SMART HYDROJET PRO\* 7 6001U

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

#### **SPECIFICATIONS**

WATER CAPACITY	1,050 L (277 gal.)
INFLATED SIZE	2.01 m x 2.01 m x 80 cm (79" x 79" x 31.5")
INNER SIZE	1.51 m x 1.51 m (59" x 59")
FILLED WEIGHT	1,115 kg (2,458 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 81.20 kg (179.01 lbs)







#### **FEATURES**







HYDROJET PRO" MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 5-7 PEOPLE



PILLOWS




7-COLOR LED LIGHTS



INTEGRATED SEATS



SMARTPHONE APP



Led Display

Lock/Unlock
Button

Power Saving
Timer

Celsius/
Fahrenheit

Heat
Activation

AirJet\*
Massage

Wi-Fi Connection

> Power Button ON/OFF

Temperature/ Hour Adjustment

Water Filter Activation

HydroJet Pro™ Massage





SAN FRANCISCO SMART HYDROJET PRO 7 6001Q

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- · Jet massage nozzles integrated into the back of the lounges and leg massage integrated into the single lounge
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · ColorJet LED lights alternate between 7 different colors














- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 liner
- · 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- · 2 water powered LED lights
- 1 repair patch





### SAN FRANCISCO SMART HYDROJET PRO\* 7 60010

#### TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold™ fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

#### **ENERGYSENSE® INSULATION**

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING



#### **SPECIFICATIONS**

WATER CAPACITY	1,180 L (312 gal.)
INFLATED SIZE	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
INNER SIZE	1.80 m x 1.80 m (71" x 71")
FILLED WEIGHT	1,257 kg (2,771 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 93.85 kg (206.90 lbs)



#### **FEATURES**



SHIELD



HYDROJET PRO™ MASSAGE SYSTEM



MULTI-FUNCTION PUMP



CAPACITY 5-7 PEOPLE



PADDED PILLOWS




7-COLOR LED LIGHTS



INTEGRATED SEATS



**SMARTPHONE** 





# THERMACORE SERIES

#### THERMACORE" CONSTRUCTION

#### **EXCEPTIONAL STABILITY**

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.










# CARRARA SMART AIRJET 6 6001V

- Soothing AirJet™ targeted bubble massage system (140 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- · Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit™ pump built into the liner with flip-up control panel
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- · ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect\* dispenser
- 4 pillows
- 1 repair patch



### CARRARA SMART AIRJET\* 6

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

#### THERMACORE"

#### CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.







#### **SPECIFICATIONS**

WATER CAPACITY	850 L (225 gal.)
CONSTRUCTED SIZE	1.70 m x 65 cm (67" x 25.5")
INNER SIZE	1.50 m (59")
FILLED WEIGHT	882 kg (1,945 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 44.84 kg (98.85 lbs)

#### **FEATURES**



FREEZE SHIELD



AIRJET™ MASSAGE SYSTEM



MULTI-FUNCTION




CAPACITY



PADDED



SMARTPHONI APP



Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

AirJet<sup>™</sup> Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection






# TORONTO SMARTAIRJET 7 6001W

- Soothing AirJet<sup>™</sup> targeted bubble massage system (180 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- · Ultra-strong Tritech\* wall cover is stress tested to offer durability
- Freeze Shield\* automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit" pump built into the liner with flip-up control panel
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect\* dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- · Reinforced safety cover with lock clips

- 1 liner
- 242 111
- 1 pump
- C Palling
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>e</sup> dispenser
- 5 pillows
- 1 repair patch



# TORONTO SMART AIRJET 7 6001W

#### TRITECH® MATERIAL

#### WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.


#### THERMACORE"

#### CONSTRUCTION

ThermaCore™ hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.







#### **FEATURES**



FREEZE SHIELD®



MASSAGE SYSTEM





5-7 PEOPLE





#### **SPECIFICATIONS**

WATER CAPACITY	1,250 L (331 gal.)
CONSTRUCTED SIZE	1.90 m x 70 cm (75" x 27.5")
INNER SIZE	1.70 m (67")
FILLED WEIGHT	1,288 kg (2,840 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.1-1.6°C/h (2.2-3.2°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 50.58 kg (111.51 lbs)



LED Display Lock/Unlock Button Power Saving Timer

AirJet<sup>™</sup> Massage

Temperature/ Hour Adjustment

Power Button ON/OFF




# ICE BATH SERIES

### TAKING THE PLUNGE INTO ICE BATHS

RESTORE, REJUVENATE, RECHARGE

Backyard ice baths offer a portable design and durable construction that is great for both newbies and experts.





## GLACIAL DIP 6002K

#### TRITECH MATERIAL


#### SIDEWALLS

The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

- · Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- · Corrosion-resistant galvanized steel frame with frosted finish
- · Setup takes 20 minutes with 1-2 people
- · Standard cover with rope fastener
- · Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m3/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m3/h)
- · Drain valve

#### CONTENTS

- · 1 ice bath
- · 1 filter pump
- · 1 filter cartridge (I)
- 1 cover
- · 1 repair patch



#### **SPECIFICATIONS**

WATER CAPACITY (75%)	253 L (67 gal.)
PRODUCT SIZE	90 cm x 80 cm (35.5" x 31.5")
POOL DEPTH	60 cm (23.5")
FILLED WEIGHT	259 kg (571 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 18.21 kg (40.15 lbs)





POLAR-SHIELD



1 PERSON



NO TOOLS NEEDED



INCLUDED







## GLACIAL DIP ICE BATH TUB 6002N

#### TRITECH® MATERIAL

#### SIDEWALLS

The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar–Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- · Setup takes 30 minutes with 1-2 people
- · Standard cover with rope fastener
- Pump's water flow rate (pump capacity):
   1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate):
   1,060 L/h (280 gal./h; 1.0 m³/h)
- · Drain valve

#### CONTENTS

- 1 ice bath
- · 1 filter pump
- 1 filter cartridge (I)
- 1 cover
- 1 repair patch

### SPECIFICATIONS

WATER CAPACITY (75%)	431 L (114 gal.)
PRODUCT SIZE	1.50 m x 90 cm x 65 cm (59" x 35.5" x 25.5")
POOL DEPTH	49 cm (19")
FILLED WEIGHT	440 kg (971 lbs.)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 23.90 kg (52.69 lbs)





## GLACIAL DIP 6002Q

#### FORTIFIBER" MATERIAL

#### SIDEWALLS

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided bath.

- . FortiFiber™ drop stitch walls are rigid, durable and lightweight
- Polar-Shield™ weather defense prevents liner from freezing or cracking in cold temperatures
- · Takes 5 minutes to inflate by hand pump with 1 person
- · Reinforced Tritech® cover with locking clips
- · Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m<sup>3</sup>/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m<sup>3</sup>/h)
- · Quick inflation / deflation air valve
- · Drain pipe

#### CONTENTS

- · 1 ice bath
- · 1 filter pump
- · 1 filter cartridge
- · 1 cover
- · 1 carry bag
- 1 hand pump
- · 1 repair patch

#### **SPECIFICATIONS**

WATER CAPACITY	420 L (111 gal.)
PRODUCT SIZE	1.52 m x 92 cm x 71 cm (60" x 36" x 28")
INNER SIZE	1.28 m x 68 cm (50" x 27")
POOL DEPTH	52 cm (20")
FILLED WEIGHT	434 kg (957 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 18.52 kg (40.83 lbs)



#### **FEATURES**



POLAR-SHIELD"




2 PEOPLE



NO TOOLS NEEDED



INCLUDED



## XTRAS

## ACCESSORIES TO COMPLEMENT YOUR HOT TUB

Take the dirty work out of hot tub maintenance with the wide variety of accessory options that Bestway® offers.







## 1. RECHARGEABLE UNDERWATER VACUUM

#### 60327

- Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords
- · Consistent performance for 50 minutes
- Charge time: 4-5 hours
- Simple press-button operation
- . Ideal for bot tubs and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and easy-to-empty stainless steel filter
- Full color box
- 4 Ea., 5.22 kg (11.51 lbs)

#### CONTENTS

- 1 vacuum cleaner
- · 1 USB charging cable

#### 2. ALL IN ONE TOOL SET

#### 60310

- Full color bo
- 8 Ea., 7.30 kg (16.09 lbs)

#### 1 SCOOP

- Bumper protects not tub surface
- Rounded shape design fits the contours of the hot tub interior
- . Deep net to collect debris
- Handheld or connects to standard telescopic pole

#### 2. SCRUBBING MITT

- Scrub along hot tub water line
- Latex glove bonded with scrubber pad

#### 3 RDIICH

- · Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

#### CONTENTS

- · 1 scoop
- 1 brush
- 1 scrubbing mitt

#### 3. POOL & SPA TEST STRIPS

#### 58142

- 4 cm x 9.50 cm / 1.50" x 3.75"
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- · Full color box
- 24 Ea., 1.37 kg (3.02 lbs

#### CONTENTS

50 test strips

#### 4. POOL & SPA SALTWATER TEST STRIPS

#### 58767

- 3.55 cm x 3.30 cm x 10.10 cm / 1.4" x 1.3" x 4"
- Uses an instant color-match system to measure salt levels (0-8,000 ppm)
- · 18-month shelf life
- Full color bo
- 24 Ea., 1.27 kg (2.80 lbs)

#### CONTENT

25 test strips



#### 5. FILTER CARTRIDGE (VI)

- · Easy to clean

#### NEW GEN

#### 6. HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR

#### 60340

- Built-in rechargeable battery runs for approximately 8 hours & recharges in 5–6 hours
- Uses salt to produce chlorine that keeps the water clean while being gentle on skin, eyes and hair
- Timer runs 1-8 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time

- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)

#### 7. HOT TUB SEAT

#### 60321

- comfortable for hours of relaxation
- bottom of the hot tub
- Full color box
- 2 Ea., 5.50 kg (12.13 lbs)

#### 8. FLOOR PROTECTOR

#### 60334

- Compatible with all hot tubs, multiple sets may be needed for hot tubs larger than
- Durable polyethylene material that provides protection under the hot tub
- · Includes additional 46.4 cm x 36.3 cm (18.3" x 14.3") mat for under the hot tub heater
- · Attachable pieces for straight edges
- Shrink wrapped with insert card
- 4 Ea., 10.01 kg (22.07 lbs)

• 17 connectable protector pieces



## 9. PADDED PILLOW

#### 60316

- 23 cm x 13 cm x 5 cm / 9" x 5" x 2"
- Soft pillow provides head and neck support
- Adjustable strap drapes over the side of the hot tub, using the balance weight to keep it in place
- Compatible with all Lay-Z-Spas
- Comfortable sponge pillow is covered with washable mesh fabric
- Full color box
- 12 Sets., 4.16 kg (9.17 lbs)

#### CONTENTS

· 2 pillows

#### 10. PILLOW

#### 60307

- 25 cm x 19.5 cm x 17.5 cm /
- Soft pillow provides head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odors
- Compatible with all hot tubs with a wall thickness between 20-27 cm (7.9"-10.6")
- Easy to clear
- · Full color box
- 4 Sets., 3.67 kg (8.09 lbs)

#### CONTENTS

· 2 pillows

## 11. 4-IN-1 ACCESSORY TRAY

#### 60337

- · 33 cm x 30 cm x 18 cm / 13" x 11.8" x 7.1"
- Multi-function tray with a table, splash-proof storage compartment, towel hangers and tablet holder
- Legs can be adjusted to a custom width depending or wall thickness - from 5-25 cm (2"-9.8")
- Compatible with all Lay-Z-Spas
- Full color box
- 2 Ea., 3.80 kg (8.38 lbs

#### CONTENTS

· 1 trav



Table



orage



Towel Hangers



Tilliani

#### 12. DRINK HOLDER

#### 60306

- 35 cm x 23.2 cm x 20.5 cm 13.8" x 9.1" x 8.1"
- Keep beverages or snack close by while you relax
- Position anywhere on the top of hot tub sidewall
- Compatible with all hot tubs with a wall thickness between 20-27 cm (7.9"-10.6")
- Full color bo
- 12 Ea., 8.95 kg (19.73 lbs)

#### CONTENTS

- 2 drink holders
- 1 trav



#### 13.7-COLOR LED LIGHT


- IP68 waterproof











- · Full color box

#### 14. SOOTHING LED WATERFALL

#### 60322

- · LED light alternates between 7 colors













- streams of water & dust
- · Magnetic attachment system for easy setup
- Uses 3 AAA batteries (not included)
- Full color box

• 1 LED waterfall

#### 15. CANOPY

- Fabric with UV protection
- Compatible with all Bestway hot tubs sized 1.80-2.70 m (71"-8'11")
- · Two removable guy lines to
- 3 Ea., 4.09 kg (9.02 lbs)

#### 16. DOME

- 4 large inside pockets to store personal items
- or backyard
- Can be used for pools up to 3.66 m (12') diameter
- Full color box

- · 4 detachable fabric doors

### ROUND ENERGYSENSE® THERMAL HOT TUB COVERS

- · Increases energy efficiency of the hot tub
- · Tritech® waterproof surface material increases cover durability
- · Zipper door for built-in pump or external pump connection
- · Full color box

#### CONTENTS

· 1 thermal cover



ITEM #	SIZE	COMPATIBILITY	WEIGHT
60317	1.87 m x 63 cm / 74" x 25"	Compatible with round hot tubs with diameters of 1.80 m (71") and heights of 66 cm (26")	1 Ea., 7.38 kg (16.27 lbs)
60318	1.99 m x 68 cm / 78" x 27"	Compatible with round hot tubs with diameters of 1.96 m (77") and heights of 71 cm (28")	1 Ea., 7.72 kg (17.02 lbs)
60326	2.28 m x 73 cm / 90" x 29"	Compatible with round hot tubs with diameters of 2.16 m (85") and heights between 71 cm (28") and 80 cm (31.5")	1 Ea., 10.42 kg (22.97 lbs)
60331	2.43 m x 70 cm / 96" x 27.5"	Compatible with round hot tubs with diameters of 2.36 m (93") and heights of 71 cm (28")	1 Ea., 11.60 kg (25.57 lbs)




## SQUARE ENERGYSENSE® THERMAL HOT TUB COVERS

- Increases energy efficiency of the hot tub
- · Tritech® waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full color box

#### CONTENTS

1 thermal cover



ITEM #	SIZE	COMPATIBILITY	WEIGHT
60319	1.85 m x 1.85 m x 68 cm / 73" x 73" x 27"	Compatible with square hot tubs with lengths of 1.80 m (71") and heights of 71 cm (28")	1 Ea., 7.54 kg (16.62 lbs)
NEW GEN 60332	2.08 m x 2.08 m x 79 cm / 82" x 82" x 31"	Compatible with square hot tubs with lengths of 2.01 m (79") and heights between 71 cm (28") and 80 cm (31.5")	1 Ea., 11.13 kg (24.54 lbs)
60333	2.37 m × 2.37 m × 70 cm / 93" × 93" × 27.5"	Compatible with square hot tubs with lengths of 2.30 m (90.5") and heights of 71 cm (28")	1 Ea., 12.60 kg (27.78 lbs)



## TECHNICAL FEATURES & ACCESSORY COMPATIBILITY

	MIAMI AIRJET** 4	MIAMI AIRJET** 6	IBIZA AIRJET™ 6	HOLLYWOOD LUXE AIRJET** 6	HOLLYWOOD LUXE AIRJET** 6	HAWAII SMART AIRJET" 6	HAWAII SMART AIRJET** 6	HAWAII SMART AIRJET™ 8	BALI SMART AIRJET™ 6	BALI SMART AIRJET'" 7
STANDARD BEAM				: <b>*</b>						
MAXHOLD™ BEAM										
THERMACORE"										
POWER SAVING TIMER					-17.47					
WATER FILTER ACTIVATION								-		
HEATING SYSTEM										
LED LIGHTS								- 73 - 11		
APP CONTROL										
RECHARGEABLE UNDERWATER VACUUM (60327)										•
ALL IN ONE TOOL SET (60310)				•						
POOL & SPA TEST STRIPS (58142)			1.7.				•			* *
POOL & SPA SALTWATER TEST STRIPS (58767)										
FILTER CARTRIDGE (60311)		•	•					<b></b>		
HYDROGENIC** 0.5 G/H SALTWATER CHLORINATOR (60340)				*	2.0				#####################################	
HOT TUB SEAT (60321)				45 · [			* * *		* E	
PADDED PILLOW (60316)		•		*						
PILLOW (60307)	1.00			•						
DRINK HOLDER (60306)		- z -							1	1
4-IN-1 ACCESSORY TRAY (60337)										
SOOTHING LED WATERFALL (60322)	2,0,2									
7-COLOR LED LIGHT (60303)	- WE - 1			• 1 • 1 · 1 · 1				•	5.00	
CANOPY (60304)							- ×		:•:	
DOME (60305)				•						
FLOOR PROTECTOR (60334)	23-12							X2		X2

										TT	THE
ROME SMART AIRJET™ 6 SMART AIRJET	ROME SMART AIRJET™ 7		CABO SMART HYDROJET™ 6	SANTORINI SMART HYDROJET PRO'" 7	MALDIVES SMART HYDROJET PRO** 7	SAN FRANCISCO SMART HYDROJET PRO™ 7	CARRARA SMART AIRJET™ 6	TORONTO SMART AIRJET™ 7	GLACIAL DIP™ ICE BATH POD	GLACIAL DIP™ ICE BATH TUB	GLACIAL DIP™ ICE BATH TUB
						•					
			Terry II.	• A 1 • A 1 A 1	11711-11.0						
·							*				
				14		Y	h <sub>i</sub>				
0#6											
(8)						**			3.00	•	
	1								20-10		-:
		V	:•:			•		18			
	•						***	:•:			
***											
		- L				•					
<b>₩</b>											
) <b>.</b>						A=#					
	101				• (	#					
											•
+.		•			-						
A LINE DE					s•:			•			
				•	Lete						
	X2		2■4	X2	X2	X2					





## SETUP & MAINTENANCE

## WITH THE KEY TOOLS ALREADY INCLUDED, LAY-Z-SPA SETUP IS QUICK & EASY!

AFTER FINDING A FLAT AREA FOR THE HOT TUB, IT'S AS EASY AS 1, 2, 3!

- 1. ASSEMBLE the hot tub, inflating and connecting the pump if necessary.
- 2. FILL the hot tub with water to the indicated level.
- 3. ENJOY the relaxing massage!

Also included with each hot tub is a chemical dispenser and filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is important for the user's experience, and also extends the longevity of the hot tub.

For quick and easy transportation and storage, each hot tub is equipped with a deflation function.







## BESTWAY

Bestway Europe

opens

1998

Bestway Central & South America opens

Introduced groundbreaking Fast Set pools


2002





Solar panels installed across

2006



2008

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!

1999

Bestway Hong Kong & USA opens

2004

Bestway Yancheng factory opens

2007

Revolutionized outdoor

2011





























Bestway is a world-renowned company who cares - and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2015

2017

Lay-Z-Spa TV Advertisement

**Amazing Record Holder** 

2018

2020

**GREAT PLACE** 

2021

**ENERGY-**

**Category Winner** 

2022 - 2024

**Best Companies** in Arizona

2022



**Garden & Pools** 





2022 GREAT PLACE TO WORK

**GREAT PLACE** TO WORK

2022

**BEST BRAND** TROPHY

2023

Spa & Sauna

2023 SILVER HEALTH &
WELLNESS PROJECT
OF THE YEAR

2023 PRODUCT OF San Francisco

HydroJet Pro

## INDEX

#### STANDARD SERIES











#### MAXHOLD" SERIES





















#### MAXHOLD SERIES (CONT.)





MALDIVES SMART HYDROJET PRO™ 7 6001U | PG 90-93





SAN FRANCISCO SMART HYDROJET PRO™ 7 6001Q | PG 94-97

#### THERMACORE SERIES



© ⊙ ⊙ o CARRARA SMART AIRJET™ 6 6001V | PG 100-10:



OOO1W | PG 104-107

#### ICE BATH SERIES



GLACIAL DIP™ ICE BATH POD 6002K | PG 110-111



GLACIAL DIP™ ICE BATH TUB 6002N | PG 112-113



GLACIAL DIP" ICE BATH TUB 6002Q | PG 114-11:

#### **XTRAS**



RECHARGEABLE UNDERWATER VACUUM

60327 | PG 118



ALL IN ONE TOOL SET



POOL & SPA TEST STRIPS 58142 | PG 11



POOL & SPA SALTWATER TEST STRIPS 58767 | PG 118



FILTER
CARTRIDGE (VI)
60311 | PG 119



HYDROGENIC\*\*
0.5 G/H SALTWATER
CHLORINATOR



HOT TUB SEAT



FLOOR PROTECTOR 60334 | PG 119



PADDED PILLOW



PILLOW 60307 | PG 120



4-IN-1 ACCESSORY TRAY 60337 | PG 120



DRINK HOLDER



7-COLOR LED LIGHT



WATERFALL 60322 | PG 121



CANOPY 60304 | PG 12



DOME 60305 | PG 121



ROUND ENERGYSENSE\* THERMAL COVERS 60317, 60318, 60326, 60331 | PG 122



SQUARE ENERGYSENSE\* THERMAL COVERS 60319, 60332, 60333 | PG 123

# LIVEIT

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.

LIVE IT UP with Bestway.



WWW.BESTWAYCORP.COM F





