

## Bestway.

## **CATALOG**COLLECTION


## Enjoy our extensive collection of products in our six catalogs.


- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear\*
   Only available for INT

## **Digital Catalogs**

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway\* products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos





## OUR

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.





SHANGHAI, CHINA HO • PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai, 201812, China +86 21 6913 5588 info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881 info@bestwaycorp.eu



### BELGIUM / LUXEMBURG SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 475 93 45 86 info@bestwaycorp.be



### COPENHAGEN, DENMARK SUBSIDIARY

Amagertorv 17, 3<sup>rd</sup> FI 1160 Copenhagen K, Denmark +45 78744569 info@bestwayscandinavia.eu



### GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



### LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



### WARSAW, POLAN SUBSIDIARY

UI. Ekologiczna 24 05-08 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl



### DUBAI, U.A.E. SUBSIDIARY

Unit 805, Fortune Tower, Cluster C, Jumeirah Lake Towers, P O 80x 120673 Dubai, United Arab Emirates +9714-2622333 info@bestwayme.com



### PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, n° 1018, Quadra 001, Lote 025 - Maringá - PR - Brazil Zip Code: 87070-030 +55 44 3052-6006 info@bestway.corp.com.br



### SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court Silverwater NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



## SANTIAGO, CHILE

Av del Valle Sur 576, Ciudad Empresarial, Huechuraba, Santiago, Chile +562 3203 6400 info@bestwaycorp.lat

## GLOBAL

Bestway® is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.







HAI'AN



NANTONG



SHANGHAI



VIETNAM



MATERIAL PRODUCTION

2

PRODUCT

3





## Better Luture

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: renewable resources, waste and packaging.



Ongoing Energy Reduction Projects to Reduce Emissions




Reuse 38 Categories of Materials




Reuse Water in Multiple Facilities



Annual CDP Disclosure





## Dear Customer.

All of these items are designed to offer you something extra, such as new price points, larger assortments of sizes and designs, and exclusive sets.

These products provide the following benefits:

- A broader, more innovative range
- A guaranteed return on investment for your advertising efforts
- The ability to set your own prices due to product differentiation

These items are subject to special conditions. Please contact Bestway or a Sales Team representative for more information if you are interested in placing an order.

We look forward to making this the best sales season yet!

The Bestway team

## WHAT'S INSIDE

We are excited to present our Special Edition Catalog for the 2026 season! This collection of items is not included in our standard catalogs, and it is only offered to select partners. 10

**Above Ground Pools** 

48

**AGP Accessories** 

54

Lay-Z-Spa® Hot Tubs

90

Watersports

102

Summer

120

Camping



## ABOVE GROUND POOLS

When people think of Bestway® pools, they think of summer memories, high quality and reliability. We are always enhancing our overall line to improve durability and longevity. This line encompasses the best and most innovative pools selected for your market.

2

ast Set"

16

Steel Pro®

22

Steel Pro MAX™

38

Steel Pro MAX™ Splashview™

44

TANX

## FAST SET<sup>TM</sup>

## Fast and simple to assemble!

Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!





## TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

## TRITECH®

3-layer puncture resistant liner material

## SELF-SUPPORTING

Inflatable top ring

## 1-2-3 SETUP

Easy to assemble











## PRODUCT MATRIX - POOL RANGE


Distancy **	1.83 m x 51 cm - 6′ x 20″	Fast Set <sup>™</sup> Pool	Refer to International Catalog
Birstony Fax 30°	2.44 m x 61 cm - 8' x 24"	Fast Set <sup>™</sup> Pool	Refer to International Catalog
Ballery	3.05 m x 66 cm - 10' x 26"	Fast Set" Pool	PG. 14
Brastway Fast Ser	3.05 m x 76 cm - 10′ x 30″	Fast Set <sup>™</sup> Pool	Refer to International Catalog
Botan	3.66 m x 76 cm - 12′ x 30″	Fast Set <sup>™</sup> Pool	Refer to International Catalog
	3.96 m x 84 cm - 13′ x 33″	Fast Set <sup>™</sup> Pool	Refer to International Catalog
Designary.	4.57 m x 84 cm - 15′ x 33″	Fast Set™ Pool	Refer to International Catalog
Page 18	4.57 m x 1.07 m - 15' x 42"	Fast Set <sup>™</sup> Pool	Refer to International Catalog

## FAST SET™

**ABOVE GROUND POOLS** 







Water Capacity (80%): 3,200 L (845 gal.)

## 3.05 m x 66 cm / 10' x 26"

O.OO III A OO CIII 7 IO A 20				<b>6</b> d	/	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
57456	Europe	1	8.0 (17.5)			
57457	North America	1	10.7 (23.5)	1,249 L / 330 gal.	110-120V	TYPE: I
57457	Oceania	1	10.1 (22.2)	1,249 L / 330 gal.	220-240V	TYPE: I
57458	Europe	1	10.6 (23.3)	1,249 L / 330 gal.	220-240V	TYPE: I
57458	Asia, Africa & Latin America	1	9.7 (21.5)	1,249 L / 330 gal.	220-240V	TYPE: I
57457	Asia, Africa & Latin America	1	10.4 (22.9)	1,249 L / 330 gal.	110-120V	TYPE: I



## STEEL PRO®

Easy to assemble and very affordable, with a strong, steel frame.

You get a lot of pool for your money with a Bestway® Steel Pro Pool.





## TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

## FRAMELINK™ JOINTS

Corrosion prevention

## FROSTED FINISH


Prevents pool liner from sticking in a hot environment

## TRITECH®

3-layer puncture resistant liner material








## PRODUCT MATRIX - POOL RANGE


	3.05 m x 66 cm 10' x 26"	Steel Pro® Round Pool	PG. 18
Distr.	3.05 m x 76 cm 10′ x 30″	Steel Pro® Round Pool	PG. 20
Tank D	3.66 m x 76 cm 12' x 30"	Steel Pro® Round Pool	PG. 20
Bestinay 1910 Ma	2.21 m x 1.50 m x 43 cm 7′3″ x 59″ x 17″	Steel Pro® Rectangular Pool	Refer to International Catalog
	2.59 m x 1.70 m x 61 cm 8'6" x 67" x 24"	Steel Pro® Rectangular Pool	Refer to International Catalog
Safety Common Co	3.00 m x 2.01 m x 66 cm 9′10″ x 6′7″ x 26″	Steel Pro® Rectangular Pool	Refer to International Catalog
	3.66 m x 2.01 m x 66 cm 12' x 6'7" x 26"	Steel Pro® Rectangular Pool	Refer to International Catalog
Tentary A A	4.00 m x 2.11 m x 81 cm 13'1" x 6'11" x 32"	Steel Pro® Rectangular Pool	Refer to International Catalog

## STEEL PRO®


**ABOVE GROUND POOLS** 













Packaging: Full Color Box

## 3.05 m x 66 cm / 10' x 26"

ITEM	REGION	PACK	KG (LBS)
56985	Europe	1	15.7 (34.5)




## STEEL PRO®

**ABOVE GROUND POOLS** 







Water Capacity (90%): 4,678 L (1,236 gal.)

3.05 m x 7	6 cm / 10' x 30"			<b>6 d</b>		U
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
56677	Europe	1	16.3 (35.9)			
56678	Oceania	1	18.3 (40.3)	1,249 L / 330 gal.	220-240V	TYPE: I
56679	Europe	1	18.5 (40.7)	1,249 L / 330 gal.	220-240V	TYPE: I
56679	Asia, Africa & Latin America	1	18.5 (40.9)	1,249 L / 330 gal.	220-240V	TYPE: I
56678	Asia, Africa & Latin America	1	18.5 (40.9)	1,249 L / 330 gal.	110-120V	TYPE: I

Water Capacity (90%): 6,473 L (1,710 gal.)

3.66 m x 7	6 cm / 12' x 30"			80 0	7	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
56706	Europe	1	20.3 (44.7)			
56680	Oceania	1	22.3 (49.2)	1,249 L / 330 gal.	220-240V	TYPE: I
56681	Europe	1	22.5 (49.6)	1,249 L / 330 gal.	220-240V	TYPE: I
56681	Asia, Africa & Latin America	1	22.6 (49.8)	1,249 L / 330 gal.	220-240V	TYPE: I
56680	Asia, Africa & Latin America	1	22.6 (49.8)	1,249 L / 330 gal.	110-120V	TYPE: 1




## STEEL PRO MAX<sup>™</sup> ROUND

These pools take fun, durability and reliability to the MAX.

The Steel Pro MAX™ above ground pool is designed with a steel frame for increased strength and durability. With the FrameLink™ or ClickConnect™ Joints included, the Steel Pro MAX is an impressive, long-lasting pool!





## TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

## FRAMELINK™ JOINTS

Corrosion prevention

## **CLICKCONNECT™ JOINTS**

Quick-click system and rust prevention

## FROSTED FINISH

Prevents pool liner from sticking in a hot environment

## **TRITECH®**

3-layer puncture resistant liner material

## PRISMATIC STONE™

Inner liner











Estary V.C. Audi	3.05 m x 76 cm 10′ x 30″	Steel Pro MAX™Pool	Refer to International Catalog
Ritte	3.66 m x 76 cm 12' x 30"	Steel Pro MAX**Pool	Refer to International Catalog
Train .	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX <sup>®</sup> Pool	Refer to International Catalog
	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX*Pool	PG. 24
	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX* Pool	PG. 26
	3.66 m x 1.22 m 12′ x 48″	Steel Pro MAX <sup>™</sup> Pool	Refer to International Catalog
	3.96 m x 1.07 m 13' x 42"	Steel Pro MAX*Pool	Refer to International Catalog
	3.96 m x 1.22 m 13′ x 48″	Steel Pro MAX"Pool	Refer to International Catalog
Right	4.27 m x 84 cm 14' x 33"	Steel Pro MAX <sup>™</sup> Pool	Refer to International Catalog


4.27 m x 1.07 m 14' x 42"	Steel Pro MAX* Pool	Refer to International Catalog
4.27 m x 1.07 m 14' x 42"	Steel Pro MAX" Pool	PG. 26
4.27 m x 1.22 m 14' x 48"	Steel Pro MAX*Pool	Refer to International Catalog
4.57 m x 1.07 m 15′ x 42″	Steel Pro MAX*Pool	PG. 28
4.57 m x 1.07 m 15′ x 42″	Steel Pro MAX" Pool	Refer to International Catalog
4.57 m x 1.22 m 15′ x 48″	Steel Pro MAX*Pool	Refer to International Catalog
4.88 m x 1.22 m 16′ x 48″	Steel Pro MAX*Pool	Refer to International Catalog
5.49 m x 1.22 m 18′ x 48″	Steel Pro MAX" Pool	Refer to International Catalog
	4.27 m x 1.07 m 14' x 42"  4.27 m x 1.22 m 14' x 48"  4.57 m x 1.07 m 15' x 42"  4.57 m x 1.07 m 15' x 42"  4.57 m x 1.22 m 15' x 48"  4.88 m x 1.22 m 16' x 48"  5.49 m x 1.22 m	14' x 42"       MAX" Pool         4.27 m x 1.07 m 14' x 42"       Steel Pro MAX" Pool         4.27 m x 1.22 m 14' x 48"       Steel Pro MAX" Pool         4.57 m x 1.07 m 15' x 42"       Steel Pro MAX" Pool         4.57 m x 1.07 m 15' x 42"       Steel Pro MAX" Pool         4.57 m x 1.22 m 15' x 48"       Steel Pro MAX" Pool         5.49 m x 1.22 m 16' x 48"       Steel Pro MAX" Pool         5.49 m x 1.22 m 16' x 48"       Steel Pro MAX" Pool

## STEEL PRO MAX™ ROUND


**ABOVE GROUND POOLS** 













Packaging: Full Color Box

FEATURES & TECHNOLOGIES

## 3.66 m x 1.00 m / 12' x 39.5"

				TO D	,	UIJ	- L-
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56709	Europe	1	38.0 (83.8)	2,006 L / 530 gal.	220-240V	TYPE: II	√
56709	Asia, Africa & Latin America	1	36.8 (81.1)	2,006 L / 530 gal.	220-240V	TYPE: II	$\checkmark$




## STEEL PRO MAX<sup>™</sup> ROUND

**ABOVE GROUND POOLS** 










Pattern

Bottom

Hardware



TRITECH\*
CONSTRUCTION

### CONVENIENCE



Drain Valve



Corrosion

Resistant









Packaging: 12' x 39.5" = Full Color Box 14' x 42" = Sturdy Cardboard Box with Pictures Water Capacity (90%): 9,150 L (2,417 gal.)

## 3.66 m x 1.00 m / 12' x 39.5"

O.OO III A	HOO III / IE A O/IO			( <u>a</u> <u>b</u>	/	-	1
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
5614X	Europe	1	38.0 (83.8)	2,006 L / 530 gal.	220-240V	TYPE: II	√
5614X	Asia, Africa & Latin America	1	36.8 (81.1)	2,006 L / 530 gal.	220-240V	TYPE: II	√

Water Capacity (90%): 13,030 L (3,440 gal.)

## 4.27 m x 1.07 m / 14' x 42"


4.2/ 111	X 1.07 III / 14 X 42			<u>&amp; d</u>		W	And in constitution of	7. 17
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5614Z	Europe	1	53.7 (118.3)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√
5614Z	Asia, Africa & Latin America	1	51.9 (114.4)	3,028 L / 800 gal.	220-240V	TYPE: II	√	$\checkmark$




## STEEL PRO MAX™ ROUND

**ABOVE GROUND POOLS** 












Hardware



Resistant





Water Capacity (90%): 14,970 L (3,955 gal.)

4	%): 14,970 L (3,955 gal.) X 1.07 m / 15' X 42"				4			ূ
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56686	North America	1	56.0 (123.4)	3,028 L / 800 gal.	110-120V	TYPE: III - A/C	√	<b>√</b>
56686	Oceania	1	56.0 (123.4)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√
56488	Europe	1	57.7 (127.3)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√
56488	Asia, Africa & Latin America	1	55.8 (123.0)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√
56686	Asia. Africa & Latin America	1	55.8 (123.0)	3,028 L / 800 gal.	110-120V	TYPE: III - A/C	√	√



# STEEL PRO MAX™ RECTANGULAR

## The smart choice.

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Steel Pro MAX™ Pool the smart choice for families.





## TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

## **CLICKCONNECT™ JOINTS**

Quick-click system and rust prevention

## FROSTED FINISH


Prevents pool liner from sticking in a hot environment

### TRITECH®

3-layer puncture resistant liner material







## PRODUCT MATRIX - POOL RANGE


	2.82 m x 1.96 m x 84 cm 9′3″ x 6′5″ x 33″	Steel Pro MAX™ Rectangular Pool	Refer to International Catalog
	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Steel Pro MAX™ Rectangular Pool	PG. 34
Maria Maria	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Steel Pro MAX™ Rectangular Pool	PG. 32
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 34
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 32
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 36
	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 36
	6.40 m x 2.74 m x 1.32 m 21' x 9' x 52"	Steel Pro MAX™ Rectangular Pool	PG. 36


## STEEL PRO MAX™ RECTANGULAR

**ABOVE GROUND POOLS** 













Bottom





TRITECH\* CONSTRUCTION

## CONVENIENCE



Drain Valve



Corrosion Resistant



C-Connector



Required



Packaging: Sturdy Cardboard Box with Pictures

Water Capacity (90%): 6,478 L (1,711 gal.)

	2.01 m x 1.00 m / 13'3" )	x 6'7" x 39.5	9		4		題
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56721	Europe	1	61.5 (135.6)	2,006 L / 530 gal.	220-240V	TYPE: II	√
56721	Asia, Africa & Latin America	1	59.9 (132.0)	2,006 L / 530 gal.	220-240V	TYPE: II	$\checkmark$

Water Capacity (90%): 8,124 L (2,146 gal.)


4.12 m x 2	.01 m x 1.22 m / 13'6" x	6'7" x 48"		80 0	4		趙
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56722	Europe	1	74.1 (163.4)	2,006 L / 530 gal.	220-240V	TYPE: II	√
56722	Asia, Africa & Latin America	1	71.9 (158.6)	2,006 L / 530 gal.	220-240V	TYPE: II	✓




## STEEL PRO MAX™ RECTANGULAR


**ABOVE GROUND POOLS** 











TRITECH\* CONSTRUCTION

## CONVENIENCE





Corrosion



C-Connector







Packaging: Sturdy Cardboard Box with Pictures

FEATURES & TECHNOLOGIES

## 4.04 m x 2.01 m x 1.00 m / 13'3" x 6'7" x 39.5"



4



ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	LADDER
56442	Europe	1	67.1 (147.9)	3,596 L / 950 gal.	220-240V	√
56442	Asia, Africa & Latin America	1	65.6 (144.5)	3,596 L / 950 gal.	220-240V	V

Water Capacity (90%): 8,124 L (2,146 gal.)

4.12 m x	2.01 m x 1.22 m / 13	3'6" x 6'7	" X 48"			4		趙
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	SAND FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56456	Europe	1	74.1 (163.4)	2,006 L / 530 gal.		220-240V	Type: II	√
56456	Asia, Africa & Latin America	1	71.9 (158.6)	2,006 L / 530 gal.	-	220-240V	Type: II	√
56457	Europe	1	81.0 (178.6)	-	3,596 L / 950 gal.	220-240V	-	✓
56457	Asia, Africa & Latin America	1	78.8 (173.6)		3,596 L / 950 gal.	220-240V	=	√



## Water Capacity (90%): 11,532 L (3,046 gal.)

## 4.88 m x 2.44 m x 1.22 m / 16' x 8' x 48"

				-65	7	MATHIN	月且
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
56671	Europe	1	102.4 (225.6)	3,596 L / 950 gal.	220-240V	√	√
56671	Asia, Africa & Latin America	1	99.6 (219.6)	3,596 L / 950 gal.	220-240V	<b>√</b>	√

À

Water Capacity (90%): 14,812 L (3,913 gal.)

## 5.49 m x 2.74 m x 1.22 m / 18' x 9' x 48"

					7	W.TITITI	月且
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
56466	Europe	1	111.8 (246.5)	6,056 L / 1,600 gal.	220-240V	√	√
56466	Asia, Africa & Latin America	1	109.3 (241.0)	6,056 L / 1,600 gal.	220-240V	√	√

Water Capacity (90%): 19,281 L (5,094 gal.)

## 6.40 m x 2.74 m x 1.32 m / 21' x 9' x 52"

				4	W. H.	顏	
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
5612B	Europe	1 Ea., 2 boxes	139.5 (307.5)	6,056 L / 1,600 gal.	220-240V	V	√
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	137.5 (303.2)	6,056 L / 1,600 gal.	220-240V	√	√



# STEEL PRO MAX<sup>TM</sup> SPLASHVIEW<sup>TM</sup>

These pools offer both kids and parents a truly unique experience.

With built-in windows, kids can wave to onlookers while gliding by, and parents can easily keep an eye on them as they swim underwater!





#### TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

#### **CLICKCONNECT™ JOINTS**

Quick-click system and rust prevention

#### FROSTED FINISH

Prevents pool liner from sticking in a hot environment

#### TRITECH®

3-layer puncture resistant liner material







#### PRODUCT MATRIX - POOL RANGE


	4.27 m x 1.07 m - 14′ x 42″	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
	4.88 m x 1.22 m - 16′ x 48″	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
Statistics of the state of the	4.27 m x 2.50 m x 1.00 m 14' x 8'2" x 39.5"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
Strategy 0	4.88 m x 3.05 m x 1.07 m 16' x 10' x 42"	Steel Pro MAX™ Splashview™ Oval Pool	PG. 40
The state of the s	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Splashview™ Rectangular Pool	PG. 42

# STEEL PRO MAX<sup>™</sup> SPLASHVIEW<sup>™</sup>


**ABOVE GROUND POOLS** 













Packaging: Sturdy Cardboard Box with Pictures Water Capacity (90%): 10,949 L (2,893 gal.)

4.88 m x 3.0	05 m x 1.07 m / 16' x	10' X 42"		205	7	Property and	开县
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
56946	Europe	1	76.0 (167.5)	3,596 L / 950 gal.	220-240V	√	√
56946	Asia, Africa & Latin America	1	75.2 (165.7)	3,596 L / 950 gal.	220-240V	√	$\checkmark$





# STEEL PRO MAX<sup>™</sup> SPLASHVIEW<sup>™</sup>

**ABOVE GROUND POOLS** 










Drain Valve



Corrosion

C-Connector

Required



Packaging: Sturdy Cardboard Box with Pictures Water Capacity (90%): 11,532 L (3,046 gal.)

	s): 11,532 L (3,046 gal.)  2.44 m x 1.22 m / 16	' x 8' x 48	3"	0 0	4		M. Than	題
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561MC	North America	1	96.1 (211.9)	3,028 L / 800 gal.	110-120V	Type: III - A/C	√	<b>√</b>
561MC	Oceania	1	96.1 (211.9)	3,028 L / 800 gal.	220-240V	Type: II	√	√
561MB	Europe	1	98.4 (217.0)	3,028 L / 800 gal.	220-240V	Type: II	√	√
561MB	Asia, Africa & Latin America	1	95.4 (210.4)	3,028 L / 800 gal.	220-240V	Type: II	√	√
561MC	Asia, Africa & Latin America	1	95.4 (210.4)	3,028 L / 800 gal.	110-120V	Type: III - A/C	√	√




## TANX

# The look of a stock tank pool meets the convenience of a Bestway® pool.

With an innovative structure, new pool owners can quickly create the backyard of their dreams.





#### TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

#### **FASTLATCH™ SYSTEM**

Fast and easy setup

GALVANIZED STEEL WALL

#### POLAR-SHIELD™

Can stay up all year long










### **TANX**<sup>TM</sup>

## STOCK TANK ABOVE GROUND POOLS







	Water Capacity (90'	%): 3,790 L	(1,001	gal.)
EVA		ally a sale water and a second		200

#### 3.05 m x 61 cm / 10' x 24"

3.05 III X 61 CIII / 10 X 24		V.	16 0	, ,			
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER
561RV	North America	11	52.3 (115.4)	1,249 L / 330 gal.	110-120V	Type: I	√
561RV	Oceania	1	51.8 (114.1)	1,249 L / 330 gal.	220-240V	Type: I	√
561RW	Europe	1	51.5 (113.5)	1,249 L / 330 gal.	220-240V	Type: I	$\checkmark$





## **AGPACCESSORIES**

Bestway® offers a range of pool products to take care of maintenance and cleaning so you can enjoy your pool (and relaxation!) for many years to come!

50

AquaTronix™ G150 Robotic Pool Vacuum

**52** 

Round Pool Dome

53

Floor Protector

AQUATRONIX™ G150
ROBOTIC POOL VACUUM
58960

AGP ACCESSORIES





#### **MAIN FEATURES:**

- Recommended for flat-bottom above ground pools up to 30 m² (323 ft.²) in total area
- · Recommended pool sizes:

Round - Up to 6.1 m (20') in diameter

Rectangular - Up to 7.32 m (24') in length

Oval - Up to 7.32 m (24') in length

- · Not compatible with steel wall pools
- · Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- · Built-in rechargeable battery runs for approximately 60 min. & recharges in 3.5-6 hours
- · Cordless design for full range motion; eliminates tangled cords
- . Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- . Directional jet system creates optimal movability and pivots easily when encountering walls or obstacles


- · Top handles for quick direction changes & easy retrieval from the water
- · Large 2.0 L (0.53 gal.) easy-to-clean debris compartment
- · Quick-click buckle clasps for easy assembly and maintenance
- Full color box
- 1 Ea., 3.9 kg (8.6 lbs)



# ROUND POOL DOME 58612

**AGP ACCESSORIES** 





#### MAIN FEATURES:

- Compatible with above ground pools up to 4.88 m (16') in diameter
- UPF 50+ sun protection
- 2 entry points & 8 large, transparent windows
- Setup time: 30 min.
- Full color box

ITEM	SIZE	CORRESPONDING POOL - FITS:	PACK	KG (LBS)
58612	6.00 m x 6.00 m x 2.95 m / 19'8" x 19'8" x 9'8"	Up to 4.88 m / 16'	î	20.7 (45.7)

# FLOOR PROTECTOR 58639

**AGP ACCESSORIES** 





#### **MAIN FEATURES:**

- Product Coverage: 2.25 sq. m / 24.2 sq. ft.
- · Multiple packages may be needed to cover the desired area
- · Durable polyethylene
- · Provides added protection for pools or spas
- Grey color allows differentiation from all the standard floor protectors and better matches with medium/high level pools
- · Shrink wrapped with insert card

ITEM	SIZE	CONTENT	COLORS	PACK	KG (LBS)
58639	50 cm x 50 cm / 20" x 20"	9 Pieces	0	30	22.8 (50.3)





## **HOTTUBS**


Nearly a decade of advanced engineering and innovations have built a global name that people know and trust. Lay-Z-Spa® offers an affordable hot tub experience that's convenient to use, easy to set up and offers total relaxation.

2	Miami AirJet™ 4 Black
6	Boracay AirJet™ 4 Blue Marble
2	Palm Springs AirJet™ 6 Sand
6	Mauritius AirJet™ 7 Grey
27	Helsinki AirJet™ 7 Brown Barre

#### PRODUCT MATRIX: HOT TUBS RANGE


#### STANDARD SERIES

#### NEW GEN



KEY **FEATURES:** 

PAGE



Refer to

International catalog



P. 62



Refer to

International catalog



INTEGRATED SEATS

Refer to

International catalog



INTEGRATED PUMP



P. 66



INTEGRATED NOZZLES

Refer to

International catalog

Refer to

International catalog

#### MAXHOLD™ SERIES

#### NEW GEN

	- Williams						UNITED
PRODUCT NAME	PALM SPRINGS AIRJET™ 6 SAND	HAWAII AIRJET™ 6 TERRACOTTA	HAWAII AIRJET™ 6 BLUE	HAWAII AIRJET™ 8 GREY	BALI AIRJET™ 6 GREY RATTAN	BALI AIRJET™ 7 BROWN RATTAN	ROME AIRJET™ 6 BROWN MARBLE
ITEM NUMBER	60017	6001G	6001H	6001J	6001N	6001P	6001K
CAPACITY	4- 6 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	6-8 PEOPLE	4-6 PEOPLE	5~7 PEOPLE	4-6 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH*	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®
PUMP TYPE	EXTERNAL	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT"	ULTRAFIT**	ULTRAFIT™
MASSAGE TECH	AIRJET**	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™
CONSTRUCTED SIZE	1.96 M X 71 CM 77" X 28"	1.96 M X 71 CM 77" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"	2.36 M X 71 CM 93" X 28"	1.96 M X 71 CM 77" X 28"	2.16 M X 71 CM 85" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"
WATER CAPACITY	916 L (242 GAL.)	980 L (259 GAL.)	840 L (222 GAL.)	1,440 L (380 GAL.)	980 L (259 GAL.)	1,260 L (333 GAL.)	840 L (222 GAL.)
NUMBER OF AIRJETS	140	140	140	190	140	180	140
NUMBER OF WATER JETS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
KEY FEATURES	***	<b>⋑ 🕸 IP</b>	₹ IP	₹ IP	n n n n n n n n n n n n n n n n n n n	P # IP	<b>₹ №</b>
PAGE	P. 72	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog

KEY FEATURES:





-Ö- LED LIGHTS












#### PRODUCT MATRIX: HOT TUBS RANGE

#### MAXHOLD" SERIES



KEY FEATURES:

PAGE



SMARTPHONE APP



FREEZE SHIELD®

Refer to

International catalog



LED LIGHTS

P. 76





INTEGRATED SEATS

Refer to

International catalog



INTEGRATED PUMP



Refer to

International catalog

**PILLOW** 



INTEGRATED NOZZLES

Refer to

International catalog

MAXHOLD™ SERIES



PRODUCT NAME	SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE	CABO HYDROJET™ 6 BROWN RATTAN	CARRARA AIRJET™ 6 GREY STONE	TORONTO AIRJET™ 7 BROWN WOOD	HELSINKI AIRJET™ 7 BROWN BARREL
ITEM NUMBER	6001Q	6001R	6001V	6001W	60025
CAPACITY	5-7 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH*	MAXHOLD™ & TRITECH®	THERMACORE™ TRITECH® COVER	THERMACORE™ TRITECH* COVER	FORTIFIBER™
PUMP TYPE	EXTERNAL	EXTERNAL	ULTRAFIT™	ULTRAFIT™	EXTERNAL
MASSAGE TECH	HYDROJET PRO™	HYDROJET™	AIRJET™	AIRJET™	AIRJET™
CONSTRUCTED SIZE	2.30 M X 2.30 M X 71 CM 90.5" X 90.5" X 28"	1.80 M X 1,80 M X 71 CM 71" X 71" X 28"	1.70 M X 65 CM 67" X 25.5"	1,90 M X 70 CM 75" X 27.5"	1.80 M X 66 CM 71" X 26"
WATER CAPACITY	1,180 L (312 GAL.)	795 L (210 GAL.)	850 L (225 GAL.)	1,250 L (331 GAL.)	1,123 L (297 GAL.)
NUMBER OF AIRJETS	180	140	140	180	180
NUMBER OF WATER JETS	10	4	N/A	N/A	N/A
KEY FEATURES				<b>□</b> 🕸 🐠 🗈	9 🕸 ≼0
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 82

KEY FEATURES:





-Ö- LED LIGHTS



€ FOOT MASSAGE










## STANDARD SERIES

#### **PVC CONSTRUCTION**


#### **ESSENTIAL STRENGTH AND COMFORT**

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.



### MIAMI AIRJET™ 4 BLACK 60001









CAPACITY 2-4 PEOPLE

#### MAIN FEATURES:

- . Soothing AirJet™ bubble massage system (120 jets)
- · Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS:

1 liner, 1 cover, 1 pump, filter cartridge (VI), 1 ChemConnect® dispenser, repair patch








Filter Cartridge

ChemConnect®

Tritech® Exterior Cover









#### TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



#### **AIRJET™** MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



#### FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

#### HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER






MAX TEMP 40°C (104"F)




GROUND FAULT
DETECTION SYSTEM

MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

#### DIGITAL CONTROL PANEL





#### SPECIFICATIONS

ITEM NUMBER	60001
WATER CAPACITY	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	695 KG (1,532 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 32.75 KG (72.20 LBS)

### PACKAGING


Full Color Box



# BORACAY AIRJET™ 4 BLUE MARBLE 60175

LAY-Z-SPA®











CAPACITY 2-4

SMARTPHONE

#### MAIN FEATURES:

- . Soothing AirJet™ bubble massage system (120 jets)
- · Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- . Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced cover with lock clips

#### CONTENTS:

1 liner, 1 cover, 1 pump, filter cartridge (VI), 1 ChemConnect® dispenser, repair patch








Filter ChemConnect® Cartridge

Tritech® Exterior Cover









#### TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



#### **AIRJET™** MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



#### FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



#### BESTWAY SMARTPHONE APP

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!

#### HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER






MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS)

#### DIGITAL CONTROL PANEL





#### SPECIFICATIONS

ITEM NUMBER	60175
WATER CAPACITY	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	695 KG (1,532 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 32.83 KG (72.38 LBS)



#### PACKAGING

Full Color Box





# MAXHOLD<sup>TM</sup> SERIES

#### MAXHOLD™ CONSTRUCTION

#### PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.



# PALM SPRINGS AIRJET™ 6 SAND 60017







FREEZE SHIELD®



CAPACITY 4-6 PEOPLE

#### MAIN FEATURES:

- . Soothing AirJet™ bubble massage system (140 jets)
- . Ultra-strong TriTech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- . ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, filter cartridge (VI), repair patch



Filter Cartridge




ChemConnect®



Tritech® Exterior Cover









# TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



## MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the hot tub market.



## **AIRJET™** MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airlets work by releasing warm air into the water, surrounding you with a calming bubble massage.



## FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

## HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER



**GROUND FAULT** 




MAX TEMP 40°C (104°F)




DETECTION SYSTEM

MOST HOT TUBS HAVE GROUND FAULT DETECTION SYSTEM (GDS).

## DIGITAL CONTROL PANEL





## SPECIFICATIONS

ITEM NUMBER	60017
WATER CAPACITY	916 L (242 GAL.)
INFLATED SIZE	1.96 M X 71 CM (77" X 28")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	946 KG (2,086 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 37.45 KG (82.56 LBS)

## PACKAGING

Full Color Box



# MAURITIUS AIRJET™ 7 GREY 60067







FREEZE SHIELD® TECHNOLOGY



CAPACITY 5-7 PEOPLE



SMARTPHONE

#### MAIN FEATURES:

- . Soothing AirJet™ bubble massage system (180 jets)
- · Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- · Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- . Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, filter cartridge (VI), repair patch



3




Filter Cartridge

ChemConnect®

Tritech® Exterior Cover









## TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



### MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the hot tub market.



## **AIRJET™** MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



## FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



## BESTWAY SMARTPHONE APP

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!

## HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER






MAX TEMP 40°C (104°F)




GROUND FAULT
DETECTION SYSTEM

MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

## DIGITAL CONTROL PANEL





## SPECIFICATIONS

ITEM NUMBER	60067
WATER CAPACITY	1,370 L (362 GAL.)
INFLATED SIZE	2.70 M X 1.80 M X 71 CM (8'11" X 71" X 28")
INNER SIZE	2.20 M X 1.30 M (7'3" X 51")
FILLED WEIGHT	1,406 KG (3,099 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0-1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 45.34 KG (99.96 LBS)

## PACKAGING

Full Color Box





# FORTIFIBER<sup>TM</sup> SERIES

## **DROP STITCH CONSTRUCTION**

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. FortiFiber's compact structure also provides durability and more space inside the hot tub.



# HELSINKI AIRJET™ 7 BROWN BARREL 60025

LAY-Z-SPA®

(AY-Z-SPA)

(AY-Z-SPA)





FREEZE SHIELD® TECHNOLOGY



CAPACITY 5-7 PEOPLE



SMARTPHONE APP

#### MAIN FEATURES:

- . Soothing AirJet™ bubble massage system (180 jets)
- . Walls are made of FortiFiber™ material, providing a strong and durable hard-sided hot tub
- · Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- · Program the hot tub heater up to 40 days in advance for future use
- · Built-in Wi-Fi module, hot tub can be controlled through a phone app
- . ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- · Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- · Reinforced safety cover with lock clips

#### CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, 1 high pressure hand pump, filter cartridge (VI), repair patch



(3)




Filter


ChemConnect®

Tritech® Exterior Cover









## FORTIFIBER™ MATERIAL DROP STITCH

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided hot tub.



## **AIRJET™** MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



## FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



## BESTWAY SMARTPHONE APP

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!

## HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER






MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS)

## DIGITAL CONTROL PANEL





## SPECIFICATIONS

ITEM NUMBER	60025
WATER CAPACITY	1,123 L (297 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.70 M (67")
FILLED WEIGHT	1,152 KG (2,540 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0-1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 37.65 KG (83.00 LBS)

## PACKAGING

Full Color Box



## TECHNICAL FEATURES & ACCESSORY COMPATIBILITY











	LAY-Z-SPA® ACCESSORIES	60340 LAY-Z-SPA* HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR	60337 LAY-Z-SPA* 4-IN-1 ACCESSORY TRAY	60327 LAY-Z-SPA* RECHARGEABLE UNDERWATER VACUUM	60321 LAY-Z-SPA" HOT TUB SEAT	60322 LAY-Z-SPA* SOOTHING LED WATERFALL
	6001C MIAMI AIRJET™ 4 DARK BLUE	CHLORINATOR	1.	VACOON	-/-	
	60001 MIAMI AIRJET™ 4 BLACK				3.0	
	60175 BORACAY AIRJET™ 4 BLUE MARBLE		:•:			
	6001D MIAMI AIRJET™ 6 DARK GREEN			*		N.
	60059 HOLLYWOOD AIRJET™ 6 BLACK WAVES			915- 3 JAY 13		
	6001F HOLLYWOOD AIRJET™ 6 MARBLE		(■:			
	6001H HAWAII AIRJET™ 6 BLUE					
	6001K ROME AIRJET™ 6 BROWN MARBLE					
	60017 PALM SPRINGS AIRJET™ 6 SAND		g <b>=</b> 5			3.E.
AIRJET™	6001N BALI AIRJET™ 6 GREY RATTAN					
	6001G HAWAII AIRJET™ 6 TERRACOTTA					
	6001M ROME AIRJET™ 7 SAND MARBLE			i.		
	6001P BALI AIRJET™ 7 BROWN RATTAN		7 <b>.</b> 00			
	60067 MAURITIUS AIRJET™ 7 GREY				•	
	6001W TORONTO AIRJET™ 7 BROWN WOOD					
	6001V CARRARA AIRJET™ 6 GREY STONE					
	60025 HELSINKI AIRJET™ 7 BROWN BARREL		•	e: <b>■</b>	ī	
	6002U IBIZA AIRJET™ 6 DARK GREEN					
	6001J HAWAII AIRJET™ 8 GREY		*			
LIVED OF THE	6001S DOMINICA HYDROJET™ 6 BROWN					
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN				¥	
	6001T SANTORINI HYDROJET PRO™ 7 GREY		*	1		
HYDROJET PRO™	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY		<b>T</b>		(••)	
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE			*	>₩0	

















60304 LAY-Z-SPA* CANOPY	60305 LAY-Z-SPA* DOME	60306 LAY-Z-SPA" DRINK HOLDER	60307 LAY-Z-SPA PILLOW	60316 LAY-Z-SPA* PADDED PILLOW	60310 LAY-Z-SPA* ALL IN ONE TOOL SET	60334 LAY-Z-SPA* FLOOR PROTECTOR	60311 LAY-Z-SPA* FILTER CARTRIDG (VI)
3.		•				•	¥
	*		3000	:•			
•	•		•			2	•
		¥		*	<u> </u>		*
u <b>s</b> i	•			::•:		in the second se	
300	*		*		•	200	
	ř.	×					
•			*	•		<b>3</b> €	
( <b>#</b> 5)		*	**		•	22●8	
	*	×	•		*		*
	*	*		¥.	•	(#)	1
			<b>x</b> .:			X2	
•						X2	
*	·	*				X2	
•				· ·			Ä.
300						:*	
				•			*
		×				) W	×
•	: <b>x</b> :	*	( <b>8</b> ):			X2	
	•	*	<b></b>			•	•
•	34.		*		*	12	
			¥.	*		X2	*
						X2	
*					*	X2	

## **ENERGYSENSE® THERMAL HOT TUB COVER COMPATIBILITY**







	LAY-Z-SPA® ENERGYSENSE® THERMAL HOT TUB COVER	60317 1.87 M X 63 CM 74" X 25"	60318 1.99 M X 68 CM 78" X 27"	60326 2.28 M X 73 CM 90" X 29"
	6001C MIAMI AIRJET™ 4 DARK BLUE			
	60001 MIAMI AIRJET™ 4 BLACK			
	60175 BORACAY AIRJET™ 4 BLUE MARBLE	•		
	6001D MIAMI AIRJET™ 6 DARK GREEN		•	
	60059 HOLLYWOOD AIRJET™ 6 BŁACK WAVES			
	6001F HOLLYWOOD AIRJET™ 6 MARBLE			
	6001H HAWAII AIRJET™ 6 BLUE			
	6001K ROME AIRJET™ 6 BROWN MARBLE			
	60017 PALM SPRINGS AIRJET™ 6 SAND		#	
AIRJET™	6001N BALI AIRJET™ 6 GREY RATTAN		ř.	
	6001G HAWAII AIRJET™ 6 TERRACOTTA			
	6001M ROME AIRJET™ 7 SAND MARBLE			
	6001P BALI AIRJET™ 7 BROWN RATTAN			
	60067 MAURITIUS AIRJET™ 7 GREY			
	6001W TORONTO AIRJET™ 7 BROWN WOOD			
	6001V CARRARA AIRJET™ 6 GREY STONE			
	60025 HELSINKI AIRJET™ 7 BROWN BARREL	•		
	6002U IBIZA AIRJET™ 6 DARK GREEN			
	6001J HAWAII AIRJET™ 8 GREY			
	6001S DOMINICA HYDROJET™ 6 BROWN			
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN			
	6001T SANTORINI HYDROJET PRO™ 7 GREY			
HYDROJET PRO™	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY			
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE			









60331 2.43 M X 70 CM	60319 1.85 M X 1.85 M X 68 CM	60332 2.08 M X 2.08 M X 79 CM	60333 2.37 M X 2.37 M X 70 CM
96" X 27.5"	73" X 73" X 27"	82" X 82" X 31"	93″ X 93″ X 27.5″
	:		
		<b>.</b>	





# WATERSPORTS

The wide range of kayaks and sport boats offered by Bestway® means every water explorer can find exactly what they're looking for. From different sizes to materials, these kayaks are perfect for beginners and advanced adventurers.

96 Surge Elite™ X1 Kayak Set

Angler Elite™ X1 Fishing Kayak Set

**98** Arrow Elite™ X1 Kayak Set

**101** Beacon Elite™ Sport Boat Set



## **ENHANCED MATERIALS**



- ENHANCES PUNCTURE-RESISTANCE
- INCREASES TENSILE STRETCH-RESISTANCE FOR RIGIDITY AND SPEED WHEN PADDLING
- IMPROVES PRESSURE RETENTION, MAXIMIZING STABILITY AND MINIMIZING AIR LOSS



 COMPOSED OF THOUSANDS OF DROP STITCH THREADS CREATING A DURABLE, RIGID STRUCTURE THAT IS ALSO LIGHTWEIGHT AND PORTABLE




 ENGINEERED FOR DURABILITY WITH ENHANCED ABRASION RESISTANCE AND IS MORE PUNCTURE-RESISTANT (THAN A STANDARD PVC KAYAK/RAFT/BOAT)



 HAS GREATER PRESSURE RETENTION & RIGIDITY WITH INCREASED PUNCTURE-RESISTANCE & DURABILITY AGAINST THE ELEMENTS (THAN A STANDARD PVC KAYAK)

## **HYDRO FORCE® KAYAKS RANGE**



ITEM N.	65176	65077	65132	65118	65052
NAME	RAPID™ X1 KAYAK SET	RAPID™ X2 KAYAK SET	RAPID™ X3 KAYAK SET	VENTURA ELITE™ X1 KAYAK SET	VENTURA ELITE™ X2 KAYAK SET
CAPACITY (PEOPLE)	1	2	3	1	2
SIZE	2.90 m x 91 cm 9' 6" x 36"	3.21 m x 1.00 m 10' 6" x 39"	3.81 m x 1.00 m 12'6" x 39	2.80 m x 86 cm 9'2" x 34"	3.30 m x 86 cm 10' 10" x 34"
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	INFLATA-SHIELD PRO™	COATED NYLON	COATED NYLON
PADDLE		X2	X2	•	X2
HAND PUMP		*	•		34
REMOVABLE FIN	X2	X2	X2	X2	X2
REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH
SEAT		X2	Х3	. •	X2
CARRY BAG		Ÿ	*		
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog





ITEM N.	65115	65131	65178	65179	65180	65197
NAME	COVE CHAMPION™ X1 KAYAK SET	COVE CHAMPION™ X2 KAYAK SET	DASH ELITE™ X1 KAYAK SET	ARROW ELITE™ X1 KAYAK SET	SURGE ELITE™ X1 KAYAK SET	ANGLER ELITE™ X1 FISHING KAYAK SET
CAPACITY (PEOPLE)	1	2	1			
SIZE	2.75 m x 81 cm 9' x 32"	3.31 m x 88 cm 10' 10" x 35"	3.35 m x 92 cm x 30 cm 11' x 36" x 12"	3.65 m x 73 cm x 30 cm 12' x 29" x 12"	3.12 m x 94 cm x 30 cm 10′ 3″ x 37″ x 12″	3.80 m x 99 cm 12' 6" x 39"
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	FORTIFIBER™ AIRE, TOUGHLITE™ TPU	FORTIFIBER™	TRITECH*	FORTIFIBER™ AIRE, RIPSTOP COVER
PADDLE		X2	•			
HAND PUMP			(*.			
REMOVABLE FIN	X2	X2	X2	X2	X2	X2
REPAIR KIT / PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR KIT	REPAIR KIT	REPAIR PATCH	REPAIR KIT
SEAT		X2	•			
CARRY BAG			420D BACKPACK	1680D BACKPACK	1680D BACKPACK	1680D BACKPACK
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	p. 98	p. 96	p. 97

SURGE ELITE™ X1 KAYAK SET





#### **COMPLIANCE / CERTIFICATION:**

- . User Capacity: 1 adult
- · Weight Capacity: 130 kg (286 lbs)

#### STRUCTURE SPECS:

- Inflated Size: 3.12 m x 94 cm x 30 cm / 10' 3" x 37" x 12"
- Deflated Size: 3.16 m x 97 cm / 10' 4" x 38"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Tritech® 3-ply construction is engineered for durability with enhanced abrasion resistance and is more puncture-resistant\* (than a standard PVC kayak)
- Rigid, inflatable, self-bailing floor provides stability with drain holes that let out excess water to help keep the cockpit dry
- Designed for efficient maneuverability and spray protection in rough water

#### **FEATURES & DESIGN:**

- 1 adjustable, molded foam seat with supportive high back and storage compartment
- . Inflatable booster pad for elevated seating
- 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 3.5/5; Speed: 4/5; Tracking: 3/5; Maneuverability: 4.5/5
- . Elastic cords for added storage
- · Premium, durable backpack with large front pocket
- . 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- 2800 mL dual action hand pump with 0.5-2.0 PSI pressure gauge (analog)

#### VALVES:

· Quick inflation/deflation Boston Valves

#### PACKAGING:

- · Full color box
- \* 1 Ea., 15.4 kg (33.9 lbs)

#### CONTENTS:

 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 seat booster pad, 1 footrest, 1 backpack, repair patch



# **ANGLER ELITE™** X1 FISHING KAYAK SET 65197 ·



Measure Your Catch up to 0.6 m (24 in.)

#### COMPLIANCE / CERTIFICATION:

- . User Capacity: 1 adult
- · Weight Capacity: 180 kg (397 lbs)

#### STRUCTURE SPECS:

- Inflated Size: 3.80 m x 99 cm / 12' 6" x 39"
- Deflated Size: 3.86 m x 1.02 m / 12' 8" x 40"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Puncture-resistant ripstop cover has 2x greater pressure retention & rigidity\* with increased durability against the elements (\*compared to a standard PVC kayak)
- FortiFiber™ Aire drop stitch internal threads create a lightweight, premium floor for maximum rigidity and is designed for improved stability and speed with non-skid EVA mat in the center of the floor
- · Spacious design with enhanced stability and added fishing features

#### **FEATURES & DESIGN:**

- 1 removable galvanized steel seat to use on the kayak or the shoreline with storage compartments under and a zip pocket behind
- 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 4.75/5; Speed: 4/5; Tracking: 4/5; Maneuverability: 3.5/5
- Oar clasps to secure paddle when not in use
- · Keel features a water separator for better tracking and improved speed
- . 3 Multi-Mount™ universal bases fit most fishing accessories, such as cup holders, rod holders, anchor cleats, and beyond (not included)
- · Non-skid EVA mat
- . Elastic cords for added storage
- · Fish measuring tool/built-in ruler to measure your catch
- · Partial grab ropes with built-in D-rings make it easier to hold onto and re-enter the kayak
- · Premium, durable backpack with large front pocket
- · 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- · Single action hand pump with pressure gauge (analog)







• 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 footrest, 1 backpack, repair kit



# ARROW ELITE™ X1 KAYAK SET 65179

TOURING



Adjustable, Molded Foam Seat

#### COMPLIANCE / CERTIFICATION:

- . User Capacity: 1 adult
- . Weight capacity: 160 kg (352 lbs)

#### STRUCTURE SPECS:

- Inflated Size: 3.65 m x 73 cm x 30 cm / 12' x 29" x 12"
- Deflated Size: 3.63 m x 62 cm / 11' 11" x 24"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- FortiFiber™ drop stitch construction is made of internal threads that are engineered for supreme rigidity, maximum strength, speed and tracking
- · Narrow shape cuts through water to quickly cover long distances

#### FEATURES & DESIGN:

- 1 adjustable, molded foam seat with supportive high back and storage compartment
- . 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 2.75/5; Speed: 5/5; Tracking: 5/5; Maneuverability: 2.75/5
- · Elastic cords for added storage
- · Premium, durable backpack with large front pocket
- · 4 heavy-duty carry handles
- . 230 cm (91") aluminum paddle (#62174)
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)

#### VALVES:


· High pressure inflation/deflation valves

#### PACKAGING:

- · Full color box
- 1 Ea., 21.9 kg (48.4 lbs)


#### CONTENTS:

 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 footrest, 1 backpack, repair kit





## **HYDRO FORCE® BOATS RANGE**



ITEM N.	65177	65046	65049	65185
NAME	CORINTH ELITE™ SPORT BOAT SET	CASPIAN ELITE™ SPORT BOAT SET	MIROVIA ELITE™ SPORT BOAT SET	BEACON ELITE ** SPORT BOAT SET
CAPACITY (PEOPLE)	2 ADULTS	2 ADULTS	5 ADULTS	5 ADULTS
SIZE	2.30 m x 1.30 m x 33 cm 7' 6" x 51" x 13"	2.30 m x 1.30 m x 33 cm 7' 6" x 51" x 13"	3.30 m x 1.62 m x 44 cm 10' 10" x 64" x 17"	3.35 m x 1.60 m x 47 cm 11' x 63" x 18.5"
MATERIAL	TRITECH®	TRITECH® / FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR
HAND PUMP		8	•	
REPAIR KIT				
PAIR OF OARS				
CARRY BAG				
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	p. 101

# BEACON ELITE™ SPORT BOAT SET 65185





### STRUCTURE SPECS:

User Capacity: 5 adults
Weight Capacity: 640 kg (1,411 lbs)

- Inflated Size: 3.35 m x 1.60 m x 47 cm / 11' x 63" x 18.5"
- Deflated Size: 3.32 m x 1.92 m / 10' 11" x 76"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Tritech® 3-ply wall construction is engineered for durability with enhanced abrasion resistance and is more punctureresistant (than a standard PVC boat)
- FortiFiber™ floor construction is composed of thousands of drop stitch threads, which creates a durable, rigid structure that is also lightweight and portable

#### **FEATURES & DESIGN:**

- · Sturdy aluminum bench seat
- · Omni-directional oarlocks
- · Durable strake protects against impact and friction
- Partial grab ropes with built-in grommets make it easier to hold onto and re-enter the boat
- 15 HP motor mount with tube transom (motor not included)
- · Secure tie-down for oil and gas can
- · Easy setup no tools required
- · Carry bag for easy transportation and storage
- . 5 heavy-duty carry handles
- 1 pair of 162 cm (64") aluminum oars
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)





# SUMMER

Bestway® has all the makings for summertime fun. Stylish and comfortable lounges, outdoor mega water parks, bouncers and family pools, and more make it the best summer ever for your customers. Live It Up this summer with Bestway!

104	Flex 'N Fold™ Recliner Lounge
105	Flex 'N Fold™ Lounge
106	Everluxe™ Hammock Lounge
107	Everluxe™ Noodle Chair
108	Everluxe™ Floating Mat
110	Blue Rectangular Family Pool
111	Purrfect Pets™ Playhouse
112	Jump and Soar™ Mega Bouncer
114	Super Speedway™ Mega Water Park
116	Mount Splashblast™ Mega Water Park
118	Turbo Splash™ Mega Water Park

FLEX 'N FOLD™
RECLINER LOUNGE

43733 SUMMER






Mesh

- 1.88 m x 98 cm x 38 cm / 74" x 38.5" x 15"
- · Convenient pop-up structure is ready for inflation in seconds
- . Easy to twist and fold for quick and compact storage
- · Comfortable and damage-resistant fabric construction
- . ComfortCool™ soft mesh provides a relaxing cooling effect
- · Comfortable reclined backrest
- 1 cup holder
- 2 air chambers
- Weight Capacity: 140 kg (309 lbs)
- · Carry bag with round insert card + PDQ
- 8 Ea., 15.9 kg (35.1 lbs)





# FLEX 'N FOLD™ LOUNGE 43552







ComfortCool™

Mesh

- . 1.71 m x 94 cm x 16 cm / 67.5" x 37" x 6"
- · Convenient pop-up structure is ready for inflation in seconds

Cup Holder

- · Easy to twist and fold for quick and compact storage
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Built-in supportive pillow
- 1 cup holder
- · 2 air chambers
- Weight Capacity: 130 kg (287 lbs)
- Carry bag with round insert card + PDQ
- . 8 Ea., 13.9 kg (30.6 lbs)





# **EVERLUXE™ HAMMOCK LOUNGE**

43909

AGE 14+ | SUMMER



ComfortCool™ Mesh



UV Protected Fabric



#### MAIN FEATURES:

- 1.22 m x 65 cm x 15 cm / 48" x 25" x 6"
- 4-in-1 convertible structure use as a flat lounge, pool chair, hammock or saddle seat
- · Quick-drying, smooth and resilient UV protected fabric
- · Lightweight foam beads provide buoyancy
- ComfortCool™ soft mesh provides a relaxing cooling effect
- · Adjustable shoulder strap float folds and rolls for easy transport
- Weight Capacity: 100 kg (220 lbs)
- · Hangtag + PDQ
- . 4 Ea., 4.6 kg (10.1 lbs)





# EVERLUXE™ NOODLE CHAIR 439○8 •••

AGE 14+ | SUMMER



ComfortCool™ Mesh




UV Protected Fabric



### **MAIN FEATURES:**

- 92 cm x 66 cm x 20 cm / 36" x 26" x 8"
- · Quick-drying, smooth and resilient UV protected fabric
- · Lightweight foam beads provide buoyancy
- . ComfortCool™ soft mesh provides a relaxing cooling effect
- Weight Capacity: 100 kg (220 lbs)
- · Hangtag + PDQ
- 10 Ea., 18.3 kg (40.3 lbs)





# EVERLUXE™ FLOATING MAT



#### MAIN FEATURES:

- 1.83 m x 90 cm x 20 cm / 72" x 35" x 8"
- · Quick-drying, smooth and resilient UV protected fabric
- · Lightweight foam beads provide buoyancy
- · Durable mesh bottom for quick and easy drainage
- 2 convenient nylon carry handles for easy transport
- 1 lounge
- Weight Capacity: 140 kg (309 lbs)
- · Hangtag + PDQ
- . 4 Ea., 15.6 kg (34.5 lbs)







## BLUE RECTANGULAR FAMILY POOL 54150


AGE 3+ | SUMMER



- 3.05 m x 1.83 m x 46 cm / 10' x 6' x 18"
- · Textured pattern on outer walls
- 2 equal rings
- Extra wide sidewalls
- Releases pool water with the easy-to-use drain valve
- Interlocking quick-release valve
- Water Capacity: 850 L (224 gal.)
- Full color box
- 2 Ea., 12.5 kg (27.5 lbs)



Cool Textured Pattern



## PURRFECT PETS™ PLAYHOUSE

52007

AGE 2+ | SUMMER




- . 1.02 m x 76 cm x 1.14 m / 40" x 30" x 45"
- . For indoor and outdoor use
- . Easy snap PVC construction
- · No tools needed
- 1 retractable door & 2 transparent windows
- Full color box
- 6 Ea., 9.0 kg (19.8 lbs)



## JUMP AND SOAR™ MEGA BOUNCER

53394 53395

AGE 3+ | SUMMER



Air Blower Included



#### 53394


220-240v - Blower 1 Set, 12.2 kg (26.8 lbs)

#### 53395

110-120V - Blower 1 Set, 12.5 kg (27.6 lbs)

- . 1.94 m x 1.75 m x 1.70 m / 6'4" x 5'9" x 5'7"
- · Designed for outdoor and indoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- · Made of durable double-stitched PVC-coated polyester
- · Mesh walls and single entryway & exit
- · Full color box
- Contents: 1 bouncer, 1 blower, 1 repair kit (multiple assorted patches), 1 storage bag, 8 bouncer stakes, 2 blower stakes

- Maximum User Weight Capacity (Whole Product): 113 kg (250 lbs)
- . Individual Weight Capacity: 38 kg (83 lbs)
- . Maximum Number of Users: 3
- Maximum Fall Height: 39 cm (15")
- Critical Fall Height: 1.57 m (62")







## SUPER SPEEDWAY™ MEGA WATER PARK

5337753378





Air Blower Included



#### 53377


220-240V - Blower 1 Set, 34.5 kg (76.0 lbs)

#### 53378

110-120V - Blower 1 Set, 34.8 kg (76.8 lbs)

- 5.51 m x 5.02 m x 2.65 m / 18'1" x 16'6" x 8'8"
- · Designed for outdoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- 2-lane water slide
- Mesh sidewalls
- · Extra-large splash pool with tunnel
- · Double climbing wall with padded grab handles
- Surprise soak bucket randomly dumps water and keeps slide slippery
- . 2 point 'n spray water blasters
- · Basketball hoop and ball

- · Full color box
- · Contents: 1 water park, 1 blower,
- 1 repair kit (multiple assorted patches),
- 1 storage bag, 10 water park stakes,
- 2 blower stakes, 1 spraying hose, 1 basketball
- . Maximum Number of Users: 9
- Maximum User Weight Capacity (Whole Product): 490 kg (1,080 lbs)
- Maximum Weight Per User: 54 kg (120 lbs)
- · Maximum Number of Users for Each Platform Area: 2
- · Maximum Number of Users for Each Slide Area: 1
- Maximum Fall Height: 1.45 m (57")
- Critical Fall Height: 1.72 m (68")
- Water Capacity: 2.7 cbm (713 gal.)





## MOUNT SPLASHBLAST™ MEGA WATER PARK

53478 53479

AGES 5+ | SUMMER



Air Blower



#### 53478

220-240V - Blower 1 Set, 25.0 kg (55.1 lbs)

#### 53479

110-120V - Blower 1 Set, 24.9 kg (54.9 lbs)

- 4.35 m x 2.86 m x 2.67 m / 14'3" x 9'5" x 8'9"
- · Designed for outdoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- · Water slide
- Mesh sidewalls
- · Large splash pool
- · Climbing wall with padded grab handles and rope
- 1 point 'n spray water blaster with kid-powered drench button
- Surprise soak bucket randomly dumps water and keeps slide slippery
- · Full color box

- Contents: 1 water park, 1 blower, 1 repair kit (multiple assorted patches), 1 storage bag, 10 water park stakes, 2 blower stakes, 1 anchor bag, 1 spraying hose
- . Maximum Number of Users: 5
- Maximum User Weight Capacity (Whole Product): 270 kg (595 lbs)
- · Maximum Weight Per User: 54 kg (120 lbs)
- · Maximum Number of Users for Each Platform Area: 1
- . Maximum Number of Users for Each Slide Area: 1
- Maximum Fall Height: 1.43 m (56")
- · Critical Fall Height: 1.73 m (68")
- · Water Capacity: 1.09 cbm (288 gal.)





# TURBO SPLASH™ MEGA WATER PARK

534O8 534O9

AGES 5+ | SUMMER



Air Blower



#### 53408

220-240V - Blower 1 Set, 25.7 kg (56.6 lbs)

#### 53409

110-120V - Blower 1 Set, 25.7 kg (56.6 lbs)

- 3.65 m x 3.20 m x 2.70 m / 12' x 10'6" x 8'10"
- Designed for outdoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- 1-lane water slide
- Mesh sidewalls
- · Large splash pool
- · Climbing wall with padded grab handles
- 1 point 'n spray water blaster
- . Drain valve for quick and easy water release
- Surprise soak bucket randomly dumps water and keeps slide slippery

- · Full color box
- Contents: 1 water park, 1 blower, 1 repair kit (multiple assorted patches), 1 storage bag, 8 water park stakes, 2 blower stakes, 1 spraying hose, 1 anchor bag
- . Maximum Number of Users: 5
- Maximum User Weight Capacity (Whole Product): 270 kg (595 lbs)
- · Maximum Weight Per User: 54 kg (120 lbs)
- · Maximum Number of Users for Each Platform Area: 1
- . Maximum Number of Users for Each Slide Area: 1
- Maximum Fall Height: 1.42 m (56")
- Critical Fall Height: 1.92 m (6'3.5")
- · Water Capacity: 0.97 cbm (256 gal.)







## CAMPING

Roughing it doesn't have to feel rough with Bestway's sleeping bags. Spending a night under the stars should be a memorable experience and Bestway has the perfect sleeping bags to keep campers happy, comfortable and warm.

122

WanderLite™ 2-in-1 Sleeping Bag & Air Pad

### WANDERLITE™ 2-IN-1 SLEEPING BAG & AIR PAD 68123





**Outdoor Use** 







Insulation



Clothes



ToughLite™ TPU



Zipper







INTEGRATED WITH A **CAMPING AIR PAD** 

- Ideal temperature range: 9°C / 48°F ~ 12°C / 54°F
- Compact, packed size of 21 cm x 21 cm x 40 cm / 8.3" x 8.3" x 15.75" to easily fit in your pack
- Integrated air pad featuring puncture-resistant ToughLite™ TPU material
- . Back sleeve fits air pad and prevents sliding during use
- · Pocket in hood for pillow or clothes (pillow not included)
- · 2-way zipper
- · Carry bag with hangtag & display





ITEM #	SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
68123	2.03 m x 75 cm x 9 cm / 80" x 29.5" x 3.5"	_	-		-	6	13.0 kg (28.7 lbs)





## BESTWAY

Bestway Europe

opens

1998

Bestway Central & South America opens

Introduced groundbreaking Fast Set pools

2002





Solar panels installed across production facilities

2006



2008

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



Bestway Hong Kong & **USA** opens



Bestway Yancheng factory opens



Revolutionized outdoor market with the first-ever inflatable hot tub, Lay-Z-Spa



















#### 



#### 

#### 



#### 

### 





Bestway is a world-renowned company who cares - and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2015

2017

Lay-Z-Spa TV Advertisement

2018

**Amazing Record Holder** 



2020



2021



**Category Winner** 

2022 - 2024

**Best Companies** in Arizona

2022



**Garden & Pools** 











**BEST BRAND** TROPHY

2023



Spa & Sauna



San Francisco **HydroJet Pro** 

ITEM	NAME PRODUCT	PAGE	ITEM	NAME PRODUCT	PAGE
43552	Flex 'N Fold™ Lounge	105	56709	Steel Pro MAX™ Round Pool Set	25
43733	Flex 'N Fold™ Recliner Lounge	104	56721	Steel Pro MAX™ Rectangular Pool Set	33
43908	Everluxe™ Noodle Chair	107	56722	Steel Pro MAX™ Rectangular Pool Set	33
43909	Everluxe™ Hammock Lounge	106	56946	Steel Pro MAX™ Splashview™ Oval Pool Set	41
43913	Everluxe™ Floating Mat	108	56985	Steel Pro® Round Pool	19
52007	Purrfect Pets™ Playhouse	111	57456	Fast Set™ Pool	15
53377	Super Speedway™ Mega Water Park	114	57457	Fast Set™ Pool Set	15
53378	Super Speedway™ Mega Water Park	114	57458	Fast Set™ Pool Set	15
53394	Jump and Soar™ Mega Bouncer	112	58612	Round Pool Dome	52
53395	Jump and Soar™ Mega Bouncer	112	58639	Floor Protector	53
53408	Turbo Splash™ Mega Water Park	118	58960	AquaTronix™ G150 Robotic Pool Vacuum	50
53409	Turbo Splash™ Mega Water Park	118	60001	Miami AirJet™ 4 Black	62
53478	Mount Splashblast™ Mega Water Park	116	60017	Palm Springs Air]et™ 6 Sand	72
53479	Mount Splashblast™ Mega Water Park	116	60025	Helsinki AirJet™ 7 Brown Barrel	82
54150	Blue Rectangular Family Pool	110	60067	Mauritius AirJet™ 7 Grey	76
561MB	Steel Pro MAX™ Splashview™ Rectangular Pool Set	43	60175	Boracay AirJet™ 4 Blue Marble	66
561MC	Steel Pro MAX™ Splashview™ Rectangular Pool Set	43	65179	Arrow Elite™ X1 Kayak Set	98
561RV	TANX™ Round Pool Set	47	65180	Surge Elite™ X1 Kayak Set	96
561RW	TANX™ Round Pool Set	47	65185	Beacon Elite™ Sport Boat Set	101
5612B	Steel Pro MAX™ Rectangular Pool Set	36	65197	Angler Elite™ X1 Fishing Kayak Set	97
5614X	Steel Pro MAX™ Round Pool Set	27	68123	WanderLite™ 2-in-1 Sleeping Bag & Air Pad	122
5614Z	Steel Pro MAX™ Round Pool Set	27			
56442	Steel Pro MAX™ Rectangular Pool Set	35			
56456	Steel Pro MAX™ Rectangular Pool Set	35			
56457	Steel Pro MAX™ Rectangular Pool Set	35			
56466	Steel Pro MAX™ Rectangular Pool Set	36			
56488	Steel Pro MAX™ Round Pool Set	29			
56671	Steel Pro MAX™ Rectangular Pool Set	36			
56677	Steel Pro® Round Pool	21			
56678	Steel Pro® Round Pool Set	21			
56679	Steel Pro® Round Pool Set	21			
56680	Steel Pro® Round Pool Set	21			
56681	Steel Pro® Round Pool Set	21			
56686	Steel Pro MAX™ Round Pool Set	29			
56706	Steel Pro® Round Pool	21			



## SPECIAL EDITION 2026

Bestway.

## LIVEIT

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and

LIVE IT UP with Bestway.



WWW.BESTWAYCORP.COM F O



