

2016

ABOVE GROUND POOLS COLLECTION

SHANGHAI

Bestway Global Holding Inc.
No. 3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestway-shanghai.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestway-hongkong.com

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza 5,
20098 San Giuliano M.se (Mi) - Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestway-europe.com

CENTRAL & SOUTH AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
Fax: 562 3203 6409
E-mail: info@bestway-southamerica.com

U.S.A.

Bestway (USA) Inc.
3249 E. Harbour Drive, Phoenix, Arizona 85034,
United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: sales@bestway-northamerica.com

AUSTRALIA

Bestway Australia Pty Limited
Unit 10/71-83 Asquith Street,
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestway-australia.com

INFLATE YOUR FUN™

Bestway

WWW.BESTWAY-GLOBAL.COM



©2015 Bestway Inflatables & Material Corp. All rights reserved.

Bestway

Bestway

ABOVE GROUND POOLS COLLECTION 2016


2016

ABOVE GROUND POOLS

COLLECTION



2016 PACKAGING DISPLAY



WELCOME

We are proud to present the 2016 Bestway Above-Ground Pool (AGP) range – a selection that's more comprehensive than ever before. We've aimed to bring you an AGP collection that meets the widely varied needs of each and every customer – ranging from our economical, ultra easy-to-set-up Fast Set pool right up to the luxury of a Steel Wall pool complete with every possible accessory. Bestway's a growing company, and it's growth that's due, at least in part, to our policy of always pursuing the latest and the best – we're continually investing in new technologies and innovations. We hope you'll agree that these investments have more than paid off – the proof is in the many useful innovations you'll find throughout the 2016 range, not least in the areas of pool safety, durability and ease of assembly. Add to that such advanced new accessories as our automatic pool vacuums and cleaners and the 2016 Bestway AGP range is truly a big step towards our goal of being your one-stop supplier of AGP products you can recommend to your customers with total confidence.

Bestway



CONTENTS

FAST SET™ POOLS

6



FRAME POOLS

14 SPLASH FRAME POOLS



18 STEEL PRO™ FRAME POOLS



24 RATTAN FRAME POOLS



26 POWER STEEL™ FRAME POOLS



30 POWER STEEL™ RECTANGULAR FRAME POOLS



38 STEEL PRO™ OVAL FRAME POOLS



40 HYDRIUM™ POOLS



44 HYDRIUM™ OVAL POOLS



46 HYDRIUM™ SPLASHER POOLS



MINI ABOVE GROUND POOLS

48 FAST SET POOLS



49 FRAME POOLS



53 PLAY POOLS



POOL ACCESSORIES

54



AFTER SALES SERVICE



Provide your customers with quality products and the advanced customer service support they deserve. Bestway's Internet services and Centers facilitate customers to easily resolve issues that arise with their Bestway products. Our multilingual website, www.bestway-service.com is a knowledge base that offers downloadable manuals, instructional DVDs, along with FAQs and the ability for customers to order spare parts. Regional Centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.


FOR YOUR LOCAL CONTACT PLEASE GO TO

WWW.BESTWAY-SERVICE.COM

TRITECH™ MATERIAL



TRITECH™ MATERIAL



TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC, that offers superior strength and durability. This premium grade, above ground pool material, can withstand extreme conditions including exposure to ultraviolet rays and chlorine, plus it's stress-tested against the weight and strain of large volumes of water.



NEW! MOSAIC-PRINT LINER!



NEW SAFETY STANDARD

In 2010 the European Commission decided to establish a safety standard for all domestic swimming pools in Europe. Bestway was pleased to join the group of European experts writing the new safety standard. Five years of diligent work followed, and the result is the **new Safety Standard** for domestic swimming pools. The new standard will finally define and guarantee a higher quality and safety level for above ground pools in Europe.


EN16713 STANDARD

8-HOUR RECYCLE

Pool filtration systems' nominal flow rate must recycle all water in the pool within 8 hours.

NEW SAFETY VALVE

Above ground pools must have the new safety outlet valve system to prevent any entrapment when the pool is in use.



EN16582 STANDARD

SAFETY SIGNS & NEW WARNINGS
Signs and warnings must be added to the pool.

TEAR RESISTANCE
New tear resistance test of liner.

USER MANUAL
User manual must have new maintenance and safety instructions added.

SAFETY LADDER
Pools with a height greater than 850mm require a safety ladder.

2-METER GAP
Pools above 40cm in height – the filter pump must be at least 2m away from the pool (or the valid national requirement) with a hose at least 3m long.





FAST SET™ POOLS



- SELF-SUPPORTING INFLATABLE TOP RING
- FAST AND SIMPLE TO ASSEMBLE
- SUPER COMPACT – EASY TO CARRY
- NO TOOLS REQUIRED!
- FLOW-CONTROL DRAIN VALVE FOR EASY DRAINING



1.98m x 51cm (78" x 20")

Water capacity (80%): 1,126 L (298 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57252	3	12.4 (27.3)		Color Box			

RE-ENGINEERED

2.44m x 66cm (8' x 26")

Water capacity (80%): 2,300 L (608 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57305	1	6.1 (13.5)	North America	Color Box			
57265	1	6.5 (14.2)	European Union	Color Box			
57267	1	9.0 (19.8)	North America	Color Box	58382 (1,249 L / 330 gal.)	110-120V	58168
57268	1	9.7 (21.3)	European Union	Color Box	58381 (1,249 L / 330 gal.)	220-240V	58093
57296	1	8.6 (18.9)	Oceania	Color Box	58381 (1,249 L / 330 gal.)	220-240V	



FAST SET™ POOLS



RE-ENGINEERED

3.05m x 76cm (10' x 30")

Water capacity (80%): 3,638 L (961 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57307	1	8.8 (19.3)	North America	Color Box			
57266	1	9.2 (20.2)	European Union	Color Box			
57269	1	11.6 (25.5)	North America	Color Box	58382 (1,249 L / 330 gal.)	110-120V	58168
57270	1	12.3 (27.1)	European Union	Color Box	58381 (1,249 L / 330 gal.)	220-240V	58093
57295	1	11.2 (24.6)	Oceania	Color Box	58381 (1,249 L / 330 gal.)	220-240V	58093

RE-ENGINEERED

3.66m x 76cm (12' x 30")

Water capacity (80%): 5,377 L (1,421 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	PACKAGE	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57308	1	13.5 (29.8)	North America	Color Box			
57273	1	13.7 (30.2)	European Union	Color Box			
57275	1	16.3 (36.0)	North America	Color Box	58382 (1,249 L / 330 gal.)	110-120V	58168
57274	1	16.8 (37.0)	European Union	Color Box	58381 (1,249 L / 330 gal.)	220-240V	58093
57298	1	15.9 (35.1)	Oceania	Color Box	58381 (1,249 L / 330 gal.)	220-240V	58093



FAST SET™ POOLS



RE-ENGINEERED

3.66m x 91cm (12' x 36")

Water capacity (80%): 6,665 L (1,760 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57309	1	15.7 (34.5)	North America						
57278	1	18.9 (41.7)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
57277	1	29.3 (64.6)	European Union			58330	58383 (2,006 L / 530 gal.)	220-240V	58094
57263	1	17.9 (39.4)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
57299	1	18.3 (40.3)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094

RE-ENGINEERED

4.57m x 91cm (15' x 36")

Water capacity (80%): 10,179 L (2,689 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57310	1	23.2 (51.1)	North America						
57293	1	26.5 (58.4)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
57282	1	35.8 (79.0)	European Union			58330	58383 (2,006 L / 530 gal.)	220-240V	58094
57121	1	25.2 (55.6)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
57300	1	25.9 (57.0)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094
57281	1	37.8 (83.3)	North America	58003	58035	58334 / 58393*	58384 (2,006 L / 530 gal.)	110-120V	58012
57280	1	39.0 (86.0)	European Union	58003	58035	58330 / 58393*	58383 (2,006 L / 530 gal.)	220-240V	58094
57301	1	35.7 (78.8)	Oceania	58003	58035	58393	58383 (2,006 L / 530 gal.)	220-240V	58094

* 58393 only for Asia, Africa & Latin America



FAST SET™ POOLS



RE-ENGINEERED

4.57m x 1.07m (15' x 42")

Water capacity (80%): 12,362 L (3,266 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57311	1	24.5 (54.1)	North America						
57286	1	39.2 (86.4)	North America	58003	58035	58335	58384 (2,006 L / 530 gal.)	110-120V	58012
57294	1	40.2 (88.7)	European Union	58003	58035	58330 / 58394*	58383 (2,006 L / 530 gal.)	220-240V	58094
57302	1	37.6 (82.9)	Oceania	58003	58035	58394	58383 (2,006 L / 530 gal.)	220-240V	58094

RE-ENGINEERED

4.57m x 1.22m (15' x 48")

Water capacity (80%): 13,807 L (3,648 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57288	1	44.4 (97.8)	North America	58003	58035	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
57289	1	46.8 (103.1)	European Union	58003	58035	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
57303	1	44.1 (97.2)	Oceania	58003	58035	58395	58386 (3,028 L / 800 gal.)	220-240V	58094

RE-ENGINEERED

5.49m x 1.22m (18' x 48")

Water capacity (80%): 21,182 L (5,596 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
57292	1	59.3 (130.7)	North America	58031	58073	58336	58390 (5,678 L / 1,500 gal.)	110-120V	
57291	1	62.3 (137.3)	European Union	58031	58073	58331 / 58395*	58389 (5,678 L / 1,500 gal.)	220-240V	58012
57304	1	59.1 (130.4)	Oceania	58031	58073	58395	58389 (5,678 L / 1,500 gal.)	220-240V	

* 58394 & 58395 only for Asia, Africa & Latin America



SPLASH FRAME POOLS



EASY TO SET UP

EASY TO STORE

FLOW-CONTROL DRAIN VALVE FOR EASY DRAINING



RE-ENGINEERED

2.21m x 1.50m x 43cm (87" x 59" x 17")

Water capacity (90%): 1,200 L (317 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56545	Splash Jr. Frame Pool	1	11.4 (25.2)	North America			
56401	Splash Jr. Frame Pool	1	11.4 (25.2)	European Union			

RE-ENGINEERED

2.39m x 1.50m x 58cm (94" x 59" x 23")

Water capacity (90%): 1,800 L (476 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56547	Splash Frame Pool	1	14.6 (32.3)	North America			
56402	Splash Frame Pool	1	14.6 (32.3)	European Union			

RE-ENGINEERED

2.59m x 1.70m x 61cm (102" x 67" x 24")

Water capacity (90%): 2,300 L (608 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56496	Deluxe Splash Jr. Frame Pool	1	16.8 (37.0)	North America			
56403	Deluxe Splash Jr. Frame Pool	1	16.8 (37.0)	European Union			



SPLASH FRAME POOLS



RE-ENGINEERED

3.00m x 2.01m x 66cm (118" x 79" x 26")

Water capacity (90%): 3,300 L (872 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56498	Deluxe Splash Frame Pool	1	21.1 (46.5)	North America			
56404	Deluxe Splash Frame Pool	1	21.1 (46.5)	European Union			
56412	Deluxe Splash Frame Pool	1	23.1 (51.0)	North America	58382 (1,249 L / 330 gal.)	110-120V	58168
56411	Deluxe Splash Frame Pool	1	23.2 (51.2)	European Union	58381 (1,249 L / 330 gal.)	220-240V	58093
56549	Deluxe Splash Frame Pool	1	22.7 (49.9)	Oceania	58381 (1,249 L / 330 gal.)	220-240V	58093

RE-ENGINEERED

4.00m x 2.11m x 81cm (157" x 83" x 32")

Water capacity (90%): 5,700 L (1,506 gal.)



ITEM NO.	NAME	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56512	Family Splash Frame Pool	1	32.3 (71.3)	North America			
56405	Family Splash Frame Pool	1	32.3 (71.3)	European Union			
56425	Family Splash Frame Pool	1	34.4 (75.9)	North America	58382 (1,249 L / 330 gal.)	110-120V	58168
56424	Family Splash Frame Pool	1	34.5 (76.1)	European Union	58381 (1,249 L / 330 gal.)	220-240V	58093
56513	Family Splash Frame Pool	1	34.0 (74.9)	Oceania	58381 (1,249 L / 330 gal.)	220-240V	58093



STEEL PRO™ FRAME POOLS



STRONG, CORROSION-RESISTANT STEEL FRAME

NOW EVEN EASIER TO SET UP!

FLOW-CONTROL DRAIN VALVE FOR EASY DRAINING



RE-ENGINEERED

2.44m x 61cm (8' x 24")

Water capacity (90%): 1,724 L (456 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56544	1	11.2 (24.7)	North America			
56431	1	11.2 (24.7)	European Union			

RE-ENGINEERED

3.05m x 76cm (10' x 30")

Water capacity (90%): 4,678 L (1,236 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56493	1	17.7 (39.0)	North America			
56406	1	18.1 (40.0)	European Union			
56407	1	19.9 (43.9)	North America	58382 (1,249 L / 330 gal.)	110-120V	58168
56408	1	20.4 (44.9)	European Union	58381 (1,249 L / 330 gal.)	220-240V	58093
56494	1	19.4 (42.9)	Oceania	58381 (1,249 L / 330 gal.)	220-240V	58093

RE-ENGINEERED

3.66m x 76cm (12' x 30")

Water capacity (90%): 6,473 L (1,710 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56500	1	23.2 (51.2)	North America			
56415	1	22.5 (49.7)	European Union			
56417	1	25.5 (56.1)	North America	58382 (1,249 L / 330 gal.)	110-120V	58168
56416	1	24.8 (54.6)	European Union	58381 (1,249 L / 330 gal.)	220-240V	58093
56501	1	25.0 (55.1)	Oceania	58381 (1,249 L / 330 gal.)	220-240V	58093



STEEL PRO™ FRAME POOLS



RE-ENGINEERED

3.66m x 1.00m (12' x 39.5")

Water capacity (90%): 9,150 L (2,417 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56419	1	33.5 (73.9)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
56418	1	43.0 (94.8)	European Union			58330	58383 (2,006 L / 530 gal.)	220-240V	58094
56260	1	32.4 (71.4)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
56502	1	32.9 (72.5)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	58094

RE-ENGINEERED

3.66m x 1.22m (12' x 48")

Water capacity (90%): 10,250 L (2,708 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56421	1	49.9 (109.9)	North America	58002	58037	58336 / 58395*	58384 (2,006 L / 530 gal.)	110-120V	58012
56420	1	52.2 (115.0)	European Union	58002	58037	58331 / 58395*	58383 (2,006 L / 530 gal.)	220-240V	58094
56503	1	49.4 (108.8)	Oceania	58002	58037	58395	58383 (2,006 L / 530 gal.)	220-240V	58094
56414	1	58.3 (128.6)	European Union	58002	58037	58331 / 58395*	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter
56550	1	59.3 (130.8)	Netherlands	58002	58037	58331	58399 (3,028 L / 800 gal.)	220-240V	Sand Filter
56548	1	55.5 (122.3)	Oceania	58002	58037	58395	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter

RE-ENGINEERED

4.27m x 1.00m (14' x 39.5")

Water capacity (90%): 12,110 L (3,199 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56423	1	53.1 (117.0)	North America	58003	58248	58335 / 58394*	58384 (2,006 L / 530 gal.)	110-120V	58012
56422	1	54.2 (119.6)	European Union	58003	58248	58330 / 58394*	58383 (2,006 L / 530 gal.)	220-240V	58094
56504	1	51.4 (113.3)	Oceania	58003	58248	58394	58383 (2,006 L / 530 gal.)	220-240V	58094

* 58394 & 58395 only for Asia, Africa & Latin America



STEEL PRO™ FRAME POOLS



RE-ENGINEERED

4.57m x 91cm (15' x 36")

Water capacity (90%): 12,627 L (3,336 gal.)

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56433	1	37.9 (83.6)	North America						
56435	1	53.2 (117.2)	North America	58003	58038	58334 / 58393*	58384 (2,006 L / 530 gal.)	110-120V	58012
56434	1	54.7 (120.6)	European Union	58003	58038	58330 / 58393*	58383 (2,006 L / 530 gal.)	220-240V	58094
56509	1	51.6 (113.8)	Oceania	58003	58038	58393	58383 (2,006 L / 530 gal.)	220-240V	

RE-ENGINEERED

4.57m x 1.22m (15' x 48")

Water capacity (90%): 16,015 L (4,231 gal.)

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56439	1	63.7 (140.4)	North America	58003	58134	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56438	1	65.8 (145.1)	European Union	58003	58134	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56511	1	62.9 (138.6)	Oceania	58003	58134	58395	58386 (3,028 L / 800 gal.)	220-240V	

RE-ENGINEERED

5.49m x 1.22m (18' x 48")

Water capacity (90%): 23,062 L (6,092 gal.)

ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56463	1	81.8 (180.4)	North America	58031	58039	58336	58390 (5,678 L / 1,500 gal.)	110-120V	
56462	1	85.7 (189.0)	European Union	58031	58039	58331 / 58395*	58389 (5,678 L / 1,500 gal.)	220-240V	58012
56531	1	81.1 (178.8)	Oceania	58031	58039	58395	58389 (5,678 L / 1,500 gal.)	220-240V	

* 58393 & 58395 only for Asia, Africa & Latin America



RATTAN FRAME POOLS



UNIQUE "RATTAN-LOOK" EXTERIOR FINISH

CORROSION-RESISTANT STEEL FRAME

FLOW-CONTROL DRAIN VALVE FOR EASY DRAINING

NEW MOSAIC-PRINT INNER POOL LINER

3-PLY PVC WALL-SUPPORT BAND



NEW ITEM

3.66m x 1.00m (12' x 39.5")

Water capacity (90%): 9,150 L (2,417 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56387	1	33.7 (74.3)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
56379	1	43.2 (95.2)	European Union			58330	58383 (2,006 L / 530 gal.)	220-240V	
56594	1	32.8 (72.3)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
56515	1	33.1 (72.9)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	

NEW ITEM

4.27m x 1.22m (14' x 48")

Water capacity (90%): 15,232 L (4,024 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56485	1	63.7 (140.4)	North America	58003	58248	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56483	1	65.8 (145.0)	European Union	58003	58248	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	
56507	1	63.6 (140.2)	Oceania	58003	58248	58395	58386 (3,028 L / 800 gal.)	220-240V	58094
56486	1	75.7 (166.8)	North America	58003	58248	58336	58401 (3,785 L / 1,000 gal.)	110-120V	
56484	1	78.2 (172.3)	European Union	58003	58248	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	
56508	1	75.5 (166.4)	Oceania	58003	58248	58395	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter

Patent Pending

* 58395 only for Asia, Africa & Latin America



POWER STEEL™ FRAME POOLS



NEW, EVEN STRONGER
OVAL-SECTION LEG AND
CROSS-BARS

NEW, PATENT PENDING
FRAME STRUCTURE

NEW MOSAIC-PRINT INNER
POOL LINER

EASY TO ASSEMBLE

3-PLY PVC WALL-SUPPORT
BAND

REINFORCED ROPE
TO SECURE POOL LEGS



RE-ENGINEERED

4.27m x 1.22m (14' x 48")

Water capacity (90%): 15,232 L (4,024 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56443	1	60.8 (134.0)	North America	58003	58248	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56444	1	62.9 (138.6)	European Union	58003	58248	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56505	1	60.7 (133.7)	Oceania	58003	58248	58395	58386 (3,028 L / 800 gal.)	220-240V	
56478	1	75.3 (165.9)	European Union	58003	58248	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	
56561	1	76.9 (169.4)	Netherlands	58003	58248	58331	58399 (3,028 L / 800 gal.)	220-240V	
56506	1	72.6 (160.1)	Oceania	58003	58248	58395	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter

Patent Pending

* 58395 only for Asia, Africa & Latin America



POWER STEEL™ FRAME POOLS



RE-ENGINEERED

4.88m x 1.22m (16' x 48")

Water capacity (90%): 19,480 L (5,145 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56453	1	82.4 (181.7)	North America	58251	58249	58336	58390 (5,678 L / 1,500 gal.)	110-120V	58012
56451	1	85.3 (188.1)	European Union	58251	58249	58331 / 58395*	58389 (5,678 L / 1,500 gal.)	220-240V	
56522	1	82.2 (181.2)	Oceania	58251	58249	58395	58389 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56452	1	93.6 (206.4)	European Union	58251	58249	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	
56521	1	90.6 (199.7)	Oceania	58251	58249	58395	58400 (3,785 L / 1,000 gal.)	220-240V	

Patent Pending

RE-ENGINEERED

5.49m x 1.32m (18' x 52")

Water capacity (90%): 26,000 L (6,869 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56459	1	102.0 (224.9)	North America	58031	58039	58337	58390 (5,678 L / 1,500 gal.)	110-120V	58012
56427	1	104.0 (229.3)	European Union	58031	58039	58332 / 58396*	58389 (5,678 L / 1,500 gal.)	220-240V	
56533	1	100.9 (222.5)	Oceania	58031	58039	58396	58389 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56464	1	113.3 (249.7)	European Union	58031	58039	58332 / 58396*	58404 (5,678 L / 1,500 gal.)	220-240V	
56532	1	110.4 (243.4)	Oceania	58031	58039	58396	58404 (5,678 L / 1,500 gal.)	220-240V	

Patent Pending

* 58395 & 58396 only for Asia, Africa & Latin America



POWER STEEL™ RECTANGULAR FRAME POOLS



NEW, EVEN STRONGER
OVAL-SECTION LEGS AND
CROSS-BARS

NEW MOSAIC-PRINT
INNER POOL LINER

FLOW-CONTROL DRAIN
VALVE FOR EASY
DRAINING

EASY-TO-ASSEMBLE
– USES “C” CONNECTORS FOR
RAILS



RE-ENGINEERED

2.87m x 2.01m x 1.00m (113" x 79" x 39.5")

Water capacity (90%): 4,531 L (1,197 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56410	1	44.6 (98.2)	North America				58382 (1,249 L / 330 gal.)	110-120V	58168
56409	1	54.1 (119.3)	European Union			58330	58381 (1,249 L / 330 gal.)	220-240V	
56248	1	43.7 (96.2)	Asia, Africa & Latin America				58381 (1,249 L / 330 gal.)	220-240V	58093
56497	1	44.1 (97.2)	Oceania				58381 (1,249 L / 330 gal.)	220-240V	

RE-ENGINEERED

4.04m x 2.01m x 1.00m (159" x 79" x 39.5")

Water capacity (90%): 6,478 L (1,711 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56426	1	56.4 (124.3)	North America				58384 (2,006 L / 530 gal.)	110-120V	58012
56441	1	65.9 (145.2)	European Union			58330	58383 (2,006 L / 530 gal.)	220-240V	
56251	1	55.3 (121.9)	Asia, Africa & Latin America				58383 (2,006 L / 530 gal.)	220-240V	58094
56514	1	55.8 (122.9)	Oceania				58383 (2,006 L / 530 gal.)	220-240V	
56442	1	71.6 (157.9)	European Union			58330	58397 (2,006 L / 530 gal.)	220-240V	
56255	1	62.9 (138.6)	Asia, Africa & Latin America				58397 (2,006 L / 530 gal.)	220-240V	
56555	1	80.5 (177.6)	Netherlands			58330	58399 (3,028 L / 800 gal.)	220-240V	
56518	1	63.1 (139.1)	Oceania				58397 (2,006 L / 530 gal.)	220-240V	Sand Filter



POWER STEEL™ RECTANGULAR FRAME POOLS



RE-ENGINEERED

4.12m x 2.01m x 1.22m (162" x 79" x 48")

Water capacity (90%): 8,124 L (2,146 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56458	1	74.8 (164.9)	North America			58336 / 58395*	58384 (2,006 L / 530 gal.)	110-120V	58012
56456	1	77.0 (169.8)	European Union			58331 / 58395*	58383 (2,006 L / 530 gal.)	220-240V	58094
56529	1	74.2 (163.5)	Oceania			58395	58383 (2,006 L / 530 gal.)	220-240V	Sand Filter
56457	1	83.8 (184.7)	European Union			58331 / 58395*	58397 (2,006 L / 530 gal.)	220-240V	
56558	1	91.4 (201.5)	Netherlands			58331	58399 (3,028 L / 800 gal.)	220-240V	
56528	1	81.0 (178.5)	Oceania			58395	58397 (2,006 L / 530 gal.)	220-240V	

NEW ITEM

4.88m x 2.74m x 1.22m (16' x 9' x 48")

Water capacity (90%): 13,177 L (3,481 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56489	1	102.5 (225.9)	North America	58266	58267	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56481	1	104.6 (230.5)	European Union	58266	58267	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56526	1	102.0 (224.9)	Oceania	58266	58267	58395	58386 (3,028 L / 800 gal.)	220-240V	Sand Filter
56380	1	113.7 (250.6)	North America	58266	58267	58336	58401 (3,785 L / 1,000 gal.)	110-120V	
56390	1	116.0 (255.8)	European Union	58266	58267	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	
56525	1	113.3 (249.7)	Oceania	58266	58267	58395	58400 (3,785 L / 1,000 gal.)	220-240V	

* 58395 only for Asia, Africa & Latin America



POWER STEEL™ RECTANGULAR FRAME POOLS



Palletized Package Design
Twin Pack for 1.32m (52") Height Pools

RE-ENGINEERED

5.49m x 2.74m x 1.22m (18' x 9' x 48")

Water capacity (90%): 14,812 L (3,913 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56467	1	110.1 (242.8)	North America	58139	58140	58336	58390 (5,678 L / 1,500 gal.)	110-120V	58012
56465	1	113.3 (249.7)	European Union	58139	58140	58331 / 58395*	58389 (5,678 L / 1,500 gal.)	220-240V	58012
56535	1	110.3 (243.2)	Oceania	58139	58140	58395	58389 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56466	1	121.3 (267.3)	European Union	58139	58140	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56562	1	123.3 (271.8)	Netherlands	58139	58140	58331	58399 (3,028 L / 800 gal.)	220-240V	Sand Filter
56534	1	118.5 (261.2)	Oceania	58139	58140	58395	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter

RE-ENGINEERED

6.71m x 3.66m x 1.32m (22' x 12' x 52")

Water capacity (90%): 26,845 L (7,092 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56473	1Ea., 2 boxes	157.9 (348.0)	North America	58238	58260	58337	58390 (5,678 L / 1,500 gal.)	110-120V	58012
56470	1Ea., 2 boxes	160.2 (353.1)	European Union	58238	58260	58332 / 58396*	58389 (5,678 L / 1,500 gal.)	220-240V	58012
56538	1Ea., 2 boxes	156.8 (345.6)	Oceania	58238	58260	58396	58389 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56471	1Ea., 2 boxes	173.4 (382.2)	European Union	58238	58260	58332 / 58396*	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter
56537	1Ea., 2 boxes	170.0 (374.8)	Oceania	58238	58260	58396	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter

* 58395 & 58396 only for Asia, Africa & Latin America



POWER STEEL™ RECTANGULAR FRAME POOLS



Palletized Package Design
Twin Pack for 1.32m (52") Height Pools

RE-ENGINEERED

7.32m x 3.66m x 1.32m (24' x 12' x 52")

Water capacity (90%): 30,045 L (7,937 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56476	1Ea., 2 boxes	178.1 (392.7)	North America	58238	58227	58337	58392 (9,463 L / 2,500 gal.)	110-120V	
56474	1Ea., 2 boxes	180.0 (396.7)	European Union	58238	58227	58332 / 58396*	58391 (9,463 L / 2,500 gal.)	220-240V	58095
56540	1Ea., 2 boxes	177.8 (391.9)	Oceania	58238	58227	58396	58391 (9,463 L / 2,500 gal.)	220-240V	
56475	1Ea., 2 boxes	183.1 (403.7)	European Union	58238	58227	58332 / 58396*	58404 (5,678 L / 1,500 gal.)	220-240V	
56541	1Ea., 2 boxes	179.8 (396.3)	Oceania	58238	58227	58396	58404 (5,678 L / 1,500 gal.)	220-240V	Sand Filter

RE-ENGINEERED

9.56m x 4.88m x 1.32m (31.3' x 16' x 52")

Water capacity (90%): 52,231 L (13,798 gal.)



ITEM NO.	CASEPACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56480	1Ea., 2 boxes	223.3 (492.2)	North America	58306	58305	58337			
56479	1Ea., 2 boxes	225.2 (496.5)	European Union	58306	58305	58332 / 58396*			

* 58396 only for Asia, Africa & Latin America



STEEL PRO™ OVAL FRAME POOLS



SELF-SUPPORTING
INFLATABLE TOP RING

STRONG, CORROSION-
RESISTANT STEEL FRAME

FLOW-CONTROL DRAIN
VALVE FOR EASY DRAINING



RE-ENGINEERED

4.88m x 3.05m x 1.07m (16' x 10' x 42")

Water capacity (80%): 10,759 L (2,843 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56449	1	58.3 (128.4)	North America	58263	58262	58335	58387 (3,028 L / 800 gal.)	110-120V	58012
56447	1	59.5 (131.2)	European Union	58263	58262	58330 / 58394*	58386 (3,028 L / 800 gal.)	220-240V	58094
56519	1	56.8 (125.1)	Oceania	58263	58262	58394	58386 (3,028 L / 800 gal.)	220-240V	58094

RE-ENGINEERED

5.49m x 3.66m x 1.22m (18' x 12' x 48")

Water capacity (80%): 15,033 L (3,971 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	COVER	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56460	1	68.6 (151.3)	North America	58135	58154	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56461	1	71.2 (157.0)	European Union	58135	58154	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56530	1	68.5 (151.0)	Oceania	58135	58154	58395	58386 (3,028 L / 800 gal.)	220-240V	58094

* 58394 & 58395 only for Asia, Africa & Latin America



HYDRIMUM™ POOLS

- HIGH-STRENGTH RIDGED 0.4MM STEEL SIDE WALLS
- EXTRA-WIDE 16CM STEEL BORDERS SURROUND THE POOL
- PREMIUM 0.4MM PVC POOL LINER
- INSTRUCTIONAL DVD INCLUDED
- INTEGRATED SURFACE SKIMMER KEEPS POOL WATER CLEAN
- DELIVERED DIRECT TO YOU ON A PALLET
- OVAL POOLS HAVE SPECIALLY-REINFORCED SIDE LEGS



Palletized Package Design

3.00m x 1.20m (10' x 48")

Water capacity (90%): 7,630 L (2,018 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56564	1	111.3 (245.3)	North America	58001	58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56563	1	110.0 (242.5)	European Union	58001	58331 / 58395*	58383 (2,006 L / 530 gal.)	220-240V	58094
56565	1	110.4 (243.3)	Oceania	58001	58395	58383 (2,006 L / 530 gal.)	220-240V	
56567	1	117.5 (258.9)	North America	58001	58336	58398 (2,006 L / 530 gal.)	110-120V	
56566	1	115.8 (255.4)	European Union	58001	58331 / 58395*	58397 (2,006 L / 530 gal.)	220-240V	
56568	1	117.0 (258.0)	Oceania	58001	58395	58397 (2,006 L / 530 gal.)	220-240V	Sand Filter

* 58395 only for Asia, Africa & Latin America



HYDRUM™ POOLS



Palletized Package Design

3.60m x 1.20m (12' x 48")

Water capacity (90%): 10,990 L (2,906 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56572	1	125.8 (277.3)	North America	58002	58336	58384 (2,006 L / 530 gal.)	110-120V	58012
56571	1	123.0 (271.2)	European Union	58002	58331 / 58395*	58383 (2,006 L / 530 gal.)	220-240V	58094
56573	1	123.4 (272.1)	Oceania	58002	58395	58383 (2,006 L / 530 gal.)	220-240V	Sand Filter
56575	1	131.9 (290.8)	North America	58002	58336	58398 (2,006 L / 530 gal.)	110-120V	
56574	1	129.0 (284.5)	European Union	58002	58331 / 58395*	58397 (2,006 L / 530 gal.)	220-240V	
56576	1	130.1 (286.8)	Oceania	58002	58395	58397 (2,006 L / 530 gal.)	220-240V	

NEW ITEM

4.60m x 1.20m (15' x 48")

Water capacity (90%): 17,430 L (4,605 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56383	1	130.3 (287.2)	North America	58003	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56382	1	132.7 (292.6)	European Union	58003	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56581	1	132.2 (291.5)	Oceania	58003	58395	58386 (3,028 L / 800 gal.)	220-240V	Sand Filter
56385	1	138.0 (304.2)	North America	58003	58336	58401 (3,785 L / 1,000 gal.)	110-120V	
56384	1	140.6 (310.0)	European Union	58003	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	
56582	1	140.1 (308.8)	Oceania	58003	58395	58400 (3,785 L / 1,000 gal.)	220-240V	

* 58395 only for Asia, Africa & Latin America



HYDRUM™ OVAL POOLS

HIGH-STRENGTH RIDGED
0.4MM STEEL SIDE WALLS

EXTRA-WIDE 16CM STEEL
BORDERS SURROUND
THE POOL

PREMIUM 0.4MM PVC
POOL LINER

INSTRUCTIONAL
DVD INCLUDED



INTEGRATED SURFACE
SKIMMER KEEPS POOL
WATER CLEAN

DELIVERED DIRECT TO YOU
ON A PALLET

OVAL POOLS HAVE
SPECIALLY-REINFORCED
SIDE LEGS



Palletized Package Design

5.00m x 3.60m x 1.20m (16.4' x 12' x 48")

Water capacity (90%): 16,296 L (4,305 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56584	1	176.7 (389.6)	North America	58263	58336	58387 (3,028 L / 800 gal.)	110-120V	58012
56583	1	175.0 (385.8)	European Union	58263	58331 / 58395*	58386 (3,028 L / 800 gal.)	220-240V	58094
56585	1	175.4 (386.8)	Oceania	58263	58395	58386 (3,028 L / 800 gal.)	220-240V	
56587	1	185.5 (408.9)	North America	58263	58336	58401 (3,785 L / 1,000 gal.)	110-120V	
56586	1	175.3 (386.5)	European Union	58263	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56588	1	184.8 (407.4)	Oceania	58263	58395	58400 (3,785 L / 1,000 gal.)	220-240V	

Patented

NEW ITEM

6.10m x 3.60m x 1.20m (20' x 12' x 48")

Water capacity (90%): 19,929 L (5,265 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	GROUND CLOTH	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56372	1	186.6 (411.3)	North America	58135	58336	58390 (5,678 L / 1,500 gal.)	110-120V	58012
56371	1	189.4 (417.5)	European Union	58135	58331 / 58395*	58389 (5,678 L / 1,500 gal.)	220-240V	
56591	1	188.7 (415.9)	Oceania	58135	58395	58389 (5,678 L / 1,500 gal.)	220-240V	
56370	1	191.9 (423.1)	North America	58135	58336	58401 (3,785 L / 1,000 gal.)	110-120V	
56369	1	194.5 (428.9)	European Union	58135	58331 / 58395*	58400 (3,785 L / 1,000 gal.)	220-240V	Sand Filter
56592	1	194.0 (427.8)	Oceania	58135	58395	58400 (3,785 L / 1,000 gal.)	220-240V	

Patented

* 58395 only for Asia, Africa & Latin America



HYDRUM™ SPLASHER POOLS

SAFETY TOP RAIL
IN ATTRACTIVE BLUE

REINFORCED 0.4MM STEEL
SIDEWALLS

PREMIUM 0.3MM PVC LINER

INSTRUCTIONAL
DVD INCLUDED



NEW ITEM

3.60m x 90cm (12' x 36")

Water capacity (95%): 8,648 L (2,285 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56378	1	67.7 (149.2)	North America	58334	58384 (2,006 L / 530 gal.)	110-120V	58012
56377	1	69.8 (154.0)	European Union	58330 / 58393*	58383 (2,006 L / 530 gal.)	220-240V	58094
56569	1	69.8 (154.0)	Oceania	58393	58383 (2,006 L / 530 gal.)	220-240V	58094

NEW ITEM

4.60m x 90cm (15' x 36")

Water capacity (95%): 14,110 L (3,728 gal.)



ITEM NO.	PACK	KG (LB.)	REMARK	LADDER	FILTER PUMP	VOLTAGE	FILTER CARTRIDGE
56381	1	84.7 (186.7)	North America	58334	58384 (2,006 L / 530 gal.)	110-120V	58012
56386	1	85.8 (189.2)	European Union	58330 / 58393*	58383 (2,006 L / 530 gal.)	220-240V	58094
56577	1	85.8 (189.2)	Oceania	58393	58383 (2,006 L / 530 gal.)	220-240V	58094

* 58393 only for Asia, Africa & Latin America

MINI ABOVE GROUND POOLS



MY FIRST FAST SET POOL


- Easy set up
- Reinforced PVC and 3-ply polyester side walls (0.40-0.80mm)
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- 3 assorted colors
- Heavy-duty repair patch
- Full color box




TRITECH™



3 COLORS



ITEM NO.	SIZE	COLOR	WATER CAPACITY (80%)	PACK	KG (LB.)
57241	Ø1.52m x H38cm (Ø5' x H15")	Orange, Green, Blue	477 L (126 gal.)	6	11.9 (26.2)



MY FIRST FRAME POOL

- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- Heavy-duty repair patch
- Full color box



ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56283	Ø1.52m x H38cm (Ø5' x H15")	Blue	580 L (153 gal.)	6	30.7 (67.6)

MINI ABOVE GROUND POOLS

MY FIRST FRAME POOL

- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- 3 assorted colors
- Heavy-duty repair patch
- Full color box



2+

3 COLORS



ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56217	1.22m x 1.22m x 30.5cm (48" x 48" x 12")	Orange, Green, Blue	365 L (96 gal.)	3	14.5 (32.0)

MY FIRST FRAME POOL

- Easy assembly
- Rust-resistant metal frames
- Easy to take down for off-season storage
- 3 assorted colors
- Heavy-duty repair patch
- Full color box



2+

3 COLORS



ITEM NO.	SIZE	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56218	1.62m x 1.62m x 35.5cm (64" x 64" x 14")	Orange, Green, Blue	771 L (204 gal.)	3	21.3 (46.9)



MY FIRST FRAME POOL

RE-ENGINEERED


- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- Easy to take down for off-season storage
- 3 assorted colors
- Heavy-duty repair patch
- Full color box



3 COLORS



ITEM NO.	SIZE	REMARK	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56546	2.21m x 1.50m x 43cm (87" x 59" x 17")	North America	Orange, Green, Blue	1,200 L (317 gal.)	3	36.9 (81.3)
56430	2.21m x 1.50m x 43cm (87" x 59" x 17")	European Union	Orange, Green, Blue	1,200 L (317 gal.)	3	36.9 (81.3)



TRITECH™

MINI ABOVE GROUND POOLS



MY FIRST FRAME POOL

RE-ENGINEERED

- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- Easy to take down for off-season storage
- 3 assorted colors
- Heavy-duty repair patch
- Full color box



3 COLORS



TRITECH™

ITEM NO.	SIZE	REMARK	COLOR	WATER CAPACITY (90%)	PACK	KG (LB.)
56499	3.00m x 2.01m x 66cm (118" x 79" x 26")	North America		3,300 L (872 gal.)	3	65.1 (143.6)
56413	3.00m x 2.01m x 66cm (118" x 79" x 26")	European Union		3,300 L (872 gal.)	3	65.1 (143.6)



SPLASH-IN-SHADE PLAY POOL

RE-ENGINEERED

- Easy set up
- Rust-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Flow control drain valve for easy draining
- Valve attaches to garden hose so water can be drained away from the pool area
- UPF 40+ Rated
- Water mister on the top of shade attaches to home garden hoses
- Heavy-duty repair patch
- Full color box



40+ UPF



TRITECH™

ITEM NO.	SIZE	REMARK	WATER CAPACITY (90%)	PACK	KG (LB.)
56543	2.44m x 51cm (8' x 20")	North America	1,688 L (446 gal.)	1	14.1 (31.0)
56432	2.44m x 51cm (8' x 20")	European Union	1,688 L (446 gal.)	1	14.1 (31.0)

POOL ACCESSORIES

FLOWCLEAR™ CHLORINATOR

58215 58216 RE-ENGINEERED

- Easy to install, use and maintain
- Produces up to 24 grams of pure chlorine per hour (For 58215)
- Produces up to 18 grams of pure chlorine per hour (For 58216)
- Easy-to-view display panel highlights salt levels and water flow
- Environmentally friendly - Eliminates the need for harmful pool chemicals
- Turn ordinary salt into chlorine to clean your pool!
- Titanium-coated electrolytic cell is self-cleaning, which provides optimum performance
- Provides clean and clear swimming pool water
- Better for skin, hair, eyes and healthier than regular chlorine
- Compatible with 45,420 L (12,000 gallons) and below water volume Bestway pool
- For use with all Bestway Flowclear™ filter pumps rated above 3,028 L (800 gallons) per hour
- Can run for 24 hours non-stop
- Timer is battery-backed – power outages will not erase settings for up to 48 hours
- Unit simply goes into standby mode until power is restored
- In the case of power outage, standby mode does not trigger the alarm



ITEM NO.	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58215	110-120V~60Hz, 1.5A	C-ETL	Full Color Box	1	8.2 (18.1)
58216	220-240V~50Hz, 100W	CE / EMC / GS	Full Color Box	1	8.1 (17.8)

FLOWCLEAR™ AQUAFEED CHLORINATOR

58338

NEW ITEM

- An easy, clean and safe way to disinfect your pool
- Adjust the chlorine volume to control the free chlorine content
- Large capacity, more convenient (add tablets every 1-2 weeks)
- Holds different sizes of chlorine tablets; 7.6cm (3") tablets or smaller can be used
- Safe lock prevents the cap from loosing accidentally
- Easy to disassemble with a gas release valve
- Convenient to clean with a water release valve
- Suits filter pumps/sand filters with a flow rate of: 3,785 L/h (1,000 gal./h) and below 3,785 L/h (1,000 gal./h)
- Full color box
- 6 Ea., 5.1 kg (11.2 Lb.)



FILTER CARTRIDGE CLEANER

58219

- Convenient and easy to use!
- Helps keep pool water extra clean
- Rinse dirt and debris from pool filter cartridges
- Suitable for all brands of woven filter cartridge
- Clam Shell
- 24 Ea., 5.3 kg (11.6 Lb.)



POOL+ DRAIN PUMP

- A quick and easy way to drain your pool water automatically and conveniently
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 5m (16.4') long, 3.2cm (1.25") diameter
- Includes adaptors to connect garden hose



5m long drain hose.



3.028 L/H




ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58261	3,028 (800)	110-120V~60Hz, 0.8A		Full Color Box	4	13.1 (28.9)
58230	3,028 (800)	220-240V~50Hz, 80W	CE / GS	Full Color Box	4	13.1 (28.9)

POOL HEATER

58259

- Increases the swimming pool water temperature by approximately 0.5-1.5°C/h (1-3°F/h) depending on total water volume
- Maximum heater output: 40°C (104°F)
- Compatible with:
 - Swimming pools: 4.57m (15') and smaller
 - Swimming pool water volume: 1,520 ~ 17,000L (400 ~ 4,500gal.)
 - Filter pump/Sand filter flow rate: 3,785 L/h (1,000 gal./h) and below 3,785 L/h (1,000 gal./h)



ITEM NO.	MAXIMUM HEATER OUTPUT	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)
58259	40°C (104°F)	220-240V~50Hz, 2,800W at 20°C	CE / GS / EMC	Full Color Box	4	20.6 (45.3)



INTRODUCING BESTWAY SAND FILTERS

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



AFFORDABLE

The cost-effective option for all small / medium-sized A.G.P.s! Including a pre-filter, this sand filter does everything you need and nothing you don't - it's the no-frills choice that really gets the job done at a bargain price.



ALL-IN-ONE

Combines both filtration and an ozonator in one easy-to-use package. Its superior technology offers the highest level of cleaning functionality in the Bestway sand filter range.



EFFICIENT

Boasting the best power efficiency in our sand filter range, this is the top of the line, capable of effortlessly filtering large pools - up to a massive 54,000L!

HIGHLIGHT FEATURES



STRAINER



PRESSURE GAUGE



CONTROL VALVE



MOTOR



COMPATIBLE WITH ALL BESTWAY POOL VALVES



POOL ACCESSORIES

FLOWCLEAR™ SAND FILTER WITH OZONATOR

4,542 L (1,200 Gal.) RE-ENGINEERED

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Provides clean and clear swimming pool water
- Ozone output: 150 mg/h
- Easy-access assembly makes service simple
- Package also includes adaptors for pool valves with an outer diameter of 32mm (1.25")
- Compatible with most above ground pools!
- Includes a bottle of pool & spa test strips
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg
- For use with 1,100-33,300 L (300-8,800 gallon) pools



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)	REMARK
58403	4,542 (1,200)	4,164 (1,100)	110-120V~60Hz	C-ETL	Full Color Box	1	15.8 (34.7)	North America
58402	4,542 (1,200)	4,164 (1,100)	220-240V~50Hz	CE / EMC	Full Color Box	1	15.0 (33.1)	European Union
58398	2,006 (530)	2,006 (530)	110-120V~60Hz	C-ETL	Full Color Box	1	7.6 (16.8)	North America
58397	2,006 (530)	2,006 (530)	220-240V~50Hz	CE / EMC	Full Color Box	1	7.4 (16.4)	European Union

FLOWCLEAR™ SAND FILTER

2,006 L (530 Gal.) RE-ENGINEERED

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 8.5kg
- For use with 1,100-16,000 L (300-4,200 gallons) pools



FLOWCLEAR™ SAND FILTER

3,785 L (1,000 Gal.) RE-ENGINEERED

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Package also includes adaptors for pool valves with an outer diameter of 38mm (1.5")
- Compatible with most above ground pools!
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 18kg
- For use with 1,100-30,200 L (300-8,000 gallons) pools



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	RATING	CERTIFICATION	PACKAGE	PACK	KG (LB.)	REMARK
58401	3,785 (1,000)	3,785 (1,000)	110-120V~60Hz	C-ETL	Full Color Box	1	12.3 (27.2)	North America
58400	3,785 (1,000)	3,785 (1,000)	220-240V~50Hz	CE / EMC	Full Color Box	1	12.1 (26.8)	European Union
58405	5,678 (1,500)	5,300 (1,400)	110-120V~60Hz	C-ETL	Full Color Box	1	14.1 (31.0)	North America
58404	5,678 (1,500)	5,300 (1,400)	220-240V~50Hz	CE / EMC	Full Color Box	1	13.9 (30.7)	European Union
58367	7,571 (2,000)	6,814 (1,800)	110-120V~60Hz	C-ETL	Full Color Box	1	15.3 (33.6)	North America
58366	7,571 (2,000)	6,814 (1,800)	220-240V~50Hz	CE / EMC	Full Color Box	1	15.1 (33.4)	European Union

FLOWCLEAR™ SAND FILTER

5,678 L (1,500 Gal.) RE-ENGINEERED

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Package also includes adaptors for pool valves with an outer diameter of 32mm (1.25")
- Compatible with most above ground pools!
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg
- For use with 1,100-42,300 L (300-11,200 gallons) pools



FLOWCLEAR™ SAND FILTER

7,571 L (2,000 Gal.) RE-ENGINEERED

- Durable, corrosion-proof filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Package also includes adaptors for pool valves with an outer diameter of 32mm (1.25")
- Compatible with most above ground pools!
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 35kg
- For use with 1,100-54,500 L (300-14,400 gallons) pools



POOL ACCESSORIES

FLOWCLEAR™ FILTER PUMPS RE-ENGINEERED



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	REMARK	RATING	FILTER CARTRIDGE
58382	1,249 (330)	1,060 (280)	For use with 1,100-8,300 L (300-2,200 gallons) pools	C-ETL	4	11.0 (24.1)	North America	110-120V~60Hz	58168
58381	1,249 (330)	1,060 (280)		CE / EMC	4	11.2 (24.6)	European Union	220-240V~50Hz	58093



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	REMARK	RATING	FILTER CARTRIDGE
58384	2,006 (530)	1,817 (480)	For use with 1,100-14,300 L (300-3,800 gallons) pools	C-ETL	4	14.2 (31.3)	North America	110-120V~60Hz	58012
58383	2,006 (530)	1,817 (480)		CE / EMC	4	13.1 (28.8)	European Union	220-240V~50Hz	58094



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	REMARK	RATING	FILTER CARTRIDGE
58387	3,028 (800)	2,195 (580)	For use with 1,100-17,400 L (300-4,600 gallons) pools	C-ETL	4	14.2 (31.3)	North America	110-120V~60Hz	58012
58386	3,028 (800)	2,195 (580)		CE / EMC	4	13.7 (30.1)	European Union	220-240V~50Hz	58094



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	REMARK	RATING	FILTER CARTRIDGE
58390	5,678 (1,500)	3,794 (1,050)	For use with 1,100-31,800 L (300-8,400 gallons) pools	C-ETL	1	6.3 (13.9)	North America	110-120V~60Hz	58012
58389	5,678 (1,500)	3,794 (1,050)		CE / EMC	1	6.2 (13.7)	European Union	220-240V~50Hz	58012

Connectors Included.



ITEM NO.	PUMP FLOW RATE L (GAL.) / HR	SYSTEM FLOW RATE L (GAL.) / HR	POOL COMPATIBILITY	CERTIFICATION	PACK	KG (LB.)	REMARK	RATING	FILTER CARTRIDGE
58392	9,463 (2,500)	7,192 (1,900)	For use with 1,100-57,500 L (300-15,200 gallons) pools	C-ETL	1	11.5 (25.4)	North America	110-120V~60Hz	58095
58391	9,463 (2,500)	7,192 (1,900)		CE / EMC	1	11.6 (25.6)	European Union	220-240V~50Hz	58095

Connectors Included.

HOSE

58368

NEW ITEM



- 3m (9.8') long, 38mm (1.5") diameter
- Suitable for filter pumps and sand filters that use 38mm (1.5") hoses
- Full color box
- 6 Ea., 8.3 kg (18.2 Lb.)

HOSE

58369

NEW ITEM



- 3m (9.8') long, 32mm (1.25") diameter
- Suitable for filter pumps, sand filters, heaters and chlorinators that use 32mm (1.25") hoses
- Full color box
- 6 Ea., 4.5 kg (9.9 Lb.)

HOSE ADAPTERS

58236



- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 38 mm) to pool valves (Diameter 32 mm)
- Easy to install
- Instructional manual included!
- Two pieces set on a blister card
- 12 Sets, 2.0 kg (4.5 Lb.)

SUITABLE FOR	
Filter Pumps	1,300gal, 1,500gal, 2,100gal, 2,500gal
Sand Filters	1,500gal, 2,000gal

FLOWCLEAR CARTRIDGES

ITEM NO.	58093	58094	58012	58095	58168
NAME	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge	Filter Cartridge
PRODUCT					
SIZE	Ø8.0cm x H9.0cm (Ø3.1" x H3.5")	Ø10.6cm x H13.6cm (Ø4.2" x H5.4")	Ø10.6cm x H20.3cm (Ø4.2" x H8.0")	Ø14.2cm x H25.4cm (Ø5.6" x H10.0")	Ø8.3cm x H8.0cm (Ø3.3" x H3.1")
CORRESPONDING PUMP	330 gal. (220-240V) filter pumps	530 gal. (220-240V) 800 gal. (220-240V) filter pumps	530 / 800 / 1,000 / 1,500 gal. (110-120V) 1,300 / 1,500 gal. (220-240V) filter pumps	2,100 / 2,500 gal. (110-120V / 220-240V) filter pumps	330 gal. (110-120V) filter pumps
PACKAGE	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card	Shrink-wrapped with insert card
PACK	6 Sets (Twin pack)	6 Sets (Twin pack)	6 Ea.	6 Ea.	6 Sets (Twin pack)
KG / LB	1.0 (2.2)	1.7 (3.8)	1.2 (2.6)	2.7 (5.9)	0.8 (1.7)

POOL ACCESSORIES



SOLAR POOL COVERS

Fast Set™ Pools



- Cover floats on water surface to provide heat insulation
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58060	Ø2.10m (Ø82")	2.44m (8')	4	2.6 (5.8)
58061	Ø2.72m (Ø107")	3.05m (10')	4	3.5 (7.7)
58062	Ø3.21m (Ø126")	3.66m (12')	2	2.5 (5.6)
58065	Ø3.95m (Ø156")	4.57m (15')	1	2.3 (5.0)
58066	Ø4.55m (Ø179")	5.49m (18')	1	2.6 (5.7)

SOLAR POOL COVERS

Steel Pro™ Frame Pools
Power Steel™ Frame Pools



- Cover floats on water surface to provide heat insulation
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58241	Ø2.89m (Ø114")	3.05m (10')	2	2.2 (4.8)
58242	Ø3.56m (Ø140")	3.66m (12')	2	3.3 (7.2)
58252	Ø4.17m (Ø164")	4.27m (14')	2	4.0 (8.9)
58172	Ø4.47m (Ø176")	4.57m (15')	1	2.6 (5.7)
58253	Ø4.62m (Ø182")	4.88m (16')	2	4.8 (10.6)
58173	Ø5.27m (Ø207")	5.49m (18')	1	3.4 (7.6)

SOLAR POOL COVERS

Power Steel™ Rectangular Frame Pools



- Cover floats on water surface to provide heat insulation
- Minimized pool debris
- Carrying bag with insert card

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58240	3.80m x 1.80m (150" x 71")	4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48")	2	2.2 (4.9)
58254	6.34m x 3.37m (250" x 133")	6.71m x 3.66m x 1.32m (22' x 12' x 52")	1	3.5 (7.7)
58228	7.03m x 3.36m (277" x 132")	7.32m x 3.66m x 1.32m (24' x 12' x 52")	1	3.6 (7.8)

POOL COVERS

Fast Set™ Pools



- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58032	Ø2.80m (Ø110")	2.44m (8')	6	3.8 (8.5)
58033	Ø3.35m (Ø132")	3.05m (10')	6	5.5 (12.2)
58034	Ø3.95m (Ø156")	3.66m (12')	6	7.2 (15.8)
58035	Ø4.95m (Ø195")	4.57m (15')	4	8.0 (17.6)
58073	Ø5.85m (Ø230")	5.49m (18')	4	10.7 (23.7)

POOL COVERS

Steel Pro™ Frame Pools
Power Steel™ Frame Pools



- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58301	Ø2.44m (Ø8')	2.44m x 61cm (8' x 24")	8	4.8 (10.6)
58036	Ø3.05m (Ø10')	3.05m (10')	6	5.8 (12.7)
58037	Ø3.66m (Ø12')	3.66m (12')	6	7.8 (17.2)
58248	Ø4.30m (Ø169")	4.27m (14')	4	7.1 (15.6)
58038	Ø4.57m (Ø15')	4.57m x 91cm (15' x 36")	4	7.6 (16.7)
58134	Ø4.57m (Ø15')	4.57m x 1.22m (15' x 48")	4	7.7 (16.9)
58249	Ø4.90m (Ø193")	4.88m (16')	4	8.2 (18.1)
58039	Ø5.49m (Ø18')	5.49m (18')	4	11.0 (24.3)

POOL ACCESSORIES



POOL COVERS

Steel Wall Pools

HIGH-DENSITY



- PE material (Except 58365 and 58370)
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

NEW ITEM

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58291	Ø3.55m (Ø140")	3.00m x 1.20m (10' x 48")	6	8.7 (19.1)
58292	Ø4.30m (Ø170")	3.60m x 1.20m (12' x 48")	6	12.0 (26.4)
58293	5.30m x 3.85m (209" x 152")	5.00m x 3.60m x 1.20m (16.4' x 12' x 48")	4	9.6 (21.2)
58328	Ø5.30m (Ø209")	4.60m x 1.20m (15' x 48")	4	11.5 (25.3)
58364	6.50m x 3.95m (256" x 156")	6.10m x 3.60m x 1.20m (20' x 12' x 48")	4	11.9 (26.3)
58370	Ø3.70m (Ø146")	3.60m x 90cm (12' x 36")	6	22.8 (50.3)
58365	Ø4.70m (Ø185")	4.60m x 90cm (15' x 36")	4	22.1 (48.8)



POOL COVERS

Power Steel™ Rectangular Frame Pools
Splash Frame Pools




- PE material
- Includes ropes to secure cover
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58103	2.24m x 1.54m (88" x 61")	2.21m x 1.50m x 43cm (87" x 59" x 17")	8	4.4 (9.7)
58104	2.44m x 1.54m (96" x 61")	2.39m x 1.50m x 58cm (94" x 59" x 23")	8	4.8 (10.5)
58105	2.64m x 1.74m (104" x 69")	2.59m x 1.70m x 61cm (102" x 67" x 24")	8	5.4 (12.0)
58106	3.04m x 2.05m (120" x 81")	3.00m x 2.01m x 66cm (118" x 79" x 26")	6	4.8 (10.6)
58107	4.10m x 2.26m (161" x 89")	4.00m x 2.11m x 81cm (157" x 83" x 32")	6	7.0 (15.4)
58231	2.70m x 1.85m (106" x 73")	2.87m x 2.01m x 1.00m (113" x 79" x 39.5")	6	4.3 (9.4)
58232	3.96m x 1.85m (156" x 73")	4.04m x 2.01m x 1.00m (159" x 79" x 39.5") 4.12m x 2.01m x 1.22m (162" x 79" x 48")	6	6.0 (13.3)

GROUND CLOTHS

Fast Set™ Pools
Power Steel™ Frame Pools
Steel Pro™ Frame Pools



- All-new durable material
- Provides extra protection for the bottom of the pool
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58000	2.74m x 2.74m (9' x 9')	2.44m (8')	6	5.2 (11.4)
58001	3.35m x 3.35m (11' x 11')	3.05m (10')	4	4.8 (10.5)
58002	3.96m x 3.96m (13' x 13')	3.66m (12')	4	6.4 (14.1)
58003	4.88m x 4.88m (16' x 16')	4.57m (15')	4	8.7 (19.2)
58251	5.20m x 5.20m (17' x 17')	4.88m (16')	4	11.3 (24.8)
58031	5.79m x 5.79m (19' x 19')	5.49m (18')	4	12.8 (28.2)

GROUND CLOTHS

Splash Frame Pools
Power Steel™ Frame Pools



- All-new durable material
- Provides extra protection for the bottom of the pool
- Full color box

ITEM NO.	SIZE	CORRESPONDING POOLS	PACK	KG (LB.)
58100	2.95m x 2.06m (116" x 81")	2.21m x 1.50m x 43cm (87" x 59" x 17") 2.39m x 1.50m x 58cm (94" x 59" x 23") 2.59m x 1.70m x 61cm (102" x 67" x 24")	8	5.2 (11.4)
58101	3.38m x 2.39m (133" x 94")	3.00m x 2.01m x 66cm (118" x 79" x 26")	8	7.3 (16.1)
58102	4.45m x 2.54m (175" x 100")	3.99m x 2.11m x 81cm (157" x 83" x 32")	6	7.0 (15.4)
58264	5.00m x 3.00m (197" x 118")	4.12m x 2.01m x 1.22m (162" x 79" x 48") 4.04m x 2.01m x 1.00m (159" x 79" x 39.5")	6	9.6 (21.1)

POOL FLOOR PROTECTOR



- Durable Polyethylene
- Provides added protection for pool floors
- Fits all sizes of Pools
- Package contains 8 pieces
- Shrink wrapped with insert card



ITEM NO.	SIZE	COLOR	CONTENTS	PACK	KG (LB.)
58220	50 x 50cm (20" x 20")	Blue	8 Pieces	30	22.7 (50.0)
58265	81 x 81cm (32" x 32")	Green	8 Pieces	8	17.4 (38.4)

POOL ACCESSORIES

POOL LADDERS

76cm (30")

RE-ENGINEERED



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58333	76cm (30")	1	5.9 (12.9)	North America
58329	76cm (30")	1	5.4 (11.9)	Except North America

POOL LADDERS

91cm (36")

RE-ENGINEERED



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58334	91cm (36")	1	7.4 (16.4)	North America
58393	91cm (36")	1	6.3 (13.9)	Asia, Africa & Latin America

POOL LADDERS

1.07m (42")

RE-ENGINEERED



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58335	1.07m (42")	1	7.7 (16.9)	North America
58330	1.07m (42")	1	8.7 (19.3)	European Union
58394	1.07m (42")	1	6.7 (14.8)	Asia, Africa & Latin America

POOL LADDERS

1.22m (48")

RE-ENGINEERED



- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58336	1.22m (48")	1	9.9 (21.8)	North America
58331	1.22m (48")	1	12.6 (27.8)	European Union
58395	1.22m (48")	1	10.1 (22.2)	Asia, Africa & Latin America

POOL LADDERS

1.32m (52")

RE-ENGINEERED









- Rust-resistant metal frame
- Heavy-duty plastic steps
- Easy construction
- Shelf box with picture

ITEM NO.	SIZE	PACK	KG (LB.)	REMARK
58337	1.32m (52")	1	11.9 (26.2)	North America
58332	1.32m (52")	1	13.6 (29.9)	European Union
58396	1.32m (52")	1	11.1 (24.5)	Asia, Africa & Latin America

POOL ACCESSORIES

THE RIGHT TOOL TO CLEAN EVERY POOL

OPERATING SYSTEM	Garden Hose - Venturi Effect		Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2,0 to 9,4m³/h	
PRODUCT	58013 Maintenance Kit 2.03m - 80" 	58098 Maintenance Kit 2.54m - 100" 	58212 AquaCrawl Pool Vacuum 	58234 AquaClean Pool Cleaning Kit 
RECOMMENDED POOL				
	Any model	Any model		
	Any model	Any model		
	Up to 12' - 3.66m diameter	15' - 4.57m diameter and above	Up to 15' - 4.57m diameter	Up to 15' - 4.57m diameter
	Up to 12' - 3.66m diameter	15' - 4.57m diameter and above	Up to 15' - 4.57m diameter	Up to 15' - 4.57m diameter
	Up to 12' - 3.66m diameter	15' - 4.57m diameter and above	Up to 15' - 4.57m diameter	Up to 15' - 4.57m diameter
	Fits 113" 159" 162" - 2.87, 4.04, 4.12m length	18' - 5.49m length and above	Fits 113" 159" 162" - 2.87, 4.04, 4.12m length	Fits 113" 159" 162" - 2.87, 4.04, 4.12m length
	Up to 12' - 3.66m diameter	15' - 4.57m diameter and above		
				
FEATURES				
HANDLING	Manual	Manual	Manual	Manual
POLE LENGTH	1.74m - 68.5"	2.47m - 97"	1.90m - 74.6"	2.79m - 110"
HOSE LENGTH			6.00m - 19,7'	6.00m - 19,7'
VALVE COMPATIBILITY			32mm - 1.25" (38mm - 1.5" adapters included)	32mm - 1.25" (38mm - 1.5" adapters included)
INNER WALL CLEANING	■	■	■	■
MINIMUM FLOW			Outlet 2,006 L/h - 530 gal.	Outlet 2,006 L/h - 530 gal.
MINIMUM WATTAGE				
HIGHLIGHTS	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net included 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net included 	<ul style="list-style-type: none"> • Reusable debris bag • Two angled conversion nozzle, one with brush • Universal adapters included 	<ul style="list-style-type: none"> • Reusable debris bag • Skimmer net included • Universal adapters included

OPERATING SYSTEM	Filter and Sand Pumps - from 86W, from 1,300 to 2,500 gal., from 4,9 to 9,4m³/h		Filter and Sand Pumps - from 0,5HP, from 2,100 to 2,500 gal., from 7,9 to 9,4m³/h		AA Battery, Independent from filtration device	
PRODUCT	58304 AquaClimb Automatic Pool Cleaner 	NEW ITEM 58339 AquaDip Pool Vacuum 	NEW ITEM 58340 AquaScan Electric Pool Vacuum 			
RECOMMENDED POOL						
						Any model
						Any model
	For 15' - 4.57m diameter	15' - 4.57m diameter and above				Any model under 48" height
	From 15' - 4.57m to 16' - 4.88m diameter	15' - 4.57m diameter and above				Any model under 48" height
	From 15' - 4.57m to 16' - 4.88m diameter	15' - 4.57m diameter and above				Any model under 48" height
	Any model	18' - 5.49m length and above				Any model under 48" height
						Any model under 48" height
						Any model
FEATURES						
HANDLING	Automatic	Automatic				Manual
POLE LENGTH						1.26m - 49.6"
HOSE LENGTH	6.10m - 20'	8.25m - 27'				
VALVE COMPATIBILITY	32mm - 1.25" (38mm - 1.5" adapters included)	32mm - 1.25" (38mm - 1.5" adapters included)				
INNER WALL CLEANING						■
MINIMUM FLOW	Outlet 3,785 L/h - 1,000 gal.	Outlet 5,678 L/h - 1,500 gal.				
MINIMUM WATTAGE	86W	230W				
HIGHLIGHTS	<ul style="list-style-type: none"> • Pre filter bag 	<ul style="list-style-type: none"> • Fast • Silent • Low Maintenance • Reusable debris bag 				<ul style="list-style-type: none"> • AA battery X 8 (not included) • Reusable debris bag • Brushes • Up to 1h30 operating time

POOL ACCESSORIES



INTRODUCING BESTWAY AUTOMATIC POOL CLEANERS

We offer a complete range of pool cleaning equipment - from the most basic skimmer on a pole to our highly advanced fully automatic pool cleaners - and everything in between. Our cleaners are compatible with virtually every pool on the market. The automatic cleaners, in particular reduce the burden of maintenance, making consumers' lives easier, while returning attractive profit margins to both distributors and retailers alike.

AQUACLIMB AUTOMATIC POOL CLEANER

58304



- Patented design specifically for above ground pools with low flow filtration systems. (Minimum 86W and 3,785 L/h (1,000 gal./h) system flow rate)
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate. Turn on the pump and cleaner will start automatically
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter
- Wide clip system on the bottom plate provides easy access to the debris compartment
- Float and weight provide optimum maneuverability
- Recommended for soft wall pools from 4.57m / 15ft to 4.87m / 16ft.
- Includes hoses with total length of 6.1m / 20ft.
- Includes connectors compatible with most leading pool brands on the market
- Full color box
- 2 Ea., 8.7 kg (19.2 Lb.)

Inner wall cleaning	
Minimum flow rate	3,785 L/h (1,000 gal./h)
Minimum wattage	86W
Pole length	

AQUADIP POOL VACUUM

58339

NEW ITEM



- Membrane technology ensures silent operation with optimum cleaning efficiency
- Lightweight design enables it to clean rapidly across the pool floor
- Finned disc enables it to glide smoothly across the pool bottom
- Simple twist-and-lock cassette for easy access to change the diaphragm
- Recommended for Above Ground Pools up to 6.1m (20')
- Includes 8.25m / 27ft. of standard hoses
- Min. System Flow Rate: 5,678 L/h (1,500 gal./h)
- Min. Pump Power: 0.3HP / 230W
- Full color box
- Case Pack: 2 Ea., 10.7 kg (23.6 Lb.)

Inner wall cleaning	
Minimum flow rate	5,678 L/h (1,500 gal./h)
Minimum wattage	230W
Pole length	

AQUASCAN ELECTRIC POOL VACUUM

58340

NEW ITEM




- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 1.5m / 5ft. when fully extended
- Underside wheels for easy gliding
- Quick to assemble, no tools needed
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag
- Full color box
- Case Pack: 6 Ea., 8.4 kg (18.4 Lb.)

Inner wall cleaning	
Minimum flow rate	
Minimum wattage	
Pole length	1.26m (49.6")

POOL ACCESSORIES

CLEANCAST SKIMMER SET

58325




- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft
- Header card
- 24 Ea., 10.8 kg (23.8 Lb.)

Inner wall cleaning	
Minimum flow rate	
Minimum wattage	
Pole length	1.26m (49.6")

MAINTENANCE KIT

58013




- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 12' (3.66m) and below pools
- Full color box
- 6 Ea., 6.5 kg (14.4 Lb.)

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	1.74m (68.5")

MAINTENANCE KIT

58098




- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 15' (4.57m) and above pools
- Full color box
- 6 Ea., 9.2 kg (20.2 Lb.)

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	2.47m (97")

POOL ACCESSORIES SET

58195



- Maintenance Kit: Four-section structure
- For use with 12' (3.66m) and below pools
- Each Set in a clam shell
- 4 Sets, 6.2 kg (13.7 Lb.)


SET INCLUDES

ITEM NO.	DESCRIPTION	PIECES	DETAILED ON
58013	Maintenance Kit	1	P.72
58071	Chemical Floater	1	P.76
58072	Floating Pool Thermometer	1	P.77
58142	Pool and Spa Test Strips	1	P.76
62068	Heavy-duty Repair Patch	1	P.78

Inner wall cleaning	■
Minimum flow rate	
Minimum wattage	
Pole length	1.72m (67.7")

AQUACRAWL POOL VACUUM

58212




- Four section aluminum poles easy assemble
- Three adapters for use with different pools and filter pump systems
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra long vacuum hose 6m (19.7') long, 3.2cm (1.25") diameter
- Attach to the filter pump for light cleaning your pool
- Fits the filter pump with 2,006 L/h (530 gal./h) flow rate and above
- For use with 15' (4.57m) and below pools
- Full color box
- 6 Ea., 11.8 kg (25.9 Lb.)

Inner wall cleaning	■
Minimum flow rate	2,006 L/h (530 gal./h)
Minimum wattage	
Pole length	1.90m (74.6")

AQUACLEAN POOL CLEANING KIT

58234



- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Includes multiple adapters for connections to all Bestway pools and filter systems
- Includes 2.79m (110") adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 6m (19.7') long, 3.2cm (1.25") diameter
- Vacuum has a one piece cleaning head
- Skimmer has a durable mesh netting
- Fits the filter pump with 2,006 L/h (530 gal./h) flow rate and above
- For use with 15' (4.57m) and below pools
- Full color box
- 4 Ea., 13.3 kg (29.2 Lb.)


Inner wall cleaning	■
Minimum flow rate	2,006 L/h (530 gal./h)
Minimum wattage	
Pole length	2.79m (110")

POOL ACCESSORIES



POOL SURFACE SKIMMER

58233




- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck floating leaves or other debris
- Attach to the filter pump for skimming automatically
- Easy to clean
- Fits the filter pump with 3,028 L/h (800 gal./h) flow rate and above
- For use with 15' (4.57m) and above pools
- Full color box
- 4 Ea., 8.9 kg (19.6 Lb.)

Inner wall cleaning	
Minimum flow rate	3,028 L/h (800 gal./h)
Minimum wattage	
Pole length	

DELUXE MAINTENANCE KIT

58237




- Durable and corrosion-proof plastic material
- Includes 2.79m (110") adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 6m (19.7") long, 3.2cm (1.25") diameter
- Multi-functional
 - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
 - Pool vacuum: working with the filter pump cleans pool walls and floor
 - Pool skimmer: manually clean floating debris
- Attach to the filter pump for skimming and vacuuming
- Fits the filter pump with 3,028 L/h (800 gal./h) flow rate and above
- For use with 15' (4.57m) and above pools
- Full color box
- 2 Ea., 9.8 kg (21.7 Lb.)

Inner wall cleaning	■
Minimum flow rate	3,028 L/h (800 gal./h)
Minimum wattage	
Pole length	2.79m (110")

CLEANCAST SKIMMER


58277



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Remove debris from pool water
- Durable mesh netting
- Header card
- 12 Ea., 2.7 kg (6.0 Lb.)

AQUANET


58278



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Scoop debris from pool water
- Durable mesh netting
- Header card
- 12 Ea., 2.9 kg (6.4 Lb.)

ANGLER POOL VACUUM

58282



- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor
- Header card
- 12 Ea., 11.2 kg (24.7 Lb.)

AQUABROOM

58280



- 45.7cm (18")
- Compatible with pool cleaning poles that are 30mm (1.2") (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners
- Header card
- 12 Ea., 3.4 kg (7.5 Lb.)

POOL+ POLE

58326

- 2.41m (95")
- Inner diameter 30mm (1.2")
- Lightweight aluminum shaft
- Ideal for attaching accessories to clean pools
- Polybag with labels
- 12 Ea., 7.3 kg (16.1 Lb.)



E-Z-BROOM POLE

58279

- 3.6m (142")
- Inner diameter 30mm (1.2")
- Lightweight aluminum shaft
- Ideal for attaching accessories to clean pools
- Polybag with labels
- 24 Ea., 18.0 kg (39.7 Lb.)



POOL ACCESSORIES

FLOWCLEAR™ POOL & SPA TEST STRIPS

- The ideal solution for basic pool and spa water testing
- Easy Color-Match System
- Contains 50 test strips
- 18-Month Shelf Life
- Blister card



58142

- 3-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Alkalinity
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- 24 Ea., 1.2 kg. (2.7 Lb.)

58247

- 5-in-1 Test Strip:
 - pH
 - Free Chlorine
 - Total Chlorine
 - Total Hardness
 - Total Alkalinity
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
- 24 Ea., 1.2 kg. (2.7 Lb.)



REPAIR KIT

58275

- Great for repairing air beds, inflatable toys and above ground pools
- Vinyl cement (5 grams, 0.18 oz.)
- 4 repair patches (70cm², 11 sq. in.)
- Sandpaper (12cm², 1.9 sq. in.)
- Plastic box
- 36 Ea., 0.8 kg (1.9 Lb.)



FLOWCLEAR™ POOL & SPA TEST KIT

58274

- The ideal solution for basic pool and spa water testing
- 3-Way-Pool & Spa Test Kit:
 - pH
 - Free Chlorine
 - Bromine
- Measures Free Chlorine 0.5 to 5 ppm, Bromine 1 to 10 ppm and pH 6.8 to 8.2 with instant results
- Easy Color-Match System
- 2-Year Shelf Life
- Plastic Box
- 36 Sets., 6.0 kg (13.2 Lb.)



REPLACEMENT POOL & SPA WATER TEST SOLUTIONS

58303

- Replacement solutions for Flowclear™ Pool & Spa Test Kit (#58274)
- The ideal solution for basic pool and spa water testing
- 2-Year Shelf Life
- Blister card
- 48 Sets., 4.2 kg (9.3 Lb.)



FLOATING POOL THERMOMETER

58072

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- Blister card
- 36 Ea., 4.4 kg (9.7 Lb.)



CHEMICAL FLOATER

58209

- 18.5cm (7.3")
- Dispenses 7.6cm (3") chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors
- Full color box
- 12 Ea., 5.4 kg (11.9 Lb.)



CHEMICAL FLOATER

58210

- 12.7cm (5")
- Dispenses 2.5cm (1") chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction
- Shrink wrapped with insert card
- 24 Ea., 2.5 kg (5.5 Lb.)



CHEMICAL FLOATER

58071

- 16.5cm (6.5")
- Dispenses chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included
- Full color box
- 12 Ea., 5.0 kg (11.1 Lb.)



ASSORTED FLOAT POOL THERMOMETER

58110

- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- 4 assorted design
- Blister card
- 24 Ea., 3.7 kg (8.2 Lb.)



POOL+™ THERMOMETER

58324

- 16.5cm (6.5")
- ABS construction
- String attached to keep thermometer in place
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- Blister card
- 12 Ea., 3.7 kg (8.2 Lb.)



POOL ACCESSORIES

REPAIR PATCH

62021

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches
- Blister card
- 36 Ea., 0.8 kg (1.8 Lb.)



REPAIR KIT

62022

- 0.18 oz. (5 grams) tube of vinyl cement
- 20 sq. in. (130cm²) PVC swatch
- Blister card
- 36 Ea., 0.9 kg (2.0 Lb.)



HEAVY-DUTY REPAIR PATCH

62068

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches
- Blister card
- 36 Ea., 0.8 kg (1.8 Lb.)



WATERPROOF REPAIR PATCH

62091


- NEW ITEM**
- 10 pcs included
 - 6.55 sq. in. (42.3cm²) stick-on patches
 - Blister card
 - 36 Ea., 1.4 kg (3.0 Lb.)



SOLAR-FLOAT LAMP

58111

- Ø18cm (Φ7")
- 1.2V ☀
- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard come to light
- Extra long 8-hour run time
- Full color box
- 24 Ea., 10.1 kg (22.3 Lb.)




POOL+ LIGHT

58310

- Advanced LED technology, multi-color alternating lights
- Durable water proof design that can be immersed in the water for long periods time
- No batteries needed! Water powered, simply mount in the water inlet valve
- Compatible with and above 3,028 L/h (800 gal./h) filter pumps
- Package also includes an adaptor for pool valves with an outer diameter of 32mm (1.25")
- Works with most above ground pools!
- Full color box
- 12 Ea., 6.5 kg (14.3 Lb.)



ALTERNATING COLOR



SOLAR-PRO SHOWER™

58224




- 41cm x 58cm (16" x 23")
- Solar- heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 20 L (5.3 gal.) of water for multiple showers
- Great for outdoor adventures
- Full color box
- 24 Ea., 11.9 kg (26.3 Lb.)

POOL+ SHOWER

58307



2 DIFFERENT SHOWER PATTERNS



FULLY ADJUSTABLE



- Deluxe pool shower
- Super-easy assembly, no tools required!
- Two different shower spray patterns with two separate shower heads
- Corrosion-proof aluminum pole
- Fully adjustable shower height & angle
- Connects to above ground swimming pool ladders and standard garden hoses
- Includes a water valve to regulate water flow
- Includes an adaptor for use with European garden hoses
- Full color box
- 6 Ea., 3.5 kg (7.7 Lb.)

INDEX

FAST SET™ POOLS



1.98m x 51cm (78" x 20")		
57252	P07	
2.44m x 66cm (8' x 26")		
57305	57268	P07
57265	57296	P07
57267		P07
3.05m x 76cm (10' x 30")		
57307	57270	P09
57266	57295	P09
57269		P09
3.66m x 76cm (12' x 30")		
57308	57274	P09
57273	57298	P09
57275		P09
3.66m x 91cm (12' x 36")		
57309	57263	P11
57278	57299	P11
57277		P11
4.57m x 91cm (15' x 36")		
57310	57300	P11
57293	57281	P11
57282	57280	P11
57121	57301	P11
4.57m x 1.07m (15' x 42")		
57311	57294	P13
57286	57302	P13
4.57m x 1.22m (15' x 48")		
57288	57303	P13
57289		P13
5.49m x 1.22m (18' x 48")		
57292	57304	P13
57291		P13

SPLASH FRAME POOLS



2.21m x 1.50m x 43cm (87" x 59" x 17")		
56545		P15
56401		P15
2.39m x 1.50m x 58cm (94" x 59" x 23")		
56547		P15
56402		P15
2.59m x 1.70m x 61cm (102" x 67" x 24")		
56496		P15
56403		P15
3.00m x 2.01m x 66cm (118" x 79" x 26")		
56498	56411	P17
56404	56549	P17
56412		P17
4.00m x 2.11m x 81cm (157" x 83" x 32")		
56512	56424	P17
56405	56513	P17
56425		P17

STEEL PRO™ FRAME POOLS



2.44m x 61cm (8' x 24")		
56544	56431	P19
3.05m x 76cm (10' x 30")		
56493	56408	P19
56406	56494	P19
56407		P19
3.66m x 76cm (12' x 30")		
56500	56416	P19
56415	56501	P19
56417		P19
3.66m x 1.00m (12' x 39.5")		
56419	56260	P21
56418	56502	P21

3.66m x 1.22m (12' x 48")		
56421	56414	P21
56420	56550	P21
56503	56548	P21
4.27m x 1.00m (14' x 39.5")		
56423	56504	P21
56422		P21
4.57m x 91cm (15' x 36")		
56433	56434	P23
56435	56509	P23
4.57m x 1.22m (15' x 48")		
56439	56511	P23
56438		P23
5.49m x 1.22m (18' x 48")		
56463	56531	P23
56462		P23

RATTAN FRAME POOLS



3.66m x 1.00m (12' x 39.5")		
56387	56594	P25
56379	56515	P25
4.27m x 1.22m (14' x 48")		
56485	56486	P25
56483	56484	P25
56507	56508	P25

POWER STEEL™ FRAME POOLS



4.27m x 1.22m (14' x 48")		
56443	56478	P27
56444	56561	P27
56505	56506	P27

4.88m x 1.22m (16' x 48")		
56453	56452	P29
56451	56521	P29
56522		P29
5.49m x 1.32m (18' x 52")		
56459	56464	P29
56427	56532	P29
56533		P29

POWER STEEL™ RECTANGULAR FRAME POOLS



2.87m x 2.01m x 1.00m (113" x 79" x 39.5")		
56410	56248	P31
56409	56497	P31
4.04m x 2.01m x 1.00m (159" x 79" x 39.5")		
56426	56442	P31
56441	56255	P31
56251	56555	P31
56514	56518	P31
4.12m x 2.01m x 1.22m (162" x 79" x 48")		
56458	56457	P33
56456	56558	P33
56529	56528	P33
4.88m x 2.74m x 1.22m (16' x 9' x 48")		
56489	56380	P33
56481	56390	P33
56526	56525	P33
5.49m x 2.74m x 1.22m (18' x 9' x 48")		
56467	56466	P35
56465	56562	P35
56535	56534	P35
6.71m x 3.66m x 1.32m (22' x 12' x 52")		
56473	56471	P35
56470	56537	P35
56538		P35

7.32m x 3.66m x 1.32m (24' x 12' x 52")		
56476	56475	P37
56474	56541	P37
56540		P37
9.56m x 4.88m x 1.32m (31.3' x 16' x 52")		
56480	56479	P37

STEEL PRO™ OVAL FRAME POOLS



4.88m x 3.05m x 1.07m (16' x 10' x 42")		
56449	56519	P39
56447		P39
5.49m x 3.66m x 1.22m (18' x 12' x 48")		
56460	56530	P39
56461		P39

HYDRIUM™ POOLS



3.00m x 1.20m (10' x 48")		
56564	56567	P41
56563	56566	P41
56565	56568	P41
3.60m x 1.20m (12' x 48")		
56572	56575	P43
56571	56574	P43
56573	56576	P43
4.60m x 1.20m (15' x 48")		
56383	56385	P43
56382	56384	P43
56581	56582	P43

HYDRIUM™ OVAL POOLS



5.00m x 3.60m x 1.20m (16.4' x 12' x 48")		
56584	56587	P45
56583	56586	P45
56585	56588	P45
6.10m x 3.60m x 1.20m (20' x 12' x 48")		
56372	56370	P45
56371	56369	P45
56591	56592	P45

HYDRIUM™ SPLASHER POOLS



3.60m x 90cm (12' x 36")		
56378	56569	P47
56377		P47
4.60m x 90cm (15' x 36")		
56381	56577	P47
56386		P47

MINI ABOVE GROUND POOLS



57241	P48	56430	P51
56283	P49	56499	P52
56217	P50	56413	P52
56218	P50	56543	P53
56546	P51	56432	P53

ADVANCED WATER MAINTENANCE SYSTEMS



58215	P54	58261	P55
58216	P54	58230	P55
58338	P54	58259	P55
58219	P55		

FLOWCLEAR™ SAND FILTER



58403	P58	58400	P59
58402	P58	58405	P59
58398	P58	58404	P59
58397	P58	58367	P59
58401	P59	58366	P59

FLOWCLEAR™ FILTER PUMPS



58382	P60	58386	P60
58381	P60	58390	P60
58384	P60	58389	P60
58383	P60	58392	P60
58387	P60	58391	P60

FILTER CARTRIDGE



58093	P61	58095	P61
58094	P61	58168	P61
58012	P61		

HOSE



58368	P61	58369	P61
-------	-----	-------	-----

HOSE ADAPTERS



58236			P61
-------	--	--	-----

SOLAR POOL COVERS



58060	P62	58252	P62
58061	P62	58172	P62
58062	P62	58253	P62
58065	P62	58173	P62
58066	P62	58240	P63
58241	P62	58254	P63
58242	P62	58228	P63

POOL COVERS



58032	P63	58292	P64
58033	P63	58293	P64
58034	P63	58328	P64
58035	P63	58364	P64
58073	P63	58370	P64
58301	P63	58365	P64
58036	P63	58103	P64
58037	P63	58104	P64
58248	P63	58105	P64
58038	P63	58106	P64
58134	P63	58107	P64
58249	P63	58231	P64
58039	P63	58232	P64
58291	P64		

GROUND CLOTHS



58000	P65	58031	P65
58001	P65	58100	P65
58002	P65	58101	P65
58003	P65	58102	P65
58251	P65	58264	P65

POOL FLOOR PROTECTOR



58220	P65	58265	P65
-------	-----	-------	-----

POOL LADDERS



58333	P66	58336	P67
58329	P66	58331	P67
58334	P66	58395	P67
58393	P66	58337	P67
58335	P66	58332	P67
58330	P66	58396	P67
58394	P66		

POOL ACCESSORIES

58304	P71	58247	P76
58339	P71	58275	P76
58340	P71	58274	P76
58325	P72	58210	P76
58013	P72	58071	P76
58098	P72	58303	P77
58195	P73	58072	P77
58212	P73	58209	P77
58234	P73	58110	P77
58233	P74	58324	P77
58237	P74	62021	P78
58277	P75	62022	P78
58278	P75	62068	P78
58326	P75	62091	P78
58282	P75	58111	P78
58280	P75	58310	P79
58279	P75	58224	P79
58142	P76	58307	P79