

SHANGHAI

Bestway Global Holding Inc. No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestway-shanghai.com

CENTRAL & SOUTH AMERICA

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: 562 3203 6438 Fax: 562 3203 6409 E-mail: info@bestway-southamerica.com

HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 Fax: 852 2997 7869 E-mail: info@bestway-hongkong.com

U.S.A.

Bestway (USA) Inc. 3249 E. Harbour Drive, Phoenix, Arizona 85034, United States of America Tel: 1 480 838 3888 Fax: 1 480 304 3349 E-mail: sales@bestway-northamerica.com

INFLATE YOUR FUN™



WWW.BESTWAY-GLOBAL.COM

f y 🖸 🛍

©2015 Bestway Inflatables & Material Corp. All rights reserved.

EUROPE

Bestway (Europe) S.r.I. Via Resistenza 5, 20098 San Giuliano M.se (Mi) - Italy Tel: 39 02 9884 881 Fax: 39 02 9884 8828 E-mail: info@bestway-europe.com

AUSTRALIA

Bestway Australia Pty Limited Unit 10/71-83 Asquith Street, Silverwater, NSW 2128, Australia Tel: 61 2 9037 1388 Fax: 61 2 9737 9423 E-mail: info@bestway-australia.com




WELCOME

Bestway's Lay-Z-Spa[™] is the world's first premium inflatable spa. Almost a decade of advanced engineering innovations have built total market dominance and a name consumers have grown to trust. The Lay-Z-Spa offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation.

Another reason consumers love Lay-Z-Spa is because it's backed by Bestway's comprehensive customer support services. These include online support, video tutorials detailing step-by-step how to set up and maintain your spa, plus localized call centers to answer any questions. For this reason, customers enjoy peace of mind and can spend more time relaxing in their Lay-Z-Spa. Your customers deserve the best portable spa – they deserve Lay-Z-Spa by Bestway.

Lay-Z-Spa








TRITECH™ 3-PLY


Durable, yet comfortable

TriTech[™] is a 3-ply reinforced material with a polyester mesh core that's encased in two layers of laminated PVC – offering superior strength and durability.












Electromagnetic Water Softening

Reduce the adverse effects of "hard" water (commonly spa staining and skin irritation) with our in-built ClearSoft Water Softening System.

Just activate the ClearSoft system using the spa's control panel and powerful electromagnetic coils surrounding the spa's water work to condition the water passing through the system.

Plus, it's not just "low-maintenance", it's virtually "NO-maintenance" - with no additional moving parts!





STURDY I-BEAM CONSTRUCTION

Delivering strength and comfort

Lay-Z-Spa's I-Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

The spa retains its shape no matter how many times it's inflated/deflated yet always provides a comfortable, cushioned spa environment.








Lay-Z-Spa _{AirJet}"

Float away on a cloud of bubbles with an AirJet massage!

Soothing to the limbs and relaxing to the spirit, just press the Lay-Z-Massage button on the control panel and the Lay-Z-Spa's AirJets will surround you with effervescent enjoyment.



















DOUBLE-LOCK SAFETY CLIPS SOFT-TOUCH CONTROL PANEL

DIGITAL CONTROL PANEL



SPECIFICATIONS			
ITEM NO.	54124 54		
CAPACITY	2-4 Adults	2-4 Adults	
WATER CAPACITY (80%)	800L (211gal.)	800L (211gal.)	
INFLATED SIZE	1.80m x 66cm (71" x 26")	1.80m x 66cm (71" x 26")	
FILLED WEIGHT	1,026kg (2,261Lb.)	1,026kg (2,261Lb.)	
RATING	110-120V~60Hz, 12A at 20°C	220-240V~ 50Hz, 2050W at 20°C	
ACTUAL WATER FLOW	≥1,325L/h (≥350gal./h)	≥1,325L/h (≥350gal./h)	
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5-2.0°C/h (3-4°F/h)	
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)	
CERTIFICATION	ETL approved	CE/EMC/TUV/GS approved	
PACK/GROSS WEIGHT	1 Ea., 31.8kg (70.0Lb.)	1 Ea., 32.8kg (72.4Lb.)	







Spa setup and maintenance DVD



Filter cartridge #58323




Chemical floater #58210



- Sturdy I-Beam construction





















LEATHEROID EXTERIOR COVER MOSAIC-PRINT LINER

DOUBLE-LOCK SAFETY CLIPS

SOFT-TOUCH CONTROL PANEL SOFT, INSULATING FLOOR

DIGITAL CONTROL PANEL



SPECIFICATIONS				
ITEM NO.	54115 54112			
CAPACITY	4-6 Adults	4-6 Adults		
WATER CAPACITY (80%)	848L (224gal.)	848L (224gal.)		
INFLATED SIZE	1.96m x 61cm (77" x 24")	1.96m x 61cm (77" x 24")		
FILLED WEIGHT	1,100kg (2,426Lb.)	1,100kg (2,426Lb.)		
RATING	110-120V~60Hz, 12A at 20°C	220-240V~ 50Hz, 2050W at 20°C		
ACTUAL WATER FLOW	≥1,325L/h (≥350gal./h)	≥1,325L/h (≥350gal./h)		
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5-2.0°C/h (3-4°F/h)		
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)		
CERTIFICATION	ETL approved	CE/EMC/TUV/GS approved		
PACK/GROSS WEIGHT	1 Ea., 39.8kg (87.8Lb.)	1 Ea., 40.9kg (90.1Lb.)		







Spa setup and maintenance DVD



Filter cartridge #58323



Chemical floater #58210




- Quad horizontal ring construction

- 87 all-surrounding Air Jets

- Insulating inflatable top cover included

- Mosaic-print interior







Power Saving Timer

Auto Mode On/Off RGB colors



PRODUCT HIGHLIGHTS














DIGITAL CONTROL PANEL





- I-Beam construction

- 87 all-surrounding Air Jets

- Inbuilt multi-colored LED lighting system with wireless remote

- Insulating inflatable top cover included

SOFT-TOUCH CONTROL PANEL SOFT, INSULATING FLOOR

SPECIFICATIONS				
ITEM NO.	54149	54148		
CAPACITY	4-6 Adults	4-6 Adults		
WATER CAPACITY (80%)	945L (250gal.)	945L (250gal.)		
INFLATED SIZE	1.96m x 66cm (77" x 26")	1.96m x 66cm (77" x 26")		
FILLED WEIGHT	1,215kg (2,678Lb.)	1,215kg (2,678Lb.)		
RATING	110-120V~60Hz, 12A at 20°C	220-240V~ 50Hz, 2050W at 20°C		
ACTUAL WATER FLOW	≥1,325L/h (≥350gal./h)	≥1,325L/h (≥350gal./h)		
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5-2.0°C/h (3-4°C/h)		
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)		
CERTIFICATION	ETL approved	CE/EMC/GS approved		
PACK/GROSS WEIGHT	1 Ea., 38.3kg. (84.4Lb.)	1 Ea., 39.3kg. (86.6Lb.)		

LED lighting system

Lay-I-Spa Parts





Spa setup and maintenance DVD



Wireless LED remote control

Bubble Mat



Filter cartridge #58323



PALM SPRINGS

54129 54135





14

HIGHLIGHTS



TRI-TECH™ MATERIAL








SOFT-TOUCH CONTROL PANEL SOFT, INSULATING FLOOR



1	0	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	「「「ないない」ないので	のうちのの	a state to be a	and the second of the	ころうち ひろろう あっちょう
14	1		- 12	4	100	15	

DIGITAL CONTROL PANEL



SPECIFICATIONS				
ITEM NO.	54130 54129			
CAPACITY	4-6 Adults	4-6 Adults		
WATER CAPACITY (80%)	963L (254gal.)	963L (254gal.)		
INFLATED SIZE	1.96m x 71cm (77" x 28")	1.96m x 71cm (77" x 28")		
FILLED WEIGHT	1,225kg (2,701Lb.)	1,225kg (2,701Lb.)		
RATING	110-120V~60Hz, 12A at 20°C	220-240V~50Hz, 2050W at 20°C		
ACTUAL WATER FLOW	≥1,211L/h (≥320gal./h)	≥1,325L/h (≥350gal./h)		
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5-2.0°C/h (3-4°F/h)		
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)		
CERTIFICATION	ETL approved	CE/EMC/TUV/GS approved		
PACK/GROSS WEIGHT	1 Ea.,37.8kg (83.3Lb.)	1 Ea.,38.5kg (84.8Lb.)		

Lay-Z-Spa Pairs Springs



Spa setup and maintenance DVD _____

Bubble Mat



Filter cartridge #58323



#58210




Insulating inflatable top cover included



Perfect spa relaxation at your fingertips

All eight HydroJets are fully adjustable: Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury around evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.





PALM SPRINGS









HydroJet System Heat Activation



HIGHLIGHTS













LAY-Z-SPA HYDROJET™ Massage system

TRI-TECH™ MATERIAL

DOUBLE-LOCK SAFETY CLIPS SOFT-TOUCH CONTROL PANEL SOFT, INSULATING FLOOR

DIGITAL CONTROL PANEL



SPECIFICATIONS				
ITEM NO.	54145	54144		
CAPACITY	4-6 Adults	4-6 Adults		
WATER CAPACITY	795L (210gal.)	795L (210gal.)		
INFLATED SIZE	1.96m x 71cm (77" x 28")	1.96m x 71cm (77" x 28")		
JET NOZZLES	8 PCs	8 PCs		
RATING	110-120V~60Hz, 12A at 20°C	220-240V~ 50Hz, 2060W at 20°C		
FILTER PUMP FLOW RATE	≥1,211L/h (≥320gal./h)	≥1,325L/h (≥350gal./h)		
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5-2.0°C/h (3-4°C/h)		
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)		
CERTIFICATION	ETL approved	CE/EMC/GS approved		
PACK/GROSS WEIGHT	1 Ea., 62.3kg. (137.2Lb.)	1 Ea., 60.0kg. (132.3Lb.)		

Hydrojet nozzles

Lay-Z-Spar Palm Springs





Spa setup and maintenance DVD



Air Hammer Pump & Sidewinder Pump

Bubble Mat



Filter cartridge #58323










AirJets PLUS HydroJets

You get the best of both worlds with a HydroJet Pro. Eight directional and flow-adjustable HydroJets combine with AirJets to provide the ultimate in spa relaxation.

Choose only the AirJets, just the HydroJets or both at the same time – the choice is yours with HydroJet Pro[™]!









PRODUCT HIGHLIGHTS



TRI-TECH™ MATERIAL







SOFT-TOUCH CONTROL PANEL SOFT, INSULATING FLOOR





LAY-Z-SPA HYDROJET™+ AIRJET™ Massage system

DIGITAL CONTROL PANEL



SPECIFICATIONS			
ITEM NO.	54139 54138		
CAPACITY	4-6 Adults	4-6 Adults	
WATER CAPACITY	795L (210gal.)	795L (210gal.)	
INFLATED SIZE	1.80m x 1.80m x 71cm (71" x 71" x 28")	1.80m x 1.80m x 71cm (71" x 71" x 28")	
JET NOZZLES	8 PCs	8 PCs	
RATING	110-120V~60Hz, 12A at 20°C	220-240V~50Hz, 2060W at 20°C	
FILTER PUMP FLOW RATE	≥1.211L/h (≥320Gal./h)	≥1,325 L/h (≥350Gal./h)	
RAPID HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)	Approx. 1.5~2.0°C/h (3-4°F/h)	
MAX. HEAT CAPABILITY	40°C (104°F)	40°C (104°F)	
CERTIFICATION	ETL approved	CE/EMC/GS approved	
PACK/GROSS WEIGHT	1 Ea., 60.3kg. (133.0Lb.)	1 Ea., 58.1kg. (128.1Lb.)	

Hydrojet nozzles

Lay-Z-Spa

ClearSoft 🗞



Spa setup and maintenance DVD

Bubble Mat





#58323



TriTech™ material


- 8 HydroJet massage nozzles

- 120 all-surrounding Air Jets

- ClearSoft[™] Water Treatment system

- Inflatable top cover included





ACCESSORIES

Easy maintenance and added comfort for your spa pool

FLOWCLEARTM POOL & SPA TEST KIT

58274

- The ideal solution for basic pool and spa water testing
- 3-Way-Pool & Spa Test Kit: - pH - Free Chlorine - Bromine
- Measures Free Chlorine 0.5 to 5ppm, Bromine 1 to 10ppm and pH 6.8 to 8.2 with instant results
- Easy Color-Match System
- 2-Year Shelf Life
- Plastic Box
- 36 Sets., 6.0kg. (13.2Lb.)



FLOWCLEAR[™] POOL & SPA TEST STRIPS



- The ideal solution for basic pool & spa water testing - Easy Color-Match system - Contains 50 test strips 18-month shelf life



- 3-in-1 Test Strip - Free Chlorine - pH - Total Alkalinity
- Measures Free Chlorine 0 to 10ppm, Total Alkalinity 0 to 240ppm and pH 6.2 to 8.4 with instant results
- Blister card
- 24 Ea., 1.2kg (2.7Lb.)



- 5-in-1 Test Strip
- Free Chlorine pH Total Chlorine
- Total Hardness Total Alkalinity
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10ppm, Total Chlorine 0 to 10ppm, Total Hardness 0 to 1000ppm and Total Alkalinity 0 to 240ppm with instant results
- Blister card
- 24 Ea., 1.2kg (2.7Lb.)

FILTER CARTRIDGE(VI)



58323

- Replacement cartridge for Lay-Z-Spa™
- Easy to clean
- Contains two filter cartridges
- Ø10.6cm X H8.0cm Shrink wrapped with inset card
- (Ø4.2" × H3.1") 6 sets, 1.4kg (3.0Lb.)

LAY-Z-SPA[™] PILLOW 58317


- Super soft pillow offers a comfortable cushioned
- surface that provides premium head and neck support
- Perfect size
- Organic PU foam is 100% waterproof and resistant to chemicals and odors
- Easy to clean
- Securely connects to all Lay-Z-Spas (except Monaco)
- 2 Pillows Included in each color box
- Can also be used in the bath tub
- Full color box
- 4 Prs., 5.4kg (12.0Lb.)



POOL FLOOR PROTECTORS







- Durable Polyethylene
- Provides added protection for pool floors
- Fits all sizes of Spas
- Package contains 8 pieces
- Shrink wrapped with Insert card



LAY-Z-SPA™ DOME

58375

 Fits a SPA or round pool with a maximum diameter of 3.8m(150")

- Two-layer door/sides: The outer layer is made of 190T polyester, the inner of anti-insect net. Both can be rolled up or down as you choose
- Offers good ventilation when the sides are rolled up plus both privacy and weather protection when the sides are rolled down
- Inflatable frame by AirTech[™] easy to set up
- Spacious and comfortable, with retractable curtain
- Can be used as a sun shade or garden storage as well as a spa dome
- Fabric: 190T Polyester PU1000mm coated
- 3 x Deflation / Inflation Screw Valves
- One hand pump included
- 24 Pegs included
- Ground protection: 120G/M² PE
- Product unit weight: 13.5kg (29.8Lb.)
- Carry bag with color box
- 1 Ea., 14.5kg (32.0Lb.)



AQUA SCAN ELECTRIC POOL VACUUM 58340

See.

- Battery-powered pump creates suction, without the use of hoses or electrical cords.
- Telescopic handle with ergonomic grip and locking mechanism.
- Simple press-button operation.
- Telescopic pole reaches up to 1.5m / 5ft when fully extended.
- Underside wheels for easy gliding.
- Quick to assemble, no tools needed.
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag.
- Full Color Box
- 6 Ea.,8.4kg (18.4Lb.)





JUST INFLATE, CONNECT AND FILL!

In minutes, you'll be relaxing in your LAY-Z-SPA!



