

SHANGHAI

Bestway Global Holding Inc. No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestway-shanghai.com

CENTRAL & SOUTH AMERICA

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: 562 3203 6438 Fax: 562 3203 6409 E-mail: info@bestway-southamerica.com

HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 Fax: 852 2997 7869 E-mail: info@bestway-hongkong.com

U.S.A.

Bestway (USA) Inc. 3249 E. Harbour Drive, Phoenix, Arizona 85034, United States of America Tel: 1 480 838 3888 Fax: 1 480 304 3349 E-mail: sales@bestway-northamerica.com

- INFLATE YOUR FUN™



WWW.BESTWAY-GLOBAL.COM **f Y D E** ©2015 Bestway Inflatables & Material Corp. All rights reserved.

EUROPE


Bestway (Europe) S.r.I. Via Resistenza 5, 20098 San Giuliano M.se (Mi) - Italy Tel: 39 02 9884 881 Fax: 39 02 9884 8828 E-mail: info@bestway-europe.com

AUSTRALIA

Bestway Australia Pty Limited Unit 10/71-83 Asquith Street, Silverwater, NSW 2128, Australia Tel: 61 2 9037 1388 Fax: 61 2 9737 9423 E-mail: info@bestway-australia.com



WATER SPORTS COLLECTION



CONTENTS









HYDRO-FORCE™ BOATS **Classic Range**

34



HYDRO-FORCE™ BOATS SPORTS RANGE






ADVANCED MATERIALS

TRITECH[™] MATERIAL

TriTech[™], a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



DROP STITCH[™] MATERIAL

It's a wonder material that has been successfully used in such mission-critical applications as floating docks, high-pressure rescue lifting bags and even airplane wings! It owes its remarkable properties of extreme rigidity combined with astonishing lightness to a network of thousands of polyester threads (the "drop stitches" referred to in the name). These threads securely connect the material surfaces internally, while carefully-applied sidewalls seal the finished inflated cavity to create a panel that effectively supports considerable weight while itself being light and easily portable when deflated.





STAND UP PADDLE BOARDS

	MINI			LEIS	SURE				
SUP									
335cm (132in.)									
305cm (120in.)				Sec.					
274cm (108in.)							-		
244cm (96in.)						5			
213cm (84in.)				/					
183cm (72in.)			Ē						MELS.
152cm (60in.)		/							
122cm (48in.)							4		
91cm (36in.)								Colored	
61cm (24in.)		and an and the second second						the second second	
30cm (12in.)								Sugar and	
		and a	Lad As	Stem.		A Carl	. 20	See Server	5.5%
	WAVECREST	HIGHWAVE SUP LITE	HIGHWAVE SUP LITE	HIGHWAVE SUP	HIGHWAVE SUP	RIP TIDE SUP	RIP TIDE SUP		WHITE
	65085	65081	65080	65066	65065	65068	65067		6
LENGTH	204cm (6ft. 8in.)	274cm (9ft.)	274cm (9ft.)	285cm (9ft. 4in.)	285cm (9ft. 4in.)	305cm (10ft.)	305cm (10ft.)		3050
WIDTH	76cm (30in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)		81cr
THICKNESS	10cm (4in.)	10cm (4in.)	10cm (4in.)	10cm (4in.)	10cm (4in.)	10cm (4in.)	10cm (4in.)		10c
USER WEIGHT CAPACITY	60kg (132Lbs.)	75kg (165Lbs.)	75kg (165Lbs.)	75kg (165Lbs.)	75kg (165Lbs.)	90kg (198Lbs.)	90kg (198Lbs.)		95kg (
INTERNAL VOLUME	125L (33Gal)	171L (45Gal)	171L (45Gal)	178L (47Gal)	178L (47Gal)	191L (50Gal)	191L (50Gal)		201L
FINS	۷	777	۲۳	777	777	777	۲٫۲		
SEATED OPTION			•		•		•		
OVERALL PERFORMANCE	ANDEUVRABILITY Tability Racking Urfing	ANGEUVRABILITY	URFING	ANGEUVRABILITY TABILITY	URFING	ANDEUVRABILITY TABILITY	RACKING		



	-	Р	RO				SPC	RT	
ITE CAP SUP	WHITE CAP SUP 65069	WHITE CAP SUP 65055	WHITE CAP SUP 65054	COAST LINER SUP LITE 65079	COAST LINER SUP LITE 65078	OCEANA SUP 65074	OCEANA SUP 65073	LONG TAIL SUP LITE 65083	LONG TAIL SUP LITE 65082
05cm (10ft.)	305cm (10ft.)	310cm (10ft. 2in.)	310cm (10ft. 2in.)	320cm (10ft. 6in.)	320cm (10ft. 6in.)	330cm (10ft. 10in.)	330cm (10ft. 10in.)	335cm (11ft.)	335cm (11ft.)
1cm (32in.)	81cm (32in.)	68cm (27in.)	68cm (27in.)	81cm (32in.)	81cm (32in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)	76cm (30in.)
10cm (4in.)	10cm (4in.)	10cm (4in.)	10cm (4in.)	12cm (5in.)	12cm (5in.)	12cm (5in.)	12cm (5in.)	15cm (6in.)	15cm (6in.)
kg (209Lbs.)	95kg (209Lbs.)	100kg (220Lbs.)	100kg (220Lbs.)	120kg (265Lbs.)	120kg (265Lbs.)	115kg (254Lbs.)	115kg (254Lbs.)	145kg (320Lbs.)	145kg (320Lbs.)
01L (53Gal)	201L (53Gal)	177L (47Gal)	177L (47Gal)	260L (69Gal)	260L (69Gal)	245L (65Gal)	245L (65Gal)	311L (82Gal)	311L (82Gal)
777	777	▼+▼	- + V	777	777	777	۷۳۲	777	777
	•		•	L	•		•		•

OUR SUP RANGE – INNOVATIONS IN DETAILS





TRAVEL BAG

AIR PIIMP







L 2.74M / 9 W 76CM / 30" H 10CM / 4"

TEVC 3 FIXED FINS

L 2.74M / 9' W 76CM / 30" H 10CM / 4"



HIGHWAVE SUP LITE

65081

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing (2.15m, 84")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 15.0kg (33.1Lb.)

PACKAGE • One paddle board INCLUDES • One oar



- One hand pump
- Repair kit One pressure gauge
- One deluxe backpack
- One leash



HIGHWAVE SUP LITE

65080

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing or paddling (2.21m, 87")
 Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 16.5kg (36.4Lb.)

PACKAGE • One paddle board INCLUDES • One oar



- One hand pump Repair kit
- One pressure gauge
- One deluxe backpack
- Seat with backrest
- One footrest
- One leash



DELUXE BACKPACK AIR PUMP










One footrest One leash












0

RIP TIDE SUP

65068

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing (2.15m, 84")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box

1 Ea., 16.0kg (35.3Lb.)



INCLUDES • One oar

- One hand pump One pressure gauge
- One deluxe backpack
- Repair kit
- One leash

- DELUXE BACKPACK AIR PUMP







65067

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing or paddling (2.21m, 87")
 Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 17.5kg (38.5Lb.)

PACKAGE • One paddle board INCLUDES • One oar



- One hand pump
- One pressure gauge
- One deluxe backpack
- Repair kit
- Seat with backrest
- One footrest
- One leash

- Ċ,
- DELUXE BACKPACK AIR PUMP























WAVEEDGE SUP

65055

- Two modeled side fins and one removable middle fin for directional stability
- Drop stitch material provides unparalleled strength and durability
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing (2.10m, 82")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box

65054

1 Ea., 12.0kg (26.4Lb.)





- One hand pump One pressure gauge One travel bag
- Repair kit
- One leash

WAVEEDGE SUP

Quick inflation/deflation air valve

PACKAGE • One paddle board INCLUDES • One oar

Non-slip traction pad Elastic cord for extra storage

Full color box 1 Ea., 13.5kg (29.8Lb.)

Two modeled side fins and one removable middle fin for directional stability

Adjustable aluminum oar that can be used for surfing or paddling (2.10m, 82")

Drop stitch material provides unparalleled strength and durability

Convenient deck handle to easily pick up and carry the SUP

One hand pump

One travel bag

Repair kit

One footrest One leash

One pressure gauge

Seat with backrest

TRAVEL BAG

TRAVEL BAG

AIR PUMP





L 3.10M / 10'2" W 68CM / 27" H 10CM / 4"

-














COAST LINER SUP LITE

65079

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing (2.15m, 84")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box
- 1 Ea., 17.2kg (37.9Lb.)



INCLUDES • One oar

- One hand pump Repair kit
- One pressure gauge
- One deluxe backpack

COAST LINER SUP LITE

- One leash





L 3.20M / 10'6" W 81CM / 32"

H 12CM / 5"

L 3.20M / 10'6" W 81CM / 32" H 12CM / 5"



- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing or paddling (2.21m, 87")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box

65078

1 Ea., 18.7kg (41.1Lb.)

PACKAGE • One paddle board INCLUDES • One oar




- One hand pump Repair kit
- One pressure gauge
- One deluxe backpack
- Seat with backrest
- One footrest
- One leash



DELUXE BACKPACK AIR PUMP
















LONG TAIL SUP LITE

65083

- Three modeled fins for directional stability
- Drop stitch material provides unparalleled strength and durability
- Durable double-wall construction
- Quick inflation/deflation air valve
- Non-slip traction pad
- Elastic cord for extra storage
- Adjustable aluminum oar that can be used for surfing (2.15m, 84")
- Convenient deck handle to easily pick up and carry the SUP
- Full color box

65082

1 Ea., 17.6kg (38.7Lb.)



INCLUDES • One oar

- One hand pump Repair kit
- One pressure gauge

LONG TAIL SUP LITE

Three modeled fins for directional stability

Durable double-wall construction Quick inflation/deflation air valve

Non-slip traction pad Elastic cord for extra storage

Full color box 1 Ea., 19.0kg (42.0Lb.)

- One deluxe backpack
- One leash

Drop stitch material provides unparalleled strength and durability

Adjustable aluminum oar that can be used for surfing or paddling (2.21m, 87")
 Convenient deck handle to easily pick up and carry the SUP





Œ,

DELUXE BACKPACK AIR PUMP



) 145KG

L 3.35M / 11 W 76CM / 30" H 15CM / 6"





- PACKAGE One paddle board INCLUDES • One oar
 - One hand pump
 - Repair kit
 - One pressure gauge
 - One deluxe backpack
 - Seat with backrest
 - One footrest
 - One leash





LITE-RAPID X2 KAYAK

65077

- 2-person kayak
- Quick inflation/deflation screw valves
- Grab rope with built-in grommets
- Form-fitted construction prevents water from entering the cockpit
- Comfortable cockpit with inflatable seats
- One removable middle fin for directional stability
- Integrated drain valve
- Includes two 2.18m (86") aluminum, two-bladed oars
- Heavy-duty repair patch
- Full color box
- 1Ea., 13.8kg (30.3Lb.)



L 3.21M / 126" W 88CM / 35" H 42CM / 17"





28

ITEM NO.	SIZE	CAPACITY	OARS (units)	CASE PACK (cbm/pkg)	SEATS	MAXIMUM LOAD (KG/LB)
65077	3.21m x 88cm (126" x 35")	n	2.18m (86") two	0.06 / 1pcs	2	160 / 350





KAYAKS VENTURA

65052

- Quick inflation/deflation screw valves
- Two removable side chambers & I-beam floor made from heavy gauge PVC
- Premium coated nylon hull that is resistant to sun, oil and sea water
- Integrated drain valve
- Removable fin for directional stability
- 3 air chambers construction
- Includes two 2.18m (86") aluminum two-bladed oars and one 37cm (14.5") Air Hammer™ inflation pump
- Sporting boat
- Heavy-duty repair patch
- Full color box
- 1 Ea., 17.4kg (38.3Lb.)

L 3.30M / 130" W 94CM / 37" H 48CM / 19"









BOLT X2 KAYAK

65061

- Quick inflation/deflation air valves
- Removable fin for directional stability
- Extra strength, Tritech[™] material
- Two adjustable seats with storage compartments
- Integrated drain valve
- Includes two 2.18m (86") aluminum two-bladed oars and one 37cm (14.5") Air Hammer™ inflation pump
- Sporting boat
- Heavy-duty repair patch
- Full color box
- 1Ea., 18.4kg (40.5Lb.)

L 3.85M / 152" W 93CM / 37" H 45CM / 18"







ITEM NO.

65061





HYDRO-FORCE BOATS CLASSIC RANGE



BOATS | CLASSIC RANGE



RX-SERIES RAFT

61106, 61103, 61104, 61105, 61107

- 3 air chambers construction
- Quick inflation/deflation screw valves
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Sturdy oarlocks
- Tow ring
- Includes one pair of 1.24m (49") oars (62015) and one 30cm (12") inflation pump (62002) {For 61107}
- Heavy-duty repair patch
- Full color box

L 1.55M / 61"	W 93CM / 37"	H 30CM / 12"	
			61106
L 1.88M / 74"	W 98CM / 39"	H 33CM / 13"	
			61103
L 2.23M / 88''	W 1.10M / 43"	H 34CM / 13"	
			61104 / 61107
L 2.50M / 98"	W 1.18M / 46"	H 30CM / 12"	
















ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL mm (Ga.)	CAPACITY	OARS	PUMP	CASE PACK (cbm/pkg)	KG (LB.)	MAXIMUM LOAD (KG/LB)
61106	RX-2000 Raft	1.55m x 93cm (61" x 37")	1.65m x 1.07m (65" x 42")	0.30 (12.0)	i			0.05 / 6pcs	13.8 (30.5)	80 (178)
61103	RX-3000 Raft	1.88m x 98cm (74" x 39")	1.97m x 1.15m (77" x 45")	0.35 (14.0)	Ť ŧ			0.05 / 4pcs	13.2 (29.1)	120 (264)
61104	RX-4000 Raft	2.23m x 1.10m (88" x 43")	2.34m x 1.35m (92" x 53")	0.42 (16.8)	* *			0.06 / 3pcs	15.4 (34.0)	190 (418)
61105	RX-5000 Raft	2.50m x 1.18m (98" x 46")	2.62m x 1.47m (103" x 58")	0.47 (18.8)	Ť ŧŤ			0.05 / 2pcs	13.0 (28.6)	225 (495)
61107	RX-4000 Raft Set	2.23m x 1.10m (88" x 43")	2.34m x 1.35m (92" x 53")	0.42 (16.8)	n n	•	•	0.07 / 2pcs	12.3 (27.1)	190 (418)





RAFT

61063, 61064, 61083, 61065, 61068, 61066

- 3 air chambers construction
- Quick inflation/deflation screw valves
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Inflatable seat cushions {For 61065, 61066, 61068}
- Includes motor mount grommets for use with Bestway motor mount (62069) and motors (65043, 65045). (Motor and motor mount not included.) {For 61065, 61066, 61068}
- Heavy-duty handle {Except 61063}
- Oar clasps {Except 61063}
- Tow ring
- Includes one pair of 1.24m (49") oars (62015) and one 23cm x 15cm (9" x 6") foot pump (62023) {For 61083, 61068}
- Max. power: 1.0kw (1.4 hp) {For 61065, 61066, 61068}
- Heavy-duty repair patch
- Full color box

L 1.94M / 76"	W 1.10M / 43"	H 34CM / 13"	
			61063
L 2.28M / 90"	W 1.21M / 48"	H 36CM / 14"	
			61064 / 61083
L 2.55M / 100"	W 1.27M / 50"	H 41CM / 16"	
			61065 / 61068
L 3.07M / 121"	W 1.26M / 50"	H 43CM / 17"	















HYDRO-FORCE

ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL mm (Ga.)	CAPACITY	OARS	PUMP	CASE PACK (cbm/pkg)	KG (LB.)	MAXIMUM LOAD (KG/LB)
61063	Hydro-Force [™] Raft	1.94m x 1.10m (76" x 43")	1.98m x 1.22m (78" x 48")	0.37 (14.8)	İ			0.05 / 4pcs	13.5 (29.7)	120 / 264
61064	Hydro-Force [™] Raft	2.28m x 1.21m (90" x 48")	2.34m x 1.35m (92" x 53")	0.42 (16.8)	.			0.06 / 3pcs	15.5 (34.2)	190 / 418
61065	Hydro-Force [™] Raft	2.55m x 1.27m (100" x 50")	2.62m x 1.45m (103" x 57")	0.47 (18.8)	.			0.05 / 2pcs	15.8 (34.9)	225 / 495
61066	Hydro-Force [™] Raft	3.07m x 1.26m (121" x 50")	3.18m x 1.52m (125" x 60")	0.52 (20.8)	.			0.04 / 1pcs	10.4 (22.9)	270 / 594
61083	Hydro-Force [™] Raft Set	2.28m x 1.21m (90" x 48")	2.34m x 1.35m (92" x 53")	0.42 (16.8)	.	٠	٠	0.07 / 2pcs	12.6 (27.7)	190 / 418
61068	Hydro-Force [™] Raft Set	2.55m x 1.27m (100" x 50")	2.62m x 1.45m (103" x 57")	0.47 (18.8)	Ť ŧŤ	•	•	0.08 / 2pcs	17.9 (39.4)	225 / 495



FOOT PUMP (62023) {FOR 61083 61068}

BOATS | CLASSIC RANGE



RAFT X2

65060


- 3 air chambers construction
- Quick inflation/deflation screw valve
- All around grab rope with built-in grommets
- Includes motor mount grommets for use with Bestway motor mount (62069) and motors (65043, 65045). (Motor and motor mount not included.)
- Tow ring
- Max. Power: 1.0kw (1.4hp)
- Heavy-duty repair patch
- Full color box

L 2.55M / 100" W 1.10M / 43" H 33CM / 13"









NEVA III

65008

- Quick inflation/deflation screw valves
- 360° grab rope with built-in grommets
- Inflatable floor & seat cushions for extra comfort
- Mounted fishing rod holders
- Sturdy oarlocks
- Heavy-duty repair patch
- Full Color Box

L 3.16M / 124" W 1.24M / 49" H 55CM / 22"





ITEM



EM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL mm (Ga.)	CAPACITY	CASE PACK (cbm/pkg)	KG (LB.)	MAXIMUM LOAD (KG/LB)
65008	Neva III	3.16m x 1.24m (124" x 49")	3.30m x 1.30m (130" x 52")	0.50 (20.0)	* * *	0.07 / 1pcs	13.3 (29.4)	300 / 661



BOATS | CLASSIC RANGE



VOYAGER 300


65051

- Quick inflation/deflation screw valves
- 3 air chambers construction
- All around grab rope with built-in grommets
- Inflatable I-beam floor for comfort and rigidity
- Tow ring
- Includes two 1.45m (57") sectional aluminum oars (62064)
- Heavy-duty repair patch
- Full color box

L 2.43M / 96" W 1.02M / 40" H 31CM / 12"







ITE

TEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL mm (Ga.)	CAPACITY	0ARS (units)	CASE PACK (cbm/pkg)	KG (LB.)	MAXIMUM LOAD (KG/LB)
65051	Voyager 300	2.43m x 1.02m (96" x 40")	2.55m x 1.17m (100" x 46")	0.42 (16.8)	† †	1.45m (57") one pair	0.08 / 2pcs	15.0 (33.0)	170 / 374





VOYAGER 500

65001

- Quick inflation/deflation screw valves
- 360° grab rope with built-in grommets
- Convenient storage space
- Inflatable floor & seat cushions for extra comfort
- Mounted fishing rod holders
- Includes motor mount grommets for use with 62069 motor mount and motors 65043, 65045 (Motor and motor mount not included.)
- Sturdy oarlocks, Oar clasps, Tow ring
- Includes two 1.45m (57") sectional aluminum oars (62064)
- Heavy-duty repair patch
- Full Color Box
- Case Pack: 1 Ea., 15.4kg (34.0Lbs.)

L 3.48M / 137" W 1.41M / 56" H 51CM / 20"







HYDRO-FORCE



ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL mm (Ga.)	CAPACITY	OARS (units)	CASE PACK (cbm/pkg)	KG (LB.)	MAXIMUM LOAD (KG/LB)
65001	Voyager 500	3.48m x 1.41m (137" x 56")	3.61m x 1.65m (142" x 65")	0.55 (22.0)	†††	1.45m (57") one pair	0.08 / 1pcs	15.4 (34.0)	252.7 / 557.1


OPTIONAL ACCESSORIES




62069



HYDRO-FORCE BOATS SPORTS RANGE





VOYAGER 1000 RAFT

65056

- Extra strength, Tritech[™] material
- Quick inflation/deflation screw valves
- Includes motor mount grommets for use with Bestway motor mount (62069) and motors (65043, 65045). (Motor and motor mount not included.)
- 1.52m (60") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer[™] inflation pump
- Heavy-duty repair patch
- Storage bag
- Full color box
- 1 Ea., 15.0kg (33.1Lb.)

L 2.91M / 115" W 1.27M / 50" H 46CM / 18"









MARINE PRO


65044

- Extra strength, Tritech™ material
- Quick inflation/deflation screw valves
- High-pressure inflatable floor
- Includes motor mount grommets for use with Bestway motor mount (62069) and motors (65043, 65045). (Motor and motor mount not included.)
- 1.52m (60") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Heavy-duty repair patch
- Storage bag
- Full color box
- 1 Ea., 15.0kg (33.1Lb.)

L 2.91M / 115" W 1.27M / 50" H 46CM / 18"









CASPIAN


65046

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Extra tough strake protects against impacts and friction
- Molded motor mount (Motor not included)
- 10m (33') towrope
- 1.45m (57") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Repair kit
- Shelf box w/picture
- 1 Ea., 25.0kg (55.1Lb.)

L 2.30M / 91" W 1.30M / 51" H 33CM / 13"














NAV RAPIDS

65064

- Pre-tested materials and quality-tested construction
- Metal steel tow ring
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Quick inflation/deflation air valves
- Extra tough strake protects against impacts and friction
- Molded motor mount (Motor not included)
- 10m (33') towrope
- 1.62 m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Repair kit
- Shelf box w/picture
- 1 Ea., 30.5kg (67.2Lb.)

L 2.70M / 106" W 1.37M / 54" H 37CM / 15"









CASPIAN PRO


65047


- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Extra tough strake protects against impacts and friction
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer[™] inflation pump
- Durable carrying bag
- Repair kit
- Shelf box w/picture
- 1 Ea., 47.4kg (104.5Lb.)

L 2.80M / 110" W 1.52M / 60" H 42CM / 16.5"











MIROVIA


65063

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Molded motor mount (Motor not included)
- Easy to assemble bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Durable carrying bag
- Fixed buckle for oil box
- Repair kit
- Shelf box w/picture
- 1 Ea., 51.3kg (113.1Lb.)

L 3.30M / 130" W 1.62M / 64" H 44CM / 17"









MIROVIA


65048

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Durable carrying bag
- Fixed buckle for oil box
- Repair kit
- Shelf box w/picture
- 1 Ea., 65.5kg (144.4Lb.)

L 3.30M / 130" W 1.62M / 64" H 44CM / 17"









MIROVIA PRO


65049

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Durable carrying bag
- Fixed buckle for oil box
- Repair kit
- Shelf box w/picture
- 1 Ea., 66.5kg (146.6Lb.)

L 3.30M / 130" W 1.62M / 64" H 44CM / 17"









SUNSAILLE

65062

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Molded motor mount (Motor not included)
- Easy to assemble bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Durable carrying bag
- Fixed buckle for oil box
- Repair kit
- Shelf box w/picture
- 1 Ea., 80.0kg (176.4Lb.)

L 3.80M / 150" W 1.80M / 71" H 46CM / 18"











SUNSAILLE

65050

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Marine-grade aluminum alloy floorboards and plywood transom
- Metal steel tow ring
- Quick inflation/deflation air valves
- Molded metal motor mount (Motor not included)
- Easy to assemble floorboards and bench seats no tools needed
- 10m (33') towrope
- 1.62m (64") aluminum oars that can be taken apart for convenient storage and transport
- 37cm (14.5") Air Hammer™ inflation pump
- Durable carrying bag
- Fixed buckle for oil box
- Repair kit
- Shelf box w/picture
- 1 Ea., 86.0kg (189.6Lb.)

L 3.80M / 150" W 1.80M / 71" H 46CM / 18"









ACCESSORIES

ACCESSORIES

OARS



62019

- 1.24m (49")
- Two-section structure
- Easy to assemble and disassemble
- Ribbed blade
- Aluminum pole, strong plastic blade
- Polybag with header card
- 12 Prs., 10.6kg (23.4Lb.)



ITEM NO.	LENGTH	PADDLE	0AR	MATERIAL	ADJUSTABLE	SECTIONS	WEIGHT
62019	1.24m (49")		٠	PP/Aluminum/ PA/PVC		2	10.6kg (23.4Lb)

62015

- 1.24m (49")
- Three-section structure
- Easy to assemble and disassemble
- Ribbed blade
- Light and strong plastic material
- Polybag with header card
- 12 Prs., 8.6kg (18.9lb.)



62064

- Multi-functional:
- Use as two, 1.45m (57") oars
- Combine and use as a single, 2.18m (86") twin blade paddle
- Aluminum pole sectionals
- Sturdy twist-locking section connectors and blades
- Polybag with header card
- 6 Prs., 8.6kg (18.9lb.)



ITEM NO.	LENGTH	PADDLE	OAR	MATERIAL	ADJUSTABLE	SECTIONS	WEIGHT
62064	1.45m (57")		٠	PP/Aluminum/ POM/PVC		2	8.6kg (18.9Lb)

62094



ITEM NO. LENGTH PADDLE

62094 2.1m (82")

REMARK

62093

- 2.1m (82") single- blade paddle
- Two adjustable lengths 2.0m (79") or 2.1m (82") Aluminum pole sections

•

- Easy to connect with spring button lock Polybag with header card
- 6 Pieces, 7.0kg (15.4Lb.)





2.1m (82") long, multi-functional paddle:

• Can be used as a single-blade paddle - two adjustable lengths: 2.0m (79") or 2.1m (82") • Can also be used as a twin-blade paddle - 2.1m (82") in length

MATERIAL

PP/Aluminum/PVC/

Stainless steel

Suitable for 65054 and most boats / SUPs in the market

OAR

•

- Aluminum pole sections
- Easy to connect with spring button lock
- Polybag with header card
- 6 Pieces, 10.3kg (22.7lb.)



ADJUSTABLE SECTIONS

WEIGHT

10.3kg (22.7Lb)



- 2.21m (87") long, multi-functional paddle:
- Can be used as a single-blade paddle the length can be adjusted from 1.7m (67") to 2.15m (84")
- Can also be used as a twin-blade paddle 2.21m (87") in length
- As a twin-blade paddle, the blade angle can be easily adjusted
- Aluminum pole sections
- Easy to connect with spring button lock
- Polybag with header card
- 6 Pieces, 10.1kg (22.2lb.)





ITEM NO.	LENGTH	PADDLE	0AR	MATERIAL	ADJUSTABLE	SECTIONS	WEIGHT
62096	2.21m (87")	•	•	Nylon+GF/Aluminum/ ABS/Stainless steel	•	4	10.1kg (22.2Lb)
REMARK	Suitable for 65065,65067,65069,65073,65078,65080,65082 and most boats / SUPs in the market						





62095

- Adjustable length from 1.7m (67") to 2.15m (84")
- Aluminum pole sections
- Easy to connect with spring button lock
- Polybag with header card
- 6 Pieces, 7.0kg (15.4lb.)





ITEM NO.	LENGTH	PADDLE	OAR	MATERIAL	ADJUSTABLE	SECTIONS	WEIGHT
62095	2.15m (84")	•		Nylon+GF/Aluminum/ ABS/Stainless steel	•	3	7.0kg (15.4Lb)
REMARK	Suitable for 65066,65068,65070,65074,65079,65081,65083 and most boats / SUPs in the market						


ITEM NO.	LENGTH	PADDLE	0AR	MATERIAL	ADJUSTABLE	SECTIONS	WEIGHT
62093	2.1m (82")	•		PP/Aluminum/PVC/ Stainless steel	•	3	7.0kg (15.4Lb)
REMARK	Suitable for 65055 and most boats / SUPs in the market						





BOAT MOTORS





65043

142.4

32

Hydro-Force[™] Motor

65045

245

55

WORKS WITH 12V, 45Ah PD-ACID BATTERY



MOTOR MOUNT

62069

- Attaches to most inflatable boats
- Supports a motor
- Easy assembly
- Adjustable stainless steel tube
- Fits up to 3.0HP gas outboard motors
- Suitable for electrical outboard motors
- Full color box
- 4 Ea., 11.5kg (25.4Lb.)



ITEM NO.	DESCRIPTION	GAS OUTBOARD MOTOR	ELECTRIC OUTBOARD MOTOR	MAXIMUM POWER
65001	Voyager 500		٠	1.0kw (1.4hp)
65044	Hydro-Force [™] Marine Pro		٠	1.0kw (1.4hp)
65056	Voyager 1000 Raft		٠	1.0kw (1.4hp)
65060	Hydro-Force [™] Raft X2		٠	1.0kw (1.4hp)
61065	Hudro Foroo™ Doft		٠	1.0kw (1.4hp)
61066	Hydro-Force™ Raft		•	1.0kw (1.4hp)
61068	Hydro-Force [™] Raft Set		•	1.0kw (1.4hp)