

ABOVE GROUND POOLS

SHANGHAI

Bestway Inflatables & Material Corp.
No.3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestwaycorp.hk

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestwaycorp.eu

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: info@bestwaycorp.us

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
Fax: 562 3203 6409
E-mail: info@bestwaycorp.lat

AUSTRALIA

Bestway Australia Pty Limited
Unit 10/71-83 Asquith Street,
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestwaycorp.com.au

BRAZIL

Bestway Brazil
Rua São João, 1648 Maringá - PR - Brazil
Zip Code: 87030-201
Tel: 0800 001 8400
E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France Sarl
Espace Berlioz, 100 rue Albert Caquot
06410 Biot France
Tel: 33 4 97 04 92 99
Fax: 33 4 97 04 91 07
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
Fax: 49 4321 555 05 - 55
E-mail: info@bestwaycorp.de

RUSSIA

Bestway Rus Ltd.
Off.236, Leninskiy prospect 140,
Saint-Petersburg, 198216 Russia
Tel: 7 812 645 9041
Fax: 7 812 645 9044
E-mail: info@bestwaycorp.ru

Bestway

www.bestwaycorp.com



©2017 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

2018
COLLECTION

ABOVE GROUND POOLS

Bestway



**ABOVE
GROUND POOLS**

2018
COLLECTION

Bestway



Summer



Water Sports



Airbeds & Furniture



Spa



Above Ground Pools



License



Pavillo

2018
COLLECTION

Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

Our Mission Happiness

Happy Consumers


Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.



HERE'S TO A GREAT
BESTWAY® SUMMER!

The forecast calls for a hot summer, so cool off with a splash in a Bestway Above Ground Pool. With a Bestway pool, you can completely chill out and relax knowing you have a quality pool to dip your toes in for many summer months to come.



HERE'S TO A GREAT
BESTWAY® SUMMER!



Provide your customers with the quality products and advanced customer service support they deserve. Bestway's online services and call centers allow customers to easily resolve any issues that may arise with their Bestway products. Our website, www.bestwaycorp.com, is a great source of information, offering downloadable manuals, instructional videos, FAQ's and the ability to order spare parts. Regional call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.

FOR YOUR LOCAL CONTACT, PLEASE VISIT

WWW.BESTWAYCORP.COM

CONTENTS

POWER STEEL™ POOLS

Round	pg 08
DELUXE SERIES™	pg 16
Rectangular	pg 18
Oval	pg 26



STEEL PRO MAX™ POOLS

Round	pg 28
-------	-------



STEEL PRO™ POOLS

Rectangular	pg 38
-------------	-------



FAST SET™ POOLS

pg 42



HYDRIMUM™ POOLS

Splasher	pg 48
Hydrimum™	pg 52



POOL ACCESSORIES

pg 60

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



POWER STEEL™


The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



8 ft. (2.44 m) Planogram Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT




PATENT PENDING



NEW GENERATION

14FT. x 42IN. / 4.27M x 1.07M




Water Capacity (90%): 3,440 gal. (13,030 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56663E	US	1	125.7 (57.0)	58003	58248	58335
56643	NORTH AMERICA	1	125.7 (57.0)	58003	58248	58335
56643	OCEANIA	1	125.7 (57.0)	58003	58248	58335
56641	EUROPE	1	128.1 (58.1)	58003	58248	58330
56641	ASIA, AFRICA & LATIN AMERICA	1	125.7 (57.0)	58003	58248	58335

Filter Pump	Voltage	Cartridge
58388 (1,000 gal. / 3,785 L)	110-120V	58012, TYPE: III - A/C
58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II

NEW GENERATION

14FT. x 48IN. / 4.27M x 1.22M




Water Capacity (90%): 4,024 gal. (15,232 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56445E	US	1	136.5 (61.9)	58003	58248	58336
56443	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	136.5 (61.9)	58003	58248	58336
56443	OCEANIA	1	136.5 (61.9)	58003	58248	58336
56444	EUROPE	1	141.1 (64.0)	58003	58248	58331
56444	ASIA, AFRICA & LATIN AMERICA	1	136.5 (61.9)	58003	58248	58336

Filter Pump	Voltage	Cartridge
58388 (1,000 gal. / 3,785 L)	110-120V	58012, TYPE: III - A/C
58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II

NEW GENERATION

16FT. x 48IN. / 4.88M x 1.22M



Water Capacity (90%): 5,145 gal. (19,480 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56491E	US	1	181.1 (82.1)	58251	58249	58336
56453	NORTH AMERICA	1	181.1 (82.1)	58251	58249	58336
56453	OCEANIA	1	181.1 (82.1)	58251	58249	58336
56451	EUROPE	1	186.1 (84.4)	58251	58249	58331
56451	ASIA, AFRICA & LATIN AMERICA	1	181.1 (82.1)	58251	58249	58336

Filter Pump	Voltage	Cartridge
58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures




Included/Available Accessories



NEW GENERATION

18FT. x 52IN. / 5.49M x 1.32M



Water Capacity (90%): 6,869 gal. (26,000 L)


Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56399E	US	1	237.7 (107.8)	58031	58039	58337	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56459	NORTH AMERICA	1	237.7 (107.8)	58031	58039	58337	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56459	OCEANIA	1	237.7 (107.8)	58031	58039	58337	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56427	EUROPE	1	242.5 (110.0)	58031	58039	58332	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56427	ASIA, AFRICA & LATIN AMERICA	1	237.7 (107.8)	58031	58039	58337	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C



US PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION

20FT. x 48IN. / 6.10M x 1.22M



Water Capacity (90%): 8,060 gal. (30,512 L)


Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56388E	US	1	255.1 (115.7)	58408	58356	58336	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56674	NORTH AMERICA	1	255.1 (115.7)	58408	58356	58336	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56674	OCEANIA	1	255.1 (115.7)	58408	58356	58336	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56675	EUROPE	1	262.7 (119.2)	58408	58356	58331	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56675	ASIA, AFRICA & LATIN AMERICA	1	255.1 (115.7)	58408	58356	58336	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION

22FT. x 52IN. / 6.71M x 1.32M



Water Capacity (90%): 10,668 gal. (40,377 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56392E	US	1	312.6 (141.8)	58373	58357	58337	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56704	NORTH AMERICA	1	312.6 (141.8)	58373	58357	58337	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56704	OCEANIA	1	312.6 (141.8)	58373	58357	58337	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56705	EUROPE	1	318.0 (144.2)	58373	58357	58332	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56705	ASIA, AFRICA & LATIN AMERICA	1	312.6 (141.8)	58373	58357	58337	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



Included/Available Accessories

POWER STEEL™

DELUXE SERIES™

With the durability and technology of our Power Steel™ Pool range, we've created a new model of pools for a more natural and luxurious look and are excited to present the Power Steel™ DELUXE SERIES™!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT AT POOL BOTTOM



PATENT PENDING



RATTAN-LOOK




INCLUDES
Flowclear™
Skimatic™
Filter Pump
Details on Page 70



14FT. X 42IN. / 4.27M X 1.07M

NEW

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56665E	US	1	139.4 (63.2)	58003	58248	58335
56665	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	139.4 (63.2)	58003	58248	58335
56665	OCEANIA	1	139.4 (63.2)	58003	58248	58335
56664	EUROPE	1	141.4 (64.1)	58003	58248	58330
56664	ASIA, AFRICA & LATIN AMERICA	1	139.4 (63.2)	58003	58248	58335



Water Capacity (90%): 3,440 gal. (13,030 L)

Filter Pump	Voltage	Cartridge
58463 (680 gal. / 2,574 L)	110-120V	58012, TYPE: III - A/C
58463 (680 gal. / 2,574 L)	110-120V	58012, TYPE: III - A/C
58462 (680 gal. / 2,574 L)	220-240V	58012, TYPE: III - A/C
58462 (680 gal. / 2,574 L)	220-240V	58012, TYPE: III - A/C
58462 (680 gal. / 2,574 L)	220-240V	58012, TYPE: III - A/C



US PACKAGING
Sturdy Cardboard Box with Pictures

16FT. X 48IN. / 4.88M X 1.22M

NEW

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56667E	US	1	192.4 (87.3)	58251	58249	58336
56667	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	192.4 (87.3)	58251	58249	58336
56667	OCEANIA	1	192.4 (87.3)	58251	58249	58336
56666	EUROPE	1	198.2 (89.9)	58251	58249	58331
56666	ASIA, AFRICA & LATIN AMERICA	1	192.4 (87.3)	58251	58249	58336



Water Capacity (90%): 5,145 gal. (19,480 L)


Filter Pump	Voltage	Cartridge
58470 (1,050 gal. / 3,974 L)	110-120V	58102, TYPE: III - A/C
58470 (1,050 gal. / 3,974 L)	110-120V	58012, TYPE: III - A/C
58469 (1,050 gal. / 3,974 L)	220-240V	58012, TYPE: III - A/C
58469 (1,050 gal. / 3,974 L)	220-240V	58012, TYPE: III - A/C
58469 (1,050 gal. / 3,974 L)	220-240V	58012, TYPE: III - A/C



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures



Included/Available Accessories



COMBO
Filter and
Surface
Skimmer!

16FT. X 16FT. X 48IN.
4.88M X 4.88M X 1.22M



Water Capacity (90%): 6,349 gal. (24,031 L)

Item #	Remark	CasePack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56628E	US	1 Ea., 2 boxes	303.2 (137.5)	58031	58457	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56628	NORTH AMERICA	1 Ea., 2 boxes	303.0 (137.4)	58031	58457	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56628	OCEANIA	1 Ea., 2 boxes	303.0 (137.4)	58031	58457	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56626	EUROPE	1 Ea., 2 boxes	307.3 (139.4)	58031	58457	58331	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56626	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	302.3 (137.1)	58031	58457	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

- TRITECH™ MATERIAL
- DRAIN VALVE
- CORROSION-RESISTANT STEEL FRAME
- NO TOOLS REQUIRED
- EASY TO ASSEMBLE
- MOSAIC PRINT
- C-CONNECTOR

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



Included/Available Accessories

- Ground Cloth
- Pool Cover
- Ladder
- Filter Pump

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR

9FT. 3IN. x 6FT. 5IN. x 33IN.
2.82M x 1.96M x 84CM



Water Capacity (90%): 967 gal. (3,662 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56631E	US	1	89.1 (40.4)			
56631	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	87.9 (39.9)			
56631	OCEANIA	1	87.9 (39.9)			
56629	EUROPE	1	87.2 (39.5)			

Filter Pump	Voltage	Cartridge
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

13FT. 3IN. x 6FT. 7IN. x 39.5IN.
4.04M x 2.01M x 1.00M



Water Capacity (90%): 1,711 gal. (6,478 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56426E	US	1	117.6 (53.4)			
56426	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	116.1 (52.7)			
56426	OCEANIA	1	116.1 (52.7)			
56441	EUROPE	1	135.1 (61.3)			58330
56441	ASIA, AFRICA & LATIN AMERICA	1	133.2 (60.4)			58335
56251	ASIA, AFRICA & LATIN AMERICA	1	115.2 (52.3)			
56660	NORTH AMERICA	1	147.2 (66.8)			58335
56660	OCEANIA	1	147.2 (66.8)			58335
56442	EUROPE	1	149.4 (67.8)			58330
56442	ASIA, AFRICA & LATIN AMERICA	1	147.6 (67.0)			58335

Filter Pump	Voltage	Cartridge
58385 (530 gal. / 2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58398 (530 gal. / 2,006 L)	110-120V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER

13FT. 6IN. x 6FT. 7IN. x 48IN.
4.12M x 2.01M x 1.22M




Water Capacity (90%): 2,146 gal. (8,124 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56458E	US	1	162.1 (73.5)			58336
56458	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	160.6 (72.8)			58336
56458	OCEANIA	1	160.6 (72.8)			58336
56456	EUROPE	1	165.2 (75.0)			58331
56456	ASIA, AFRICA & LATIN AMERICA	1	159.7 (72.4)			58336
56661	NORTH AMERICA	1	177.4 (80.5)			58336
56661	OCEANIA	1	177.4 (80.5)			58336
56457	EUROPE	1	181.4 (82.3)			58331
56457	ASIA, AFRICA & LATIN AMERICA	1	176.9 (80.2)			58336

Filter Pump	Voltage	Cartridge
58385 (530 gal. / 2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58398 (530 gal. / 2,006 L)	110-120V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER

Included/Available Accessories



Ladder



Sand Filter

16FT. X 8FT. X 48IN.
4.88M X 2.44M X 1.22M



Water Capacity (90%): 3,046 gal. (11,532 L)

NEW	Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
	56672	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	212.8 (96.5)	58473	58472	58336	58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
	56672	OCEANIA	1	212.8 (96.5)	58473	58472	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
	56670	EUROPE	1	216.0 (98.0)	58473	58472	58331	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
	56670	ASIA, AFRICA & LATIN AMERICA	1	212.0 (96.2)	58473	58472	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
	56673	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	235.7 (107.0)	58473	58472	58336	58401 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
	56673	OCEANIA	1	235.7 (107.0)	58473	58472	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
	56671	EUROPE	1	240.2 (109.0)	58473	58472	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
	56671	ASIA, AFRICA & LATIN AMERICA	1	235.5 (106.8)	58473	58472	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



US PACKAGING
Sturdy Cardboard Box with Pictures

18FT. X 9FT. X 48IN.
5.49M X 2.74M X 1.22M



Water Capacity (90%): 3,913 gal. (14,812 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56536E	US	1	239.3 (108.5)	58139	58378	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56467	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	239.0 (108.4)	58139	58378	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56467	OCEANIA	1	239.0 (108.4)	58139	58378	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56465	EUROPE	1	243.2 (110.3)	58139	58378	58331	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56465	ASIA, AFRICA & LATIN AMERICA	1	238.8 (108.3)	58139	58378	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56468	NORTH AMERICA	1	257.9 (117.0)	58139	58378	58336	58401 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
56468	OCEANIA	1	257.9 (117.0)	58139	58378	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56466	EUROPE	1	263.0 (119.3)	58139	58378	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56466	ASIA, AFRICA & LATIN AMERICA	1	256.3 (116.3)	58139	58378	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR


22FT. X 12FT. X 52IN.
6.71M X 3.66M X 1.32M



Water Capacity (90%): 7,092 gal. (26,845 L)

Item #	Remark	CasePack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56473E	US	1 Ea., 2 boxes	336.1 (152.4)	58238	58379	58337	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56473	NORTH AMERICA	1 Ea., 2 boxes	335.8 (152.3)	58238	58379	58337	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56473	OCEANIA	1 Ea., 2 boxes	335.8 (152.3)	58238	58379	58337	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56470	EUROPE	1 Ea., 2 boxes	339.7 (154.1)	58238	58379	58332	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56470	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	335.2 (152.1)	58238	58379	58337	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56662	NORTH AMERICA	1 Ea., 2 boxes	362.0 (164.2)	58238	58379	58337	58405 (1,500 gal. / 5,678 L)	110-120V	SAND FILTER
56662	OCEANIA	1 Ea., 2 boxes	362.0 (164.2)	58238	58379	58337	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56471	EUROPE	1 Ea., 2 boxes	367.2 (166.6)	58238	58379	58332	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56471	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	362.9 (164.6)	58238	58379	58337	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER

Included/Available Accessories



24FT. X 12FT. X 52IN.
7.32M X 3.66M X 1.32M



Water Capacity (90%): 7,937 gal. (30,045 L)

Item #	Remark	CasePack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56542E	US	1 Ea., 2 boxes	375.9 (170.5)	58238	58380	58337	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56476	NORTH AMERICA	1 Ea., 2 boxes	375.6 (170.4)	58238	58330	58337	58392 (2,500 gal. / 9,463 L)	110-120V	58095, TYPE: IV - B
56476	OCEANIA	1 Ea., 2 boxes	375.6 (170.4)	58238	58380	58337	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56474	EUROPE	1 Ea., 2 boxes	381.0 (172.8)	58238	58380	58332	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56474	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	376.7 (170.9)	58238	58380	58337	58391 (2,500 gal. / 9,463 L)	220-240V	58095, TYPE: IV - B
56477	NORTH AMERICA	1 Ea., 2 boxes	387.7 (175.9)	58238	58380	58337	58405 (1,500 gal. / 5,678 L)	110-120V	SAND FILTER
56477	OCEANIA	1 Ea., 2 boxes	387.7 (175.9)	58238	58380	58337	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56475	EUROPE	1 Ea., 2 boxes	392.8 (178.2)	58238	58380	58332	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56475	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	388.5 (176.2)	58238	58380	58337	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER

31FT. 4IN. X 16FT. X 52IN.
9.56M X 4.88M X 1.32M



Water Capacity (90%): 13,798 gal. (52,231 L)

Item #	Remark	CasePack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56625	NORTH AMERICA	1 Ea., 2 boxes	513.0 (232.7)	58306	58305	58337	58367 (2,000 gal. / 7,571 L)	110-120V	SAND FILTER
56625	OCEANIA	1 Ea., 2 boxes	513.0 (232.7)	58306	58305	58337	58366 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER
56623	EUROPE	1 Ea., 2 boxes	518.0 (235.0)	58306	58305	58332	58366 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER
56623	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	513.7 (233.0)	58306	58305	58337	58336 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER



9FT. 10IN. X 6FT. 7IN. X 33IN.
3.00M X 2.00M X 84CM



Water Capacity (90%): 969 gal. (3,668 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56617	EUROPE	1	74.7 (33.9)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

13FT. 11IN. X 8FT. 2IN. X 39.5IN.
4.24M X 2.50M X 1.00M



Water Capacity (90%): 1,915 gal. (7,250 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56622E	US	1	126.1 (57.2)			58335	58385 (530 gal. / 2,006 L)	110-120V	58283, TYPE: VII - D
56622	NORTH AMERICA	1	124.6 (56.5)			58335	58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
56622	OCEANIA	1	124.6 (56.5)			58335	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56620	EUROPE	1	125.4 (56.9)			58330	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II

16FT. X 10FT. X 42IN.
4.88M X 3.05M X 1.07M



Water Capacity (90%): 2,893 gal. (10,949 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56655E	US	1	159.1 (72.2)	58263	58290	58335	58388 (1,000 gal. / 3,785 L)	110-120V	58012, TYPE: III - A/C
56450	NORTH AMERICA	1	157.0 (71.2)	58263	58290	58335	58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
56450	OCEANIA	1	157.0 (71.2)	58263	58290	58335	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56448	EUROPE	1	158.2 (71.8)	58263	58290	58330	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™


The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



Included/Available Accessories

STEEL PRO MAX™

The **Steel Pro MAX™** above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



STEEL PRO MAX™

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



8 ft. (2.44 m) Planogram Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

STEEL PRO MAX™


The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT




PATENT PENDING



NEW GENERATION

10FT. x 30IN. / 3.05M x 76CM




Water Capacity (90%): 1,236 gal. (4,678 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56493E	US	1	42.7 (19.4)						
56493	NORTH AMERICA	1	42.7 (19.4)						
56493	OCEANIA	1	42.7 (19.4)						
56406	EUROPE	1	42.7 (19.4)						
56407E	US	1	46.9 (21.3)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56407	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	46.9 (21.3)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56407	OCEANIA	1	46.9 (21.3)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
56408	EUROPE	1	46.0 (20.9)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

NEW GENERATION

12FT. x 30IN. / 3.66M x 76CM



Water Capacity (90%): 1,710 gal. (6,473 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56417E	US	1	57.8 (26.2)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56417	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	57.8 (26.2)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56417	OCEANIA	1	57.8 (26.2)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
56416	EUROPE	1	56.9 (25.8)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

NEW GENERATION

12FT. x 39.5IN. / 3.66M x 1.00M



Water Capacity (90%): 2,417 gal. (9,150 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56419	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	68.5 (31.1)				58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
56419	OCEANIA	1	67.5 (30.6)				58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56418	EUROPE	1	86.7 (39.3)			58330	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56418	ASIA, AFRICA & LATIN AMERICA	1	84.6 (38.4)			58335	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56260	ASIA, AFRICA & LATIN AMERICA	1	67.5 (30.6)				58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II



US PACKAGING
Full color box



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

Included/Available Accessories




Ladder

Filter Pump

NEW GENERATION

12FT. X 48IN. / 3.66M X 1.22M



Water Capacity (90%): 2,708 gal. (10,250 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56421	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	108.1 (49.0)	58002	58037	58336
56421	OCEANIA	1	108.1 (49.0)	58002	58037	58336
56420	EUROPE	1	112.7 (51.1)	58002	58037	58331
56420	ASIA, AFRICA & LATIN AMERICA	1	108.1 (49.0)	58002	58037	58336

Filter Pump	Voltage	Cartridge
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II




US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION

14FT. X 33IN. / 4.27M X 84CM




Water Capacity (90%): 2,700 gal. (10,220 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56597E	US	1	84.2 (38.2)			
56597	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	84.2 (38.2)			
56597	OCEANIA	1	82.4 (37.4)			
56595	EUROPE	1	81.6 (37.0)			

Filter Pump	Voltage	Cartridge
58385 (530 gal. / 2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II

NEW GENERATION

15FT. X 42IN. / 4.57M X 1.07M



Water Capacity (90%): 3,955 gal. (14,970 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56687E	US	1	130.0 (59.0)	58003	58038	58335
56686	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	130.0 (59.0)	58003	58038	58335
56686	OCEANIA	1	130.0 (59.0)	58003	58038	58335
56488	EUROPE	1	131.0 (59.4)	58003	58038	58330
56488	ASIA, AFRICA & LATIN AMERICA	1	130.0 (59.0)	58003	58038	58335

Filter Pump	Voltage	Cartridge
58388 (1,000 gal. / 3,785 L)	110-120V	58012, TYPE: III - A/C
58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II

STEEL PRO MAX™

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



Included/Available Accessories

STEEL PRO MAX™

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT




PATENT PENDING



NEW GENERATION

15FT. X 48IN. / 4.57M X 1.22M



Water Capacity (90%): 4,231 gal. (16,015 L)


Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56690E	US	1	142.7 (64.7)	58003	58038	58336	58388 (1,000 gal. / 3,785 L)	110-120V	58012, TYPE: III - A/C
56439	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	142.7 (64.7)	58003	58038	58336	58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
56439	OCEANIA	1	142.7 (64.7)	58003	58038	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56438	EUROPE	1	146.6 (66.5)	58003	58038	58331	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56438	ASIA, AFRICA & LATIN AMERICA	1	142.7 (64.7)	58003	58038	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II



US PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION

18FT. X 48IN. / 5.49M X 1.22M



Water Capacity (90%): 6,092 gal. (23,062 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56463E	US	1	184.3 (83.6)	58031	58039	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56463	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	184.3 (83.6)	58031	58039	58336	58390 (1,500 gal. / 5,678 L)	110-120V	58012, TYPE: III - A/C
56463	OCEANIA	1	184.3 (83.6)	58031	58039	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56462	EUROPE	1	190.0 (86.2)	58031	58039	58331	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C
56462	ASIA, AFRICA & LATIN AMERICA	1	184.3 (83.6)	58031	58039	58336	58389 (1,500 gal. / 5,678 L)	220-240V	58012, TYPE: III - A/C



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

Included/Available Accessories



STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway Steel Pro™ Pool.



8 ft. (2.44 m) Planogram Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.

STEEL PRO™


Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway Steel Pro™ Pool.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION-RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



7FT. 3IN. x 59IN. x 17IN.
2.21M x 1.50M x 43CM

Water Capacity (90%): 317 gal. (1,200 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56545E	US	1	23.7 (10.7)						
56545	NORTH AMERICA	1	23.7 (10.7)						
56545	OCEANIA	1	23.7 (10.7)						
56401	EUROPE	1	23.7 (10.7)						

8FT. 6IN. x 67IN. x 24IN.
2.59M x 1.70M x 61CM

Water Capacity (90%): 608 gal. (2,300 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56496E	US	1	33.5 (15.2)						
56496	NORTH AMERICA	1	33.5 (15.2)						
56496	OCEANIA	1	33.5 (15.2)						
56403	EUROPE	1	33.4 (15.2)						

9FT. 10IN. x 6FT. 7IN. x 26IN.
3.00M x 2.01M x 66CM

Water Capacity (90%): 872 gal. (3,300 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56498E	US	1	43.2 (19.6)						
56498	NORTH AMERICA	1	43.2 (19.6)						
56498	OCEANIA	1	43.2 (19.6)						
56404	EUROPE	1	43.1 (19.6)						
56412E	US	1	47.8 (21.7)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56412	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	46.5 (21.1)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56412	OCEANIA	1	46.5 (21.1)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
56411	EUROPE	1	45.7 (20.7)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

13FT. 1IN. x 6FT. 11IN. x 32IN.
4.00M x 2.11M x 81CM

Water Capacity (90%): 1,506 gal. (5,700 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder	Filter Pump	Voltage	Cartridge
56512E	US	1	71.5 (32.4)						
56512	NORTH AMERICA	1	71.5 (32.4)						
56512	OCEANIA	1	71.5 (32.4)						
56405	EUROPE	1	71.4 (32.4)						
56425E	US	1	76.5 (34.7)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56425	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	75.3 (34.1)				58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
56425	OCEANIA	1	75.3 (34.1)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
56424	EUROPE	1	74.4 (33.8)				58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

Included/Available Accessories



Filter Pump



US PACKAGING
Full color box



GLOBAL PACKAGING
Full color box

FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway Fast Set™ Pool!



8 ft. (2.44 m) Planogram Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway Fast Set™ Pool!



TRITECH™ MATERIAL



SELF-SUPPORTING INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



6FT. 6IN. x 20IN. / 1.98M x 51CM

Item #	Remark	Pack	Lb. (kg)	Filter Pump	Voltage	Cartridge
57252E	US	3	26.9 (12.2)			
57252	EUROPE	3	26.9 (12.2)			

8FT. x 26IN. / 2.44M x 66CM

Item #	Remark	Pack	Lb. (kg)
57305E	US	1	12.9 (5.9)
57305	NORTH AMERICA	1	12.9 (5.9)
57305	OCEANIA	1	12.9 (5.9)
57265	EUROPE	1	12.9 (5.9)
57267E	US	1	19.0 (8.6)
57267	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	18.8 (8.5)
57267	OCEANIA	1	17.6 (8.0)
57268	EUROPE	1	16.8 (7.6)



Water Capacity (80%): 608 gal. (2,300 L)

Filter Pump	Voltage	Cartridge
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

10FT. x 30IN. / 3.05M x 76CM

Item #	Remark	Pack	Lb. (kg)
57307E	US	1	18.5 (8.4)
57307	NORTH AMERICA	1	18.5 (8.4)
57307	OCEANIA	1	18.5 (8.4)
57266	EUROPE	1	18.5 (8.4)
57269E	US	1	24.5 (11.1)
57269	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	24.3 (11.0)
57269	OCEANIA	1	23.0 (10.4)
57270	EUROPE	1	22.2 (10.1)



Water Capacity (80%): 961 gal. (3,638 L)

Filter Pump	Voltage	Cartridge
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

12FT. x 30IN. / 3.66M x 76CM

Item #	Remark	Pack	Lb. (kg)
57308E	US	1	28.6 (13.0)
57308	NORTH AMERICA	1	28.6 (13.0)
57308	OCEANIA	1	28.6 (13.0)
57273	EUROPE	1	28.6 (13.0)
57275E	US	1	34.7 (15.7)
57275	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	34.5 (15.6)
57275	OCEANIA	1	33.2 (15.1)
57274	EUROPE	1	32.4 (14.7)



Water Capacity (80%): 1,421 gal. (5,377 L)

Filter Pump	Voltage	Cartridge
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58382 (330 gal. / 1,249 L)	110-120V	58168, TYPE: V
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I



US PACKAGING
Full color box



GLOBAL PACKAGING
Full color box

Included/
Available
Accessory



Filter Pump

13FT. X 33IN. / 3.96M X 84CM



Water Capacity (80%): 1,939 gal. (7,340 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
57323E	US	1	41.3 (18.8)			
57323	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	41.3 (18.7)			
57323	OCEANIA	1	39.4 (17.9)			
57321	EUROPE	1	38.6 (17.5)			

Filter Pump	Voltage	Cartridge
58385 [530 gal. / 2,006 L]	110-120V	58283, TYPE: VII - D
58384 [530 gal. / 2,006 L]	110-120V	58012, TYPE: III - A/C
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

15FT. X 33IN. / 4.57M X 84CM



Water Capacity (80%): 2,556 gal. (9,677 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
57315E	US	1	52.1 (23.6)			
57315	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	50.6 (23.0)			
57315	OCEANIA	1	50.6 (23.0)			
57313	EUROPE	1	49.9 (22.6)			

Filter Pump	Voltage	Cartridge
58385 [530 gal. / 2,006 L]	110-120V	58283, TYPE: VII - D
58384 [530 gal. / 2,006 L]	110-120V	58012, TYPE: III - A/C
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II

15FT. X 42IN. / 4.57M X 1.07M



Water Capacity (80%): 3,266 gal. (12,362 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
57286E	US	1	85.8 (38.9)	58003	58035	58335
57286	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	84.3 (38.3)	58003	58035	58335
57286	OCEANIA	1	84.3 (38.3)	58003	58035	58335
57294	EUROPE	1	85.8 (38.9)	58003	58035	58330
57294	ASIA, AFRICA & LATIN AMERICA	1	83.6 (37.9)	58003	58035	58335

Filter Pump	Voltage	Cartridge
58385 [530 gal. / 2,006 L]	110-120V	58283, TYPE: VII - D
58384 [530 gal. / 2,006 L]	110-120V	58012, TYPE: III - A/C
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II
58383 [530 gal. / 2,006 L]	220-240V	58094, TYPE: II

FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway Fast Set™ Pool!



Included/Available Accessories

HYDRUM™

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last — it's an investment in your family's future fun.



8 ft. (2.44 m) Planogram Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

HYDRIMUM™

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last — it's an investment in your family's future fun.



REINFORCED STEEL SIDEWALLS



PREMIUM 12ga. (0.30MM) POOL LINER



INSTRUCTIONAL DVD INCLUDED



PATENT PENDING



10FT. 10IN. x 33IN. / 3.30M x 84CM



Water Capacity (95%): 1,785 gal. (6,757 L)

Item #	Remark	Pack	Lb. (kg)	Ladder
56669	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	97.2 (44.1)	
56669	OCEANIA	1	95.9 (43.5)	
56668	EUROPE	1	95.9 (43.5)	

Filter Pump	Voltage	Cartridge
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II

12FT. x 36IN. / 3.60M x 90CM



Water Capacity (95%): 2,285 gal. (8,648 L)

Item #	Remark	Pack	Lb. (kg)	Ladder
56378	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	130.5 (59.2)	58334
56378	OCEANIA	1	129.4 (58.7)	58334
56377	EUROPE	1	130.5 (59.2)	58330
56377	ASIA, AFRICA & LATIN AMERICA	1	128.5 (58.3)	58334

Filter Pump	Voltage	Cartridge
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II

15FT. x 36IN. / 4.60M x 90CM



Water Capacity (95%): 3,728 gal. (14,110 L)


Item #	Remark	Pack	Lb. (kg)	Ladder
56381	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	157.0 (71.2)	58334
56381	OCEANIA	1	155.9 (70.7)	58334
56386	EUROPE	1	157.0 (71.2)	58330
56386	ASIA, AFRICA & LATIN AMERICA	1	155.0 (70.3)	58334

Filter Pump	Voltage	Cartridge
58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

Included/Available Accessories



Ladder



Filter Pump

10FT. x 48IN. / 3.00M x 1.20M



Water Capacity (90%)- 2,018 gal. (7,630 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56564	NORTH AMERICA	1	204.3 (92.7)	58001	58336	58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
56564	OCEANIA	1	203.1 (92.1)	58001	58336	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56563	EUROPE	1	208.8 (94.7)	58001	58331	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56563	ASIA, AFRICA & LATIN AMERICA	1	204.2 (92.6)	58001	58336	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56567	NORTH AMERICA	1	214.1 (97.1)	58001	58336	58398 (530 gal. / 2,006 L)	110-120V	SAND FILTER
56567	OCEANIA	1	212.8 (96.5)	58001	58336	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
56566	EUROPE	1	219.3 (99.5)	58001	58331	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
56566	ASIA, AFRICA & LATIN AMERICA	1	215.5 (97.7)	58001	58336	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER

12FT. x 48IN. / 3.60M x 1.20M



Water Capacity (90%)- 2,906 gal. (10,990 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56572	NORTH AMERICA	1	232.4 (105.4)	58002	58336	58384 (530 gal. / 2,006 L)	110-120V	58012, TYPE: III - A/C
56572	OCEANIA	1	231.2 (104.9)	58002	58336	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56571	EUROPE	1	236.9 (107.4)	58002	58331	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56571	ASIA, AFRICA & LATIN AMERICA	1	232.5 (105.4)	58002	58336	58383 (530 gal. / 2,006 L)	220-240V	58094, TYPE: II
56575	NORTH AMERICA	1	242.9 (110.2)	58002	58336	58398 (530 gal. / 2,006 L)	110-120V	SAND FILTER
56575	OCEANIA	1	241.7 (109.6)	58002	58336	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
56574	EUROPE	1	248.1 (112.5)	58002	58331	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER
56574	ASIA, AFRICA & LATIN AMERICA	1	244.5 (110.9)	58002	58336	58397 (530 gal. / 2,006 L)	220-240V	SAND FILTER

15FT. x 48IN. / 4.60M x 1.20M



Water Capacity (90%)- 4,605 gal. (17,430 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56383	NORTH AMERICA	1	285.9 (129.7)	58003	58336	58387 (800 gal. / 3,028 L)	110-120V	58012, TYPE: III - A/C
56383	OCEANIA	1	284.8 (129.2)	58003	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56382	EUROPE	1	290.8 (131.9)	58003	58331	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56382	ASIA, AFRICA & LATIN AMERICA	1	286.2 (129.8)	58003	58336	58386 (800 gal. / 3,028 L)	220-240V	58094, TYPE: II
56385	NORTH AMERICA	1	304.4 (138.1)	58003	58336	58401 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
56385	OCEANIA	1	303.7 (137.8)	58003	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56384	EUROPE	1	310.5 (140.8)	58003	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56384	ASIA, AFRICA & LATIN AMERICA	1	307.0 (139.2)	58003	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

REINFORCED STEEL SIDEWALLS

PREMIUM 12ga. (0.30MM) POOL LINER

INSTRUCTIONAL DVD INCLUDED

SHIPPED ON PALLET

INTEGRATED SURFACE SKIMMER

SPECIALLY-REINFORCED SURROUND THE POOL

HYDRIMUM™

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last — it's an investment in your family's future fun.



Included/Available Accessories

Ground Cloth

Skimmer

Ladder

Sand Filter

HYDRIMUM™

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last — it's an investment in your family's future fun.



REINFORCED STEEL SIDEWALLS



PREMIUM 16ga. (0.40MM) POOL LINER




INSTRUCTIONAL DVD INCLUDED




SHIPPED ON PALLET



INTEGRATED SURFACE SKIMMER



SPECIALLY-REINFORCED SURROUND THE POOL



SPECIALLY-REINFORCED SIDE LEGS



PATENT PENDING



16FT. 5IN. x 12FT. x 48IN. 5.00M x 3.60M x 1.20M



Water Capacity (90%): 4,305 gal. (16,296 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56587	NORTH AMERICA	1	374.9 (170.1)	58263	58336	58401 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
56587	OCEANIA	1	374.3 (169.8)	58263	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56586	EUROPE	1	381.0 (172.8)	58263	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56586	ASIA, AFRICA & LATIN AMERICA	1	377.5 (171.2)	58263	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER

20FT. x 12FT. x 48IN. 6.10M x 3.60M x 1.20M



Water Capacity (90%): 5,265 gal. (19,929 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56370	NORTH AMERICA	1	468.0 (212.3)	58135	58336	58401 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
56370	OCEANIA	1	467.4 (212.0)	58135	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56369	EUROPE	1	474.1 (215.1)	58135	58331	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
56369	ASIA, AFRICA & LATIN AMERICA	1	470.6 (213.5)	58135	58336	58400 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER

24FT. x 12FT. x 48IN. 7.40M x 3.60M x 1.20M





Water Capacity (90%): 6,536 gal. (24,738 L)

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder	Filter Pump	Voltage	Cartridge
56606	NORTH AMERICA	1	581.6 (263.8)	58238	58336	58405 (1,500 gal. / 5,678 L)	110-120V	SAND FILTER
56606	OCEANIA	1	582.2 (264.1)	58238	58336	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56604	EUROPE	1	586.2 (265.9)	58238	58331	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
56604	ASIA, AFRICA & LATIN AMERICA	1	582.7 (264.3)	58238	58336	58404 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

Included/Available Accessories



MY FIRST POOL!

MY FIRST FAST SET POOL

Item #	Size	AGE	Water Capacity (80%)	Pack	Lb. (kg)
57241E	Ø5ft. x H15in. / Ø1.52m x H38cm	2+	126 gal. (477 L)	6	25.8 (11.7)
57241				1	112.7 (51.1)

- Easy set up
- Reinforced PVC and 3-ply polyester side walls (0.40-0.80 mm)
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box



TRITECH™ MATERIAL



MY FIRST FAST SET SPRAY POOL

Item #	Size	AGE	Water Capacity (80%)	Pack	Lb. (kg)	Packaging
57326	Ø5ft. x H15in. / Ø1.52m x H38cm	2+	126 gal. (477 L)	6	27.7 (12.6)	Full color box
30007				1	112.7 (51.1)	Display shelf

- Easy set up
- Reinforced PVC and 3-ply polyester side walls (0.40-0.80 mm)
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- Pool provides a fun, cooling spray
- Animal sprays water by connecting to a standard garden hose
- 2 assorted colors
- Underwater adhesive repair patch



TRITECH™ MATERIAL



Full color box

Display shelf
24 pcs included



Built-in Sprayer!



MY FIRST FRAME POOL

Item #	Size	AGE	Water Capacity (90%)	Pack	Lb. (kg)
56217E	48in. x 48in. x 12in. / 1.22m x 1.22m x 30.5cm	2+	96 gal. (365 L)	3	27.4 (12.4)
56217					

- Easy set up
- Corrosion-resistant metal frames
- Easy to take down for off-season storage
- 3 assorted colors
- Underwater adhesive repair patch
- Full color box



MY FIRST FRAME POOL

Item #	Size	AGE	Water Capacity (90%)	Pack	Lb. (kg)
56283	Ø5ft. x H15in. / Ø1.52m x H38cm	2+	153 gal. (580 L)	6	62.2 (28.2)

- Easy set up
- Corrosion-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Easy to take down for off-season storage
- Underwater adhesive repair patch
- Full color box



SPLASH-IN-SHADE PLAY POOL

Item #	Size	Water Capacity (90%)	Pack	Lb. (kg)
56432	Ø8ft. x H20in. / Ø2.44m x H51cm	446 gal. (1,688 L)	1	29.4 (13.3)
56543				

- Easy set up
- Corrosion-resistant metal frames
- Heavy-duty PVC and polyester 3-ply side walls
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Underwater adhesive repair patch
- Full color box




TRITECH™ MATERIAL



POOL ACCESSORIES

The Bestway maintenance kits contain all the swimming pool equipment you need to clean up debris in your pool. No more bugs, leaves or other debris in your pool with the lightweight skimmers with durable mesh nettings. Our kits with vacuums come with reusable debris bags, making it easy for you to dump your debris. Bestway's maintenance kits are the right addition to keeping your water clean for the entire swimming season.

8 ft. (2.44 m) Planogram
Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

FLOWCLEAR™ SAND FILTERS

Bestway sand filters are truly a “no fuss” option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.



Strainer



Pressure Gauge



Control Valve



Motor



Compatible with all Bestway Pool Valves

530 GAL. (2,006 L)

- Durable, corrosion-resistant filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Hose (diameter 1.25in. / 3.2cm) can be used with sand filter (needs to include thread)
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 8.5kg
- For use with 300-4,200 gallon (1,100-16,000 L) pools
- Full color box



1,000 GAL. (3,785 L)

- Durable, corrosion-resistant filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Package also includes adaptors for pool valves with an outer diameter of 1.5in. / 3.8cm
- Both hoses (diameter 1.5in. / 3.8cm, 1.25in. / 3.2cm) can be used with sand filter (needs to include thread)
- Compatible with most above ground pools
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 18 kg
- For use with 300-7,200 gallon (1,100-27,200 L) pools
- Full color box



1,500 GAL. (5,678 L)

- Durable, corrosion-resistant filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Compatible with 1.25in. / 3.2cm valves using the adaptors included
- Can be connected to 1.5in. / 3.8cm threaded valves
- Compatible with most above ground pools
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 25kg
- For use with 300-11,200 gallon (1,100-42,300 L) pools
- Full color box



2,000 GAL. (7,571 L)

- Durable, corrosion-resistant filter tank
- 6-position valve for easy control
- Top flange clamp design allows 360 degree rotation for easy installation
- Easy-to-read pressure gauge
- Strainer for separating leaves and other rough debris
- Easy-access assembly makes service simple
- Compatible with 1.25in. / 3.2cm valves using the adaptors included
- Can be connected to 1.5in. / 3.8cm threaded valves
- Compatible with most above ground pools
- Sand not included
- Required sand size: #20 silica sand, 0.45-0.85mm, approximately 35kg
- For use with 300-14,400 gallon (1,100-54,500 L) pools
- Full color box



SAND FILTER

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating
58398E	530 (2,006)	530 (2,006)	For use with 300-4,200 gal. (1,100-16,000 L) pools	ETL-US	1	18.3 (8.3)	110-120V~, 1A
58398	530 (2,006)	530 (2,006)		C-ETL	1	18.0 (8.2)	110-120V~, 1A
58397	530 (2,006)	530 (2,006)		CE / EAC	1	17.7 (8.0)	220-240V~, 85W

SAND FILTER

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating
58405	1,500 (5,678)	1,400 (5,300)	For use with 300-11,200 gal. (1,100-42,300 L) pools	C-ETL	1	33.3 (15.1)	110-120V~, 3.2A
58404	1,500 (5,678)	1,400 (5,300)		CE / EAC	1	33.6 (15.3)	220-240V~, 230W

SAND FILTER

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating
58401E	1,000 (3,785)	900 (3,407)	For use with 300-7,200 gal. (1,100-27,200 L) pools	ETL-US	1	29.1 (13.2)	110-120V~, 2.4A
58401	1,000 (3,785)	900 (3,407)		C-ETL	1	28.8 (13.1)	110-120V~, 2.4A
58400	1,000 (3,785)	900 (3,407)		CE / EAC	1	28.6 (13.0)	220-240V~, 200W

SAND FILTER

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating
58367	2,000 (7,571)	1,800 (6,814)	For use with 300-14,400 gal. (1,100-54,500 L) pools	C-ETL	1	36.0 (16.3)	110-120V~, 3.5A
58366	2,000 (7,571)	1,800 (6,814)		CE / EAC	1	36.3 (16.5)	220-240V~, 280W



POLYSPHERE

Item #	Pack	Lb. (kg)	Packaging	NEW
30014E	1	26.6 (12.1)	Display shelf	
30014	1	26.6 (12.1)	Display shelf	
58475E	6	12.5 (5.7)	Full color box	
58475	6	12.5 (5.7)	Full color box	

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand

Flowclear™ Polysphere quantity is as follow:

Sand filter	Weight if using sand	Weight if using Flowclear™ Polysphere
Bestway® 530 gal./h (2,006 L/h)	18.74 lbs (8.5 kg)	0.53 lbs (240 g)
Bestway® 1,000 gal./h (3,785 L/h)	39.68 lbs (18 kg)	1.10 lbs (500 g)
Bestway® 1,500 gal./h (5,678 L/h)	55.12 lbs (25 kg)	1.54 lbs (700 g)
Bestway® 2,000 gal./h (7,571 L/h)	77.16 lbs (35 kg)	2.20 lbs (1000 g)

- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Long life product
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non toxic



ENHANCED PUMP EFFICIENCY

Lower pressure allows for a higher flow rate and a longer product lifespan.



LIGHTER MATERIAL

1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand.



SUPERIOR FILTRATION

Clean and clear water is reached in a short time.



ECO-FRIENDLY

100% recyclable and non-toxic PET material.



EASIER TO HANDLE

Easy to carry and transport. Washable by hand.



12 Ea. included



58475E Full color box

30014 Display shelf:
30pcs promotional leaflets
in 9 languages included

FLOWCLEAR™
POLYSPHERE



U.S. Pat. No. US7159731



FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58382E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	4	24.4 (11.1)	110-120V-, 0.2A	58168 - TYPE V
58382	330 (1,249)	280 (1,060)		C-ETL	4	24.1 (11.0)	110-120V-, 0.2A	58168 - TYPE V
58381	330 (1,249)	280 (1,060)		CE / EAC	4	18.4 (8.4)	220-240V-, 16W	58093 - TYPE I

U.S. Pat. No. US7159731



FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58385E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	4	31.0 (14.1)	110-120V-, 0.6A	58283 - TYPE VII - D
58384	530 (2,006)	480 (1,817)		C-ETL	4	31.3 (14.2)	110-120V-, 0.6A	58012 - TYPE III - A/C
58383	530 (2,006)	480 (1,817)		CE / EAC	4	23.6 (10.7)	220-240V-, 29W	58094 - TYPE II

U.S. Pat. No. US7159731



FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58387	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	C-ETL	4	31.3 (14.2)	110-120V-, 0.6A	58012 - TYPE III - A/C
58386	800 (3,028)	580 (2,195)		CE / EAC	4	24.8 (11.2)	220-240V-, 32W	58094 - TYPE II

U.S. Pat. No. US7159731



FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	4	37.7 (17.1)	110-120V-, 1.1A	58012 - TYPE III - A/C

U.S. Pat. No. US7159731



FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	1	14.2 (6.4)	110-120V-, 1.8A	58012 - TYPE III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	1	14.0 (6.3)	110-120V-, 1.8A	58012 - TYPE III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE / EAC	1	12.7 (5.8)	220-240V-, 86W	58012 - TYPE III - A/C

U.S. Pat. No. US7159731



NEW GENERATION

FILTER PUMP

Item #	Pump Flow Rate GAL. (L) / HR	System Flow Rate GAL. (L) / HR	Pool Compatibility	Certification	Pack	Lb. (kg)	Rating	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	1	24.2 (11.0)	110-120V-, 3.3A	58095 - TYPE IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	1	24.0 (10.9)	110-120V-, 3.3A	58095 - TYPE IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE / EAC	1	24.5 (11.1)	220-240V-, 350W	58095 - TYPE IV - B

FLOWCLEAR™ FILTER PUMPS & CARTRIDGES

NEW ANTI-MICROBIAL

FILTER CARTRIDGES

Item #	58093	58094	58012E	58012	58095E	58095	58168E	58168	58283E	58476E	58476
Product											
Size	Ø3.1in. x H3.5in. Ø8cm x H9cm	Ø4.2in. x H5.4in. Ø10.6cm x H13.6cm	Ø4.2in. x H8in. Ø10.6cm x H20.3cm		Ø5.6in. x H10in. Ø14.2cm x H25.4cm	Ø3.3in. x H3.1in. Ø8.3cm x H8cm	Ø4.2in. x H3.8in. Ø10.7cm x H9.7cm	Ø4.2in. x H8in. Ø10.6cm x H20.3cm			
Pump Type	300 gal. (1,249 L) (220-240V)	530 / 800 gal. (2,006 / 3,028 L) (220-240V)	1,000 / 1,500 gal. (3,785 / 5,678 L) (110-120V)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120V) 1,500 gal. (5,678 L) (220-240V)	2,500 gal. (9,463 L)	300 gal. (1,249 L) (110-120V)	530 gal. (2,006 L) (110-120V)	1,000 / 1,500 gal. (3,785 / 5,678 L) (110-120V)		530 - 1,500 gal. (2,006 - 5,678 L) (110-120V)	
Packaging	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card		Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Full color box + PDQ		
Pack	6	6	6		6	6	6	6	6		
LB. (KG)	2.2 (1.0)	3.8 (1.7)	2.6 (1.2)		5.9 (2.7)	1.7 (0.8)	4.2 (1.9)	4.1 (1.9)			

HOSE

Item #	Pack	Lb. (kg)	Packaging
58368	6	16.6 (7.6)	Full color box

- 9.8ft. / 3m long, 1.5in. / 3.8cm diameter
- Suitable for filter pumps and sand filters that use 1.5in. / 3.8cm hoses



HOSE

Item #	Pack	Lb. (kg)	Packaging
58369	6	9.9 (4.5)	Full color box

- 9.8ft. / 3m long, 1.25in. / 3.2cm diameter
- Suitable for filter pumps, sand filters, heaters and chlorinators that use 1.25in. / 3.2cm hoses



HOSE ADAPTERS

Item #	Pack	Lb. (kg)	Packaging
58236E 58236	12	4.5 (2.0)	Blister card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8cm) to pool valves (Diameter 3.2cm)
- Easy to install
- Instructional manual included!



Filter Pump	Sand Filter
1,500 GAL & 2,500 GAL (5,677 L & 9,463 L)	1,500 GAL & 2,000 GAL (5,677 L & 7,571 L)



58476 Full color box 58476 PDQ: 6 pcs included

- Easy to clean
- Does not replace the use of regular chlorine maintenance
- Anti-microbial filter paper controls growth of bacteria
- Very strong antimicrobial effect on surface
- Broad spectrum antibacterial effect

FLOWCLEAR™ POOL FILTERS

Item #	58382E	58382	58381	58385E	58384	58383	58387	58386	58388E	58390E	58390	58389	
Product													
Hose	1.25in. / 3.2cm			1.25in. / 3.2cm		1.25in. / 3.2cm		1.25in. / 3.2cm		1.5in. / 3.8cm			
Adapters Included	-	-	-	-	-	-	-	-	-	1.5 / 1.25in. / 3.8 / 3.2cm			
Filters Cartridge or Sand Grain	58168 (V)		58093 (I)	58283 (VII-D)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58012 (III-A/C)			
Pump Flow Rate Gal. (L) / HR	330 (1,249)			530 (2,006)		800 (3,028)		1,000 (3,785)		1,500 (5,678)			
System Flow Rate Gal. (L) / HR	280 (1,060)			480 (1,817)		580 (2,195)		780 (2,952)		1,050 (3,974)			
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300 L) pools			For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools		For use with 300-8,400 gal. (1,100-31,700 L) pools			
Rating	110-120V~, 0.2A		220-240V~, 16W	110-120V~, 0.6A		220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A		110-120V~, 1.8A		220-240V~, 86W

Item #	58392E	58392	58391	58398E	58398	58397	58401E	58401	58400	58405	58404	58367	58366	
Product														
Hose	1.5in. / 3.8cm			1.25in. / 3.2cm			1.25in. / 3.2cm			1.5in. / 3.8cm		1.5in. / 3.8cm		
Adapters Included	1.5 / 1.25in. / 3.8 / 3.2cm			-			1.5 / 1.25in. / 3.8 / 3.2cm			1.5 / 1.25in. / 3.8 / 3.2cm		1.5 / 1.25in. / 3.8 / 3.2cm		
Filters Cartridge or Sand Grain	58095 (IV-B)			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 18 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 25 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 35 kg		
Pump Flow Rate Gal. (L) / HR	2,500 (9,463)			530 (2,006)			1,000 (3,785)			1,500 (5,678)		2,000 (7,571)		
System Flow Rate Gal. (L) / HR	2,050 (7,760)			530 (2,006)			900 (3,407)			1,400 (5,300)		1,800 (6,814)		
Pool Compatibility	For use with 300-16,400 gal. (1,100-62,000 L) pools			For use with 300-4,200 gal. (1,100-1,600 L) pools			For use with 300-7,200 gal. (1,100-27,200 L) pools			For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-14,400 gal. (1,100-54,500 L) pools		
Rating	110-120V~, 3.3A		220-240V~, 350W	110-120V~, 1A		220-240V~, 85W	110-120V~, 2.4A		220-240V~, 200W	110-120V~, 3.2A		220-240V~, 230W	110-120V~, 3.5A	220-240V~, 280W

FLOWCLEAR™ SKIMATIC™ FILTER PUMP

NEW

Item #	Pump / System Flow Rate GAL. (L) / HR	Rating	Certification	Pack	Lb. (kg)	Packaging	Filter Cartridge
58463E	680 (2,574)	110-120V~, 0.75A	ETL-US	1	17.6 (8.0)	Full color box	58012 - TYPE III - A/C
58463	680 (2,574)	110-120V~, 0.75A	C-ETL	1	17.4 (7.9)	Full color box	58012 - TYPE III - A/C
58462	680 (2,574)	220-240V~, 48W	CE / GS / EAC	1	17.5 (7.9)	Full color box	58012 - TYPE III - A/C
58470E	1,050 (3,974)	110-120V~, 1.4A	ETL-US	1	22.0 (10.0)	Full color box	58012 - TYPE III - A/C
58470	1,050 (3,974)	110-120V~, 1.4A	C-ETL	1	21.8 (9.9)	Full color box	58012 - TYPE III - A/C
58469	1,050 (3,974)	220-240V~, 73W	CE / GS / EAC	1	21.4 (9.7)	Full color box	58012 - TYPE III - A/C

Patent Pending



- Large capacity tank sucks in floating leaves and other debris
- Automatic filtration and cleaning
- Easy pool installation
- No additional hoses or adaptors needed
- Works quietly
- For use with all types of above ground pools*
- For use only with battery powered and manual pool cleaning appliances
- Uses 58012 filter cartridge III
- Uses AC 12V safe voltage through an isolated transformer
- For use with 300-5,400 gallon (1,100-20,500 L) pools (For 58463E; 58463; 58462)
- For use with 300-8,400 gallon (1,100-31,700 L) pools (For 58470E; 58470; 58469)

WORKS WITH MOST ABOVE GROUND POOLS!*



* Except for Steel Wall Pools



FLOWCLEAR™ SKIMATIC™ FILTER PUMP



COMBO
Filter and
Surface
Skimmer!



CLEAN SUN POWERED POOL PAD

Item #	Pack	Lb. (kg)	Packaging
58423E	4	57.8 (26.2)	Full color box
58423	4	57.8 (26.2)	Full color box

- 43in. x 67in. / 1.10m x 1.71m Clean Sun Powered Pool Pad
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,000 gal./h (7,570 L/h) sand filter and below
- Compatible with all above ground pools
- Easy set up with included adaptors compatible with 1.25in. / 3.2cm and 1.5in. / 3.8cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 ~ 5°C (5 ~ 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9mm pvc
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72ft² (1.46m²)
- Can be used in multiples to work together for different size pools



All solar powered water heating pool pads easily connect to accommodate different pool sizes!



800 GAL./H - 3,028 L/H

POOL+ DRAIN PUMP

Item #	Pump Flow Rate GAL. (L) / HR	Rating	Certification	Pack	Lb. (kg)	Packaging
58230	800 (3,028)	220-240V~, 80W	CE / EAC	4	30.5 (13.8)	Full color box

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4ft. / 5.00m long, 1.25in. / 3.2cm diameter
- Includes two adaptors to connect to a garden hose




5m long drain hose.



POOL HEATER

Item #	Maximum heater output	Rating	Certification	Pack	Lb. (kg)	Packaging
58259	40°C (104°F)	220-240V-50Hz, 2,800W at 20°C	CE / EAC / TUV	4	49.2 (22.3)	Full color box

- Compatible with:
 - Swimming pool water capacity: 400 ~ 4,500 gal. (1,520 ~ 17,035 L)
 - Filter pump/Sand filter flow rate: 1,000 gal/h (3,785 L/h) and below 1,000 gal/h (3,785 L/h)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA



FLOWCLEAR™ POOL COVERS & GROUND CLOTHS

SOLAR POOL COVERS

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)	
58060E	58060	6ft.10in. / 2.10m	Fits 8ft. (2.44m) Fast Set™ Pools	4	4.5 (2.0)
58241E	58241	9ft.6in. / 2.89m	Fits 10ft. (3.05m) Fast Set™ Pools and 10ft. (3.05m) Steel Pro™ Pools and 10ft. (3.05m) Steel Pro MAX™ Pools	2	4.0 (1.8)
58242E	58242	11ft.8in. / 3.56m	Fits 12ft. (3.66m) / 13ft. (3.96m) Fast Set™ Pools and 12ft. (3.66m) Steel Pro™ Pools and 12ft. (3.66m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252E	58252	13ft.8in. / 4.17m	Fits 15ft. (4.57m) Fast Set™ Pools and 14ft. (4.27m) Steel Pro MAX™ Pools and 14ft. (4.27m) Power Steel™ Pools and 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools	2	8.0 (3.6)
58253E	58253	15ft.2in. / 4.62m	Fits 16ft. (4.88m) Power Steel™ Pools and 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools and 15ft. (4.57m) Steel Pro MAX™ Pools	2	9.1 (4.1)
58173E	58173	17ft.3in. / 5.27m	Fits 18ft. (5.49m) Steel Pro MAX™ Pools and 18ft. (5.49m) Power Steel™ Pools	1	6.4 (2.9)
58240		12ft.5in. x 70.5in. / 3.80m x 1.80m	Fits 13ft.3in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) and 13ft.6in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) Power Steel™ Pools	2	4.2 (1.9)
58228		23ft. x 11ft. / 7.03m x 3.36m	Fits 22ft. x 12ft. x 52in. (6.71m x 3.66m x 1.32m) and 24ft. x 12ft. x 52in. (7.32m x 3.66m x 1.32m) Power Steel™ Pools	1	6.7 (3.1)

- Durable material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris



POOL COVERS - FAST SET™, FAMILY POOLS

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)	
58032E	58032	9ft.2in. / 2.80m	Fits 8ft. (2.44m) Fast Set™ Pools	6	8.6 (3.9)
58033E	58033	11ft. / 3.35m	Fits 10ft. (3.05m) Fast Set™ Pools	6	11.7 (5.3)
58034E	58034	12ft.11in. / 3.95m	Fits 12ft. (3.66m) Fast Set™ Pools	6	15.8 (7.2)
58415		13ft.7in. / 4.15m	Fits 13ft. (3.96m) Fast Set™ Pools	6	17.8 (8.1)
58035E	58035	16ft.3in. / 4.95m	Fits 15ft. (4.57m) Fast Set™ Pools	4	17.6 (8.0)
58319		9ft.8in. x 7ft.3in. / 2.95m x 2.20m	Fits 8ft.7in. x 69in. x 20in. (2.62m x 1.75m x 51cm) Blue Rectangular Family Pools	8	11.5 (5.2)
58108		11ft.2in. x 7ft.6in. / 3.40m x 2.30m	Fits 10ft. x 6ft. x 22in. (3.05m x 1.83m x 56cm) Deluxe Blue Rectangular Family Pools	8	14.0 (6.4)


- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - POWER STEEL™, STEEL PRO™, STEEL PRO MAX™, HYDRIMUM™

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)	
58301	96in. / 2.44m	Fits 8ft. (2.44m) Steel Pro™ pools	8	27.1 (12.3)	
58036E	58036	10ft. / 3.05m	Fits 10ft. (3.05m) Steel Pro™ Pools and 10ft. (3.05m) Steel Pro MAX™ Pools	6	26.9 (12.2)
58037E	58037	12ft.1in. / 3.70m	Fits 12ft. (3.66m) Steel Pro™ Pools and 12ft. (3.66m) Steel Pro MAX™ Pools and 12ft. x 36in. (3.60m x 90cm) Hydrium™ Splasher Pools	6	42.3 (19.2)
58248E	58248	14ft. / 4.27m	Fits 14ft. (4.27m) Steel Pro MAX™ Pools and 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools	6	53.5 (24.3)
58038E	58038	15ft.5in. / 4.70m	Fits 15ft. (4.57m) Steel Pro MAX™ Pools and 15ft. x 36in. (4.60m x 90cm) Hydrium™ Splasher Pools	4	41.1 (18.6)
58249E	58249	16ft.2in. / 4.93m	Fits 16ft. (4.88m) Power Steel™ Pools and 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools and 15ft. x 48in. (4.60m x 1.20m) Hydrium™ Pools	4	44.8 (20.3)
58039E	58039	18ft.2in. / 5.55m	Fits 18ft. (5.49m) Steel Pro MAX™ Pools and 18ft. (5.49m) Power Steel™ Pools	4	54.5 (24.7)
58356E		20ft.2in. / 6.15m	Fits 20ft. x 48in. (6.10m x 1.22m) Power Steel™ Pools	4	65.9 (29.9)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - STEEL PRO™

Item #	Size	Corresponding Pools	Pack	Lb. (kg)
58103	7ft.4in. x 60.5in. / 2.24m x 1.54m	Fits 7ft.3in. x 59in. x 17in. (2.21m x 1.50m x 43cm) Steel Pro™ Pools	8	9.7 (4.4)
58105	8ft.8in. x 68.5in. / 2.64m x 1.74m	Fits 8ft.6in. x 67in. x 24in. (2.59m x 1.70m x 61cm) Steel Pro™ Pools	8	12.0 (5.4)
58106	10ft. x 6ft.9in. / 3.04m x 2.05m	Fits 9ft.10in. x 6ft.7in. x 26in. (3.00m x 2.01m x 66cm) Steel Pro™ Pools	6	10.6 (4.8)
58107	13ft.5in. x 7ft.5in. / 4.10m x 2.26m	Fits 13ft.1in. x 6ft.11in. x 32in. (4.00m x 2.11m x 81cm) Steel Pro™ Pools	6	15.4 (7.0)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - POWER STEEL™, POWER STEEL™ OVAL & HYDRIMUM™

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)
58291	10ft.11in. / 3.33m	Fits 10ft. x 48in. (3.00m x 1.20m) Hydrium™ Pools and 10ft.10in. x 33in. (3.30m x 84cm) Hydrium™ Splasher Pools	6	34.9 (15.8)
58292	12ft.10in. / 3.92m	Fits 12ft. x 48in. (3.60m x 1.20m) Hydrium™ Pools	6	45.7 (20.7)
58293	16ft.8in. x 12ft.2in. / 5.08m x 3.71m	Fits 16ft.5in. x 12ft. x 48in. (5.00m x 3.60m x 1.20m) Hydrium™ Oval Pools	4	39.5 (17.9)
58424	9ft.8in. x 6ft.2.95m / 2.95m x 1.84m	Fits 9ft.10in. x 6ft.7in. x 33in. (3.00m x 2.00m x 84cm) Power Steel™ Oval Pools	6	20.3 (9.2)
58425	13ft.8in. x 7ft.5in. / 4.18m x 2.30m	Fits 13ft.11in. x 8ft.2in. x 39.5in. (4.24m x 2.50m x 1.00m) Power Steel™ Oval Pools	6	31.7 (14.4)
58442	8ft.10in. x 7ft.0in. / 2.69m x 1.79m	Fits 9ft.3in. x 6ft.5in. x 33in. (2.82m x 1.96m x 84cm) Power Steel™ Pools	6	21.7 (9.8)
58232	13ft. x 6ft.1in. / 3.96m x 1.85m	Fits 13ft.6in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) and 13ft.3in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) Power Steel™ Pools	6	31.2 (14.1)
58364	20ft.3in. x 12ft.2in. / 6.19m x 3.71m	Fits 20ft. x 12ft. x 48in. (6.10m x 3.60m x 1.20m) Hydrium™ Oval Pools	4	48.8 (22.2)
58455	24ft.6in. x 12ft.2in. / 7.48m x 3.71m	Fits 24ft. x 12ft. x 48in. (7.40m x 3.60m x 1.20m) Hydrium™ Oval Pools	4	58.5 (26.5)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



GROUND CLOTHS

Item #	Size	Corresponding Pools	Pack	Lb. (kg)
58100	9ft.8in. x 6ft.9in. / 2.95m x 2.06m	Fits 7ft.3in. x 59in. x 17in. (2.21m x 1.50m x 43cm) and 8ft.6in. x 67in. x 24in. (2.59m x 1.70m x 61cm) Steel Pro™ Pools	8	9.7 (4.4)
58101	11ft.1in. x 7ft.10in. / 3.38m x 2.39m	Fits 9ft.10in. x 6ft.7in. x 26in. (3.00m x 2.01m x 66cm) Steel Pro™ Pools and 9ft.10in. x 6ft.7in. x 33in. (3.00m x 2.00m x 84cm) Power Steel™ Oval Pools	8	12.1 (5.5)
58102	14ft.7in. x 8ft.4in. / 4.45m x 2.54m	Fits 13ft.1in. x 6ft.11in. x 32in. (4.00m x 2.11m x 81cm) Steel Pro™ Pools	6	13.1 (5.9)
58264	16ft.5in. x 9ft.10in. / 5.00m x 3.00m	Fits 13ft.3in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) and 13ft.6in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) Power Steel™ Pools and 13ft.11in. x 8ft.2in. x 39.5in. (4.24m x 2.50m x 1.00m) Power Steel™ Oval Pools	6	17.3 (7.8)


- Durable material
- Provides extra protection for the bottom of the pool
- Full color box



GROUND CLOTHS

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)	
58000	9ft. x 9ft. / 2.74m x 2.74m	Fits 8ft. (2.44m) Fast Set™ Pools and 8ft. (2.44m) Steel Pro™ Pools	6	8.9 (4.1)	
58001E	58001	11ft. x 11ft. / 3.35m x 3.35m	Fits 10ft. (3.05m) Fast Set™ Pools and 10ft. (3.05m) Steel Pro™ Pools and 10ft. (3.05m) Steel Pro MAX™ Pools and 10ft. x 48in. (3.00m x 1.20m) Hydrium™ Pools	4	8.6 (3.9)
58002E	58002	13ft. x 13ft. / 3.96m x 3.96m	Fits 12ft. (3.66m) Fast Set™ Pools and 12ft. (3.66m) Steel Pro™ Pools and 12ft. (3.66m) Steel Pro MAX™ Pools and 12ft. x 36in. (3.60m x 90cm) Hydrium™ Splasher Pools and 12ft. x 48in. (3.60m x 1.20m) Hydrium™ Pools	4	11.9 (5.4)
58003E	58003	16ft. x 16ft. / 4.88m x 4.88m	Fits 15ft. (4.57m) Fast Set™ Pools and 15ft. (4.57m) Steel Pro MAX™ Pools and 14ft. (4.27m) Steel Pro MAX™ Pools and 14ft. (4.27m) Power Steel™ Pools and 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools and 15ft. x 36in. (4.60m x 90cm) Hydrium™ Splasher Pools and 15ft. x 48in. (4.60m x 1.20m) Hydrium™ Pools	4	16.8 (7.6)
58251E	58251	17ft. x 17ft. / 5.20m x 5.20m	Fits 16ft. (4.88m) Power Steel™ Pools and 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools	4	19.5 (8.9)
58031E	58031	19ft. x 19ft. / 5.79m x 5.79m	Fits 18ft. (5.49m) Steel Pro MAX™ Pools and 18ft. (5.49m) Power Steel™ Pools	4	23.1 (10.5)

- Durable material
- Provides extra protection for the bottom of the pool
- Full color box



POOL FLOOR PROTECTOR

Item #	Size	CONTENTS	COLOR	Pack	Lb. (kg)
58220	20in. x 20in. / 50cm x 50cm	8 piece	Blue	30	51.0 (23.1)
58265	32in. x 32in. / 81cm x 81cm	8 piece	Green	8	38.4 (17.4)

- Durable polyethylene
- Provides added protection for pool floors
- Fits all sizes of pools
- Package contains 8 pieces
- Shrink wrapped with insert card



NEW COLOR

33IN. / 84CM

Item #	Pack	Lb. (kg)	Remark
58430	1	12.4 (5.6)	EXCEPT NORTH AMERICA



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures

NEW COLOR

36IN. / 91CM

Item #	Pack	Lb. (kg)	Remark
58334E	1	16.1 (7.3)	US
58334	1	16.1 (7.3)	N. AMERICA / ASIA, AFRICA & L. AMERICA



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures

NEW COLOR

42IN. / 1.07M

Item #	Pack	Lb. (kg)	Remark
58335E	1	16.9 (7.7)	US
58335	1	16.9 (7.7)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58330	1	18.5 (8.4)	EUROPE UNION



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures



NEW COLOR

48IN. / 1.22M

Item #	Pack	Lb. (kg)	Remark
58336E	1	22.3 (10.1)	US
58336	1	22.3 (10.1)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58331	1	27.8 (12.6)	EUROPE UNION



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures



NEW COLOR

52IN. / 1.32M

Item #	Pack	Lb. (kg)	Remark
58337E	1	26.2 (11.9)	US
58337	1	26.2 (11.9)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58332	1	29.9 (13.6)	EUROPE UNION



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures



- Corrosion-resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy cardboard box with pictures

FLOWCLEAR™ POOL CLEANERS

The right tool to clean every pool!

OPERATING SYSTEM	Garden Hose - Venturi Effect		Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2,0 to 9,4m³/h	
PRODUCT	58013E - 58013 Maintenance Kit 80in. - 2.03m	58098E - 58098 Maintenance Kit 100in. - 2.54m	58212E - 58212 AquaCrawl Pool Vacuum	58234E - 58234 AquaClean Pool Cleaning Kit
RECOMMENDED POOL				
	Any model	Any model		
	Up to 13ft. - 3.96m diameter	Any model	Up to 15ft. - 4.57m diameter	Any model
	Up to 13ft. - 3.96m diameter	Any model	Up to 15ft. - 4.57m diameter	Any model
	Up to 13ft. - 3.96m diameter	Any model	Up to 15ft. - 4.57m diameter	Any model
	Up to 13ft. - 3.96m wide	Any model	Fits 6ft.5in., 6ft.7in., 8ft., 8ft.2in., 9ft., 10ft., 12ft. - 1.96, 2.01, 2.50, 2.74, 3.05, 3.66m wide	Any model
	Up to 13ft. - 3.96m wide	Any model	Up to 15ft. - 4.57m wide	Any model
				
FEATURES				
HANDLING	Manual	Manual	Manual	Manual
POLE LENGTH	68.5in. - 1.74m	97in. - 2.47m	74.6in. - 1.90m	110in. - 2.79m
HOSE LENGTH			19.7ft. - 6.00m	24.5ft. - 7.50m
VALVE COMPATIBILITY			1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)	1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)
INNER WALL CLEANING	■	■	■	■
MINIMUM FLOW			Outlet 530 gal. - 2,006 L/h	Outlet 530 gal. - 2,006 L/h
MINIMUM WATTAGE				
HIGHLIGHTS	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Two angled conversion nozzle, one with brush Universal adapters included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included Universal adapters included

OPERATING SYSTEM	Filter and Sand Pumps - from 86W, from 1,000 to 2,500 gal., from 3,7 to 9,4m³/h		Filter and Sand Pumps - from 0,5HP, from 1,500 to 2,500 gal., from 5,6 to 9,4m³/h		AA Battery, Independent from filtration device	Rechargeable lithium battery
PRODUCT	58304E - 58304 AquaClimb Automatic Pool Cleaner	58339E - 58339 AquaDip Pool Vacuum	58340E - 58340 AquaScan Electric Pool Vacuum	58422E - 58422 - 58427 Aqua Powercell Vac		
RECOMMENDED POOL						
				Any model		Any model
	Up to 16ft. - 4.88m diameter	Up to 20ft. - 6.10m diameter		Up to 10ft. - 3.05m diameter		Any model
	Up to 16ft. - 4.88m diameter	Up to 20ft. - 6.10m diameter				Up to 20in. - 6.10m diameter
	Up to 16ft. - 4.88m diameter	Up to 20ft. - 6.10m diameter		Up to 10ft. - 3.05m diameter		Up to 20in. - 6.10m diameter
	Fits 13ft.3in., 13ft.6in., 16ft., 18ft., 22ft. - 4.04, 4.12, 4.88, 5.49, 6.71m length	Fits 13ft.3in., 13ft.6in., 16ft., 18ft., 22ft., 24ft. - 4.04, 4.12, 4.88, 5.49, 6.71, 7.32m length		Up to 42in. - 1.07m height		Up to 20in. - 6.10m wide
				Any model		Any model
FEATURES						
HANDLING	Automatic	Automatic	Manual	Auto matic		
POLE LENGTH			49.6in. - 1.26m	7.3ft. - 2.22m		
HOSE LENGTH	20ft. - 6.10m	27ft. - 8.25m				
VALVE COMPATIBILITY	1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)	1.5in. - 3.8cm (1.25in. - 3.2cm adapters included)				
INNER WALL CLEANING			■	■		
MINIMUM FLOW	Outlet 1,000 gal. - 3,785 L/h	Outlet 1,500 gal. - 5,678 L/h				
MINIMUM WATTAGE	86W	230W				
HIGHLIGHTS	<ul style="list-style-type: none"> Pre filter bag 	<ul style="list-style-type: none"> Fast Reusable debris bag Silent Low Maintenance 	<ul style="list-style-type: none"> AA battery X 8 (not included) Up to 1h30 operating time Reusable debris bag Brushes 	<ul style="list-style-type: none"> Rechargeable lithium battery Vacuum pools and spa Reusable debris bag Automatic vacuuming 		


FLOWCLEAR™ AUTOMATIC POOL CLEANERS

We offer a complete range of pool cleaning equipment - from the most basic skimmer on a pole to our highly advanced fully automatic pool cleaners - and everything in between. Our cleaners are compatible with virtually every pool on the market. In particular, the automatic cleaners reduce the burden of maintenance, making the consumers' lives easier, while returning attractive profit margins to both distributors and retailers alike.

AQUASCAN ELECTRIC POOL VACUUM

Item #	Pack	Lb. (kg)	Packaging	
58340E	58340	6	18.4 (8.4)	Full color box


- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 5ft. / 1.5m when fully extended
- Underside wheels for easy gliding
- Quick to assemble, no tools needed
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag



AQUA POWERCELL VAC

Item #	Pack	Lb. (kg)	Packaging	
58422E	58422	4	19.8 (9.0)	Full color box
58427	4	20.5 (9.3)	Full color box	


- Completely submersible body vacuums debris on pool or spa floor
- Recommended for spas, above ground pools (up to 20ft. / 6.09m diameter) and in-ground pools
- Rechargeable Lithium-ion battery includes superior benefits such as an extended life, no memory effect when charging/discharging the battery, and constant performance for 40 minutes
- The filter bag is easy to remove and empty
- Connects to the included 5-section pole for a total length of 7ft.3in. / 2.22m
- Also fits standard telescopic pole (not included) with quick-release clip
- Includes 2 interchangeable heads: one head to clean corners and one head to clean surfaces
- Wheels on large head ensure smooth and easy gliding on any pool surface
- Replaceable bristles for scrubbing off debris efficiently



AQUACLIMB AUTOMATIC POOL CLEANER

Item #	Pack	Lb. (kg)	Packaging	
58304E	58304	2	19.2 (8.7)	Full color box



- Patented design specifically for above ground pools with low flow filtration systems. (Minimum 86W and 1,000 gal./h (3,785 L/h) system flow rate)
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate - simply turn on the pump and the cleaner will start automatically
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter
- Wide clip system on the bottom plate provides easy access to the debris compartment
- Float and weight provide optimum maneuverability
- Recommended for soft wall pools from 15ft. / 4.57m to 16ft. / 4.87m
- Includes hoses with total length of 20ft. / 6.10m
- Includes connectors compatible with most leading pool brands on the market



AQUADIP POOL VACUUM

Item #	Pack	Lb. (kg)	Packaging	
58339E	58339	2	25.8 (11.7)	Full color box

- Membrane technology ensures silent operation with optimum cleaning efficiency
- Lightweight design enables it to clean rapidly across the pool floor
- Finned disc enables it to glide smoothly across the pool bottom
- Simple twist-and-lock cassette for easy access to change the diaphragm
- Recommended for above ground pools up to 20ft. / 6.10m
- Includes 27ft. / 8.25m of standard hoses
- Min. System Flow Rate: 1,500 gal./h (5,678 L/h)
- Min. Pump Power: 0.3HP / 230W



FLOWCLEAR™ POOL CLEANERS

MAINTENANCE KIT

Item #	Pack	Lb. (kg)	Packaging
58013E 58013	6	14.4 (6.5)	Full color box



Pole Length: 68.5in. / 1.74m
Cleans Inner Wall

- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 13ft. / 3.96m and below pools

MAINTENANCE KIT

Item #	Pack	Lb. (kg)	Packaging
58098E 58098	6	20.2 (9.2)	Full color box



Pole Length: 97in. / 2.47m
Cleans Inner Wall

- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 13ft. / 3.96m and above pools

POOL ACCESSORIES SET

Item #	Pack	Lb. (kg)	Packaging
58195E 58195	4	12.7 (5.7)	Each set in a clam shell



Pole Length: 63.3in. / 1.61m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- For use with 13ft. / 3.96m and below pools

Kit Includes:

- 58013 - Maintenance Kit, 1 Piece
- 58071 - Chemical Floater, 1 Piece
- 58072 - Floating Pool Thermometer, 1 Piece
- 58142 - Pool and Spa Test Strips, 1 Piece
- 62068 - Heavy-duty Repair Patch, 1 Piece

AQUACRAWL POOL VACUUM

Item #	Pack	Lb. (kg)	Packaging
58212E 58212	6	28.2 (12.8)	Full color box



Pole Length: 74.6in. / 1.90m
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Three adapters for use with different pools and filter pump systems
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7ft. / 6.00m long, 1.25in. / 3.2cm diameter
- Attach to the filter pump for light cleaning for your pool
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with pools up to 15ft. / 4.57m

AQUACLEAN POOL CLEANING KIT

Item #	Pack	Lb. (kg)	Packaging
58234E 58234	4	32.3 (14.6)	Full color box



Pole Length: 110in. / 2.79m
Cleans Inner Wall

- Super-easy assembly
- Attach to filter pump to provide a powerful light weight vacuum system to clean pool floor and walls
- Includes multiple adapters for connections to all Bestway pools and filter systems
- Includes 110in. / 2.79m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5ft. / 7.5m, 1.25in. / 3.2cm diameter
- Vacuum has a one-piece cleaning head
- Skimmer has a durable mesh netting
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools

DELUXE MAINTENANCE KIT

Item #	Pack	Lb. (kg)	Packaging
58237E 58237	2	26.8 (12.2)	Full color box



Pole Length: 110in. / 2.79m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110in. / 2.79m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 24.5ft. / 7.5m, 1.25in. / 3.2cm diameter
- Multi-functional
 - Pool surface skimmer: works with the filter pump to clean floating leaves and other debris
 - Pool vacuum: works with the filter pump to clean pool walls and floor
 - Pool skimmer: manually cleans floating debris
- Attach to the filter pump for skimming and vacuuming
- Fits filter pumps with 800 gal./h (3,028 L/h) flow rate and above
- For use with all above ground pools except steel wall pools

POOL SURFACE SKIMMER


Item #	Pack	Lb. (kg)	Packaging
58233E 58233	4	19.6 (8.9)	Full color box



- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Easy to clean
- Fits filter pumps with 800 gal./h (3,028 L/h) flow rate and above
- For use with all above ground pools except steel wall pools

CLEANCAST SKIMMER SET

Item #	Pack	Lb. (kg)	Packaging
58325E 58325	24	23.8 (10.8)	Header card



Pole Length: 49.6in. / 1.26m

- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft

E-Z-BROOM POLE

Item #	Size	Pack	Lb. (kg)	Packaging
58279E 58279	142in. / 3.60m	24	43.1 (19.6)	Polybag with labels


- Inner diameter 1.2in. / 3cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



AQUANET

Item #	Size	Pack	Lb. (kg)	Packaging
58278E 58278	17.5in. x 6.5in. 44.5cm x 17cm	12	6.4 (2.9)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



AQUABROOM

Item #	Size	Pack	Lb. (kg)	Packaging
58280E 58280	18in. / 45.7cm	12	7.1 (3.2)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners



HEAVY-DUTY REPAIR PATCH

Item #	Pack	Lb. (kg)	Packaging
62068E 62068	36	1.8 (0.8)	Blister card

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches



UNDERWATER ADHESIVE REPAIR PATCH

Item #	Pack	Lb. (kg)	Packaging
62091E 62091	36	3.0 (1.4)	Blister card

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches



ANGLER POOL VACUUM

Item #	Size	Pack	Lb. (kg)	Packaging
58282	1.2in. / 3cm	12	22.1 (10.0)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor



CLEANCAST SKIMMER

Item #	Size	Pack	Lb. (kg)	Packaging
58277	1.2in. / 3cm	12	5.5 (2.5)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



POOL & SPA TEST STRIPS

Item #	Pack	Lb. (kg)	Packaging
58142E 58142	24	2.7 (1.2)	Blister card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
 - Free Chlorine -pH -Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life



POOL & SPA TEST STRIPS

Item #	Pack	Lb. (kg)	Packaging
58247E 58247	24	2.7 (1.2)	Blister card

- The ideal solution for basic pool and spa water testing
- 5-in-1 Test Strip:
 - pH -Free Chlorine -Total Chlorine -Total Hardness -Total Alkalinity
- Easy Color-Match System
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
- Contains 50 test strips
- 18-Month Shelf Life



AQUAFEED CHLORINATOR

Item #	Pack	Lb. (kg)	Packaging	
58338E	58338	6	14.8 (6.7)	Full color box

- An easy, clean and safe way to disinfect your pool
- Adjust the chlorine volume to control the free chlorine content
- Large capacity, more convenient (add tablets every 1-2 weeks)
- Holds different sizes of chlorine tablets; 3in. / 7.6cm tablets or smaller can be used
- Includes 39in. / 1m long, 1.25in. / 3.2cm diameter hose
- Safety lock prevents the cap from accidentally becoming loose
- Easy to disassemble with a gas release valve
- Convenient to clean with a water release valve
- Fits filter pumps or sand filter pumps with a flow rate of: 1,000 gal./h (3,785 l/h) and below 1,000 gal./h (3,785 l/h)



CHLORINATOR

Item #	Rating	Certification	Pack	Lb. (kg)	Packaging
58215E	110-120V~, 1.5A	ETL-US	1	19.5 (8.9)	Full color box
58215	110-120V~, 1.5A	C-ETL	1	19.3 (8.8)	Full color box
58216	220-240V~, 120W	CE / GS / EAC	1	18.7 (8.5)	Full color box

- Easy to install, use and maintain
- Produces a maximum of 12 grams of pure chlorine per hour
- Easy-to-view display panel highlights salt levels and water flow
- Environmentally friendly - turn ordinary salt into chlorine to clean your pool!
- Titanium-coated electrolytic cell is self-cleaning, providing optimum performance
- Healthier than regular chlorine for skin, hair and eyes
- Compatible with Bestway pools that have a water volume of 25,000 gallon (95,000 l) and below
- For use with all Bestway Flowclear™ filter pumps rated above 800 gallon (3,028 l) per hour
- Can run for 24 hours non-stop
- Power outages will not erase settings
- In the event of a power outage, the Chlorinator goes into standby mode until power is restored



CHEMICAL FLOATER

Item #	Size	Pack	Lb. (kg)	Packaging
58210	5in. / 12.5cm	24	4.7 (2.1)	Shrink wrapped with insert card

- Dispenses 1in. / 2.5cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



CHEMICAL FLOATER

Item #	Size	Pack	Lb. (kg)	Packaging	
58071E	58071	6.5in. / 16.5cm	12	10.9 (4.9)	Full color box

- Dispenses up to 3in. / 7.6cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included



CHEMICAL FLOATER

Item #	Size	Pack	Lb. (kg)	Packaging	
58209E	58209	7.3in. / 18.5cm	12	11.9 (5.4)	Full color box

- Dispenses 3in. / 7.6cm chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors



NEW GENERATION

FLOATING POOL THERMOMETER

Item #	Pack	Lb. (kg)	Packaging	
58072E	58072	36	7.0 (3.2)	Blister card

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius



ASSORTED FLOATING POOL THERMOMETER

Item #	Pack	Lb. (kg)	Packaging
58110	24	7.1 (3.2)	Blister card


- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- 4 assorted design



SOLAR-FLOAT LAMP

Item #	Size	Pack	Lb. (kg)	Packaging	
58111E	58111	Φ7in. / Φ18cm	24	22.3 (10.1)	Full color box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard light up
- Extra long 8-hour runtime
- 1.2V ...



LED FLOATING POOL LIGHT

Item #	Size	Pack	Lb. (kg)	Packaging
58419E	Φ5.5in. / Φ14cm	12	9.5 (4.3)	Full color box
58419	Φ5.5in. / Φ14cm	12	9.9 (4.5)	Full color box

- Beautiful display: 4 super bright LED's in 4 colors (yellow, red, blue and green) with 7 flashing light models
- Easy to operate: simply press on button on the top of the light
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8ft. / 2.43m wide and 5ft. / 1.52m deep
- Power saving: shuts off automatically after one hour when not in use



POOLSIDE FOOTBATH

Item #	Size	Pack	Lb. (kg)	Packaging
58308E	16in. x 16in. x 6in.	12	11.7 (5.3)	-
58308	41cm x 41cm x 15cm	12	11.7 (5.3)	-

NEW

- Reduce debris & dirt from swimming pool water!
- Easily connects to ladder to rinse off feet before entering the pool
- Anti-slip bottom designed for safety
- Compatible with most above ground pool ladders
- Designed water capacity: 2.4 gal / 9 L



