



2018
COLLECTION



LAY-Z-SPA™



2018
COLLECTION

Bestway

SHANGHAI

Bestway Inflatables & Material Corp.
No.3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestwaycorp.hk

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestwaycorp.eu

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: info@bestwaycorp.us

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
Fax: 562 3203 6409
E-mail: info@bestwaycorp.lat

AUSTRALIA

Bestway Australia Pty Limited
Unit 10/71-83 Asquith Street,
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestwaycorp.com.au

BRAZIL

Bestway Brazil
Rua São João, 1648 Maringá - PR - Brazil
Zip Code: 87030-201
Tel: 0800 001 8400
E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France Sarl
Espace Berlioz, 100 rue Albert Caquot
06410 Biot France
Tel: 33 4 97 04 92 99
Fax: 33 4 97 04 91 07
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
Fax: 49 4321 555 05 - 55
E-mail: info@bestwaycorp.de

RUSSIA

Bestway Rus Ltd.
Off.236, Leninskiy prospect 140,
Saint-Petersburg, 198216 Russia
Tel: 7 812 645 9041
Fax: 7 812 645 9044
E-mail: info@bestwaycorp.ru



www.bestwaycorp.com



©2017 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.



Summer



Water Sports



Airbeds & Furniture



Spa



Above Ground Pools



License



Pavillo

2018
COLLECTION

Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

Our Mission Happiness

Happy Consumers

Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.





RELAX



WELCOME

Bestway's Lay-Z-Spa™ is the world's first premium inflatable spa.

Almost a decade of advanced engineering innovations have built total market dominance and a name consumers have grown to trust. The Lay-Z-Spa offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation. Another reason consumers love Lay-Z-Spa is because it's backed by Bestway's comprehensive customer support services. These include online support, video tutorials detailing step-by-step set up and maintenance for your spa, plus localized call centers to answer any questions. For this reason, customers can enjoy peace of mind and spend more time relaxing in their Lay-Z-Spa. Your customers deserve the best portable spa - they deserve Lay-Z-Spa by Bestway.

CONTENTS



AIRJET™

MIAMI
54123-54124
pg 18-21

PARIS
54148-54149
pg 22-25

PALM SPRINGS
54129-54130
pg 26-29

HAWAII
54154-54155
pg 30-33

ST. MORITZ
54175-54176
pg 34-37



HYDROJET™

PALM SPRINGS
54144-54145
pg 38-45



HYDROJET PRO™

HAWAII
54138-54139
pg 46-51

MALDIVES
54173 — pg 52-55



XTRAS

ACCESSORIES
pg 56-61


CLEANING TOOLS
pg 62-63

FILTER
CARTRIDGES
pg 64

SERVICE

www.bestwaycorp.com

Provide your customers with quality products and the advanced customer service support they deserve. Bestway's online services and regional call centers allow customers to easily resolve issues that arise with their Bestway products. Our multilingual website is a knowledge base offering downloadable manuals, instructional videos along with FAQs and the ability for customers to order spare parts. Regional Call Centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions online.



BENEFITS



▲ A SHORT INTRODUCTION OF HYDROTHERAPY HISTORY

The word hydro-massage contains 2 parts, hydro (from Greek hydro-, meaning water) and massage. Therefore, hydro massage is composed of 2 elements, water and massage, both beneficial elements for the body and our overall well-being.

The therapeutic use of water has a long history. Various forms of hydrotherapy have been recorded in ancient Egyptian, Greek and Roman civilizations. Egyptian royalty bathed with essential oils and flowers, while Romans had communal public baths for their citizens. Other cultures noted for a long history of hydrotherapy include China and Japan, the latter centered primarily on Japanese hot springs.

▲ WHAT IS HYDROTHERAPY?


Hydrotherapy, or water therapy, is the use of water (hot, cold, steam, or ice) to relieve discomfort and promote physical well-being. Hydro-massage uses the flowing pressure of the water and/or air on the skin. The water mixed with the pressure of the air flowing out creates a direct massage which stimulates blood circulation throughout the body.

The effects of hydro-massage come from the combination of the physical massage action of water jets in combination with the bath's water temperature and/or any special salts used.

▲ BENEFITS AND EFFECTS


Hydro-massage is a type of massage based on the use of water pressure. The essence of hydro-massage is applying massage techniques to the human body through the water. Hydro-massage helps to relax muscles, helps blood circulation, and relieves muscular tension. Hydro-massage therapy is excellent especially with stress management techniques.

TECHNOLOGIES



AirJet™

Float away on a cloud of bubbles with an AirJet massage! Sooth your body and relax your mind with the touch of a button. Simply press the Massage button on the control panel and bubble jets will surround you with effervescent enjoyment.




HydroJet™

This is ultimate spa relaxation right at your fingertips with eight fully adjustable HydroJets. Simply twist the HydroJet's bezel to adjust the water flow rate, and then pivot the nozzle to direct the jets to wherever you like. Share the luxury among your spa companions, or if you're alone, direct all 8 HydroJets toward yourself for a deep, soothing, magical massage.



HydroJet Pro™

AirJets PLUS HydroJets! You get the best of both worlds with the HydroJet Pro. Eight directional and flow-adjustable HydroJets combine with AirJets to provide the ultimate in spa relaxation. Select only the AirJets, just the HydroJets, or both at the same time - the choice is yours with HydroJet Pro!




I-BEAM CONSTRUCTION

DELIVERING STRENGTH AND COMFORT



Lay-Z-Spa's I-Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.



The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment.



TRITECH™ 3-PLY

DURABLE, YET COMFORTABLE


TriTech™ is a 3-ply reinforced material with a polyester mesh core that's encased in two layers of laminated PVC – offering superior strength and durability to the build of our Spas.





PACKAGING

2.44 M (8 FT.) PLANOGRAM
STORE DISPLAY



Actual in-store displays may vary.




AirJet™




Float away on a cloud of bubbles with an AirJet massage!

Soothing to the limbs and relaxing to the spirit, just press the Massage button on the control panel and the Lay-Z-Spa's AirJets will surround you with effervescent enjoyment.



AIRJET positioning



WARM AIR

AirJet™ MIAMI

54123 - 54124

- Pre-tested pump and spa pool
- Outer walls of the inflatable pool are made of TriTech™ material
- Relax with these hot features:
 - Soothing AirJet™ system (#54123: 81 air jets / #54124: 60 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Heating and bubbling work together to provide a comfortable massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Mosaic print pool liner
- 2 easy-lift handles to help move the spa pool (when empty)

- Fast, easy setup - inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally-controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54123)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54124)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, filter cartridges (VI), one chemical floater, repair patch, AirJet™ system



PATENT PENDING

NEW GENERATION



AirJet™ MIAMI

SPECIFICATIONS

ITEM NO.	54123	54124*
CAPACITY	2-4 ADULTS	2-4 ADULTS
WATER CAPACITY (80%)	669 L (177 GAL.)	177 GAL. (669 L)
INFLATED SIZE	1.80M X 66CM (71" X 26")	71IN. X 26IN. (1.80M X 66CM)
FILLED WEIGHT	696 KG (1,534 LB.)	1,534 LB. (696 KG)
RATING	220-240V- 50HZ, 2050W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	350 GAL./H (1,325 L/H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 34.27 KG (75.63 LB)	1 EA., 62.77 LB (28.45 KG)

* SALUSPA
Version

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54123)
- Pump is supplied with a ground fault circuit interrupter (GFCI) - ground fault trip current not exceeding 6mA (for #54124)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide a comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL




INCLUDES



Chemical Floater




Filter Cartridge




AIRJET SYSTEM
(MASSAGE ACTION)



WARM AIR



POWER SAVING
TIMER



MAXIMUM
TEMPERATURE



2-4





NO TOOLS
NEEDED



QUICK
SET-UP



TRITECH™
MATERIAL





AirJet™ PARIS

54148 - 54149

- Pre-tested pump and spa pool
- Relax with these hot features:
 - Soothing AirJet™ system. (#54148: 87 air jets / #54149: 76 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Remote-control activated multi-colored LED light strip system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Heating and bubbling work together to provide comfortable massage experience
- Leatheroid cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water temperatures warm
- 2 easy-lift handles to help move the spa pool (when empty)

- Fast, easy setup - inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54148)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54149)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), one LED light strips, one air pad protector, repair patch, AirJet™ system



PATENT PENDING

AirJet™ PARIS

SPECIFICATIONS

ITEM NO.	54148	54149*
CAPACITY	4-6 ADULTS	4-6 ADULTS
WATER CAPACITY (80%)	806 L (213 GAL.)	213 GAL. (806 L)
INFLATED SIZE	1.96M X 66CM (77" X 26")	77IN. X 26IN. (1.96M X 66CM)
FILLED WEIGHT	840 KG (1,851 LB.)	1,851 LB. (840 KG)
RATING	220-240V- 50HZ, 2050W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	350 GAL./H (1,325 L/H)
HEATING SYSTEM	APPROX. 15-20°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 44.46 KG (98.10 LB)	1 EA., 100.26 LB (45.44 KG)

* SALUSPA
Version



PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Leatheroid cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water warm
- Remote-control activated multi-colored LED light strip system
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54148)
- Pump is supplied with a ground fault circuit interrupter (GFCI) - ground fault trip current not exceeding 6mA (for #54149)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL



INCLUDES




AIRJET SYSTEM
(MASSAGE ACTION)



WARM AIR



POWER
SAVING TIMER



MAXIMUM
TEMPERATURE




4 - 6



NO TOOLS
NEEDED



QUICK
SET-UP




LED LIGHTS

LEATHEROID EXTERIOR COVER




LED LIGHT SHOW CYCLES THROUGH 7 COLORS



SOFT-TOUCH CONTROL PANEL



SOFT, INSULATED FLOOR



DOUBLE-LOCK SAFETY CLIPS



MASSAGE SYSTEM



AirJet™ PALM SPRINGS

54129 - 54130

- Pre-tested pump and spa pool
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Relax with these hot features:
 - Soothing AirJet™ system. (54129: 120 air jets / 54130: 114 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Heating and bubbling work together to provide a comfortable massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water temperatures warm
- 2 easy-lift handles to help move the spa pool (when empty)

- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54129)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54130)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), one air pad protector, repair kit, AirJet™ system



PATENT PENDING

NEW GENERATION



AirJet™ PALM SPRINGS

SPECIFICATIONS

ITEM NO.	54129	54130*
CAPACITY	4-6 ADULTS	4-6 ADULTS
WATER CAPACITY (80%)	916 L (242 GAL.)	242 GAL. (916 L)
INFLATED SIZE	1.96M X 71CM (77" X 28")	77IN. X 28IN. (1.96M X 71CM)
FILLED WEIGHT	954 KG (2,103 LB.)	2,103 LB. (954 KG)
RATING	220-240V-50HZ, 2050W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 40.99 KG (90.45 LB)	1 EA., 92.47 LB (41.91 KG)

* SALUSPA
Version

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Air pad protector keeps water temperatures warm and comfortable
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54129)
- Pump is supplied with a ground fault circuit interrupter(GFCI) - ground fault trip current not exceeding 6mA (for #54130)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL




INCLUDES



Chemical Floater

Filter Cartridge

Air Pad Protector



AIRJET SYSTEM
(MESSAGE ACTION)



WARM AIR



POWER SAVING TIMER



MAXIMUM TEMPERATURE



4 - 6



NO TOOLS NEEDED



QUICK SET-UP




TRITECH™ MATERIAL

TRITECH™ EXTERIOR COVER



TRITECH™ MATERIAL



SOFT-TOUCH CONTROL PANEL



SOFT, INSULATED FLOOR



DOUBLE-LOCK SAFETY CLIPS



MASSAGE SYSTEM



AirJet™ HAWAII

54154 - 54155

- Pre-tested pump and spa pool
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Relax with these hot features:
 - Soothing AirJet™ system (54154: 120 air jets / 54155: 114 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Heating and bubbling work together to provide a comfortable massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water temperatures warm
- 2 easy-lift handles to help move the spa pool

(when empty)

- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54154)
- Pump is supplied with a ground fault circuit interrupter(GFCI) (for #54155)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), one air pad protector, repair kit, AirJet™ system



PATENT PENDING

NEW GENERATION



AirJet™ HAWAII

SPECIFICATIONS

ITEM NO.	54154	54155*
CAPACITY	4-6 ADULTS	4-6 ADULTS
WATER CAPACITY (80%)	840 L (222 GAL.)	222 GAL. (840 L)
INFLATED SIZE	1.80M X 1.80M X 71CM (71" X 71" X 28")	71IN. X 71IN. X 28IN. (1.80M X 1.80M X 71CM)
FILLED WEIGHT	879 KG (1,938 LB.)	1,938 LB. (879 KG)
RATING	220-240V-50HZ, 2050W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 41.87 KG (92.39 LB)	1 EA., 96.74 LB (43.84 KG)

* SALUSPA
Version



PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Air pad protector keeps water temperatures warm and comfortable
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54154)
- Pump is supplied with a ground fault circuit interrupter(GFCI) - ground fault trip current not exceeding 6mA (for #54155)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL



INCLUDES




AIRJET SYSTEM
(MESSAGE ACTION)



WARM AIR



POWER SAVING TIMER



MAXIMUM TEMPERATURE



4 - 6







NO TOOLS NEEDED



QUICK SET-UP



TRITECH™ MATERIAL



NEW



AirJet™ ST. MORITZ

54175 - 54176

- Pre-tested pump and spa pool
- Relax with these hot features:
 - Soothing AirJet™ system (54175: 140 air jets / 54176: 134 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Inflated walls are made of TriTech™ material, providing ultimate in durability and Comfort
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Rattan print on outside and pool cover, Mosaic print on the bottom
- Air pad protector keeps water temperatures warm
- Soft, insulated floor with convenient drain valve
- 2 easy-lift handles to help move the spa pool (when empty)
- Grounding Fault Detection system enabled in order to provide enhanced user safety
- Heating and bubbling work together to provide a comfortable massage experience
- Pump is supplied with a residual current device (RCD) (for #54175)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54176)
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Inflates using the spa's pump
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), one air pad protector, repair kit, AirJet™ system



PATENT PENDING

AirJet™ ST. MORITZ

SPECIFICATIONS

ITEM NO.	54175	54176*
CAPACITY	5-7 ADULTS	5-7 ADULTS
WATER CAPACITY (80%)	1190 L (314 GAL.)	314 GAL. (1190 L)
INFLATED SIZE	2.16M X 71CM (85" X 28")	85IN. X 28IN. (2.16M X 71CM)
FILLED WEIGHT	1210 KG (2,668 LB.)	2,668 LB. (1210 KG)
RATING	220-240V-50HZ, 2050W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 1.2-1.8°C/H (2-3°F/H)	APPROX. 1-2°F/H (0.6-1.2°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 45.29 KG (99.93 LB)	1 EA., 103.57 LB (46.94 KG)

* SALUSPA
Version


PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54175)
- Pump is supplied with a ground fault circuit interrupter (GFCI) - ground fault trip current not exceeding 6mA (for #54176)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Rattan print on outside and pool cover, mosaic print on the Bottom
- Air pad protector keeps water temperatures warm and comfortable

DIGITAL CONTROL PANEL



INCLUDES



AIRJET SYSTEM
(MASSAGE ACTION)



WARM AIR



POWER
SAVING TIMER



MAXIMUM
TEMPERATURE



5 - 7



NO TOOLS
NEEDED




QUICK
SET-UP



TRITECH™
MATERIAL



RATTAN TRITECH™ EXTERIOR COVER




TRITECH™ MATERIAL



SOFT-TOUCH CONTROL PANEL




SOFT, INSULATED
FLOOR



MOSAIC PRINTED
BOTTOM



DOUBLE-LOCK SAFETY CLIPS



MASSAGE SYSTEM


NEW




Perfect spa relaxation
at your fingertips!

All EIGHT HydroJets are fully adjustable: Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.



HYDROJET
positioning






WATER SOFTENING SYSTEM

Electromagnetic Water Softening


Reduce the adverse effects of "hard" water (usually spa staining and skin irritation) with our built-in ClearSoft Water Softening System.

Activate the ClearSoft system using the spa's control panel. The powerful electromagnetic coils surrounding the spa's water work to condition the water passing through the system.



Plus, it's not just "low-maintenance", it's virtually "NO-maintenance" - with no additional moving parts!



TREATED WATER EXITS — Water moves on to the spa - softened and treated to reduce scaling.



WATER ENTERS THE CLEARSOFT SYSTEM — Water circulating within the spa pump enters via the water inlet.



ELECTROMAGNETIC COILS SURROUND THE PIPING — The magnetic field surrounding the circulating water changes its electrical and chemical characteristics.



HydroJet™ PALM SPRINGS

54144 - 54145

- Pre-tested pump and spa pool
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Relax with these hot features:
 - Hydrodynamic massage system has 8 adjustable hydrojets
 - ClearSoft™ Water Softening System - provides high water quality
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water temperatures warm

- 2 easy-lift handles to help move the spa pool (when empty)
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54144)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54145)
- Sturdy Cardboard box with Pictures

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, one pressure gauge, filter cartridges (VI), one hand pump, one AC air pump, one air pad protector, repair kit, HydroJet™ system



PATENT PENDING

NEW GENERATION



HydroJet™ PALM SPRINGS

SPECIFICATIONS

ITEM NO.	54144	54145*
CAPACITY	4-6 ADULTS	4-6 ADULTS
WATER CAPACITY (80%)	795 L (210 GAL.)	210 GAL. (795 L)
INFLATED SIZE	1.96 M X 71 CM (77" X 28")	77IN. X 28IN. (1.96 M X 71 CM)
FILLED WEIGHT	864 KG (1,905 LB.)	1,905 LB. (864 KG)
RATING	220-240V-50HZ, 2060W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 15-20°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 67.35 KG (148.61 LB)	1 EA., 147.44 LB (66.82 KG)

* SALUSPA
Version


PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Inflated walls are made of TriTech™ material, providing ultimate durability and comfort
- Air pad protector keeps water temperatures warm
- Hydrodynamic massage system has 8 adjustable hydrojets
- ClearSoft™ Water Softening System - provides high water quality
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54144)
- Pump is supplied with a ground fault circuit interrupter (GFCI) - ground fault trip current not exceeding 6mA (for #54145)
- Digitally controlled pump with soft-touch control panel
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL



INCLUDES



HYDROJET SYSTEM



POWER SAVING TIMER



MAXIMUM TEMPERATURE



4 - 6



NO TOOLS NEEDED



QUICK SET-UP



TRITECH™ MATERIAL



HAND PUMP




ELECTRIC AIR PUMP



CLEARSOFT™ WATER SOFTENING SYSTEM




TRITECH™ EXTERIOR COVER



TRITECH™ MATERIAL



SOFT-TOUCH CONTROL PANEL



SOFT, INSULATED FLOOR



DOUBLE-LOCK SAFETY CLIPS



8X MASSAGE SYSTEM




HydroJet Pro™

Perfect spa relaxation at your fingertips!

All EIGHT HydroJets are fully adjustable: Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.



HydroJet Pro™ HAWAII

54138 - 54139

- Pre-tested pump and spa pool
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Relax with these hot features:
 - Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydrojets and 120 soothing airjets (for #54138)
 - SaluSpa™ Hydrodynamic massage system has 8 adjustable hydrojets and 114 soothing airjets (for #54139)
 - ClearSoft™ Water Softening System - provides high water quality
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Heating and bubbling work together to provide a comfortable massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation

- Air pad protector keeps water temperatures warm
- 2 easy-lift handles to help move the spa pool (when empty)
- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54138)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54139)
- Sturdy cardboard box with pictures

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), one air pad protector, repair kit, AirJet™ system, HydroJet™ system



PATENT PENDING

NEW GENERATION



HydroJet Pro™ HAWAII

SPECIFICATIONS

ITEM NO.	54138	54139*
CAPACITY	4-6 ADULTS	4-6 ADULTS
WATER CAPACITY (80%)	795 L (210 GAL.)	210 GAL. (795 L)
INFLATED SIZE	1.80M X 1.80M X 71CM (71" X 71" X 28")	71IN. X 71IN. X 28IN. (1.80M X 1.80M X 71CM)
FILLED WEIGHT	867 KG (1,911 LB.)	1,911 LB. (867 KG)
RATING	220-240V-50HZ, 2060W AT 20°C	110-120V-60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 15-20°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX. HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, TUV, EAC	C-ETL
PACK/GROSS WEIGHT	1 EA., 70.94 KG (156.54 LB)	1 EA., 149.80 LB (67.89 KG)

* SALUSPA
Version

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Air pad protector keeps water temperatures warm
- Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydrojets and 120 soothing airjets (for #54138)
- SaluSpa™ Hydrodynamic massage system has 8 adjustable hydrojets and 114 soothing airjets (for #54139)
- ClearSoft™ Water Softening System - provides high water quality
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA (for #54138)
- Pump is supplied with a ground fault circuit interrupter (GFCI) - ground fault trip current not exceeding 6mA (for #54139)
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide a comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa

DIGITAL CONTROL PANEL




INCLUDES



AIRJET SYSTEM
(MASSAGE ACTION)



WARM AIR



HYDROJET SYSTEM



POWER SAVING TIMER



MAXIMUM TEMPERATURE



4 - 6



NO TOOLS NEEDED



QUICK SET-UP




TRITECH™ MATERIAL



CLEARSOFT™ WATER SOFTENING SYSTEM



TRITECH™ EXTERIOR COVER




TRITECH™ MATERIAL



SOFT-TOUCH CONTROL PANEL



SOFT, INSULATED FLOOR



DOUBLE-LOCK SAFETY CLIPS



MASSAGE SYSTEM

8X

HydroJet Pro™ MALDIVES

54173

- Pre-tested pump and spa pool
- Relax with these hot features:
 - Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydrojets and all around 140 soothing airjets
 - Lay-Z-Spa™ ClearSoft™ Softening Water System - provides high water quality
 - Power Saving System - Automatic start/stop timer-controlled heating system
 - Aqua Glow™ - when activated, the water powered LED light rotates between 7 different colors
 - Integrated water filtration system
- Inflated walls are made of TriTech™ material, providing ultimate in durability and comfort
- Inflatable lounges and seat provides comfortable experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector keeps water temperatures warm

- Soft, insulated floor with convenient drain valve
- 2 easy-lift handles to help move the spa pool (when empty)
- Grounding Fault Detection system enabled in order to provide enhanced user safety
- Heating and bubbling work together to provide a comfortable massage experience
- Pump is supplied with a residual current device (RCD)
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Digitally controlled pump with soft-touch control panel
- Inflates using the spa's pump
- Sturdy cardboard box with pictures

Contents: One pool liner, one pool cover, one spa pump, one chemical floater, filter cartridges (VI), two water powered LED lights, one air pad protector, one repair kit, AirJet™ system, HydroJet™ system



Enjoy our top of the line Lay-Z-Spa, Maldives, that comes equipped with the NEW feet massage & integrated bench and seat features!



PATENT PENDING



AQUA GLOW™



HydroJet Pro™ MALDIVES

SPECIFICATIONS

ITEM NO.	54173
CAPACITY	5-7 ADULTS
WATER CAPACITY (80%)	1,050 L (277 GAL.)
INFLATED SIZE	2.01M X 2.01M X 80CM (79" X 79" X 31.5")
FILLED WEIGHT	1,117 KG (2,463 LB.)
RATING	220-240V-50Hz, 2060W at 20 °C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0-2.0 °C/H (2-4 °F/H)
MAX. HEAT CAPABILITY	40 °C (104 °F)
CERTIFICATION	CE, EAC
PACK/GROSS WEIGHT	1 EA., 83.61 KG (184.49 LB)



PRODUCT CHARACTERISTICS

- Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydrojets and 140 soothing airjets
- Lay-Z-Spa™ ClearSoft™ Softening Water System - provides high water quality
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Power Saving System: Automatic start/stop timer-controlled heating system
- Grounding Fault Detection system enabled in order to provide enhanced user safety
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA
- Digitally controlled pump with soft-touch control panel
- Heating and bubbling work together to provide a comfortable massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is ready to store the spa
- Aqua Glow™ - when activated, the water powered LED light rotates between 7 different colors
- Inflated walls are made of TriTech™ material, providing ultimate durability and comfort
- Air pad protector keeps water temperatures warm
- Inflatable lounges and seat provides comfortable experience

DIGITAL CONTROL PANEL



INCLUDES



AIRJET SYSTEM
(LAY-Z-MASSAGE ACTION)



WARM AIR



HYDROJET SYSTEM



POWER SAVING TIMER



MAXIMUM TEMPERATURE



5 - 7




NO TOOLS NEEDED



QUICK SET-UP




TRITECH™ MATERIAL



CLEARSOFT™ WATER SOFTENING SYSTEM



LED LIGHTS



NEW



ACCESSORIES

For easy maintenance and added comfort for your spa, Bestway® has a range of accessory options to choose from. Pillows, floor protectors, testing kits, filters, inflatable domes and electric pool vacuums make up the majority of ways to maximize your comfort and cleanliness of your spa.



Lay-Z-Spa™ Entertainment Station

58434 - 58435*

- Suitable for all of Spa™ AirJet pumps
- Supports Bluetooth 4.0 allowing user to play music or talk on the phone
- Able to supply power to Bestway LED strip (available with Paris model)
- Rechargeable, built-in LiPo battery
- Full color box
- 1 Ea., 6.60 KG (14.55 LB.)

Contents: One detachable Bluetooth speaker, one charger, one top cover, two support braces

*SALUSPA Version



PATENT PENDING





NEW

Lay-Z-Spa™ Canopy

58464

- 1.83m x 94cm x 1.09m / 6' x 37" x 43"
- Suitable for all Bestway spas
- High density, ventilated mesh windows
- Waterproof fabric: 190T Polyester PU1000mm coated
- UV index UPF 30+
- Two removable guy lines to provide stability
- Full color box
- 3 Ea., 1.28 KG (2.83 LB.)

Contents: One tent, three poles, two guy lines, one storage bag



Lay-Z-Spa™ Dome

58460

- 3.90m x 3.90m x 2.55m / 12'9" x 12'9" x 8'4"
- Sets up in 15 minutes with 2 people
- Fits all Bestway Spas
- Suitable as a gazebo for use in the garden or backyard. Also can be used for pools up to 3.66m (12") diameter.
- Spacious
- Detachable fabric doors and mesh doors, suitable for both winter and summer for spa coverage.
- Fabric:190T polyester PU1000mm coated
- Product unit weight:14.18kg (31.26Lb)
- 4 large inside pockets to store personal effects
- Full color box
- 2 Ea., 29.65 KG (65.36 LB.)

Contents: One tent, four detachable fabric doors, four detachable mesh doors, carry bag



Lay-Z-Spa™ Surround

58432

- 2.00m x 40cm x 40cm / 78" x 16" x 16"
- Inflatable spa surround
- Made of TriTech™ material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Can be connected by velcro which is located on each end
- 3 surrounds form a circle you can assemble around the spa to sit or lie on
- Suitable for round spa
- Full color box
- 1 Ea., 7.85 KG (17.31 LB.)

Contents: One surround, Repair patch



NEW

Lay-Z-Spa™ Square Surround

58466

- 1.74m x 40cm x 35cm / 69" x 16" x 14"
- Inflatable spa surround
- Made of TriTech™ material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Assemble around the square spa to sit or lie on
- Suitable for square spa
- Full color box
- 1 Ea., 5.80 KG (12.79 LB.)

Contents: One surround, repair patch



Lay-Z-Spa™ Drinks Holder

58416

- Compatible with all Lay-Z-Spas (except Monaco)
- Includes two drinks holders and one tray
- Keep beverages or snacks close by while you relax
- Easily positioned anywhere on the top of the side wall
- Full color box
- 12 Ea., 8.95 KG (19.73 LB.)

Contents: Two drinks holders, one tray



Lay-Z-Spa™ Pillow

58317

- Super soft pillow offers a comfortable cushioned surface providing premium head and neck support
- Organic PU foam is 100% waterproof and resistant to chemicals and odors
- Easy to clean
- Securely connects to all Spas (except Monaco)
- Can also be used in the bath tub
- 2 pillows included in each color box
- Full color box
- 4 Prs., 5.08 KG (11.20 LB.)

Contents: Two pillows



Lay-Z-Spa™ Floor Protector

58461

- Round protector 2.11m (83") for the spa
- Square protector 40cm x 50cm (15.5" x 19.5") mat for spa heater
- Durable polyethylene material that provides protection for your spa
- Compatible with all Bestway spa sizes (except Maldives)
- Package contains 10 pieces (9 attachable, 1 individual)
- Shrink wrapped with insert card
- 4 Sets, 10.02 KG (22.09 LB.)

Contents: One Floor Protector Set



NEW

FLOWCLEAR™ POOL & SPA TEST STRIPS



- The ideal solution for basic pool & spa water testing
- Easy Color-Match system
- Contains 50 test strips
- 18-month shelf life



58142

- 3-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Alkalinity
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Blister card
- 24 Ea., 1.20 KG (2.65 LB.)



58247

- 5-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Chlorine
 - Total Hardness
 - Total Alkalinity
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
- Blister card
- 24 Ea., 1.20 KG (2.65 LB.)

Lay-Z-Spa™ All in One Tool Set

58421

- Lay-Z-Spa™ Scoop
- Bumper protects spa surface
 - Round shaped design fits the contours of the spa's interior
 - Deep net to collect debris
 - Handheld or connects to standard telescopic pole

- Lay-Z-Spa™ Brush
- Bumper and nylon bristles protect spa's surface
 - Handheld or connects to standard telescopic pole

- Lay-Z-Spa™ Scrubbing Mitt
- Scrub along spa water line
 - Latex glove bonded with scrubber pad

- Full color box
- 8 Ea., 7.30 KG (16.09 LB.)

Contents: One scoop, one brush, one scrubbing mitt



FLOWCLEAR™ AquaScan Electric Pool Vacuum

58340

- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 1.5m / 5' when fully extended
- Underside wheels for easy gliding
- Quick to assemble, no tools needed
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag
- Full color box
- 6 Ea., 8.36 KG (18.43 LB.)

Contents: One AquaScan Electric Pool Vacuum



FLOWCLEAR™ Aqua Powercell Vac

58427 - 58422*

- Completely submersible body vacuums debris on pool or spa floor
- Recommended for spas, above ground pools (up to 6.09m / 20' diameter) and in-ground pools
- Rechargeable Lithium-ion battery includes superior benefits such as an extended life, no memory effect when charging/discharging the battery, and constant performance for 40 minutes
- The filter bag is easy to remove and empty
- Connects to the included 5-section pole for a total length of 2.22m / 7'3"
- Also fits standard telescopic poles (not included) with quick-release clip
- Includes 2 interchangeable heads: one head to clean corners and one head to clean surfaces
- Wheels on large head ensure smooth and easy gliding on any pool surface
- Replaceable bristles for scrubbing off debris efficiently
- Full color box
- #58427: 4 Ea., 9.28 KG (20.46 LB.)
- #58422: 4 Ea., 9.00 KG (19.84 LB.)

Contents: One rechargeable vacuum set



*SALUSPA Version

Lay-Z-Spa™
Filter Cartridge (Type VI)

58323

- Ø10.6cm x H8.0cm / Ø4.2" x H3.1"
- Replacement cartridge for Lay-Z-Spa™
- Easy to clean
- Shrink wrapped with insert card
- Full color box
- 6 Sets., 1.45 KG (3.20 LB)

Contents: Two filter cartridges




Lay-Z-Spa™
Anti-Microbial Filter Cartridge (Type VI)

58477

- Ø10.6cm x H8.0cm / Ø4.2" x H3.1"
- Replacement cartridge for spa
- Easy to clean
- Does not replace the use of regular chlorine maintenance
- Anti-microbial filter paper controls growth of bacteria
- Very strong antimicrobial effect on surface
- Broad spectrum antibacterial effect
- According to standard ISO 22196 Measurement of antibacterial activity on plastics and other non-porous surfaces, our filter cartridge guarantees optimum performance for 2 weeks usage:
Staphylococcus aureus (ATCC 6538) Antibacterial rate ≥ 99.9%
Escherichia coli (ATCC 8739) Antibacterial rate ≥ 99.9%
Klebsiella Pneumoniae (ATCC 4352) Antibacterial rate ≥ 99.9%
- Full Color Box
- 6 sets., 2.00 KG (4.41 LB.)

Contents: Two filter cartridges



NEW



LAY-Z-SPA™ TECHNICAL FEATURES

	SPA	STURDY I-BEAM	TRITECH™	POWER SAVING TIME	CLEANING/WATER FILTER ACTIVATION	HEATING SYSTEM	CLEARSOFT™ SYSTEM	LED LIGHTS
AIRJET™	MIAMI	•	•	•	•	•		
	PARIS	•		•	•	•		•
	PALM SPRINGS	•	•	•	•	•		
	HAWAII	•	•	•	•	•		
	ST. MORITZ	•	•	•	•	•		
	HYDROJET™	PALM SPRINGS	•	•	•	•	•	
HYDROJET PRO™	HAWAII	•	•	•	•	•	•	
	MALDIVES	•	•	•	•	•	•	(HYDRAULIC)

LAY-Z-SPA™ XTRAS COMPATIBILITY

ACCESSORIES	AIRJET™ MIAMI	AIRJET™ PARIS	AIRJET™ PALM SPRINGS	AIRJET™ COLEMAN™	AIRJET™ HAWAII	AIRJET™ ST. MORITZ	HYDROJET™ PALM SPRINGS	HYDROJET PRO™ HAWAII	HYDROJET PRO™ MALDIVES
58434 - Lay-Z-Spa™ Entertainment Station	•	•	•	•	•	•			
58464 - Lay-Z-Spa™ Canopy	•	•	•	•	•	•	•	•	•
58432 - Lay-Z-Spa™ Surround	•	•	•	•		•	•		
58466 - Lay-Z-Spa™ Square Surround					•			•	•
58416 - Lay-Z-Spa™ Drinks Holder	•	•	•	•	•	•	•	•	•
58317 - Lay-Z-Spa™ Pillow	•	•	•	•	•	•	•	•	•
58461 - Lay-Z-Spa™ Floor Protector	•	•	•	•	•		•	•	
58340 - Flowclear™ AquaScan Electric Pool Vacuum	•	•	•	•	•	•	•	•	•
58422 - Flowclear™ Aqua Powercell Vac	•	•	•	•	•	•	•	•	•
58142/58247 - Flowclear™ POOL & SPA TEST STRIPS	•	•	•	•	•	•	•	•	•
58421 - Lay-Z-Spa™ All in One Tool Set	•	•	•	•	•	•	•	•	•
58323 - Filter Cartridge (VI)	•	•	•	•	•	•	•	•	•
58477 - Lay-Z-Spa™ Anti-Microbial Filter Cartridge (Type VI)	•	•	•	•	•	•	•	•	•

1. Inflate your Lay-Z-Spa with the pump (except Palm Springs HydroJet Version)



2. Connect the pump unit to the Lay-Z-Spa



3. Fill the Lay-Z-Spa and enjoy!



KEY STEPS IN USE

THE EASE IN SETTING UP YOUR SPA!

We make it quick and easy to start relaxing and maintaining your spa!

With the necessary set-up tools already included, all you need is the space to place your spa and it's a simple process of 1, 2, and 3 to get going.

1. Inflate the Lay-Z-Spa with the double-functioning spa pump.
2. Connect the pump to the Lay-Z-Spa with the correct openings and make sure they are all attached correctly.
3. Fill up the Lay-Z-Spa with water to the indicated level and you are now ready to enjoy your spa!

In addition to all the tools and the pool cover that comes with every spa, we've also included a chemical floater and filter cartridge. These are used to keep the water healthy and clean, which is important not only for yourself but for the longevity of the spa!

The new deflation function, thanks to simple fittings shown in the right picture, can deflate the SPA in an easy and convenient way. Function available on all the Lay-Z-Spas.



INDEX



AIRJET™

MIAMI
54123-54124*
pg 18-21

PARIS
54148-54149*
pg 22-25

PALM SPRINGS
54129-54130*
pg 26-29

HAWAII
54154-54155*
pg 30-33

ST. MORITZ
54175-54176*
pg 34-37

HYDROJET™

PALM SPRINGS
54144-54145*
pg 38-45

HYDROJET PRO™

HAWAII
54138-54139*
pg 46-51

MALDIVES
54173 — pg 52-55

XTRAS

ENTERTAINMENT STATION
58434-58435*
pg 56-57

CANOPY
58464 — pg 58

DOME
58460 — pg 59

SURROUND
58432 — pg 60

SQUARE SURROUND
58466 — pg 60

DRINKS HOLDER
58416 — pg 61

PILLOW
58317 — pg 61

FLOOR PROTECTOR
58461 — pg 61

POOL & SPA TEST STRIPS
58142/58247 — pg 62

ALL IN ONE TOOL SET
58421 — pg 62

AQUASCAN ELECTRIC
POOL VACUUM
58340 — pg 63

AQUA POWERCELL VAC
58427 - 58422
pg 63

FILTER CARTRIDGE (VI)
58323 — pg 64


ANTI-MICROBIAL FILTER
CARTRIDGE (TYPE VI)
58477 — pg 64

FABRICS & FINISHES

OUTER TEXTURE



MIAMI
54123 - 54124*



PARIS
54148 - 54149*



PALM SPRINGS
54129 - 54130*




HAWAII
54154 - 54155*




ST. MORITZ
54175 - 54176*



HYDROJET™
PALM SPRINGS
54144 - 54145*



HYDROJET PRO™
HAWAII
54138 - 54139*



HYDROJET PRO™
MALDIVES
54173



*SALUSPA Version