WATER **SPORTS**

SHANGHAI

Bestway Inflatables & Material Corp. No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestwaycorp.com

AUSTRALIA

Bestway Australia Pty Limited Unit 10/71-83 Asquith Street, Silverwater, NSW 2128, Australia Tel: 61 2 9037 1388 Fax: 61 2 9737 9423 E-mail: info@bestwaycorp.com.au

HONG KONG

Bestway (Hong Kong) International Ltd. Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 Fax: 852 2997 7869 E-mail: info@bestwaycorp.hk

BRAZIL • Bestway Brazil Rua São João, 1648 Maringá - PR - Brazil Zip Code: 87030-201 Tel: 0800 001 8400 E-mail: info@bestwaycorp.com.br

EUROPE 0

Bestway (Europe) S.r.l. Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy Tel: 39 02 9884 881 Fax: 39 02 9884 8828 E-mail: info@bestwaycorp.eu

FRANCE Bestway France Sarl Espace Berlioz, 100 rue Albert Caquot 06410 Biot France Tel: 33 4 97 04 92 99 Fax: 33 4 97 04 91 07 E-mail: info@bestwaycorp.fr

Bestway

www.bestwaycorp.com

f 🎔 🖸 🗰

©2017 Bestway Inflatables & Material Corp. All rights reserved.

2018 COLLECTION

LATIN AMERICA 0

U.S.A.

0

Bestway (USA) Inc.

3411 E. Harbour Drive, Phoenix, Arizona

85034, United States of America

Tel: 1 480 838 3888

Fax: 1 480 304 3349

E-mail: info@bestwaycorp.us

GERMANY

Bestway Deutschland GmbH

Parkstraße 11

24534 Neumünster, Germany

Tel: 49 4321 555 05 - 0

Fax: 49 4321 555 05 - 55

E-mail: info@bestwaycorp.de

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel,Santiago,Chile Tel: 562 3203 6438 Fax: 562 3203 6409 E-mail: info@bestwaycorp.lat

RUSSIA

Off.236, Leninskiy prospect 140, Saint-Petersburg, 198216 Russia Tel: 7 812 645 9041 Fax: 7 812 645 9044 E-mail: info@bestwaycorp.ru

0 Bestway Rus Ltd.

Bestway

WATER **SPORTS**



Ocean







Vertically Integrated

Our Vision

We create fun, lasting experiences to everyone in the world through the products and services we provide.

Our Mission Happiness

Happy Consumers

Through our creative & professional staff, innovative & superior products and sustainable, effective manufacturing processes, we create fun, memorable experiences for our customers.

Happy Employees

We create an environment in which employees are able to develop their talents and pursue their professional passions.

Happy World

To limit impact on the environment at every stage of our production process, while investing resources in exploring alternative energy solutions.







Customer Focused




Consumer Driven



Innovative



Fully Owned Production Facilities





WATER SPORTS

TTHE

4 - WATER SPORTS

WATER SPORTS - 5

HE SUL



COOLERZ[™]

Pool & Lake Inflatables pg 8-29

Hydro-Force™ SUP Stand Up Paddle Boards SUP Accessories

pg 30-53 pg 54-55

Hydro-Force™ Boats

Classic Range - Kayaks - Rafts

Sport Range - Boats

pg 78-91

pg 56-69 pg 70-77

REALTREE[®] Pool & Lake Inflatables

pg 92-101

ACCESSORIES

Boats, Patches, & Pumps

pg 102-106



pg 107







-62

Street mall

1000



and accessories all add up to a premium inflatable product experience. With built-in cup holders and cooler bags,



INFLATA-SHIELD[™]

Bestway is looking out for your fun with ALL CoolerZ products:

- Thicker material provides an extra-strong barrier to better resist puncture.
- Increased tensile strength limits stretching and allows for greater rigidity.
- Embossed texture enhances grip.







(43115E US ONLY)

RAPID RIDER X4 ISLAND

43115 - 43115E



Deflated: 8ft. 5in. x 8ft. 5in. / 2.57m x 2.57m

4



4 Cup Holders!

Full color box

2 Built-in

Coolers!

Case Pack

1 pcs





FEATURES

Material Ga. (mm)

SPECIFICATIONS

18.0 / 16.0 794.3 Lbs. (0.45 / 0.40) (360 kg)

- Interlocking quick release valve

Canacity

- Sturdy pre-tested vinyl
- All-around grab rope with built-in grommets
- [Full all-around 43115E US ONLY]
- Premium construction with backrest
- Cool mesh bottom
- 2 built-in coolers
- 4 cup holders

CONTENTS

23.3 Lbs. (10.6 kg)

- Heavy-duty repair patch



Deflated: 99in. x 52in. / 2.51m x 1.32m

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
18.0 / 16.0 (0.45 / 0.40)	397.2 Lbs. (180 kg)	2	2 pcs	21.8 Lbs. (9.9 kg)	Full color box

FEATURES

- Safety valves
- Sturdy pre-tested vinyl
 2 heavy-duty handles
- 2 heavy-duty ha
 2 cup holders
- Premium construction with backrest
- Cool mesh bottom



- One rider - Heavy-duty repair patch





2 Backrests!

Heavy-duty Handles! 2 Cup Holders! **RAPID RIDER TUBE** 43116 - 43116E

Deflated: Φ 53in. / Φ 1.35m

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
18.0 (0.45)	198.6 Lbs. (90 kg)	1	6 pcs	33.5 Lbs. (15.2 kg)	Full color box

CONTENTS

- One tube

- Repair patch

FEATURES

- Three-interconnecting nozzles
- Sturdy pre-tested vinyl - Heavy-duty handles
- 2 cup holders
- All-around grab rope with built-in grommets
- Premium construction with backrest
- Cool mesh bottom





Mesh Bottom!



Heavy-duty Handles! 2 Cup Holders!

COOLER Z[™] - 13





NEW GRAPHICS

FLOATING COOLER

Deflated: Φ 27.5in / Φ 70cm

SPECIFICATIONS

Material Ga. (mm)	Case Pack	Lb. (kg)	Packaging
8.8 (0.22)	12 pcs	23.0 Lbs. (10.4 kg)	Full color box

FEATURES - Safety valves - Sturdy pre-tested vinyl - 6 cup holders - 12 L insulated cooler

CONTENTS - One floating cooler - Repair patch









Handles!

NEW GRAPHICS

LUXURY AIRMAT

Deflated: 72in. x 28in. / 1.83m x 71cm

SPECIFICATIONS

ltem No.	Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Comfortable Pillow!
43109	10.0 (0.25)	198.6 Lbs. (90 kg)	1	8 pcs	21.3 Lbs. (9.6 kg)	Full color box	
43109E	18.0 (0.45)	198.6 Lbs. (90 kg)	1	6 pcs	28.1 Lbs. (12.7 kg)	Full color box	

FEATURES - Interlocking quick release valve - Sturdy pre-tested vinyl - Premium construction with pillow

CONTENTS

- One mattress - Heavy-duty repair patch

Item No

43108

43108E

FEATURES

- Heavy-duty handles
- 2 cup holders
- Cool mesh bottom

14 - COOLERZ™

NEW GRAPHICS



FLOOR DISPLAY 30002E



Deflated: Φ47in. / Φ1.19m

SPECIFICATIONS

0.	Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	1
	12.0 (0.30)	198.6 Lbs. (90 kg)	1	6 pcs	20.9 Lbs. (9.5 kg)	Full color box	
-	18.0 (0.45)	198.6 Lbs. (90 kg)	1	6 pcs	27.9 Lbs. (12.6 kg)	Full color box	7

CONTENTS

- One tube

- Repair patch

- Interlocking quick release valve - Sturdy pre-tested vinyl

- All-around grab rope with built-in grommets - Premium construction with backrest





Heavy-duty Handles! 2 Cup Holders!

Size: 22in. x 13in. x 50in. / 56cm x 33cm x 1.27m

SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging
1 Set	76.9 Lbs. (34.9 kg)	Full Dispiay

FEATURES

- Easy setup and self-contained shelving for strategic in-store distribution - Includes assorted popular inflatable toys

CONTENTS

- 15 inflatable toys (#43108E)

COOLERZ[™] - 15

US ONLY



NEW DESIGN

SPIRAL SWIM TUBE

Deflated: Φ40in. / Φ1.02m

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
10.0 (0.25)	198.6 Lbs. (90 kg)	1	12 pcs	17.6 Lbs. (8.0 kg)	Full color box

FEATURES - Safety valve - Sturdy pre-tested vinyl - Heavy-duty handles

CONTENTS - One swim tube - Heavy-duty repair patch

NEW

COOL BLUE LOUNGE

Deflated: 63.5in. x 33in. / 1.61m x 84cm

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
8.8 (0.22 mm)	198.6 Lbs. (90 kg)	1	8 pcs	21.0 Lbs. (9.5 kg)	Full color box

CONTENTS

- One lounge

- Repair patch

- Safety valves - Sturdy pre-tested vinyl - 2 air chambers construction - Arm and back rest - Cup holder







Heavy-duty Handles!





1 Cup Holder!



Backrest Lounge!

SPECIFICATION

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packagin
12.0 (0.30)	198.6 Lbs. (90 kg)	1	6 pcs	25.5 Lbs. (11.6 kg)	Full color bi

FEATURES

- 3 air chambers

- Sturdy pre-tested vinyl

- 1 cup holder



Deflated: 59in. x 55in. / 1.50m x 1.40m

Ν	S

CONTENTS

- One lounge - Heavy-duty repair patch

- 1 inflated foot rest attached to the lounge

SIT-N-SUN LOUNGE

6

NEW

COOLERZ[™] - 17





NEW

SUPER SPRAWLER

Deflated: 74in. x 45.5in. / 1.88m x 1.15m

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
12.0 (0.30)	198.6 Lbs. (90 ka)	1	6 pcs	19.6 Lbs. (8.9 ka)	Full color box

FEATURES Safety valves · Sturdy pre-tested vinyl · 3 air chambers Comfortable foot rest Mesh bottom

CONTENTS - One lounge

- Heavy-duty repair patch



Mesh Bottom!

1 Cup Holder!

NEW

SUMMER VIBES

Deflated: 63in. x 34in. / 1.60m x 86cm

SPECIFICATIONS

FEATURES

- Safetv valves

- 3 air chambers

- Sturdy pre-tested vinyl

- Comfortable headrest

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
8.8 (0.22)	198.6 Lbs. (90 kg)	1	8 pcs	15.6 Lbs. (7.1 kg)	Full color box

(7.1 kg)


- One lounge - Heavy-duty repair patch

Comfortable headrest!

CONTENTS

NEW DESIGN

TIKI TIME LOUNGER 43128-43128E



Deflated: 69in. x 42in. / 1.75m x 1.07m

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Built-in Backrest and Armrests!
18.0 (0.45)	198.6 Lbs. (90 kg)	1	2 pcs	18.7 Lbs. (8.5 kg)	Full color box	

FEATURES

- Interlocking quick release valve
- Sturdy pre-tested vinyl
- 2 cup holders
- . 1 comfortable back rest
- 1 inflated foot rest attached to the lounge



- One lounge - Heavy-duty repair patch






2 Cup Holders!

NEW GRAPHICS

LAZY COOLER LOUNGE 43130 - 43130E



SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
18.0 (0.45)	198.6 Lbs. (90 kg)	1	2 pcs	27.4 Lbs. (12.4 kg)	Full color box

FEATURES

- 5 air chambers
- Sturdy pre-tested vinyl
- Removable cooler bag
- Premium construction with armrest and backrest
- 2 cup holders

CONTENTS

- One lounge - One cooler bag - Heavy-duty repair patch





Cooler Bag



2 Cup Holders!




Collin **NEW GENERATION**

X3 ISLAND 43111 - 43111E











(43111 GL ONLY)

Deflated: 6ft.6in. x 69in. / 1.99m x 1.76m

SPECIFICATIONS

ltem No.	Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
43111	12.5 (0.30)	595.8 Lbs. (270 kg)	3	2 pcs	20.3 Lbs. (9.2 kg)	Full color box
43111E	14.0 (0.35)	595.8 Lbs. (270 kg)	3	2 pcs	18.4 Lbs. (8.3 kg)	Full color box

- Interlocking quick release valves - Sturdy pre-tested vinyl

- 2 air chambers
- Heavy-duty handles (43111 GL ONLY)
- 3 inflatable cushions
- One island - Heavy-duty repair patch

- Open bottom to dip feet into water



2 Pillows!

SPECIFICATION

Material Ga. (mm)	, e	Passengers	Case Pack	Lb. (kg)	Packagin
18.0 (0.45)	397.2 Lbs. (180 kg)	2	2 pcs	36.6 Lbs. (16.6 kg)	Full color b

FEATURES

- Interlocking quick release valves
- Sturdy pre-tested vinyl
- Grab ropes on both ends
- 2 comfortable pillows
- 2 cup holders







Grab Rope!



2 Cup Holders!

Deflated: 87in. x 69in. / 2.22m x 1.75m

NI	ς
	J

CONTENTS

- One island - One cooler bag - Heavy-duty repair patch **NEW GRAPHICS**


SIDE 2 SIDE FLOATING LOUNGE





NEW GRAPHICS

KICK BACK LOUNGE







5 Cup Holders!

Packagin

Mesh Bottom!

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packagin
24.0 (0.60)	1191.5 Lbs. (540kg)	6	1 pcs	54.1 Lbs. (24.5 kg)	Full color b

FEATURES

- Interlocking quick release valves - Sturdy pre-tested vinyl
- 3 safety grab ropes
- 3 extra-wide pillow backrests
- 6 cup holders
- Heavy-duty handles

Material Ga. (mm) Case Pack Lb. (kg) 18.0 595.8 Lbs. (0.45) (270 kg) 1 pcs 32.7 Lbs. (14.8 kg) Full color box

Deflated: 8ft.10in. x 8ft.5in. / 2.70m x 2.57m

Backrest!

FEATURES

, Platform!

SPECIFICATIONS

US ONLY

- Interlocking quick release valves - Sturdy pre-tested vinyl - Grab rope on both ends - Extra wide pillow backrests - 5 cup holders
- CONTENTS - One island - One cooler bag, - One climb cushion - One anchor bag

- Heavy duty repair patch







3 Extra-wide

Pillow Backrests!

Heavy-duty Handles!

Deflated: 10ft.9in. x 10ft.9in. / 3.28m x 3.28m

CONTENTS

- One island - One anchor bag - Heavy duty repair patch
















Cooler Bag!

Heavy-duty Handles! 4 Cup Holders!

Deflated: 8ft.11in. x 6ft.5in. / 2.72m x 1.96m

ıt ity	Passengers	Case Pack	Lb. (kg)	Packaginų
bs. g)	4	1 pcs	61.9 Lbs. (28.1 kg)	Full color bo

CONTENTS - One island

- Interlocking quick release valve

- 1 swim-up balance ring at bottom provides more stability - 1 non-rechargeable sound box uses 4 x LR20 DC1.5V batteries (batteries not included) which can work 5-6 hours continually - 1 waterproof bag with connecting cable to connect to your

- One balance ring - One sun shade - One sound box - One waterproof bag with connecting cable - One anchor bag - Heavy duty repair patch



ROCK-N-SHADE ISLAND

-3-

COOLERZ[™]- 25



TROPICAL ESCAPE ISLAND 43127E



Platform!

US ONLY





4 Cup Holders!



Swim-up Platform!

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packagin
24.0 (0.60)	992.9 Lbs. (450 kg)	5	1 pcs	56.8 Lbs. (25.8 kg)	Full color bi

FEATURES

- Interlocking quick release
- Sturdy pre-tested vinyl
- Grab rope on both ends
- Extra wide pillow backres
- Removable sun shade - 6 cup holders
- 2 built-in coolers, 1 anchor bag



Ga. (mm)	Capacity	1 0356119613	Gaserack	LD. (Kg)	rackaging
24.0 (0.60)	992.9 Lbs. (450 kg)	5	1 pcs	57.0 Lbs. (25.9 kg)	Full color box

FEATURES

- Interlocking quick release valve - Sturdy pre-tested vinyl - Extra wide pillow backrest - 4 cup holders - 1 built-in cooler, 1 anchor bag

CONTENTS - One island - One climb cushion - One anchor bag

- Heavy-duty repair patch







6 Cup Holders!

Deflated: 10ft.10in. x 10ft.10in. / 3.30m x 3.30m

Sun Shade!

CONTENTS

se valve	- One island
	- One climb cushion
	- One sun shade
sts	- One anchor bag
	- Heavy-duty repair patch



COOLERZ[™] - 27



NEW DESIGN

TROPICAL BREEZE ISLAND 43105 - 43105E



Swim-up Platform Cooler Bag!

6 Cup Holders!

Deflated: 12ft.9in. x 9ft. / 3.89m x 2.74m

Sun Shade!

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
18.0 (0.45)	1191.5 Lbs. (540 kg)	6	1 pcs	57.2 Lbs. (26.0 kg)	Full color box

FEATURES

- Interlocking quick release valves - Sturdy pre-tested vinyl - Heavy-duty handles - Grab rope on both ends - Extra wide pillow backrests - Removable sun shade - 6 cup holders
- CONTENTS
- One island - One sun shade
- One cooler bag Heavy-duty repair patch



COOLERZ™ - 29

STAND UP PADDLE BOARDS

25 3

ARCE."





STANDING UP ON YOUR SUP

When you're new to the sport, it's best to start out in flat, calm water that's free of obstacles like boats and buoys. At first, you may find it easier to kneel on the board rather than to stand upright. Here are the steps to get you started:

- Standing alongside the board in shallow water, place your paddle across the deck of the board and use it as an outrigger. The paddle

- Hold the board by the rails. One hand will also be holding the paddle grip.
 Climb onto the board in a kneeling position, just behind the center point of the board.
 From that kneeling position, get a feel for the balance point of the board. The nose shouldn't pop up out of the water and the tail
- Keep your hands on either side of the board to stabilize it.
 Once you're ready, stand up on the board one foot at a time. Place your feet where your knees were. You might also bring a friend to

Bestway's inflatable SUP line offers all of the advantages of fun that comes along with hard boards plus these added benefits:

SUP Stance

SUP Stroke





Inflatable SUPs built the best way!

TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.

DROP STITCH[™] MATERIAL

It's a wonder material that has been successfully used in such mission-critical applications as floating docks, high-pressure rescue lifting bags and even airplane wings! It owes its remarkable properties of extreme rigidity combined with astonishing lightness to a network of thousands of polyester threads (the "drop stitches" referred to in the name). These threads securely connect the material surfaces internally, while carefully applied sidewalls seal the finished inflated cavity to create a panel that effectively supports considerable weight while itself being light and easily portable when deflated.

Bestway's[®] inflatable SUP line offers all of the advantages of fun that comes along with hard boards plus these added benefits:

- Easily transported on a plane or in a car, this is a money saver and a convenience, as there is no need to purchase a roof rack or pay expensive shipping costs.
- Sold as a package deal, everything you need is included in one lightweight, grab-and-go carrier. A set is also available with a conversion-to-kayak kit.
- Generally thicker and more stable than hard boards, which is an advantage for beginners just starting to learn.
- Allows more versatility, as they can be inflated and deflated easily.
- Resilient-while a hard board may become damaged from running into a dock, an inflatable board tends to bounce right off with no damage.

INTRODUCING A NEW-LOOK!

The NEW Hydro-Force[®] look is all about stand up paddle boards and the lifestyle that comes with them. We've upgraded not just the packaging but also the boards themselves and have pushed for a more sportier and serious line that can appeal to a whole range of users.



REE





38 - SUP

8 ft. (2.44 m) Planogram Store Display



INTRODUCING OUR SUPS!

ALL ROUND

High maneuverability and lightness make this board perfect both for flat water and small wave riding (Aqua Journey, Oceana, Oceana Tech).

TOURING

Stability, speed and space for luggage. Perfect for long and safe tours on the water (Cruiser).


100

RACE/FAST TOURING

Long, fast and stable board, suitable for fast riding and medium-long tours on the water (Fastblast).

New IMPROVED SUP ACCESSORIES!!

ARRY RAG -> AIR PUMP



777

TRACKING

SPEED

MANEUVERABILITY

STABILITY

TRACKING

SPEED

111

TRACKING

SPEED

MANEUVERABILITY

STABILITY

TRACKING

SPEED

MANEUVERABILITY

STABILITY

OVERALL PERFORMANCE	MANEUVERABILITY TRACKING STABILITY SPEED	MANEUVERABILITY STABILITY
FINS	۲۳۲	रत्र
OARS	•	•
SEATED OPTION		·
INTERNAL VOLUME	55 Gal (208 L)	67 Gal (256 L)
WEIGHT CAPACITY	209 Lbs. (95 kg)	243 Lbs. (110 kg
THICKNESS	4.75 in. (12 cm)	4.75 in. (12 cm)
WIDTH	30 in. (76 cm)	33 in. (84 cm)
LENGTH	9 ft. (2.74 m)	10 ft. (3.05 m)

Filt.



NEW

AQUA JOURNEY 65302 - 65302E

ALL ROUND SUP



Inflated: 9ft. x 30in. x 4.75in. / 2.74m x 76cm x 12cm

SPECIFICATIONS



FEATURES

- Non-slip traction pad

- Adjustable 85in. (2.17m) aluminum oar(3 sections) - Convenient deck handle to easily pick up and carry the SUP

Category: All around. High maneuverability and lightness make this board perfect both for flat water and small wave riding

CONTENTS

- One paddle board - One paddle - One hand pump - One travel bag, - One surf leash - Repair kit



SUP - 43





44 - SUP







NEW

OCEANA TECH 65304 - 65304E

ALL ROUND SUP



Inflated: 10ft. x 33in. x 6in. / 3.05m x 84cm x 15cm

SPECIFICATIONS





FEATURES

- Non-slip traction pad
 Elastic cord for extra storage
 Convenient deck handle to easily carry the SUP
 Category: All around. Best shape and highest thickness for stability and safety

CONTENTS

- One paddle board - One hand pump - One deluxe backpack - One surf leash - Repair kit





NEW **CRUISER TECH** 65305 - 65305E TOURING SUP

Inflated: 10ft.6in. x 30in. x 6in. / 3.2m x 76cm x 15cm

SPECIFICATIONS



FEATURES

- Non-slip traction pad
 Front and back elastic cord for extra storage
 Convenient deck handle to easily carry the SUP
 Category: Touring. Stability, speed and space for luggage. Perfect for long and safe tours on the water

CONTENTS

- One paddle board - One hand pump - One deluxe backpack - One surf leash - Repair kit



Inflated: 12ft.6in. x 30in. x 6in. / 3.81m x 76cm x 15cm

CONTENTS

- One paddle board

- One hand pump

- One deluxe backpack - One surf leash - Repair kit

States -

SPECIFICATIONS



Chatter and a second second

FEATURES

- Non-slip traction pad
- Elastic cord for extra storage
- Convenient deck handle to easily carry the SUP
 Category: Race/Fast Touring. Long, fast and stable board, suitable for fast riding and medium-long tours on the water







SUP ACCESSORIES

FIBERGLASS PADDLE 65307 - 65307E

85in. / 2.17m

SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging			
3 sets	6.9 Lbs. (3.1 kg)	Polybag with header card			

FEATURES

FISIORO-FOR

CONTENTS

- One T-bar


ËT:T

ET.I

→

- Adjustable paddle with 2 sections, the length can be 🛛 One blade adjusted from 66 in.(1.67 m) to 85 in.(2.17 m) - Clear scale bar display shows the adjusted length
- Double lock clip and snap fastener structure for
- easy adjustments
- Durable fiberglass shaft
- T-shape comfortable hand-grip
- Streamline blade design is convenient for paddling





- Coil leash keeps the paddle tethered to you, providing additional safety in the event you fall off the board







56 - RAFTS & BOATS

When you want to get serious about spending the day on the water, Bestway® has just what you need. It's time to get out and explore. Our kayaks, rafts and boats are designed with adventure in mind.



RAFTS & BOATS - 57



15.00

RAFTS & BOATS - 59

HUDRO-



RAFTS & BOATS - 61



62 - RAFTS & BOATS

RAFTS & BOATS - 63



_		NOT FOR SALE IN US		NOT FOR SALE IN US	NOT FOR SALE IN US				
-	LITE-RAPID X2 KAYAK 65077 - 65077E	KAYAKS VENTURA 65052	RAFT 61064 - 61064E	RAFT 61083	RAFT 61068	RAFT 61066 - 61066E	VOYAGER 300 65051 - 65051E	VOYAGER 500 65001 - 65001E	NEVA III 65008 - 65008E
						6ft.	[1.83 m]		
н	10 ft.6 in. (3.21 m)	10 ft. 10 in. (3.30 m)	7 ft.6 in. (2.28 m)	7 ft. 6 in. [2.28 m]	8 ft. 4 in. (2.55 m)	10 ft. 1 in. (3.07 m)	8ft. (2.43 m)	11 ft. 5 in. (3.48 m)	10 ft. 4 in. (3.16 m)
Ή	35 in. (88 cm)	37 in. (94 cm)	48 in. (1.21 m)	48 in. (1.21 m)	50 in. (1.27 m)	50 in. (1.26 m)	40 in. (1.02 m)	56 in. (1.41 m)	49 in. (1.24 m)
ТҮ	350 Lbs. (160 kg)	440 Lbs. (200 kg)	374 Lbs. (170 kg)	374 Lbs. (170 kg)	495 Lbs. (225 kg)	594 Lbs. (270 kg)	374 Lbs. (170 kg)	573 Lbs. (260 kg)	661 Lbs. (300 kg)
ME	100 Gal (379 L)	120 Gal (453 L)	81 Gal (308 L)	81 Gal (308 L)	127 Gal (481 L)	163 Gal (617 L)	105 Gal (396 L)	185 Gal (700 L)	166 Gal (629 L)
\rightarrow	•	•		•	•		•	•	
	2 adults	2 adults	2 adults	2 adults	2 adults + 1 child	3 adults (61066E) / 3 adults + 1 child (61066)	2 adults	3 adults	3 adults

KAYAKS & CLASSIC BOAT RANGE









65077E

FEATURES

- Safety valves - Sturdy pre-tested vinyl - 2-person kayak Interlocking quick release valves
 Grab rope with built-in grommets
- Integrated drain valve - Carrying handles

CONTENTS

- One kayak - One pair of 86 in. (2.18 m) aluminum two-bladed oars - Repair patch

66 - RAFTS & BOATS

NEW GENERATION

LITE-RAPID X2 KAYAK

Inflated: 10ft.6in. x 35in. / 3.21m x 88cm

erial (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
2.8 .57)	350 Lbs. (160 kg)	2	1 pcs	30.6 Lbs. (13.9 kg)	Full color box	GS
2.8 1.57]	350 Lbs. (160 kg)	2	1 pcs	30.5 Lbs. (13.8 kg)	Full color box	NMMA

- Form-fitted construction prevents water from entering the cockpit

- Comfortable cockpit with inflatable seats

- One removable middle fin for directional stability





RAFTS & BOATS - 67



- One kayak - One pair of 86 in. (2.18 m) aluminum two-bladed oars - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086) - Repair patch

CONTENTS

NOT FOR SALE IN US

Inflated: 10ft.10in. x 37in. x 19in. / 3.30m x 94cm x 48cm SPECIFICATIONS

Material Weig Ga. (mm) Capad 24.0/16.0 440 L (0.6 / 0.4) (200 |

FEATURES

- Safety valve

- Quick inflation/deflation screw valves - Two removable side chambers & I-beam floor made from heavy gauge PVC - Premium coated nylon hull that is resistant to sun, oil and sea water - Two adjustable seats with storage compartments - Removable storage bag - Integrated drain valve

- Oar supports

- 3 air chamber construction

- Sporting boat

KAYAKS VENTURA

ight acity	Passengers	Case Pack	Lb. (kg)	Packaging	
Lbs.) kg)	2	1 pcs	40.7 Lbs. (18.5 kg)	Full color box	

- Removable fin for directional stability





Length: 10 ft. 10 in. (3.30 m) Height: 19 in. (48 cm)

RAFTS & BOATS - 69





61064 - 61064E	61083	61068	61066	61066E
2 2 2 2 2 2 374 LB. 1774 KB.	2 2 374 LB. 170K	28 28 19 19 19 18 19 18 19 18 19 18 19 18 19 19 19 19 19 19 19 19 19 19	() () () () () () () ()	8 9 1 1 1 1 1 1 1 1 1 1

RAFT


SPECIFICATIONS

•											
	ltem Number	Deflated Size	Inflated Size	Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Oars	Pump	Lb. (kg)	Packaging
_	61064 61064E	7ft.8in. x 53in. (2.34m x 1.35m)	7ft.6in. x 48in. x 14in. (2.28m x 1.21m x 36cm)	16.8 (0.42 mm)	374 Lbs. (170 kg)	2 adults	3 pcs			35.9 Lbs. (16.3 kg)	Full color box
R	61083	7ft.8in. x 53in. (2.34m x 1.35m)	7ft.6in. x 48in. x 14in. (2.28m x 1.21m x 36cm)	16.8 (0.42 mm)	374 Lbs. (170 kg)	2 adults	2 pcs	•	•	30.2 Lbs. (13.7 kg)	Full color box
IUS	61068	8ft.7in. x 57in. (2.62m x 1.45m)	8ft.4in. x 50in. x 16in. (2.55m x 1.27m x 41cm)	18.8 (0.47 mm)	495 Lbs. (225 kg)	2 adults + 1 child	2 pcs	•	•	40.2 Lbs. (18.2 kg)	Full color box
	61066 61066E	10ft.5in. x 60in. (3.18m x 1.52m)	10ft.1in. x 50in. x 17in. (3.07m x 1.26m x 43cm)	20.8 (0.52 mm)	594 Lbs. (270 kg)	3 adults + 1 child 3 adults	1 pcs			22.9 Lbs. (10.4 kg)	Full color box

FEATURES

CONTENTS - One boat - Repair patch

3 air chamber construction
Interlocking quick release valves
Safety valve
Sturdy pre-tested vinyl
All-around grab rope with built-in grommets
Inflatable floor for extra comfort
Inflatable seat cushions {for #61068, #61066E, #61066}
Includes one pair of 49 in. (1.24 m) oars (#62015) GS certified and one 9 in.x 6 in. (23 cm x 15 cm) foot pump (#62023) {for #61083, #61066}
Includes motor mount grommets for use with Bestway motor mount (#62069) [Motor mount not included) {for #61068, #61066E, #61066}
Heavy-duty handle
Sturdy oarlocks
Oar clasps
Tow ring
Max. power: 1.0 kw (1.4 hp) {for# 61068, #61066E, #61066}



61066 - 61066E

6

70 - RAFTS & BOATS







Inflated: 8ft. x 40in. x 12in. / 2.43m x 1.02m x 31cm

SPECIFICATIONS

ltem No.	Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
65051	16.8 (0.42)	374 Lbs. (170 kg)	2	2 pcs	33.9 Lbs. (15.4 kg)	Full color box	GS
65051E	16.8 (0.42)	374 Lbs. (170 kg)	2	2 pcs	33.6 Lbs. (15.2 kg)	Full color box	NMMA

FEATURES

Interlocking quick release valves
Safety valve
Sturdy pre-tested vinyl
3 air chamber construction
All-around grab rope with built-in grommets
Inflatable I-beam floor for comfort and rigidity
Heavy-duty handles
Sturdy oarlocks, oar clasps, tow ring
Integrated fishing rod-holders

CONTENTS

One boat
One pair of 57 in. (1.45 m) sectional aluminum oars (#62064)
Repair patch



72 - RAFTS & BOATS







Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
22.0 (0.55)	573 Lbs. (260 kg)	3	1 pcs	36.2 Lbs. (16.4 kg)	Full color box

- Safety valve - Durable, pre-tested PVC material - Convenient storage space - Inflatable floor & seat cushions for extra comfort #62069 motor mount. (Motor mount not included.) - Heavy-duty handles - Mounted fishing rod holders







NEVA III 65008 - 65008E





Inflated: 10ft.4in. x 49in. x 22in. / 3.16m x 1.24m x 55cm

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
20.0 (0.50)	661 Lbs. (300 kg)	3	1 pcs	33.0 Lbs. (15.0 kg)	Full color box

FEATURES

- Interlocking quick release valves - Safety valves Durable, pre-tested PVC Material
360° grab rope with built-in grommets
Inflatable floor & seat cushions for extra comfort Heavy-duty handles
Mounted fishing rod holders - Sturdy oarlocks

CONTENTS

- One boat - Repair patch



76 - RAFTS & BOATS

RAFTS & BOATS - 77

C 10 100

-



78 - RAFTS & BOATS





SPORT BOAT RANGE

	MARINE PRO	CASPIAI
	65044 - 65044E	65046 - 6
13 ft. (3.96 m)		
12 ft. (3.66 m)		
11 ft. (3.35 m)		
10 ft. (3.05 m)		
9 ft. (2.74 m)	0	
8 ft. (2.44 m)	X	
7 ft. (2.13 m)		
6 ft. (1.83 m)	http://)
5 ft. (1.52 m)		
<u>4 ft. (1.22 m)</u>		
3 ft. (91 cm)		1
2 ft. (61 cm)		
1 ft. (30 cm)		

LENGTH	9 ft. 6 in. (2.91 m)	7 ft. 6 in. (2.30 m)	9 ft. 2 in. (2.80 m)	10 ft. 10 in. (3.3 m)	12 ft. 6 in. (3.80 m)
WIDTH	50 in. (1.27 m)	51 in. (1.30 m)	60 in. (1.52 m)	64 in. (1.62 m)	71 in. (1.8 m)
WEIGHT CAPACITY	594 Lbs. (270 kg)	568.8 Lbs. (258 kg)	1058.2 Lbs. (480 kg)	1411 Lbs. (640 kg)	1719.6 Lbs. (780 kg)
INTERNAL VOLUME	172 Gal (651 L)	107 Gal (405 L)	204 Gal (773 L)	267 Gal (1011 L)	327 Gal (1240 L)
OARS	-/ · \ SA	•	•	•	•
PASSENGERS	2 adults + 1 child (65044) / 3 adults (65044E)	2 adults	3 adults + 1 child (65047) / 4 adults (65047E)	4 adults + 1 child (65049) / 5 adults (65049E)	6 adults

80 - RAFTS & BOATS





65044E FEATURES - Safety valves

Item No.

65044

- Omni-directional oarlocks - Integrated fishing rod-holders - Safety-grab rope - Comfortable inflatable cushions - High-pressure inflatable floor

(#62069) (Motor mount not included.)

CONTENTS

- One boat - One storage bag - Repair Patch

NEW DESIGN

MARINE PRO

Inflated: 9ft.6in. x 50in. x 18in. / 2.91m x 1.27m x 46cm

SPECIFICATIONS

ÍN A

ín A

erial mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
.0 65)	594 Lbs. (270 kg)	2 adults + 1 child	1 pcs	35.3 Lbs. (16.0 kg)	Full color box	GS
.0 65)	594 Lbs. (270 kg)	3 adults	1 pcs	35.3 Lbs. (16.0 kg)	Full color box	NMMA

- Extra strength, TriTech™ Material - Quick inflation/deflation screw valves

- Includes motor mount grommets for use with motor mount

- One pair of 60 in. (1.52 m) aluminum oars that can be taken apart for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)





RAFTS & BOATS - 83

Length:

(2.91 m)



NEW GENERATION

Inflated: 7ft.6in. x 51in. x 13in. / 2.30m x 1.30m x 33cm


al n)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
	568.8 Lbs. (258 kg)	2	1 pcs	48.0 Lbs. (21.8 kg)	Sturdy Cardboard Box with Pictures	GS
	568.8 Lbs. (258 kg)	2	1 pcs	48.0 Lbs. (21.8 kg)	Sturdy Cardboard Box with Pictures	NMMA

- Superior-strength, high-density, sunlight resistant,

- Extra tough strake protects against impacts and friction - Easy to assemble bench seat – no tools needed

- One pair of 57 in. (1.45 m) aluminum oars that can be taken apart for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)





RAFTS & BOATS - 85



FEATURES

Item No.

65047

65047E

- Pre-tested materials - Superior-strength, his terylene supported P
- 3-air-chamber constr - Marine-grade plywoo
- durable and comforta - Metal steel tow ring
- Carrying handles

- Omni-directional oarlocks
- Safety-grab ropes - Integrated drain valve

CONTENTS

- One boat - One pressure gauge - One durable carry bag - One 33 ft. (10 m) towrope - Repair kit

CASPIAN PRO 65047 - 65047E

Inflated: 9ft.2in. x 60in. x 16.5in. / 2.80m x 1.52m x 42cm

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
34.0 (0.85)	1058.2 Lbs. (480 kg)	3 adults + 1 child	1 pcs	103.0 Lbs. (46.7 kg)	Sturdy Cardboard Box with Pictures	GS
34.0 (0.85)	1058.2 Lbs. (480 kg)	4 adults	1 pcs	103.0 Lbs. (46.7 kg)	Sturdy Cardboard Box with Pictures	NMMA
S						
naterials and ength, high-d ported PVC	1 2	ed construction ht resistant,				
' er constructio e plywood flo comfortable	0	pressure inflatab transom,	le keel			
tow ring						

- Quick inflation/deflation air valves - Extra tough strake protects against impacts and friction - Molded metal motor mount (Motor not included) - Easy to assemble floorboards and bench seat – no tools needed

- One pair of 64 in. (1.62 m) aluminum oars that can be taken apart for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)



RAFTS & BOATS - 87





65049F

1411 LB. 440 KG

TRITECH¹⁴ MATERIAL

310

STEEL TOW HOOK





FEATURES

terylene supported PVC

- Metal steel tow ring - Carrying handles

- Quick inflation/deflation air valves - Extra tough strake protects against impacts and friction - Molded metal motor mount (Motor not included) - Easy to assemble floorboards and bench seats – no tools needed - Omni-directional oarlocks

- Safety-grab ropes - Integrated drain valve

CONTENTS

- One boat - One pressure gauge - One durable carry bag - One 33 ft. (10 m) towrope - Repair kit

88 - RAFTS & BOATS

MIROVIA PRO 65049 - 65049E

Inflated: 10ft.10in. x 64in. x 17in. / 3.30m x 1.62m x 44cm

SPECIFICATIONS


rial nm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
0 0)	1411 Lbs. (640 kg)	4 adults + 1 child	1 pcs	146.7 Lbs. (66.5 kg)	Sturdy Cardboard Box with Pictures	GS
0 0)	1411 Lbs. (640 kg)	5 adults	1 pcs	146.7 Lbs. (66.5 kg)	Sturdy Cardboard Box with Pictures	NMMA

- Pre-tested materials and quality-tested construction - Superior-strength, high-density, sunlight resistant,

- 3-air-chamber construction with high-pressure inflatable keel - Marine-grade aluminum alloy floorboards and plywood transom

- Fixed buckle for oil box

- One pair of 64 in. (1.62 m) aluminum oars that can be taken apart for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)



RAFTS & BOATS - 89



SUNSAILLE 65062 - 65062E

Inflated: 12ft.6in. x 71in. x 18in. / 3.80m x 1.80m x 46cm

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging	Certification
36.0 (0.90)	1719.6 Lbs. (780 kg)	6	1 pcs	153.2 Lbs. (69.5 kg)	Sturdy Cardboard Box with Pictures	GS
36.0 (0.90)	1719.6 Lbs. (780 kg)	6	1 pcs	153.2 Lbs. (69.5 kg)	Sturdy Cardboard Box with Pictures	NMMA

- Pre-tested materials and quality-tested construction - Superior-strength, high-density, sunlight resistant,

- 4-air-chamber construction with high-pressure inflatable keel

- Inflated floor made from drop stitch material providing unparalleled

- Extra tough strake protects against impacts and friction - Molded motor mount (Motor not included) - Easy to assemble bench seats – no tools needed

- One pair of 64 in. (1.62 m) aluminum oars that can be taken apart for convenient storage and transport - One 14.5 in. (37 cm) Air Hammer™ inflation pump (#62086)





Length: 12 ft.6 in. (3.80 m)

RAFTS & BOATS - 91

Height: 18 in.(46 cm)



REAL EXPERIENCES

All for those seeking to RIDE, HIDE, or be in DISGUISE, the REALTREE® collection provides a rugged, adventurous range of products that include boats, tubes, and ice chests. The photo-realistic REALTREE camouflage print blends magically into the scenery and fits perfectly with active, outdoor lifestyles.



INFLATA SHIELD"

PUNCTURE RESISTANT MATERIAL!

Store Display



REALTREE[®] - 93







6 Cup Holders!

Heavy-duty Handles!

Deflated: 27.5in. / 70cm

SPECIFICATIONS

Material Ga. (mm)	Case Pack	Lb. (kg)	Packaging
10.8 (0.27)	8 pcs	17.4 Lbs. (7.9 kg)	Full color box

FEATURES

- Safety valves - Sturdy pre-tested vinyl - 6 cup holders - 12 L insulated cooler

CONTENTS - One cooler bag - Repair patch



LAKE RUNNER



Deflated: 47in. / 1.19m

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging	Half-Around Grab Rope!
18.0 / 16.0 (0.45 / 0.40)	198.6 Lbs. (90 kg)	1	6 pcs	27.7 Lbs. (12.6 kg)	Full color box	6

FEATURES

- Safety valves - Sturdy pre-tested vinyl - 2 air chambers - 2 cup holders
- Half-around grab rope with built-in grommets Heavy-duty handles



- One swim tube - Heavy-duty repair patch

Heavy-duty Handles! Two Cup Holders!



Deflated: 53in. / 1.35m

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
18.0 (0.45)	198.6 Lbs. (90 kg)	1	6 pcs	35.5 Lbs. (16.1 kg)	Full color box

CONTENTS

- Heavy-duty repair patch

- One tube

FEATURES

- Safety valves
- Sturdy pre-tested vinyl
- 2 air chambers
- 2 cup holders
- All-around grab rope with built-in grommets Heavy-duty handles
- Premium construction with backrest
- Cool mesh bottom







Mesh Bottom!



Heavy-duty Handles! Two Cup Holders!









Four Backrests!

SPECIFICATIONS


Material	Weigh
Ga. (mm)	Capaci

18.0 / 16.0 794.3 Lbs. (0.45 / 0.40) (360 kg)

FEATURES

- Safety valves
- Sturdy pre-tested vinyl - 9 air chambers
- 4 cup holders

- Cool mesh bottom
- 2 built-in coolers



SPECIFICATIONS

Material Ga. (mm)	•	Passengers	Case Pack	Lb. (kg)	Packaging
18.0 / 16.0 (0.45 / 0.40)	397.2 Lbs. (180 kg)	2	3 pcs	37.1 Lbs. (16.8 kg)	Full color box

FEATURES

- Safety valves - Sturdy pre-tested vinyl - 3 air chambers - 2 cup holders - All-around grab rope with built-in grommets - Heavy-duty handles - Premium construction with backrests - Cool mesh bottom

CONTENTS - One tube

- - One removable cooler bag - Heavy-duty repair patch



US ONLY

REALTREE

LAKE RUNNER X2

92105E







Two Heavy-duty Handles! Two Cup Holders!







Four Cup Holders

Mesh Bottoms!

Two Built-in Coolers!

Deflated: 8ft.5in. x 8ft.5in. / 2.57m x 2.57m



LAKE RUNNER X4 92106E

CONTENTS - One island

- Heavy-duty repair patch

All-around grab rope with built-in grommets
Premium construction with backrests





NEW GENERATION TROPHY RUNNER

92100E

REALTRE



Inflated: 8ft. x 40in. x 12in. / 2.43m x 1.02m x 31cm

SPECIFICATIONS

Material Ga. (mm)		Passengers	Case Pack	Lb. (kg)	Packaging
16.8 (0.42)	374 Lbs. (170 kg)	2	2 pcs	34.0 Lbs. (15.4 kg)	Full color bo

CONTENTS

- One pair of 57 in. (1.45 m) sectional aluminum oars

- One boat

(#62064)

- Repair patch

FEATURES

- Interlocking quick release valves - Safety valve - Sturdy pre-tested vinyl - 3-air chambers construction All-around grab rope with built-in grommets
Inflatable I-beam floor for comfort and rigidity Heavy-duty handles
Sturdy oarlocks, oar clasps, tow ring
Integrated fishing rod-holders



SPECIFICATIONS

SPECIFIC	CATIONS				
Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
22.0 (0.55)	573 Lbs. (260 kg)	ŋ	1 pcs	37.2 Lbs. (16.9 kg)	Full color box
 Safety valve Durable, pre 360° grab ro Convenient s Inflatable fl Includes mo motor moun Heavy-duty Mounted fis 	quick release v s -tested PVC ma pe with built-ir storage space oor & seat cush tor mount grom t (Motor mount	aterial 9 grommets nions for extra ci 10 mets for use wi 10 not included) 8		sectiona (#62064 - Repair p	t of 57 in. (1.45 m) al aluminum oars () atch Inflatable eat Cushions Quick Motor Mour
	hing Rod Iolders	Inflatable Flo	or the second seco		57 in. (1.45 m) Darls (#62064)
	Grab Rope	le l	Rope Grommets		Uars (#62064)



98 - REALTREE®



Inflated: 11ft.5in. x 56in. x 20in. / 3.48m x 1.41m x 51cm





REALTRE

NEW GENERATION DRIFT COMMANDER 92102E



Inflated: 10ft.4in. x 49in. x 22in. / 3.16m x 1.24m x 55cm

SPECIFICATIONS

Material Ga. (mm)	•	Passengers	Case Pack	Lb. (kg)	Packaging
20.0 (0.50 mm)	661 Lbs. (300 kg)	3	1 pcs	34.2 Lbs. (15.5 kg)	Full color box

FEATURES

- Sturdy oarlocks

Interlocking quick release valves
Safety valves
Durable, pre-tested PVC Material
360° grab rope with built-in grommets
Inflatable floor & seat cushions for extra comfort
Heavy-duty handles
Mounted fishing rod holders

CONTENTS

- One boat - Repair patch







ACCESSORIES



SPECIFICATIONS

Case Pack	Lb. (kg)	Packaging
4 pcs	25.4 Lbs. (11.5 kg)	Full color box

FEATURES

- Supports a motor

- Attaches to most inflatable boats

- One motor mount

CONTENTS

- Assemble easily
- Adjustable stainless steel tube
- Fits up to 3.0HP gas outboard motor
- Suitable for electrical outboard motor



ltem No.	
65077/E	L
65052/E	
61062/E	
61064/E	
61083	
61068	
61066/E	
65051/E	
65001/E	
65008/E	
65044/E	
65046/E	
65047/E	
65049/E	
65062/E	

102 - ACCESSORIES

BOAT ACCESSORIES - COMPATIBILITY

Description	Motor Mount 62069/E	Maximum Power	0ars 62015/E	Alum. Oars 62064/E
e-Rapid X2 Kayak				•
Kayaks Ventura				•
Kondor 2000 Set			•	•
Raft			٠	•
Raft Set			٠	•
Raft Set	•	1.0 kw (1.4 hp)	•	•
Raft	•	1.0 kw (1.4 hp)	٠	•
Voyager 300			•	•
Voyager 500	•	1.0 kw (1.4 hp)	•	•
Neva III			•	•
Marine Pro	•	1.0 kw (1.4 hp)		
Caspian		2.25 kw (3.0 hp)		
Caspian Pro		7.5 kw (10.0 hp)		
Mirovia Pro		11.2 kw (15.0 hp)		
Sunsaille		18.4 kw (25.0 hp)		

OARS 62015 - 62015E

Length: 49in. / 1.24m



FEATURES

- Three-section structure
- Easy to assemble and disassemble
- Ribbed blade
- Light and strong plastic material





SECTIONAL ALUMINUM OARS 62064 -62064E

Length: 57in. / 1.45m

Lb. (kg)

Packaging

18.5 Lbs. Polybag with (8.4kg) header card

SPECIFICATIONS

Case Pack

6 prs

FEATURES

- Multi-functional:
- Use as two, 57 in.(1.45 m) oars Combine and use as a single, 86 in. (2.18 m) twin blade paddle
- Aluminum pole sectionals
- Sturdy twist-locking section connectors and blades





ACCESSORIES - 103

HEAVY-DUTY REPAIR PATCH 62068 - 62068E

2.5in. x 2.5in. / 6.5cm x 6.5cm

SPECIFICATIONS



FEATURES

- 10 pcs included - 6.55 sq. in. (42.3cm²) stick-on patches



AIR STEP[™] **AIR PUMP** 62007 - 62007E

5in. / 13cm

SPECIFICATIONS



FEATURES

- Stroke volume: 0.3L/cycle - Inflation and deflation ports - Flexible hose - 3 valve adaptors to fit nearly every inflation valve



AIR STEP[™] **AIR PUMP** 62004

11in. x 7.5in. / 28cm x 19cm

SPECIFICATIONS



15.1 Lbs. Shrink wrapped (6.9 kg) with insert card 12 pcs

FEATURES

- Stroke volume: 1.41/cvcle - Easily switches from inflation to deflatio - Flexible hose - 3 valve adaptors to fit nearly every inflation valve - Designed to provide maximum airflow

AIR HAMMER[™] **INFLATION PUMP** 62002 - 62002E

12in. / 30cm

SPECIFICATIONS



FEATURES

- Stroke volume: 0.85L/cycle - Large air chamber for rapid inflation - Inflates on up and down stroke - Flexible hose

AIR HAMMER™ MINI INFLATION PUMP 62008 - 62008E

11in. / 28cm

SPECIFICATIONS



FEATURES

- Stroke volume: 0.45L/cycle - Inflates on up and down stroke

- Heavy duty construction
- Compact size
- 2 assorted colors


11in. x 8.5in. / 28cm x 22cm

62005 - 62005E

PRO-AIR PUMP

SPECIFICATIONS

AIR STEP[™]



19.9 Lbs. Shrink wrapped 12 pcs (9.0 kg) with insert card

FEATURES

- Stroke volume: 1.6L/cycle - Easily switches from inflation to deflation - Flexible hose - 3 valve adaptors to fit nearly every inflation valve

- Designed to provide maximum airflow

AIR STEP[™] AIR PUMP 62023

9in. x 6in. / 23cm x 15cm

SPECIFICATIONS



12 pcs (4.8 kg) with insert card

FEATURES

- Stroke volume: 0.8L/cycle - Easily switches from inflation to deflation

- Flexible hose

- 3 valve adaptors to fit nearly every inflation valve
- Designed to provide maximum airflow

AIR HAMMER[™] **INFLATION PUMP** 62003 - 62003E

14in. / 36cm

SPECIFICATIONS



FEATURES

- Stroke volume: 1.85L/cycle - Large air chamber for rapid inflation Inflates on up and down stroke

- Flexible hose



104 - ACCESSORIES







- 3 valve adaptors to fit nearly every inflation valve - Designed to provide maximum airflow

- 3 valve adaptors to fit nearly every inflation va - Designed to provide maximum airflow

AIR HAMMER[™] **INFLATION PUMP** 62086 - 62086E

14.5in. / 37cm

SPECIFICATIONS



(4.9 ka)

FEATURES

- Stroke volume: 2.8L/cycle
- Inflates/deflates on up and down stroke
- Easily switches from inflation to deflation
- Flexible hose
- 3 valve adaptors to fit nearly every inflation valve - Heavy-duty construction
- AIR HAMMER™ **INFLATION PUMP** 62030 - 62030E

19in. / 48cm

SPECIFICATIONS




FEATURES

- Stroke volume: 3.5L/cycle
- Inflates/deflates on up and down stroke
- Easily switches from inflation to deflation
- Flexible hose - 3 valve adaptors to fit nearly every inflation valve
- Heavy-duty construction





ACCESSORIES - 105



•

٠

4 x1500 mA (Included)

٠

•

•

•

٠

•

٠

٠

ETL

CE /EAC / E-MARK

ETL

CE / GS / EAC

Full color box

Full color box

Full color box

Full color box

12

12

12

12

17.2 Lbs. (7.8 kg)

14.3 Lbs. (6.5 kg)

23.8 Lbs. (10.8 kg)

23.1 Lbs. (10.5 kg)

Intertek

62084 - 62084E

62083

62099 - 62099E

62098

•

٠

٠

•

•

٠

INDEX

	pg 15
93E	pg 16
105E	pg 28
08E	pg 15
09E	pg 14
11E	pg 20
13E	pg 13
15E	pg 12
16E	pg 13
17E	pg 14
19E	pg 21
	pg 22
	pg 26
	pg 19
	pg 27
30E	pg 19
34E	pg 25
135E	pg 23
36E	pg 17
38E	pg 18
155E	pg 16
516E	pg 18

43155 - 431

43156 - 43

SUP

65302 - 65302E	pg 42-43
65303 - 65303E	pg 44-45
65304 - 65304E	pg 48-49
65305 - 65305E	pg 50-51
65306 - 65306E	pg 52-53

RAFTS & BOATS

61064 -61064E	pg 70-71
61066 - 61066E	pg 70-71
61068	pg 70-71
61083	pg 70-71
65001 - 65001E	pg 74-75
65008 - 65008E	pg 76-77
65044 - 65044E	pg 82-83
65046 - 65046E	pg 84-85
65047 - 65047E	pg 86-87
65049 - 65049E	pg 88-89
65051 - 65051E	pg 72-73
65052	pg 68-69
65062 -65062E	pg 90-91
65077 - 65077E	pg 66-67

REALTREE®

92100E	pg 98
92101E	pg 99
92102E	pg 100
92103E	pg 95
92104E	pg 95
92105E	pg 96
92106E	pg 97
92107E	pg 94

ACCESSORIES

62002 - 62002E	pg 105
62003 - 62003E	pg 105
62004	pg 104
62005 - 62005E	pg 104
62007 - 62007E	pg 104
62008 - 62008E	pg 104
62015 - 62015E	pg 103
62023	pg 104
62030 - 62030E	pg 105
62038 - 62038E	pg 106
62055 - 62055E	pg 106
62056	pg 106
62064 - 62064E	pg 103
62068 - 62068E	pg 104
62069 - 62069E	pg 102
62076	pg 106
62077 - 62077E	pg 106
62083	pg 106
62084 - 62084E	pg 106
62086 - 62086E	pg 105
62097 - 62097E	pg 106
62098	pg 106
62099 - 62099E	pg 106
62100 - 62100E	pg 55
65307 - 65307E	pg 55