

ABOVE GROUND POOLS

2019

SHANGHAI

Bestway Inflatables & Material Corp.
No.3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestwaycorp.hk

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestwaycorp.eu

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: info@bestwaycorp.us

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
Fax: 562 3203 6409
E-mail: info@bestwaycorp.lat

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestwaycorp.com.au

BRAZIL

Bestway Brazil
Rua São João, 1648 Maringá - PR - Brazil
Zip Code: 87030-201
Tel: 55 44 3046 2950
0800 001 8400
E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France Sarl
Espace Berlioz, 100 rue Albert Caquot
06410 Biot France
Tel: 33 4 97 04 92 99
Fax: 33 4 97 04 91 07
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
Fax: 49 4321 555 05 - 55
E-mail: info@bestwaycorp.de



www.bestwaycorp.com

©2018 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

Bestway

ABOVE GROUND POOLS

Bestway



ABOVE GROUND POOLS

2019

Bestway



2019 CATALOG COLLECTION

ABOVE GROUND POOLS



AIRBEDS




LICENSE



PAVILLO



SPA



SUMMER



WATER SPORTS




AN IMPORTANT MESSAGE FOR BESTWAY CUSTOMERS:



We are pleased to inform you that Bestway successfully listed on the Hong Kong Stock Exchange (3358.HK) on November 16, 2017. This is an important milestone for our business, but more importantly, a crucial step for the continual growth and support of our customers.

We would like to sincerely thank you for 24 years of business, and our entire family is looking forward to the next era of Bestway.




OUR VISION

We create fun, lasting experiences to everyone in the world through the products and services we provide.

OUR MISSION

Happiness — Happy Consumers, Happy Employees, Happy World



Vertically Integrated



Sustainable



Customer Focused



Consumer Driven



Innovative



Fully Owned Production Facilities



AWAY

ABOVE GROUND POOLS

The forecast calls for a hot summer, so cool off with a splash in a Bestway Above Ground Pool. With a Bestway pool, you can completely chill out and relax knowing you have a quality pool to dip your toes in for many summer months to come.

With a Bestway pool, you can completely chill out and relax knowing you have a



CONTENTS

1 FAST SET™ POOLS pg 09



2 STEEL PRO™ POOLS pg 15



Rectangular pg 17

3 STEEL PRO MAX™ POOLS pg 19



Round pg 21

4 POWER STEEL™ POOLS pg 27



Round pg 29
 Square pg 33
 Rectangular pg 35
 Oval pg 41

5 POWER STEEL™ SWIM VISTA SERIES™ POOLS pg 43



Round pg 45
 Oval pg 47

6 FLOWCLEAR™ ACCESSORIES pg 53

- Filtration pg 59
- Pool Covers/Ground Cloths pg 69
- Maintenance Equipment pg 73
- Environment pg 89



For Your Local Contact, Please Visit WWW.BESTWAYCORP.COM


Provide your customers with the quality products and advanced customer service support they deserve. Bestway's online services and call centers allow customers to easily resolve any issues that may arise with their Bestway products. Our website, www.bestwaycorp.com, is a great source of information, offering downloadable manuals, instructional videos, FAQ's and the ability to order spare parts. Regional call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.



BESTWAY® ABOVE GROUND POOL INNOVATIONS

Taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.

- 1 Steel frame design with ADVANCE SEAL & LOCK SYSTEM™**
Debuted on Round pools. We've expanded this to now include: Rectangular and Oval designs
For: STEEL PRO MAX™, POWER STEEL™ and POWER STEEL™ SWIM VISTA SERIES™



- 2 Standardizing ANTI-MICROBIAL cartridges**
Moving forward, all POWER STEEL™ and POWER STEEL™ SWIM VISTA SERIES™ pools will come with our innovate and laboratory-tested ANTI-MICROBIAL filter cartridges. These devices are constructed with special material to fight against bacteria growth and prevent algae buildup. Pools are kept cleaner for everyone to enjoy.

- 3 A hands-free solution for chlorine cleaning**
We've introduced the CHEMCONNECT™ chlorine dispenser. This device works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



- 4 New year. New view**
SWIM VISTA™ built-in pool windows bring function and fun to POWER STEEL™ SWIM VISTA SERIES™ pools. Peek inside of the pool or dive down for an underwater photo. These windows are immediate conversation starters and enjoyable for all.

And they're built to last. Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - as will the fun!



FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set™ Pool!

Planogram
Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.




FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time!
No tools required for a Bestway® Fast Set™ Pool!



TRITECH™ MATERIAL



SELF-SUPPORTING INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



NEW DESIGN Water Capacity (80%): 298 gal. (1,126 L)
6FT. 6IN. x 20IN. / 1.98M x 51CM

ITEM #	TYPE	PACK	LB. (KG)
57252E	US	3	26.3 (12.0)
57252	EUROPE	3	26.3 (12.0)

NEW DESIGN Water Capacity (80%): 555 gal. (2,100 L)
8FT. x 26IN. / 2.44M x 66CM

ITEM #	TYPE	PACK	LB. (KG)
57305E	US	1	12.8 (5.8)
57305	NORTH AMERICA	1	12.8 (5.8)
57305	OCEANIA	1	12.8 (5.8)
57265	EUROPE	1	12.7 (5.8)
57267E	US	1	19.1 (8.6)
57267	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	18.8 (8.5)
57267	OCEANIA	1	17.6 (8.0)
57268	EUROPE	1	16.7 (7.6)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

NEW DESIGN Water Capacity (80%): 1,004 gal. (3,800 L)
10FT. x 30IN. / 3.05M x 76CM

ITEM #	TYPE	PACK	LB. (KG)
57307E	US	1	18.4 (8.4)
57307	NORTH AMERICA	1	18.4 (8.4)
57307	OCEANIA	1	18.4 (8.4)
57266	EUROPE	1	18.3 (8.3)
57269E	US	1	24.5 (11.1)
57269	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	24.2 (11.0)
57269	OCEANIA	1	23.0 (10.4)
57270	EUROPE	1	22.1 (10.0)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

NEW DESIGN Water Capacity (80%): 1,421 gal. (5,377 L)
12FT. x 30IN. / 3.66M x 76CM

ITEM #	TYPE	PACK	LB. (KG)
57308E	US	1	28.0 (12.7)
57308	NORTH AMERICA	1	28.0 (12.7)
57308	OCEANIA	1	28.0 (12.7)
57273	EUROPE	1	27.9 (12.7)
57275E	US	1	34.0 (15.4)
57275	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	33.8 (15.3)
57275	OCEANIA	1	32.5 (14.7)
57274	EUROPE	1	31.6 (14.3)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I



US PACKAGING
Full Color Box




GLOBAL PACKAGING
Full Color Box

FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time!
No tools required for a Bestway® Fast Set™ Pool!



TRITECH™ MATERIAL



SELF-SUPPORTING INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE



NEW DESIGN Water Capacity (80%): 1,939 gal. (7,340 L)
13FT. x 33IN. / 3.96M x 84CM

ITEM #	TYPE	PACK	LB. (KG)
57323E	US	1	40.3 (18.3)
57323	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	40.3 (18.3)
57323	OCEANIA	1	38.7 (17.6)
57321	EUROPE	1	38.5 (17.5)
57321	ASIA, AFRICA & LATIN AMERICA	1	37.8 (17.1)



FILTER PUMP



VOLTAGE



CARTRIDGE

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II



US PACKAGING
Sturdy Cardboard Box with Pictures

NEW DESIGN Water Capacity (80%): 2,556 gal. (9,677 L)
15FT. x 33IN. / 4.57M x 84CM

ITEM #	TYPE	PACK	LB. (KG)
57315E	US	1	53.0 (24.0)
57315	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	51.5 (23.4)
57315	OCEANIA	1	51.5 (23.4)
57313	EUROPE	1	51.3 (23.3)
57313	ASIA, AFRICA & LATIN AMERICA	1	50.1 (22.7)



FILTER PUMP



VOLTAGE



CARTRIDGE

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

NEW DESIGN Water Capacity (80%): 3,266 gal. (12,362 L)
15FT. x 42IN. / 4.57M x 1.07M

ITEM #	TYPE	PACK	LB. (KG)
57286E	US	1	85.8 (38.9)
57286	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	84.5 (38.3)
57286	OCEANIA	1	84.5 (38.3)
57294	EUROPE	1	85.9 (39.0)
57294	ASIA, AFRICA & LATIN AMERICA	1	83.6 (37.9)



FILTER PUMP



VOLTAGE



CARTRIDGE



GROUND CLOTH



COVER



LADDER

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D	58003	58035	58335
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58003	58035	58335
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58003	58035	58335
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58003	58035	58330
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58003	58035	58335



STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro™ Pool.

Planogram
Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.



STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro® Pool.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



NEW DESIGN Water Capacity (90%): 317 gal. (1,200 L)
7FT. 3IN. X 59IN. X 17IN. / 2.21M X 1.50M X 43CM

ITEM #	TYPE	PACK	LB. (KG)
56545E	US	1	23.9 (10.8)
56545	NORTH AMERICA	1	23.9 (10.8)
56545	OCEANIA	1	23.9 (10.8)
56401	EUROPE	1	23.7 (10.8)

NEW DESIGN Water Capacity (90%): 608 gal. (2,300 L)
8FT. 6IN. X 67IN. X 24IN. / 2.59M X 1.70M X 61CM

ITEM #	TYPE	PACK	LB. (KG)
56496E	US	1	33.8 (15.3)
56496	NORTH AMERICA	1	33.8 (15.3)
56496	OCEANIA	1	33.8 (15.3)
56403	EUROPE	1	33.7 (15.3)

NEW DESIGN Water Capacity (90%): 872 gal. (3,300 L)
9FT. 10IN. X 6FT. 7IN. X 26IN. / 3.00M X 2.01M X 66CM

ITEM #	TYPE	PACK	LB. (KG)
56498E	US	1	42.2 (19.1)
56498	NORTH AMERICA	1	42.2 (19.1)
56498	OCEANIA	1	42.2 (19.1)
56404	EUROPE	1	42.1 (19.1)
56412E	US	1	47.7 (21.6)
56412	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	46.3 (21.0)
56412	OCEANIA	1	46.3 (21.0)
56411	EUROPE	1	46.3 (21.0)
56411	ASIA, AFRICA & LATIN AMERICA	1	45.6 (20.7)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

NEW DESIGN Water Capacity (90%): 1,506 gal. (5,700 L)
13FT. 1IN. X 6FT. 11IN. X 32IN. / 4.00M X 2.11M X 81CM

ITEM #	TYPE	PACK	LB. (KG)
56512E	US	1	72.4 (32.8)
56512	NORTH AMERICA	1	72.4 (32.8)
56512	OCEANIA	1	72.4 (32.8)
56405	EUROPE	1	72.3 (32.8)
56425E	US	1	77.5 (35.1)
56425	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	76.2 (34.6)
56425	OCEANIA	1	76.2 (34.6)
56424	EUROPE	1	76.2 (34.5)
56424	ASIA, AFRICA & LATIN AMERICA	1	75.4 (34.2)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I



US PACKAGING Full Color Box



GLOBAL PACKAGING Full Color Box

STEEL PRO MAX

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



Planogram
Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.



STEEL PRO™ MAX

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT
STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-Ply PVC WALL
SUPPORT BAND



MOSAIC PRINT



Water Capacity (90%): 1,236 gal. (4,678 L)
10FT. X 30IN. / 3.05M X 76CM

ITEM #	TYPE	PACK	LB. (KG)
56493E	US	1	42.2 (19.1)
56493	NORTH AMERICA	1	42.2 (19.1)
56493	OCEANIA	1	42.2 (19.1)
56406	EUROPE	1	42.2 (19.1)
56407E	US	1	47.8 (21.7)
56407	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	46.5 (21.1)
56407	OCEANIA	1	46.5 (21.1)
56408	EUROPE	1	45.3 (20.6)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I



US PACKAGING
Full Color Box

Water Capacity (90%): 1,710 gal. (6,473 L)
12FT. X 30IN. / 3.66M X 76CM

ITEM #	TYPE	PACK	LB. (KG)
56417E	US	1	58.4 (26.5)
56417	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	56.7 (25.7)
56417	OCEANIA	1	56.7 (25.7)
56416	EUROPE	1	56.2 (25.5)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I



GLOBAL PACKAGING
Full Color Box

STEEL PRO™ MAX

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



Water Capacity (90%): 2,417 gal. (9,150 L)
12FT. x 39.5IN. / 3.66M x 1.00M

ITEM #	TYPE	PACK	LB. (KG)
56419	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	66.5 (30.2)
56419	OCEANIA	1	66.5 (30.2)
56418	EUROPE	1	85.3 (38.7)
56418	ASIA, AFRICA & LATIN AMERICA	1	84.2 (38.2)
56260	ASIA, AFRICA & LATIN AMERICA	1	66.0 (29.9)



FILTER PUMP

58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II



VOLTAGE



CARTRIDGE



GROUND CLOTH



COVER



LADDER

Water Capacity (90%): 2,708 gal. (10,250 L)
12FT. x 48IN. / 3.66M x 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56421	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	108.6 (49.3)
56421	OCEANIA	1	108.6 (49.3)
56420	EUROPE	1	110.3 (50.1)
56420	ASIA, AFRICA & LATIN AMERICA	1	108.0 (49.0)



FILTER PUMP

58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II



VOLTAGE



CARTRIDGE



GROUND CLOTH



COVER



LADDER

Water Capacity (90%): 2,700 gal. (10,220 L)
14FT. x 33IN. / 4.27M x 84CM

ITEM #	TYPE	PACK	LB. (KG)
56597E	US	1	82.9 (37.6)
56597	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	81.0 (36.7)
56597	OCEANIA	1	81.0 (36.7)
56595	EUROPE	1	81.0 (36.7)
56595	ASIA, AFRICA & LATIN AMERICA	1	81.0 (36.7)



FILTER PUMP

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II



VOLTAGE



CARTRIDGE



GROUND CLOTH



COVER



LADDER



US PACKAGING
Full Color Box



GLOBAL PACKAGING
Full Color Box



STEEL PRO™ MAX

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ is an unbelievably amazing pool that is long-lasting!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



Water Capacity (90%): 3,955 gal. (14,970 L)
15FT. X 42IN. / 4.57M X 1.07M

ITEM #	TYPE	PACK	LB. (KG)
56687E	US	1	130.8 (59.4)
56686	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	128.3 (58.2)
56686	OCEANIA	1	128.3 (58.2)
56488	EUROPE	1	129.5 (58.8)
56488	ASIA, AFRICA & LATIN AMERICA	1	127.8 (58.0)



FILTER PUMP

58388 (1,000 gal. /3,785 L)	110-120V
58387 (800 gal. /3,028 L)	110-120V
58386 (800 gal. /3,028 L)	220-240V
58386 (800 gal. /3,028 L)	220-240V
58386 (800 gal. /3,028 L)	220-240V



VOLTAGE



CARTRIDGE

58012, TYPE: III - A/C
58012, TYPE: III - A/C
58094, TYPE: II
58094, TYPE: II
58094, TYPE: II



GROUND CLOTH



COVER



LADDER

58003	58038	58335
58003	58038	58335
58003	58038	58335
58003	58038	58330
58003	58038	58335

Water Capacity (90%): 4,231 gal. (16,015 L)
15FT. X 48IN. / 4.57M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56690E	US	1	147.1 (66.7)
56439	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	144.5 (65.6)
56439	OCEANIA	1	144.5 (65.6)
56438	EUROPE	1	145.1 (65.8)
56438	ASIA, AFRICA & LATIN AMERICA	1	144.0 (65.3)



FILTER PUMP

58388 (1,000 gal. /3,785 L)	110-120V
58387 (800 gal. /3,028 L)	110-120V
58386 (800 gal. /3,028 L)	220-240V
58386 (800 gal. /3,028 L)	220-240V
58386 (800 gal. /3,028 L)	220-240V



VOLTAGE



CARTRIDGE

58012, TYPE: III - A/C
58012, TYPE: III - A/C
58094, TYPE: II
58094, TYPE: II
58094, TYPE: II



GROUND CLOTH



COVER



LADDER

58003	58038	58336
58003	58038	58336
58003	58038	58336
58003	58038	58331
58003	58038	58336

Water Capacity (90%): 6,092 gal. (23,062 L)
18FT. X 48IN. / 5.49M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56463E	US	1	186.4 (84.5)
56463	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	184.9 (83.9)
56463	OCEANIA	1	184.9 (83.9)
56462	EUROPE	1	189.6 (86.0)
56462	ASIA, AFRICA & LATIN AMERICA	1	185.6 (84.2)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V
58390 (1,500 gal. /5,678 L)	110-120V
58389 (1,500 gal. /5,678 L)	220-240V
58389 (1,500 gal. /5,678 L)	220-240V
58389 (1,500 gal. /5,678 L)	220-240V



VOLTAGE



CARTRIDGE

58012, TYPE: III - A/C
58012, TYPE: III - A/C
58012, TYPE: III - A/C
58012, TYPE: III - A/C
58012, TYPE: III - A/C



GROUND CLOTH



COVER



LADDER

58031	58039	58336
58031	58039	58336
58031	58039	58336
58031	58039	58331
58031	58039	58336



US PACKAGING
Sturdy Cardboard Box with Pictures




GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel™ Pool the smart choice for families.

UPGRADED
FILTER CARTRIDGE
INCLUDED!



Planogram
Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.



POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel™ Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



SUPERIOR
STEEL FRAME DESIGN
WITH ADVANCED SEAL & LOCK SYSTEM
ENGINEERED FOR MAXIMUM STRENGTH & DURABILITY



Water Capacity (90%): 3,440 gal. (13,030 L)
14FT. X 42IN. / 4.27M X 1.07M

ITEM #	TYPE	PACK	LB. (KG)
5663E	US	1	126.6 (57.4)
56643	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	123.6 (56.1)
56643	OCEANIA	1	123.6 (56.1)
56641	EUROPE	1	125.0 (56.7)
56641	ASIA, AFRICA & LATIN AMERICA	1	123.7 (56.1)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58386 (1,000 gal. /3,785 L)	110-120V	58476, TYPE: III- A/C	58003	58248	58335	58501
58387 (800 gal. /3,028 L)	110-120V	58476, TYPE: III- A/C	58003	58248	58335	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58335	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58330	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58335	58501

Water Capacity (90%): 4,024 gal. (15,232 L)
14FT. X 48IN. / 4.27M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56445E	US	1	143.7 (65.2)
56443	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	139.6 (63.3)
56443	OCEANIA	1	139.6 (63.3)
56444	EUROPE	1	141.7 (64.3)
56444	ASIA, AFRICA & LATIN AMERICA	1	138.8 (63.0)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58388 (1,000 gal. /3,785 L)	110-120V	58476, TYPE: III- A/C	58003	58248	58336	58501
58387 (800 gal. /3,028 L)	110-120V	58476, TYPE: III- A/C	58003	58248	58336	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58336	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58331	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58003	58248	58336	58501

Water Capacity (90%): 5,145 gal. (19,480 L)
16FT. X 48IN. / 4.88M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56491E	US	1	188.6 (85.5)
56453	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	187.0 (84.8)
56453	OCEANIA	1	187.0 (84.8)
56451	EUROPE	1	190.0 (86.2)
56451	ASIA, AFRICA & LATIN AMERICA	1	187.5 (85.0)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III- A/C	58251	58249	58336	58501
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III- A/C	58251	58249	58336	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III- A/C	58251	58249	58336	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III- A/C	58251	58249	58331	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III- A/C	58251	58249	58336	58501



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel® Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets

Water Capacity (90%): 6,869 gal. (26,000 L)

18FT. x 52IN. / 5.49M x 1.32M

ITEM #	TYPE	PACK	LB. (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	MAINTENANCE KIT	CHEMCONNECT™ DISPENSER
56399E	US	1	237.0 (107.5)	58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58031	58039	58337	58098	58501
56459	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	234.4 (106.3)	58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58031	58039	58337		58501
56459	OCEANIA	1	234.4 (106.3)	58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58031	58039	58337		58501
56427	EUROPE	1	237.9 (107.9)	58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58031	58039	58332		58501
56427	ASIA, AFRICA & LATIN AMERICA	1	234.9 (106.6)	58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58031	58039	58337		58501

Water Capacity (90%): 8,060 gal. (30,512 L)

20FT. x 48IN. / 6.10M x 1.22M

ITEM #	TYPE	PACK	LB. (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	MAINTENANCE KIT	CHEMCONNECT™ DISPENSER
56388E	US	1	258.3 (117.2)	58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58408	58356	58336	58098	58501
56674	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	254.7 (115.5)	58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58408	58356	58336		58501
56674	OCEANIA	1	254.7 (115.5)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58408	58356	58336		58501
56675	EUROPE	1	261.0 (118.4)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58408	58356	58331		58501
56675	ASIA, AFRICA & LATIN AMERICA	1	255.6 (115.9)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58408	58356	58336		58501

Water Capacity (90%): 10,668 gal. (40,377 L)

22FT. x 52IN. / 6.71M x 1.32M

ITEM #	TYPE	PACK	LB. (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	MAINTENANCE KIT	CHEMCONNECT™ DISPENSER
56392E	US	1	304.3 (138.0)	58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58373	58357	58337	58098	58501
56704	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	301.9 (136.9)	58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58373	58357	58337		58501
56704	OCEANIA	1	301.9 (136.9)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58373	58357	58337		58501
56705	EUROPE	1	306.5 (139.0)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58373	58357	58332		58501
56705	ASIA, AFRICA & LATIN AMERICA	1	302.8 (137.3)	58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58373	58357	58337		58501



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures



POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel® Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



NEW GENERATION Water Capacity (90%): 6,349 gal. (24,031 L)
16FT. x 16FT. x 48IN. / 4.88m x 4.88m x 1.22m

ITEM #	TYPE	CASEPACK	LB. (KG)
56628E	US	1 Ea., 2 boxes	304.7 (138.2)
56628	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	304.7 (138.2)
56628	OCEANIA	1 Ea., 2 boxes	304.7 (138.2)
56626	EUROPE	1 Ea., 2 boxes	308.1 (139.7)
56626	ASIA, AFRICA & LATIN AMERICA	1 Ea., 2 boxes	304.9 (138.3)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE

58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C



GROUND CLOTH

58031
58031
58031
58031
58031



COVER

58457
58457
58457
58457
58457



LADDER

58336
58336
58336
58331
58336



CHEMCONNECT™ DISPENSER

58501
58501
58501
58501
58501



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel™ Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



NEW GENERATION Water Capacity (90%): 967 gal. (3,662 L)
9FT. 3IN. x 6FT. 5IN. x 33IN. / 2.82M x 1.96M x 84CM

ITEM #	TYPE	PACK	LB. (KG)
56631E	US	1	89.5 (40.6)
56631	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	88.0 (39.9)
56631	OCEANIA	1	88.0 (39.9)
56629	EUROPE	1	87.5 (39.7)
56629	ASIA, AFRICA & LATIN AMERICA	1	87.0 (39.4)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58511 (330 gal. /1,249 L)	110-120V	58510, TYPE: I				58501
58511 (330 gal. /1,249 L)	110-120V	58510, TYPE: I				58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I				58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I				58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I				58501



US PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION Water Capacity (90%): 1,711 gal. (6,478 L)
13FT. 3IN. x 6FT. 7IN. x 39.5IN. / 4.04M x 2.01M x 1.00M

ITEM #	TYPE	PACK	LB. (KG)
56426E	US	1	117.8 (53.4)
56426	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	116.0 (52.6)
56426	OCEANIA	1	116.0 (52.6)
56441	EUROPE	1	135.2 (61.3)
56441	ASIA, AFRICA & LATIN AMERICA	1	133.2 (60.4)
56251	ASIA, AFRICA & LATIN AMERICA	1	115.3 (52.3)
56660	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	147.4 (66.9)
56660	OCEANIA	1	147.4 (66.9)
56442	EUROPE	1	149.9 (68.0)
56442	ASIA, AFRICA & LATIN AMERICA	1	147.6 (66.9)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58385 (530 gal. /2,006 L)	110-120V	58504, TYPE: VII - D				58501
58384 (530 gal. /2,006 L)	110-120V	58476, TYPE: III - A/C				58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II				58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II			58330	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II			58335	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II				58501
58516 (530 gal. /2,006 L)	110-120V	SAND FILTER			58335	58501
58515 (530 gal. /2,006 L)	220-240V	SAND FILTER			58335	58501
58515 (530 gal. /2,006 L)	220-240V	SAND FILTER			58330	58501
58515 (530 gal. /2,006 L)	220-240V	SAND FILTER			58335	58501



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures



POWER STEEL™


The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel® Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



NEW GENERATION Water Capacity (90%): 3,046 gal. (11,532 L)
16FT. X 8FT. X 48IN. / 4.88M X 2.44M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56672	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	211.0 (95.7)
56672	OCEANIA	1	211.0 (95.7)
56670	EUROPE	1	213.2 (96.7)
56670	ASIA, AFRICA & LATIN AMERICA	1	210.2 (95.3)
56673	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	228.0 (103.4)
56673	OCEANIA	1	228.0 (103.4)
56671	EUROPE	1	235.7 (106.9)
56671	ASIA, AFRICA & LATIN AMERICA	1	228.4 (103.6)



FILTER PUMP

58387 (800 gal. / 3,028 L)	110-120V	58476, TYPE: III - A/C
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58496 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



VOLTAGE



CARTRIDGE

58387 (800 gal. / 3,028 L)	110-120V	58476, TYPE: III - A/C
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II
58496 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

58473	58472	58336	58501
58473	58472	58336	58501
58473	58472	58331	58501
58473	58472	58336	58501
58473	58472	58336	58501
58473	58472	58336	58501
58473	58472	58331	58501
58473	58472	58336	58501



US PACKAGING
Sturdy Cardboard Box with Pictures

NEW GENERATION Water Capacity (90%): 3,913 gal. (14,812 L)
18FT. X 9FT. X 48IN. / 5.49M X 2.74M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56536E	US	1	234.6 (106.4)
56467	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	233.1 (105.7)
56467	OCEANIA	1	233.1 (105.7)
56465	EUROPE	1	239.5 (108.7)
56465	ASIA, AFRICA & LATIN AMERICA	1	233.0 (105.7)
56468	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	245.5 (111.4)
56468	OCEANIA	1	245.5 (111.4)
56466	EUROPE	1	253.9 (115.2)
56466	ASIA, AFRICA & LATIN AMERICA	1	246.6 (111.8)



FILTER PUMP

58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58496 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



VOLTAGE



CARTRIDGE

58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58496 (1,000 gal. / 3,785 L)	110-120V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER
58495 (1,000 gal. / 3,785 L)	220-240V	SAND FILTER



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

58139	58378	58336	58501
58139	58378	58336	58501
58139	58378	58336	58501
58139	58378	58331	58501
58139	58378	58336	58501
58139	58378	58336	58501
58139	58378	58331	58501
58139	58378	58336	58501



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel® Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



NEW GENERATION Water Capacity (90%): 7,092 gal. (26,845 L)
22FT. x 12FT. x 52IN. / 6.71m x 3.66m x 1.32m

ITEM #	TYPE	CASEPACK	LB. (KG)
56473E	US	1Ea., 2 boxes	337.1 (152.9)
56473	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	336.1 (152.5)
56473	OCEANIA	1Ea., 2 boxes	336.1 (152.5)
56470	EUROPE	1Ea., 2 boxes	338.9 (153.7)
56470	ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	336.3 (152.6)
56662	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	351.9 (159.6)
56662	OCEANIA	1Ea., 2 boxes	351.9 (159.6)
56471	EUROPE	1Ea., 2 boxes	356.4 (161.7)
56471	ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	353.4 (160.3)



FILTER PUMP



VOLTAGE



CARTRIDGE

FILTER PUMP	VOLTAGE	CARTRIDGE
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C
58498 (1,500 gal. / 5,678 L)	110-120V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58238	58379	58337	58501
58238	58379	58337	58501
58238	58379	58337	58501
58238	58379	58332	58501
58238	58379	58337	58501
58238	58379	58337	58501
58238	58379	58337	58501
58238	58379	58332	58501
58238	58379	58337	58501



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures



NEW GENERATION Water Capacity (90%): 7,937 gal. (30,045 L)
24FT. x 12FT. x 52IN. / 7.32m x 3.66m x 1.32m

ITEM #	TYPE	CASEPACK	LB. (KG)
56542E	US	1Ea., 2 boxes	377.7 (171.3)
56476	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	376.9 (170.9)
56476	OCEANIA	1Ea., 2 boxes	376.9 (170.9)
56474	EUROPE	1Ea., 2 boxes	382.7 (173.6)
56474	ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	377.5 (171.2)
56477	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	378.1 (171.5)
56477	OCEANIA	1Ea., 2 boxes	378.1 (171.5)
56475	EUROPE	1Ea., 2 boxes	382.7 (173.6)
56475	ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	379.7 (172.2)



FILTER PUMP



VOLTAGE



CARTRIDGE

FILTER PUMP	VOLTAGE	CARTRIDGE
58392 (2,500 gal. / 9,463 L)	110-120V	58505, TYPE: IV - B
58392 (2,500 gal. / 9,463 L)	110-120V	58505, TYPE: IV - B
58391 (2,500 gal. / 9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. / 9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. / 9,463 L)	220-240V	58505, TYPE: IV - B
58498 (1,500 gal. / 5,678 L)	110-120V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER
58497 (1,500 gal. / 5,678 L)	220-240V	SAND FILTER



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58238	58380	58337	58501
58238	58380	58337	58501
58238	58380	58337	58501
58238	58380	58332	58501
58238	58380	58337	58501
58238	58380	58337	58501
58238	58380	58337	58501
58238	58380	58332	58501
58238	58380	58337	58501

NEW GENERATION Water Capacity (90%): 13,798 gal. (52,231 L)
31FT. 4IN. x 16FT. x 52IN. / 9.56m x 4.88m x 1.32m

ITEM #	TYPE	CASEPACK	LB. (KG)
56625	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	503.5 (228.4)
56625	OCEANIA	1Ea., 2 boxes	503.5 (228.4)
56623	EUROPE	1Ea., 2 boxes	508.1 (230.5)
56623	ASIA, AFRICA & LATIN AMERICA	1Ea., 2 boxes	505.9 (229.5)



FILTER PUMP



VOLTAGE




CARTRIDGE

FILTER PUMP	VOLTAGE	CARTRIDGE
58500 (2,000 gal. / 7,571 L)	110-120V	SAND FILTER
58499 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER
58499 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER
58499 (2,000 gal. / 7,571 L)	220-240V	SAND FILTER



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58306	58305	58337	58501
58306	58305	58337	58501
58306	58305	58332	58501
58306	58305	58337	58501

POWER STEEL™


The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway® Power Steel® Pool the smart choice for families.



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



T-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



NEW GENERATION Water Capacity (90%): 969 gal. (3,668 L)
9FT. 10IN. x 6FT. 7IN. x 33IN. / 3.00M x 2.00M x 84CM

ITEM #	TYPE	PACK	LB. (KG)
56617	EUROPE	1	72.1 (32.7)
56617	ASIA, AFRICA & LATIN AMERICA	1	72.1 (32.7)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58381 (330 gal. / 1,249 L)	220-240V	58510, TYPE: I				58501
58381 (330 gal. / 1,249 L)	220-240V	58510, TYPE: I				58501

NEW GENERATION Water Capacity (90%): 1,915 gal. (7,250 L)
14FT. x 8FT. 2IN. x 39.5IN. / 4.27M x 2.50M x 1.00M

ITEM #	TYPE	PACK	LB. (KG)
56622E	US	1	122.2 (55.4)
56622	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	120.2 (54.5)
56622	OCEANIA	1	120.2 (54.5)
56620	EUROPE	1	121.5 (55.1)
56620	ASIA, AFRICA & LATIN AMERICA	1	119.8 (54.4)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58385 (530 gal. / 2,006 L)	110-120V	58504, TYPE: VII - D			58335	58501
58384 (530 gal. / 2,006 L)	110-120V	58476, TYPE: III - A/C			58335	58501
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II			58335	58501
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II			58330	58501
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II			58335	58501

NEW GENERATION Water Capacity (90%): 2,893 gal. (10,949 L)
16FT. x 10FT. x 42IN. / 4.88M x 3.05M x 1.07M

ITEM #	TYPE	PACK	LB. (KG)
56655E	US	1	150.4 (68.2)
56450	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	149.4 (67.8)
56450	OCEANIA	1	149.4 (67.8)
56448	EUROPE	1	151.3 (68.6)
56448	ASIA, AFRICA & LATIN AMERICA	1	148.6 (67.4)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58388 (1,000 gal. / 3,785 L)	110-120V	58476, TYPE: III - A/C	58263	58290	58335	58501
58387 (800 gal. / 3,028 L)	110-120V	58476, TYPE: III - A/C	58263	58290	58335	58501
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II	58263	58290	58335	58501
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II	58263	58290	58330	58501
58386 (800 gal. / 3,028 L)	220-240V	58503, TYPE: II	58263	58290	58335	58501

NEW Water Capacity (90%): 3,548 gal. (13,430 L)
18FT. x 9FT. x 48IN. / 5.49M x 2.74M x 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56711E	US	1	193.9 (88.0)
56711	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	192.8 (87.5)
56711	OCEANIA	1	192.8 (87.5)
56710	EUROPE	1	197.0 (89.3)
56710	ASIA, AFRICA & LATIN AMERICA	1	193.0 (87.6)

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C	58266	58485	58336	58501
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III - A/C	58266	58485	58336	58501
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58336	58501
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58331	58501
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58336	58501



US PACKAGING
Sturdy Cardboard Box with Pictures




GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

POWER STEEL™

SWIM VISTA SERIES™

With the durability and technology of our Power Steel™ Pool range, we've created a new model of pools for a more natural and luxurious look and are excited to present the Power Steel™ Swim Vista Series™!


Planogram
Store Display



6 ft. (1.82 m) Height

Actual in-store displays may vary.

UPGRADED
FILTER CARTRIDGE
INCLUDED!



SWIM VISTA™
SEE-THROUGH
WATER-TIGHT WINDOWS!



POWER STEEL™

SWIM VISTA SERIES™

With the durability and technology of our Power Steel® Pool range, we've created a new model of pools for a more natural and luxurious look and are excited to present the Power Steel® Swim Vista Series™!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME




NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



REALISTIC TILE PRINT AT POOL BOTTOM



RATTAN-LOOK



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



SWIM VISTA™
SEE-THROUGH
WATER-TIGHT WINDOWS!

NEW

Water Capacity (90%): 5,145 gal. (19,480 L)
16FT. x 48IN. / 4.88M x 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56726E	US	1	194.6 (88.3)
56726	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	194.6 (88.3)
56726	OCEANIA	1	194.6 (88.3)
56725	EUROPE	1	199.3 (90.4)
56725	ASIA, AFRICA & LATIN AMERICA	1	193.3 (87.7)



FILTER PUMP

58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III- A/C
58390 (1,500 gal. / 5,678 L)	110-120V	58476, TYPE: III- A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III- A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III- A/C
58389 (1,500 gal. / 5,678 L)	220-240V	58476, TYPE: III- A/C



VOLTAGE



CARTRIDGE



GROUND CLOTH



COVER



LADDER



CHEMCONNECT™ DISPENSER

58251	58249	58336	58501
58251	58249	58336	58501
58251	58249	58336	58501
58251	58249	58331	58501
58251	58249	58336	58501

★ 4 x swim vista™ windows



US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures



POWER STEEL™

SWIM VISTA SERIES™

With the durability and technology of our Power Steel® Pool range, we've created a new model of pools for a more natural and luxurious look and are excited to present the Power Steel® Swim Vista Series™!



TRITECH™ MATERIAL



DRAIN VALVE




CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



T-CONNECTOR



REALISTIC TILE PRINT AT POOL BOTTOM



RATTAN-LOOK



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets



SWIM VISTA™
SEE-THROUGH
WATER-TIGHT WINDOWS!



NEW Water Capacity (90%): 1,915 gal. (7,250 L)
14FT. X 8FT. 2IN. X 39.5IN. / 4.27M X 2.50M X 1.00M

ITEM #	TYPE	PACK	LB. (KG)
56715E	US	1	131.3 (59.5)
56715	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	129.7 (58.8)
56715	OCEANIA	1	129.7 (58.8)
56714	EUROPE	1	131.4 (59.6)
56714	ASIA, AFRICA & LATIN AMERICA	1	129.0 (58.5)

★ 2 x swim vista™ windows

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58385 (530 gal./2,006 L)	110-120V	58504, TYPE: VII - D	58494	58425	58335	58501
58384 (530 gal./2,006 L)	110-120V	58476, TYPE: III - A/C	58494	58425	58335	58501
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II	58494	58425	58335	58501
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II	58494	58425	58330	58501
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II	58494	58425	58335	58501

NEW Water Capacity (90%): 3,548 gal. (13,430 L)
18FT. X 9FT. X 48IN. / 5.49M X 2.74M X 1.22M

ITEM #	TYPE	PACK	LB. (KG)
56717E	US	1	204.1 (92.6)
56717	N. AMERICA / ASIA, AFRICA & LATIN AMERICA	1	203.1 (92.1)
56717	OCEANIA	1	203.1 (92.1)
56716	EUROPE	1	209.7 (95.1)
56716	ASIA, AFRICA & LATIN AMERICA	1	203.2 (92.2)

★ 4 x swim vista™ windows

FILTER PUMP	VOLTAGE	CARTRIDGE	GROUND CLOTH	COVER	LADDER	CHEMCONNECT™ DISPENSER
58390 (1,500 gal./5,678 L)	110-120V	58476, TYPE: III - A/C	58266	58485	58336	58501
58390 (1,500 gal./5,678 L)	110-120V	58476, TYPE: III - A/C	58266	58485	58336	58501
58389 (1,500 gal./5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58336	58501
58389 (1,500 gal./5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58331	58501
58389 (1,500 gal./5,678 L)	220-240V	58476, TYPE: III - A/C	58266	58485	58336	58501




US PACKAGING
Sturdy Cardboard Box with Pictures



GLOBAL PACKAGING
Sturdy Cardboard Box with Pictures

MY FIRST POOL!



MY FIRST FAST SET POOL

ITEM #	Size	Age	Water Capacity (80%)	PACK	LB. (KG)	Packaging
57241/E	Ø5ft. x H15in. / Ø1.52m x H38cm	2+	126 gal. (477 L)	6	27.1 (12.3)	Full color box

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- 3 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch



MY FIRST FAST SET SPRAY POOL

ITEM #	Size	Age	Water Capacity (80%)	PACK	LB. (KG)	Packaging
57326	Ø5ft. x H15in. / Ø1.52m x H38cm	2+	126 gal. (477 L)	6	27.1 (12.3)	Full color box
30007	Ø5ft. x H15in. / Ø1.52m x H38cm			1	109.4 (49.6)	Display shelf 24 pcs included

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- Pool provides a fun, cooling spray
- Animal sprays water by connecting to a standard garden hose
- 2 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch



Built-in Sprayer!



57326



30007



MY FIRST POOL!



MY FIRST FRAME POOL

ITEM #	Size	Age	Water Capacity (90%)	PACK	LB. (KG)	Packaging
56217/E	48in. x 48in. x 12in. / 1.22m x 1.22m x 30.5cm	2+	96 gal. (365 L)	3	27.2(12.4)	Full color box

- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- 3 assorted colors
- Underwater adhesive repair patch



MY FIRST FRAME POOL

ITEM #	Size	Age	Water Capacity (90%)	PACK	LB. (KG)	Packaging
56283	05ft. x H15in. / 01.52m x H38cm	2+	153 gal. (580 L)	6	62.2 (28.2)	Full color box

- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Underwater adhesive repair patch
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support



SPLASH-IN-SHADE PLAY POOL

ITEM #	TYPE	Size	Water Capacity (90%)	PACK	LB. (KG)	Packaging
56432	EUROPE	08ft. x H20in. / 02.44m x H51cm	446 gal. (1,688 L)	1	29.5 (13.4)	Full color box
56543	N. AMERICA					

- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Heavy-duty PVC and polyester 3-ply side walls
- Built-in flow control drain valve makes it easy to drain by attaching the valve to a garden hose (with included adapter) to drain away water
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Underwater adhesive repair patch
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support



FLOWCLEAR™

Flowclear™ offers a range of pool products that can handle cleaning, maintenance, and mood. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

FILTRATION



MAINTENANCE EQUIPMENT



POOL COVERS & GROUND CLOTHS



ENVIRONMENT



Store Display

US Packaging



6 ft. (1.82 m) Height

GL Packaging



Actual in-store displays may vary.





The **Flowclear™** product line has been upgraded and revamped with an all NEW packaging look that is modern, clean and informative. We've made it easier to understand what the products have to offer and what makes Flowclear the premier choice for pool accessories and maintenance.

Flowclear is divided into four categories: Maintenance & Equipment, Pool Covers & Ground Cloths, Filtration, and Environment.

This organized range of packaging makes it easy to identify the right product. Each category is specialized, but backed by the quality of Flowclear.

FLOWCLEAR™
FILTRATION

FLOWCLEAR™
MAINTENANCE EQUIPMENT

FLOWCLEAR™
POOL COVERS & GROUND CLOTHS

FLOWCLEAR™
ENVIRONMENT




US Front Panel - English only with all needed warnings.



GL Front Panel - More emphasis on icon usage for packaging that is needed in multiple languages.

Examples of Icons

As simple and as free of "language" as possible, the color of the icons will change based off the category and make it easy to understand for a wider range of people!





Examples of Technical Drawings

For Flowclear items that have more technical builds, illustrations have been included to show how each different component works and to show the amount of work that goes into each product.





300GAL. ~ 17,600GAL.
1,100L ~ 66,600L



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm
chemical tablets

Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.

A look at the build of Bestway® SAND FILTERS



- 1. Control Valve
- 2. Basket Strainer
- 3. Filtration Tank
- 4. Pump Motor
- 5. Pressure Gauge
- 6. Pool Water Intake Valve
- 7. Pool Water Outlet Valve

NEW SAND FILTER - 2,600 GAL. (9,841 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Tank Diameter IN. (CM)	Sand Capacity LB. (KG)	Polysphere Capacity LB. (G)	Certification	Rating	PACK	LB. (KG)
58486	2,600 (9,841)	2,200 (8,327)	For use with 300-17,600 gal. (1,100-66,600 L) pools	15 (38.5)	79.4 (36.0)	2.20 (1,000)	CE	220-240V~, 500W	1	33.8 (15.3)
58486GS	2,600 (9,841)	2,100 (7,948)	For use with 300-17,600 gal. (1,100-63,500 L) pools	19 (48.5)	121.3 (55.0)	3.40 (1,540)	CE/GS	220-240V~, 500W	1	41.6 (18.9)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25in. / 3.2cm valves using included adaptors
- Can be connected to 1.5in. / 3.8cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full color box



CHEMCONNECT™ DISPENSER



NEW

SAND FILTER - 530 GAL. (2,006 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)
58515	530 (2,006)	530 (2,006)	For use with 300-4,200 gal. (1,100-16,000 L) pools	CE	220-240V~, 85W	1	16.9 (7.7)
58516	530 (2,006)	530 (2,006)		C-ETL	110-120V~, 1A	1	17.3 (7.9)
58516E	530 (2,006)	530 (2,006)		ETL-US	110-120V~, 1A	1	17.6 (8.0)

ITEM #	Tank Diameter IN. (CM)	Sand Capacity LB. (KG)	Polysphere Capacity LB. (G)
58515	10.5 (27)	18.7 (8.5)	0.53 (240)
58516	10.5 (27)	18.7 (8.5)	0.53 (240)
58516E	10.5 (27)	18.7 (8.5)	0.53 (240)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Top flange clamp allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25in. / 3.2cm with proper thread size
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Sand not included
- Full color box



300GAL. - 4,200GAL.
1,100L - 16,000L

CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets

NEW

SAND FILTER - 1,000 GAL. (3,785 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)
58495	1,000 (3,785)	900 (3,407)	For use with 300-7,200 gal. (1,100-27,200 L) pools	CE	220-240V~, 200W	1	23.7 (10.8)
58496	1,000 (3,785)	900 (3,407)		C-ETL	110-120V~, 2.4A	1	24.2 (11.0)
58496E	1,000 (3,785)	900 (3,407)		ETL-US	110-120V~, 2.4A	1	24.5 (11.1)
58495GS	1,000 (3,785)	900 (3,407)		CE/GS	220-240V~, 200W	1	28.2 (12.8)

ITEM #	Tank Diameter IN. (CM)	Sand Capacity LB. (KG)	Polysphere Capacity LB. (G)
58495	10 (25.4)	19.8 (9.0)	0.55 (250)
58496	10 (25.4)	19.8 (9.0)	0.55 (250)
58496E	10 (25.4)	19.8 (9.0)	0.55 (250)
58495GS	12.5 (32)	44.1 (20.0)	1.23 (560)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period (For 58495/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Package also includes adaptors for pool valves with an outer diameter of 1.5in. / 3.8cm
- Both hoses (diameter 1.5in. / 3.8cm, 1.25in. / 3.2cm) can be used with sand filter
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full color box



300GAL. - 7,200GAL.
1,100L - 27,200L

CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets

NEW

SAND FILTER - 1,500 GAL. (5,678 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)
58497	1,500 (5,678)	1,400 (5,300)	For use with 300-11,200 gal. (1,100-42,300 L) pools	CE	220-240V~, 230W	1	27.0 (12.3)
58498	1,500 (5,678)	1,400 (5,300)		C-ETL	110-120V~, 3.2A	1	26.8 (12.1)
58498E	1,500 (5,678)	1,400 (5,300)		ETL-US	110-120V~, 3.2A	1	27.0 (12.2)
58497GS	1,500 (5,678)	1,400 (5,300)		CE/GS	220-240V~, 230W	1	33.0 (15.0)

ITEM #	Tank Diameter IN. (CM)	Sand Capacity LB. (KG)	Polysphere Capacity LB. (G)
58497	10 (25.4)	19.8 (9.0)	0.55 (250)
58498	10 (25.4)	19.8 (9.0)	0.55 (250)
58498E	10 (25.4)	19.8 (9.0)	0.55 (250)
58497GS	15 (38.5)	79.4 (36.0)	2.20 (1,000)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period (For 58497/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25in. / 3.2cm valves using included adaptors
- Can be connected to 1.5in. / 3.8cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full color box



300GAL. - 11,200GAL.
1,100L - 42,300L

CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets


NEW

SAND FILTER - 2,000 GAL. (7,751 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)
58499	2,000 (7,751)	1,800 (6,814)	For use with 300-14,400 gal. (1,100-54,500 L) pools	CE	220-240V~, 280W	1	31.3 (14.2)
58500	2,000 (7,751)	1,800 (6,814)		C-ETL	110-120V~, 3.5A	1	30.7 (13.9)
58500E	2,000 (7,751)	1,800 (6,814)		ETL-US	110-120V~, 3.5A	1	30.9 (14.0)
58499GS	2,000 (7,751)	1,800 (6,814)		CE/GS	220-240V~, 280W	1	36.9 (16.7)

ITEM #	Tank Diameter IN. (CM)	Sand Capacity LB. (KG)	Polysphere Capacity LB. (G)
58499	12.5 (32)	44.1 (20.0)	1.23 (560)
58500	12.5 (32)	44.1 (20.0)	1.23 (560)
58500E	12.5 (32)	44.1 (20.0)	1.23 (560)
58499GS	17 (43.7)	99.2 (45.0)	2.78 (1,260)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period (For 58499/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25in. / 3.2cm valves using included adaptors
- Can be connected to 1.5in. / 3.8cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full color box



300GAL. - 14,400GAL.
1,100L - 54,500L

CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm chemical tablets

Flowclear™ filter pumps offer the type of superior filtration needed to keep your summer escape clean and pristine. Whether your pool is 330 gal. (1,100 L) or 16,400 gal. (62,000 L), we have the filter pump for you.



2,500 gal. (9,463 L) Filter Pump



NEW ★

FILTER PUMP - 330 GAL. (1,249 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
★ 58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V-, 0.2A	4	25.0 (11.3)	58093 - TYPE I
★ 58511	330 (1,249)	280 (1,060)		C-ETL	110-120V-, 0.2A	4	24.7 (11.2)	58093 - TYPE I
58381	330 (1,249)	280 (1,060)		CE	220-240V-, 16W	4	18.5 (8.4)	58093 - TYPE I



NEW GENERATION ★

FILTER PUMP - 530 GAL. (2,006 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
★ 58385E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V-, 0.6A	4	31.5 (14.3)	58283 - TYPE VII - D
★ 58384	530 (2,006)	480 (1,817)		C-ETL	110-120V-, 0.6A	4	32.0 (14.5)	58012 - TYPE III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V-, 29W	4	29.4 (13.3)	58094 - TYPE II



FILTER PUMP - 800 GAL. (3,028 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
58387	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	C-ETL	110-120V-, 0.6A	4	31.5 (14.3)	58012 - TYPE III - A/C
58386	800 (3,028)	580 (2,195)		CE	220-240V-, 32W	4	30.8 (14.0)	58094 - TYPE II



FILTER PUMP - 1,000 GAL. (3,785 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V-, 1.1A	4	38.1 (17.3)	58012 - TYPE III - A/C



NEW GENERATION

FILTER PUMP - 1,500 GAL. (5,678 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.8A	1	14.2 (6.4)	58012 - TYPE III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V-, 1.8A	1	14.0 (6.3)	58012 - TYPE III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V-, 86W	1	14.1 (6.4)	58012 - TYPE III - A/C

NEW DESIGN

FILTER PUMP - 2,500 GAL. (9,463 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V-, 3.3A	1	24.2 (11.0)	58095 - TYPE IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V-, 3.3A	1	24.0 (10.9)	58095 - TYPE IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V-, 350W	1	24.5 (11.1)	58095 - TYPE IV - B

NEW GENERATION

SKIMATIC™ FILTER PUMP

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Compatibility	Certification	Rating	PACK	LB. (KG)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V-, 0.75A	1	17.6 (8.0)	58012 - TYPE III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V-, 0.75A	1	17.4 (7.9)	58012 - TYPE III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V-, 48W	1	17.5 (7.9)	58012 - TYPE III - A/C
58470E	1,050 (3,974)	1,050 (3,974)	300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V-, 1.4A	1	22.0 (10.0)	58012 - TYPE III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V-, 1.4A	1	21.8 (9.9)	58012 - TYPE III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V-, 73W	1	21.4 (9.7)	58012 - TYPE III - A/C

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses 58012 filter cartridge III
- Works quietly

- For use only with battery powered and manual pool cleaning appliances
- Connected by self-contained 1.2in. / 32mm connector, can work in conjunction with Bestway® 58212 and 58234 Pool Cleaning Kit
- For use with 300-5,400 gallon (1,100-20,500 L) pools (For 58463E; 58463; 58462)
- For use with 300-8,400 gallon (1,100-31,700 L) pools (For 58470E; 58470; 58469)



FILTER CARTRIDGES/ANTI-MICROBIAL

ITEM #	58093/E	58510/E NEW	58094	58503 NEW	58012/E	58476/E	58095/E	58505/E NEW	58283E	58504E NEW
Product										
Size	Ø3.1in. x H3.5in. Ø8cm x H9cm		Ø4.2in. x H5.4in. Ø10.6cm x H13.6cm		Ø4.2in. x H8.0in. Ø10.6cm x H20.3cm		Ø5.6in. x H10.0in. Ø14.2cm x H25.4cm		Ø4.2in. x H3.8in. Ø10.6cm x H9.7cm	
Pump Type	330 gal. (1,249 L)		530 / 800 gal. (2,006 / 3,028 L) (220-240V~)		530 - 1500 gal. (2,006 - 5,678 L) / 1000 / 1500 gal. (3,785 - 5,678 L) (110-120V~) 1500 gal. (5,678 L) (220-240V~)		2,500 gal. (9,463 L)		530 gal. (2,006 L) (110-120V~)	
Pack	6		6		6		6		6	
LB. (KG)	2.2 (1.0) / 2.9 (1.3)		3.8 (1.7) / 5.2 (2.4)		2.6 (1.2) / 4.1 (1.9)		5.9 (2.7) / 7.9 (3.6)		4.2 (1.9) / 4.7 (2.1)	
Packaging	Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box	

HOSE

ITEM #	Pack	LB. (KG)	Packaging
58368	6	16.6 (7.6)	Full color box

- 9.8ft. / 3m long, 1.5in. / 3.8cm diameter
- Suitable for filter pumps and sand filters that use 1.5in. / 3.8cm hoses



HOSE

ITEM #	Pack	LB. (KG)	Packaging
58369	6	9.9 (4.5)	Full color box

- 9.8ft. / 3m long, 1.25in. / 3.2cm diameter
- Suitable for filter pumps, sand filters, heaters and chlorinators that use 1.25in. / 3.2cm hoses



HOSE ADAPTERS

ITEM #	Pack	LB. (KG)	Packaging
58236/E	12	4.5 (2.0)	Blister card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8cm) to pool valves (Diameter 3.2cm)
- Easy to install
- Instructional manual included!



- Easy to clean
- Does not replace the use of regular chlorine maintenance
- Anti-microbial filter paper controls growth of bacteria
- Very strong antimicrobial effect on surface
- Broad spectrum antibacterial effect



58476
FULL COLOR BOX

58476 PQQ
6 PCS INCLUDED

POLYSHERE

ITEM #	Pack	LB. (KG)	Packaging
58475/E	6	12.5 (5.7)	Full color box
30014/E	1	26.6 (12.1)	Display shelf

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand
- Flowclear™ Polysphere quantity is as follow:

Sand Filter	Type	Weight if using sand	Weight if using Flowclear™ Polysphere
530 gal./h (2,006 L/h)	All	18.74 lbs (8.5 kg)	0.53 lbs (240 g)
1,000 gal./h (3,785 L/h)	Except GS	19.84 lbs (9 kg)	0.55 lbs (250 g)
1,000 gal./h (3,785 L/h)	GS	44.09 lbs (20 kg)	1.23 lbs (560 g)
1,500 gal./h (5,678 L/h)	Except GS	19.84 lbs (9 kg)	0.55 lbs (250 g)
1,500 gal./h (5,678 L/h)	GS	79.37 lbs (36 kg)	2.20 lbs (1,000 g)
2,000 gal./h (7,571 L/h)	Except GS	44.09 lbs (20 kg)	1.23 lbs (560 g)
2,000 gal./h (7,571 L/h)	GS	99.21 lbs (45 kg)	2.78 lbs (1,260 g)
2,600 gal./h (9,841 L/h)	Except GS	79.37 lbs (36 kg)	2.20 lbs (1,000 g)
2,600 gal./h (9,841 L/h)	GS	121.25 lbs (55 kg)	3.40 lbs (1,540 g)

- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Long life product
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non toxic



ENHANCED PUMP EFFICIENCY
Lower pressure allows for a higher flow rate and a longer product lifespan.



LIGHTER MATERIAL
1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand.



SUPERIOR FILTRATION
Clean and clear water is reached in a short time.



ECO-FRIENDLY
100% recyclable and non-toxic PET material.



EASIER TO HANDLE
Easy to carry and transport. Washable by hand.



58475E Full color box

12 Ea. included



ITEM #	58511/E	58381	58385E	58384	58383	58387	58386	58388E	58390/E	58389	58392/E	58391	58516/E	58515	58496/E	58495	58495GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58486	58486GS							
Product																																
Hose	1.25in. / 3.2cm	1.25in. / 3.2cm			1.25in. / 3.2cm		1.25in. / 3.2cm	1.5in. / 3.8cm	1.5in. / 3.8cm		1.5in. / 3.8cm		1.25in. / 3.2cm	1.25in. / 3.2cm			1.5in. / 3.8cm		1.5in. / 3.8cm		1.5in. / 3.8cm		1.5in. / 3.8cm									
Adapters Included	-	-			-		-	1.5 / 1.25in. / 3.8 / 3.2cm	1.5 / 1.25in. / 3.8 / 3.2cm		1.5 / 1.25in. / 3.8 / 3.2cm		-	1.5 / 1.25in. (3.8 / 3.2cm)			1.5 / 1.25in. (3.8 / 3.2cm)		1.5 / 1.25in. / 3.8 / 3.2cm		1.5 / 1.25in. / 3.8 / 3.2cm		1.5in. / 3.8cm									
Filters Cartridge or Sand Grain	58093/58510(I)	58283/58504(VII-D)			58012/58476(III-A/C)		58094/58503 (II)	58012/58476(III-A/C)	58094/58503(II)		58012/58476(III-A/C)		58095/58505(IV-B)	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 45 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 55 kg		
Pump Flow Rate Gal. (L) / HR	330 (1,249)	530 (2,006)			800 (3,028)		1,000 (3,785)	1,500 (5,678)	2,500 (9,463)		530 (2,006)		1,000 (3,785)		1,500 (5,678)		2,000 (7,571)		2,600 (9,841)		530 (2,006)		900 (3,407)		1,400 (5,300)		1,800 (6,814)		2,200 (8,327)		2,100 (7,948)	
System Flow Rate Gal. (L) / HR	280 (1,060)	480 (1,817)			580 (2,195)		780 (2,952)	1,050 (3,974)	2,050 (7,760)		530 (2,006)		900 (3,407)		1,400 (5,300)		1,800 (6,814)		2,200 (8,327)		2,100 (7,948)		2,200 (8,327)		2,100 (7,948)		2,200 (8,327)		2,100 (7,948)			
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300 L) pools	For use with 300-3,800 gal. (1,100-14,300 L) pools			For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools	For use with 300-16,400 gal. (1,100-62,000 L) pools		For use with 300-4,200 gal. (1,100-16,000 L) pools		For use with 300-7,200 gal. (1,100-27,200 L) pools		For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-17,600 gal. (1,100-66,600 L) pools		For use with 300-16,800 gal. (1,100-63,500 L) pools		For use with 300-17,600 gal. (1,100-66,600 L) pools		For use with 300-16,800 gal. (1,100-63,500 L) pools							
Rating	110-120V~, 0.2A	220-240V~, 16W			110-120V~, 0.6A		220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W	110-120V~, 1A	220-240V~, 85W	110-120V~, 2.4A	220-240V~, 200W	110-120V~, 3.2A	220-240V~, 230W	110-120V~, 3.5A	220-240V~, 280W	110-120V~, 3.5A	220-240V~, 280W	220-240V~, 500W	220-240V~, 500W						

SOLAR POOL COVERS

ITEM #	Size Diameter	Corresponding Pools - Fits:	Pack	LB. (KG)
58060/E	6ft.10in. / 2.10m	Fits 8ft. (2.44m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9ft.6in. / 2.89m	- 10ft. (3.05m) Fast Set™ Pools - 10ft. (3.05m) Steel Pro™ Pools - 10ft. (3.05m) Steel Pro MAX™ Pools	2	4.0 (1.8)
58242/E	11ft.8in. / 3.56m	- 12ft. (3.66m) / 13ft. (3.96m) Fast Set™ Pools - 12ft. (3.66m) Steel Pro™ Pools - 12ft. (3.66m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	13ft.8in. / 4.17m	- 15ft. (4.57m) Fast Set™ Pools - 14ft. (4.27m) Steel Pro MAX™ Pools - 14ft. (4.27m) Power Steel™ Pools - 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools	2	8.0 (3.6)
58253/E	15ft.2in. / 4.62m	- 16ft. (4.88m) Power Steel™ Pools - 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools - 15ft. (4.57m) Steel Pro MAX™ Pools	2	9.1 (4.1)
58173/E	17ft.3in. / 5.27m	- 18ft. (5.49m) Steel Pro MAX™ Pools - 18ft. (5.49m) Power Steel™ Pools	1	6.4 (2.9)
58240	12ft.5in. x 70.5in. 3.80m x 1.80m	- 13ft.3in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) - 13ft.6in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) Power Steel™ Pools	2	4.2 (1.9)
58228	23ft. x 11ft. 7.03m x 3.36m	- 22ft. x 12ft. x 52in. (6.71m x 3.66m x 1.32m) - 24ft. x 12ft. x 52in. (7.32m x 3.66m x 1.32m) Power Steel™ Pools	1	6.8 (3.1)

- Durable material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris



POOL COVERS - FAST SET™, FAMILY POOLS

ITEM #	Size Diameter / Size	Corresponding Pools - Fits:	Pack	LB. (KG)
58032/E	9ft.2in. / 2.80m	Fits 8ft. (2.44m) Fast Set™ Pools	6	8.6 (3.9)
58033/E	11ft. / 3.35m	Fits 10ft. (3.05m) Fast Set™ Pools	6	11.7 (5.3)
58034/E	12ft.11in. / 3.95m	Fits 12ft. (3.66m) Fast Set™ Pools	6	15.8 (7.2)
58415	13ft.7in. / 4.15m	Fits 13ft. (3.96m) Fast Set™ Pools	6	17.8 (8.1)
58035/E	16ft.3in. / 4.95m	Fits 15ft. (4.57m) Fast Set™ Pools	4	17.6 (8.0)
58319	9ft.8in. x 7ft.3in. 2.95m x 2.20m	Fits 8ft.7in. x 69in. x 20in. (2.62m x 1.75m x 51cm) Blue Rectangular Family Pools	8	11.5 (5.2)
58108	11ft.2in. x 7ft.6in. 3.40m x 2.30m	Fits 10ft. x 6ft. x 22in. (3.05m x 1.83m x 56cm) Deluxe Blue Rectangular Family Pools	8	14.5 (6.6)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - POWER STEEL™, STEEL PRO™, STEEL PRO MAX™, HYDRIMUM™

ITEM #	Size Diameter	Corresponding Pools - Fits:	Pack	LB. (KG)
58036/E	10ft. / 3.05m	- 10ft. (3.05m) Steel Pro™ Pools - 10ft. (3.05m) Steel Pro MAX™ Pools	6	25.3 (11.5)
58037/E	12ft.11in. / 3.70m	- 12ft. (3.66m) Steel Pro™ Pools - 12ft. (3.66m) Steel Pro MAX™ Pools - 12ft. x 36in. (3.60m x 90cm) Hydrium™ Splasher Pools	6	37.0 (16.8)
58248/E	14ft. / 4.27m	- 14ft. (4.27m) Steel Pro MAX™ Pools and 14ft. (4.27m) Power Steel™ Pools - 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools	6	46.9 (21.3)
58038/E	15ft.5in. / 4.70m	- 15ft. (4.57m) Steel Pro MAX™ Pools - 15ft. x 36in. (4.60m x 90cm) Hydrium™ Splasher Pools	4	36.0 (16.3)
58249/E	16ft.2in. / 4.93m	- 16ft. (4.88m) Power Steel™ Pools - 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools - 15ft. x 48in. (4.60m x 1.20m) Hydrium™ Pools	4	39.2 (17.8)
58039/E	18ft.2in. / 5.55m	- 18ft. (5.49m) Steel Pro MAX™ Pools - 18ft. (5.49m) Power Steel™ Pools	4	47.8 (21.7)
58356E	20ft.2in. / 6.15m	- 20ft. x 48in. (6.10m x 1.22m) Power Steel™ Pools	4	57.9 (26.3)


- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - STEEL PRO™

ITEM #	Size	Corresponding Pools - Fits:	Pack	LB. (KG)
58103	7ft.4in. x 60.5in. 2.24m x 1.54m	- 7ft.3in. x 59in. x 17in. (2.21m x 1.50m x 43cm) Steel Pro™ Pools	8	9.7 (4.4)
58105	8ft.8in. x 68.5in. 2.64m x 1.74m	- 8ft.6in. x 67in. x 24in. (2.59m x 1.70m x 61cm) Steel Pro™ Pools	8	12.0 (5.4)
58106	10ft. x 6ft.9in. 3.04m x 2.05m	- 9ft.10in. x 6ft.7in. x 26in. (3.00m x 2.01m x 66cm) Steel Pro™ Pools	6	10.6 (4.8)
58107	13ft.5in. x 7ft.5in. 4.10m x 2.26m	- 13ft.1in. x 6ft.11in. x 32in. (4.00m x 2.11m x 81cm) Steel Pro™ Pools	6	15.4 (7.0)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box



POOL COVERS - POWER STEEL™, POWER STEEL™ OVAL

ITEM #	Size Diameter / Size	Corresponding Pools - Fits:	Pack	LB. (KG)
58424	9ft.8in. x 6ft. 2.95m x 1.84m	- 9ft.10in. x 6ft.7in. x 33in. (3.00m x 2.00m x 84cm) Power Steel™ Oval Pools	6	19.2 (8.7)
58425	13ft.8in. x 7ft.5in. 4.18m x 2.30m	- 14ft. x 8ft.2in. x 39.5in. (4.27m x 2.50m x 1.00m) Power Steel™ Oval Pools	6	29.6 (13.4)
58442	8ft.10in. x 70in. 2.69m x 1.79m	- 9ft.3in. x 6ft.5in. x 33in. (2.82m x 1.96m x 84cm) Power Steel™ Pools	6	18.5 (8.4)
58232	13ft. x 6ft.1in. 3.96m x 1.85m	- 13ft.6in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) - 13ft.3in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) Power Steel™ Pools	6	26.8 (12.2)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box






GROUND CLOTHS

ITEM #	Size	Corresponding Pools - Fits:	Pack	LB. (KG)
58000	9ft. x 9ft. 2.74m x 2.74m	- 8ft. (2.44m) Fast Set™ Pools - 8ft. (2.44m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11ft. x 11ft. 3.35m x 3.35m	- 10ft. (3.05m) Fast Set™ Pools - 10ft. (3.05m) Steel Pro™ Pools - 10ft. (3.05m) Steel Pro MAX™ Pools - 10ft. x 48in. (3.00m x 1.20m) Hydrium™ Pools - 12ft. (3.66m) Fast Set™ Pools - 12ft. (3.66m) Steel Pro™ Pools	4	8.6 (3.9)
58002/E	13ft. x 13ft. 3.96m x 3.96m	- 12ft. (3.66m) Steel Pro MAX™ Pools - 12ft. x 36in. (3.60m x 90cm) Hydrium™ Splasher Pools - 12ft. x 48in. (3.60m x 1.20m) Hydrium™ Pools - 15ft. (4.57m) Fast Set™ Pools - 15ft. (4.57m) Steel Pro MAX™ Pools - 14ft. (4.27m) Steel Pro MAX™ Pools - 14ft. (4.27m) Power Steel™ Pools	4	11.9 (5.4)
58003/E	16ft. x 16ft. 4.88m x 4.88m	- 14ft. (4.27m) Power Steel™ Deluxe Series™ Pools - 15ft. x 36in. (4.60m x 90cm) Hydrium™ Splasher Pools - 15ft. x 48in. (4.60m x 1.20m) Hydrium™ Pools	4	16.8 (7.6)
58251/E	17ft. x 17ft. 5.20m x 5.20m	- 16ft. (4.88m) Power Steel™ Pools - 16ft. (4.88m) Power Steel™ Deluxe Series™ Pools	4	19.5 (8.9)
58031/E	19ft. x 19ft. 5.79m x 5.79m	- 18ft. (5.49m) Steel Pro MAX™ Pools - 18ft. (5.49m) Power Steel™ Pools	4	23.1 (10.5)

- Durable material
- Provides extra protection for the bottom of the pool
- Full color box




GROUND CLOTHS

ITEM #	Size	Corresponding Pools - Fits:	Pack	LB. (KG)
58100	9ft.8in. x 6ft.9in. 2.95m x 2.06m	- 7ft.3in. x 59in. x 17in. (2.21m x 1.50m x 43cm) and 8ft.6in. x 67in. x 24in. (2.59m x 1.70m x 61cm) Steel Pro™ Pools	8	9.7 (4.4)
58101	11ft.1in. x 7ft.10in. 3.38m x 2.39m	- 9ft.10in. x 6ft.7in. x 26in. (3.00m x 2.01m x 66cm) Steel Pro™ Pools - 9ft.10in. x 6ft.7in. x 33in. (3.00m x 2.00m x 84cm) Power Steel™ Oval Pools	8	12.1 (5.5)
58102	14ft.7in. x 8ft.4in. 4.45m x 2.54m	- 13ft.1in. x 6ft.11in. x 32in. (4.00m x 2.11m x 81cm) Steel Pro™ Pools	6	13.1 (5.9)
58264	16ft.5in. x 9ft.10in. 5.00m x 3.00m	- 13ft.3in. x 6ft.7in. x 39.5in. (4.04m x 2.01m x 1.00m) and 13ft.6in. x 6ft.7in. x 48in. (4.12m x 2.01m x 1.22m) Power Steel™ Pools and 14ft. x 8ft.2in. x 39.5in. (4.27m x 2.50m x 1.00m) Power Steel™ Oval Pools	6	17.3 (7.8)



- Durable material
- Provides extra protection for the bottom of the pool
- Full color box



POOL FLOOR PROTECTOR

ITEM #	Size	Content	Colors	Pack	LB. (KG)
58220	20in. x 20in. 50cm x 50cm	8 Pieces		30	45.6 (20.7)
58265	32in. x 32in. 81cm x 81cm	8 Pieces		8	32.3 (14.7)

- Durable polyethylene
- Provides added protection for pool floors
- Package contains 8 pieces
- Shrink wrapped with insert card



33IN. / 84CM

ITEM #	Pack	LB. (KG)	Remark
58430	1	12.4 (5.6)	EXCEPT NORTH AMERICA

- Corrosion resistant metal frame
- Easy assembly
- Heavy-duty plastic steps
- Sturdy cardboard box with pictures



36IN. / 91CM

ITEM #	Pack	LB. (KG)	Remark
58334E	1	16.1 (7.3)	US
58334	1	16.1 (7.3)	N. AMERICA / ASIA, AFRICA & L. AMERICA

- Corrosion resistant metal frame
- Easy assembly
- Heavy-duty plastic steps
- Sturdy cardboard box with pictures



NEW GENERATION ★
42IN. / 1.07M

ITEM #	Pack	LB. (KG)	Remark
58335E	1	16.9 (7.7)	US
58335	1	16.9 (7.7)	N. AMERICA / ASIA, AFRICA & L. AMERICA
★ 58330	1	18.5 (8.4)	EUROPE UNION

- Corrosion resistant metal frame
- Easy assembly
- Heavy-duty plastic steps
- Sturdy cardboard box with pictures
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)
- Sturdy cardboard box with pictures



NEW GENERATION ★
48IN. / 1.22M

ITEM #	Pack	LB. (KG)	Remark
58336E	1	22.3 (10.1)	US
58336	1	22.3 (10.1)	N. AMERICA / ASIA, AFRICA & L. AMERICA
★ 58331	1	25.5 (11.6)	EUROPE UNION


- Corrosion resistant metal frame
- Easy assembly
- Heavy-duty plastic steps
- Sturdy cardboard box with pictures
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)
- Sturdy cardboard box with pictures














NEW GENERATION ★
52IN. / 1.32M

ITEM #	Pack	LB. (KG)	Remark
58337E	1	26.2 (11.9)	US
58337	1	26.2 (11.9)	N. AMERICA / ASIA, AFRICA & L. AMERICA
★ 58332	1	29.0 (13.1)	EUROPE UNION

- Corrosion resistant metal frame
- Easy assembly
- Heavy-duty plastic steps
- Sturdy cardboard box with pictures
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)
- Sturdy cardboard box with pictures



Operating System	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4m³/h		Filter and Sand Pumps - from 86W, from 1,000 to 2,500 gal., from 3,7 to 9,4m³/h
Product	58013/E Maintenance Kit 80in. - 2.03m	58212/E AquaCrawl Pool Vacuum	58234/E AquaClean Pool Cleaning Kit	58304/E AquaClimb Automatic Pool Cleaner
	Any model			
	Up to 13ft. - 3.96m diameter	Up to 15ft. - 4.57m diameter	Any model	Up to 16ft. - 4.88m diameter
	Up to 13ft. - 3.96m diameter	Up to 15ft. - 4.57m diameter	Any model	Up to 16ft. - 4.88m diameter
	Up to 13ft. - 3.96m diameter	Up to 15ft. - 4.57m diameter	Any model	Up to 16ft. - 4.88m diameter
	Up to 13ft. - 3.96m wide	Fits 6ft.5in., 6ft.7in., 8ft., 8ft.2in., 9ft., 10ft., 12ft. - 1.96, 2.01, 2.50, 2.74, 3.05, 3.66m wide	Any model	Fits 13ft.3in., 13ft.6in., 16ft., 18ft., 22ft. - 4.04, 4.12, 4.88, 5.49, 6.71m length
	Up to 13ft. - 3.96m wide	Up to 15ft. - 4.57m wide	Any model	
				
Recommended Pool				
Handling	Manual	Manual	Manual	Automatic
Pole Length	65.7in. - 1.67m	74.6in. - 1.90m	110in. - 2.79m	-
Hose Length	-	19.7ft. - 6.00m	24.5ft. - 7.50m	20ft. - 6.10m
Valve Compatibility	-	1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)	1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)	1.25in. - 3.2cm (1.5in. - 3.8cm adapters included)
Inner Wall Cleaning	■	■	■	■
Minimum Flow	-	Outlet 530 gal. - 2,006 L/h	Outlet 530 gal. - 2,006 L/h	Outlet 1,000 gal. - 3,785 L/h
Minimum Wattage	-	-	-	86W
Highlights	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Two angled conversion nozzle, one with brush Universal adapters included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included Universal adapters included 	<ul style="list-style-type: none"> Pre filter bag

Filter and Sand Pumps - from 0,3HP, from 1,500 to 2,500 gal., from 5,6 to 9,4m³/h	AA Battery, Independent from filtration device	Rechargeable lithium battery	-	
58339/E AquaDip Pool Vacuum	58340 AquaScan Electric Pool Vacuum	58422/E - 58427 Aqua Powercell Vac	58483/E - 58482 Aquatronix™ Robotic Vacuum Pool Cleaner	
				
	Any model	Any model		
Up to 20ft. - 6.10m diameter	Up to 10ft. - 3.05m diameter	Any model	Any model	
Up to 20ft. - 6.10m diameter	Up to 10ft. - 3.05m diameter	Up to 20ft. - 6.10m diameter	Any model	
Up to 20ft. - 6.10m diameter	Up to 10ft. - 3.05m diameter	Up to 20ft. - 6.10m diameter	Any model	
Fits 13ft.3in., 13ft.6in., 16ft., 18ft., 22ft., 24ft. - 4.04, 4.12, 4.88, 5.49, 6.71, 7.32m length	Up to 42in. - 1.07m height	Up to 20ft. - 6.10m wide	Any model	
	Any model	Any model	Any model	
Recommended Pool				
Handling	Automatic	Manual	Manual	
Pole Length	-	49.6in. - 1.26m	73ft. - 2.22m	
Hose Length	27ft. - 8.25m	-	-	
Valve Compatibility	1.5in. - 3.8cm (1.25in. - 3.2cm adapters included)	-	-	
Inner Wall Cleaning	-	■	■	
Minimum Flow	Outlet 1,500 gal. - 5,678 L/h	-	-	
Minimum Wattage	230W	-	-	
Highlights	<ul style="list-style-type: none"> Fast Reusable debris bag Silent Low Maintenance 	<ul style="list-style-type: none"> AA battery X 8 (not included) Up to 1h30 operating time Reusable debris bag Brushes 	<ul style="list-style-type: none"> Rechargeable lithium battery Vacuum pools and spa Reusable debris bag Automatic vacuuming 	<ul style="list-style-type: none"> Carry Handle On/Off LED light Long lasting stainless steel filter mesh Adjustable wheel axle Locking clips Head locking flap Underside debris agitators Optional bumpers

AQUATRONIX™

FLOWCLEAR™

MAINTENANCE EQUIPMENT

NEW

ITEM #	Pack	LB. (KG)	Packaging
58482	1	16.3 Lb. (7.4 kg)	Full Color Box
58483/E	1	16.3 Lb. (7.4 kg)	Full Color Box

- Autonomous Pool Clean Robot
- For use with all the flat bottom above-ground pools and in-ground pools
- Cordless design for full range motion; No need for tangled cords
- Automated cleaning at the toggle of the power switch
- Built-in rechargeable durable lithium battery
- Recharge time: 5-6 hours
- Cycle use time: 90 minutes
- Included Drop/Retrieval Kit
- Built-in water sensor activates the cleaner once it is fully submerged in water, and deactivates when water level is insufficient, to protect the motor
- Easy clean stainless steel filter screen traps up to 4.5L of debris inside the base compartment
- Patented directional jet system ensures efficient cleaning
- Non-slip wheels
- Ideal for pools up to 484ft.² / 45m²
- Flow rate: 710gal./h (2,700L/h)
- Speed of movement: 32.8ft./h (1,000m/h)
- Part Highlights:
 - Carry Handle
 - On/Off LED light
 - Long lasting stainless steel filter mesh.
 - Adjustable wheel axle
 - Locking clips
 - Head locking flap
 - Underside debris agitators
 - Optional bumpers



GUARANTEED
90MIN
OF FULL
POWER CLEAN

DIRECTIONAL
SUPERIOR
FOR EFFICIENT CLEANING
JET SYSTEM


NEW GENERATION

AQUASCAN ELECTRIC POOL VACUUM

ITEM #	Pack	LB. (KG)	Packaging
58340	6	17.6 (8.0)	Full color box

- Battery-powered pump creates suction, without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 5ft. / 1.5m when fully extended

- Underside wheels for easy gliding
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag




AQUA POWERCELL VAC

ITEM #	Pack	LB. (KG)	Packaging
58422/E	4	19.8 (9.0)	Full color box
58427	4	20.5 (9.3)	Full color box

- Completely submersible body vacuums debris on pool or spa floor
- Recommended for spas, above ground pools (up to 20ft. / 6.09m diameter) and in-ground pools
- Rechargeable Lithium-ion battery includes superior benefits such as an extended life, no memory effect when charging/discharging the battery, and constant performance for 40 minutes
- The filter bag is easy to remove and empty
- Connects to the included 5-section pole for a total length of 7ft.3in. / 2.22m

- Also fits standard telescopic pole (not included) with quick-release clip
- Includes 2 interchangeable heads: one head to clean corners and one head to clean surfaces
- Wheels on large head ensure smooth and easy gliding on any pool surface
- Replaceable bristles for scrubbing off debris efficiently




AQUACLIMB AUTOMATIC POOL CLEANER

ITEM #	Pack	LB. (KG)	Packaging
58304/E	2	19.2 (8.7)	Full color box

- Patented design specifically for above ground pools with low flow filtration systems. (Minimum 86W and 1,000 gal./h (3,785 L/h) system flow rate)
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate - simply turn on the pump and the cleaner will start automatically
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter

- Wide clip system on the bottom plate provides easy access to the debris compartment
- Float and weight provide optimum maneuverability
- Recommended for soft wall pools from 15ft. / 4.57m to 16ft. / 4.87m
- Includes hoses with total length of 20ft. / 6.10m
- Includes connectors compatible with most leading pool brands on the market




AQUADIP POOL VACUUM

ITEM #	Pack	LB. (KG)	Packaging
58339/E	2	25.8 (11.7)	Full color box

- Membrane technology ensures silent operation with optimum cleaning efficiency
- Lightweight design enables it to clean rapidly across the pool floor
- Finned disc enables it to glide smoothly across the pool bottom
- Simple twist-and-lock cassette for easy access to change the diaphragm

- Recommended for above ground pools up to 20ft. / 6.10m
- Includes 27ft. / 8.25m of standard hoses
- Min. System Flow Rate: 1,500 gal./h (5,678 L/h)
- Min. Pump Power: 0.3HP / 230W



MAINTENANCE KIT

ITEM #	Pack	LB. (KG)	Packaging
58013/E	6	14.4 (6.5)	Full color box



Pole Length: 65.7in. / 1.67m
Cleans Inner Wall

- Includes a light weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 13ft. / 3.96m and below pools

POOL ACCESSORIES SET

ITEM #	Pack	LB. (KG)	Packaging
58195/E	4	12.7 (5.7)	Each set in a clam shell



Pole Length: 63.3in. / 1.61m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- For use with 13ft. / 3.96m and below pools

Kit Includes:

58013	- Maintenance Kit, 1 Piece
58071	- Chemical Floater, 1 Piece
58072	- Floating Pool Thermometer, 1 Piece
58142	- Pool and Spa Test Strips, 1 Piece
62068	- Heavy-duty Repair Patch, 1 Piece



AQUACRAWL POOL VACUUM

ITEM #	Pack	LB. (KG)	Packaging
58212/E	6	30.1 (13.7)	Full color box




Pole Length: 74.6in. / 1.90m
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Three adapters for use with different pools and filter pump systems
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7ft. / 6.00m long, 1.25in. / 3.2cm diameter
- Attach to the filter pump for light cleaning for your pool
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with pools up to 15ft. / 4.57m

AQUACLEAN POOL CLEANING KIT

ITEM #	Pack	LB. (KG)	Packaging
58234/E	4	32.5 (14.8)	Full color box



Pole Length: 110in. / 2.79m
Cleans Inner Wall

- Super-easy assembly
- Attach to filter pump to provide a powerful light weight vacuum system to clean pool floor and walls
- Includes multiple adapters for connections to all Bestway pools and filter systems
- Includes 110in. / 2.79m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5ft. / 7.5m, 1.25in. / 3.2cm diameter
- Vacuum has a one-piece cleaning head
- Skimmer has a durable mesh netting
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools

DELUXE MAINTENANCE KIT

ITEM #	Pack	LB. (KG)	Packaging
58237/E	2	26.7 (12.1)	Full color box




Pole Length: 110in. / 2.79m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110in. / 2.79m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 24.5ft. / 7.5m, 1.25in. / 3.2cm diameter
- Multi-functional
 - Pool surface skimmer: works with the filter pump to clean floating leaves and other debris
 - Pool vacuum: works with the filter pump to clean pool walls and floor
 - Pool skimmer: manually cleans floating debris
- Attach to the filter pump for skimming and vacuuming
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools except steel wall pools

POOL SURFACE SKIMMER

ITEM #	Pack	LB. (KG)	Packaging
58233/E	4	19.5 (8.9)	Full color box


- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Easy to clean
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools except steel wall pools



CLEANCASST SKIMMER SET

ITEM #	Pack	LB. (KG)	Packaging
58325/E	24	26.0 (11.8)	Header card


- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft



NEW GENERATION AQUANET

ITEM #	Size	Pack	LB. (KG)	Packaging
58278/E	16.9in. x 8.3in. 43cm x 21cm	12	7.1 (3.2)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



E-Z-BROOM POLE

ITEM #	Size	Pack	LB. (KG)	Packaging
58279/E	142in. / 3.60m	24	43.7 (19.8)	Polybag with labels

- Inner diameter 1.2in. / 3cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



UNDERWATER ADHESIVE REPAIR PATCH

ITEM #	Pack	LB. (KG)	Packaging
62091/E	36	3.0 (1.4)	Blister card

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches



HEAVY-DUTY REPAIR PATCH

ITEM #	Pack	LB. (KG)	Packaging
62068/E	36	1.8 (0.8)	Blister card

- 10 pcs included
- 6.55 sq. in. (42.3cm²) stick-on patches



ANGLER POOL VACUUM

ITEM #	Size	Pack	LB. (KG)	Packaging
58282	11in. x 6in. 27.9cm x 15.2cm	12	23.1 (10.5)	Header card


- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor



CLEANCASST SKIMMER

ITEM #	Size	Pack	LB. (KG)	Packaging
58277	12.5in. x 12in. 32cm x 30.5cm	12	5.9 (2.7)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



AQUABROOM

ITEM #	Size	Pack	LB. (KG)	Packaging
58280/E	18in. / 45.7cm	12	7.3 (3.3)	Header card

- Compatible with pool cleaning poles that are 1.2in. / 3cm (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners



POOL & SPA TEST STRIPS

ITEM #	Pack	LB. (KG)	Packaging
58142/E	24	2.7 (1.2)	Blister card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
 - Free Chlorine
 - pH
 - Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life



POOL & SPA TEST STRIPS

ITEM #	Pack	LB. (KG)	Packaging
58247/E	24	2.7 (1.2)	Blister card

- The ideal solution for basic pool and spa water testing
- 5-in-1 Test Strip:
 - pH
 - Free Chlorine
 - Total Chlorine
 - Total Hardness
 - Total Alkalinity
- Easy Color-Match System
- Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
- Contains 50 test strips
- 18-Month Shelf Life





AQUAFEED CHLORINATOR

ITEM #	Pack	LB. (KG)	Packaging
58338/E	6	14.8 (6.7)	Full color box

- An easy, clean and safe way to disinfect your pool
- Adjust the chlorine volume to control the free chlorine content
- Large capacity, more convenient (add tablets every 1-2 weeks)
- Holds different sizes of chlorine tablets; 3in. / 7.6cm tablets or smaller can be used
- Includes 39in. / 1m long, 1.25in. / 3.2cm diameter hose
- Safety lock prevents the cap from accidentally becoming loose
- Easy to disassemble with a gas release valve
- Convenient to clean with a water release valve
- Fits filter pumps or sand filter pumps with a flow rate of: 1,000 gal./h (3,785 l/h) and below 1,000 gal./h (3,785 L/h)



CHLORINATOR

ITEM #	Certification	Rating	PACK	LB. (KG)	Packaging
58215E	ETL-US	110-120V~, 1.5A	1	19.3 (8.8)	Full color box
58215	C-ETL	110-120V~, 1.5A	1	19.5 (8.9)	Full color box
58216	CE / GS	220-240V~, 120W	1	18.7 (8.5)	Full color box

- Easy to install, use and maintain
- Produces a maximum of 12 grams of pure chlorine per hour
- Easy-to-view display panel highlights salt levels and water flow
- Environmentally friendly - turn ordinary salt into chlorine to clean your pool!
- Titanium-coated electrolytic cell is self-cleaning, providing optimum performance
- Healthier than regular chlorine for skin, hair and eyes
- Compatible with Bestway pools that have a water volume of 25,000 gallon (95,000 L) and below
- For use with all Bestway Flowclear™ filter pumps rated above 800 gallon (3,028 L) per hour
- Can run for 24 hours non-stop
- Power outages will not erase settings
- In the event of a power outage, the Chlorinator goes into standby mode until power is restored




POOL+ DRAIN PUMP

ITEM #	Pump Flow Rate GAL. (L)/HR	Certification	Rating	PACK	LB. (KG)	Packaging	CE
58230	800 (3,028)	CE	220-240V~, 80W	4	30.5 (13.8)	Full color box	CE

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4ft. / 5.00m long, 1.25in. / 3.2cm diameter
- Includes two adaptors to connect to a garden hose



5m long drain hose.



800 gal./h - 3,028 L/H

CHEMICAL FLOATER

ITEM #	Size	Pack	LB. (KG)	Packaging
58210	5in. / 12.5cm	24	4.7 (2.1)	Shrink wrapped with insert card

- Dispenses 1in. / 2.5cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



CHEMICAL FLOATER

ITEM #	Size	Pack	LB. (KG)	Packaging
58071/E	6.5in. / 16.5cm	12	11.2 (5.1)	Full color box

- Dispenses up to 3in. / 7.6cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included



CHEMICAL FLOATER

ITEM #	Size	Pack	LB. (KG)	Packaging
58209/E	7.3in. / 18.5cm	12	12.5 (5.7)	Full color box

- Dispenses 3in. / 7.6cm chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors



NEW

CHEMICAL FLOATER WITH CHEMGUARD™ GLOVE

ITEM #	Size	Pack	LB. (KG)	Packaging
58474/E	8.3in. / 21cm	4	7.3 (3.3)	Corrugated Sleeve Box

- Dispenses 7.6cm / 3in. chlorine or bromine tablets
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Adjustable dial to control the release of chemicals
- Tablets not included
- Corrugated Sleeve Box
- 2 assorted colors



FLOATING POOL THERMOMETER

ITEM #	Pack	LB. (KG)	Packaging
58072/E	36	6.7 (3.1)	Blister card


- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius



ASSORTED FLOATING POOL THERMOMETER

ITEM #	Pack	LB. (KG)	Packaging
58110	24	7.1 (3.2)	Blister card

- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius
- 4 assorted design





CLEAN SUN POWERED POOL PAD

ITEM #	Pack	LB. (KG)	Packaging
58423/E	4	58.5 (26.5)	Full color box

- 43in. x 67in. / 1.10m x 1.71m Clean Sun Powered Pool Pad
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,000 gal./h (7,570 L/h) sand filter and below
- Compatible with all above ground pools
- Easy set up with included adaptors compatible with 1.25in. / 3.2cm and 1.5in. / 3.8cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 ~ 5°C (5 ~ 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9mm pvc
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72ft.² (1.46m²)
- Can be used in multiples to work together for different size pools



All solar powered water heating pool pads easily connect to accommodate different pool sizes!



POOL HEATER

ITEM #	Maximum Heater Output	Certification	Rating	PACK	LB. (KG)	Packaging
58259	40°C (104°F)	CE / TUV	220-240V~50Hz, 2,800W at 20°C	4	49.2 (22.3)	Full color box

- Compatible with:
- Swimming pool water capacity: 400 ~ 4,500 gal. (1,520 ~ 17,035 L)
- Filter pump/Sand filter flow rate: 1,000 gal/h (3,785 L/h) and below 1,000 gal/h (3,785 L/h)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA



POOLSIDE FOOTBATH

ITEM #	Size	Pack	LB. (KG)	Packaging
58308/E	16in. x 16in. x 6in. 41cm x 41cm x 15cm	12	12.7 (5.8)	-

- Reduce debris & dirt from swimming pool water!
- Easily connects to ladder to rinse off feet before entering the pool
- Anti-slip bottom designed for safety
- Compatible with most above ground pool ladders
- Designed water capacity: 2.4 gal. / 9 L



SOLAR-PRO SHOWER™

ITEM #	Size	Pack	LB. (KG)	Packaging
58224	16in. x 23in. 41cm x 58cm	24	26.8 (12.2)	Full Color Box


- Solar-heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 5.3 gal. (20 L) of water for multiple showers
- Great for outdoor adventures



SOLAR-FLOAT LAMP

ITEM #	Size	Pack	LB. (KG)	Packaging
58111/E	07in. / 018cm	24	22.3 (10.1)	Full color box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard light up
- Extra-long 8-hour runtime
- 1.2V ...



LED FLOATING POOL LIGHT

ITEM #	Size	Pack	LB. (KG)	Packaging
58419	05.5in. / 014cm	12	9.9 (4.5)	Full color box
58419E	05.5in. / 014cm	12	9.5 (4.3)	Full color box

- Beautiful display: 4 super bright LED's in 4 colors (yellow, red, blue and green) with 7 flashing light models
- Easy to operate: simply press on button on the top of the light
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8ft. / 2.43m wide and 5ft. / 1.52m deep
- Power saving: shuts off automatically after one hour when not in use



NEW

LED FLOATING POOL FOUNTAIN

ITEM #	Size	Pack	LB. (KG)	Packaging
58493/E	07.3in. / 018.5cm	6	14.7 (6.7)	Full Color Box

- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery, can be recharged and reused repeatedly, lasts 2-3 hours after fully charged, low maintenance cost.
- Coverage area of light: diameter 8ft. / 2.43m, height 5ft. / 1.52m
- Simple operation and easy to use button panel.
- Lightshow and water fountain function can be used independently, controlled by two different buttons.
- Colorful lightshow projects toward the bottom of the pool and projects through the fountain.
- There are 3 different lighting modes with 3 colors: red, green and blue.
Red, green, blue combination flashes at random
Red, green, blue combination lights up slowly and alternates flashes
Red, green, blue combination lights up quickly and alternates flashes
- Max. height of water fountain can reach up to 1m.
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour



3 FT.

SHOOTS UP TO THREE FEET HIGH!

INDEX

30007	My First Fast Set Spray Pool	PG 50	56444	Power Steel™ Pool Set	PG 30	56597/E	Steel Pro Max™ Pool Set	PG 23	56725	Power Steel™ Swim Vista Series™ Pool Set	PG 45	58036/E	Pool Cover	PG 69	58234/E	Aquaclean Pool Cleaning Kit	PG 82	58340	AquaScan Electric Pool Vacuum	PG 79	58493/E	Led Floating Pool Fountain	PG 92
30014/E	Polysphere Display	PG 68	56445E	Power Steel™ Pool Set	PG 30	56617	Power Steel™ Oval Pool Set	PG 42	56726/E	Power Steel™ Swim Vista Series™ Pool Set	PG 45	58037/E	Pool Cover	PG 69	58236/E	Hose Adapters	PG 65	58356E	Pool Cover	PG 69	58495/GS	Sand Filter	PG 61
56217/E	My First Frame Pool	PG 51	56448	Power Steel™ Oval Pool Set	PG 42	56620	Power Steel™ Oval Pool Set	PG 42	57241/E	My First Fast Set Pool	PG 49	58038/E	Pool Cover	PG 69	58237/E	Deluxe Maintenance Kit	PG 82	58368	Hose	PG 65	58496/E	Sand Filter	PG 61
56251	Power Steel™ Rectangular Pool Set	PG 35	56450	Power Steel™ Oval Pool Set	PG 42	56622/E	Power Steel™ Oval Pool Set	PG 42	57252/E	Fast Set™ Pool	PG 11	58039/E	Pool Cover	PG 69	58240	Solar Pool Cover	PG 69	58369	Hose	PG 65	58497/GS	Sand Filter	PG 62
56260	Steel Pro Max™ Pool Set	PG 23	56451	Power Steel™ Pool Set	PG 30	56623	Power Steel™ Rectangular Pool Set	PG 39	57265	Fast Set™ Pool	PG 12	58060/E	Solar Pool Cover	PG 69	58241/E	Solar Pool Cover	PG 69	58381	Filter Pump	PG 63	58498/E	Sand Filter	PG 62
56283	My First Frame Pool	PG 51	56453	Power Steel™ Pool Set	PG 30	56625	Power Steel™ Rectangular Pool Set	PG 39	57266	Fast Set™ Pool	PG 12	58071/E	Chemical Floater	PG 87	58242/E	Solar Pool Cover	PG 69	58383	Filter Pump	PG 63	58499/GS	Sand Filter	PG 62
56388E	Power Steel™ Pool Set	PG 31	56456	Power Steel™ Rectangular Pool Set	PG 35	56626	Power Steel™ Square Pool Set	PG 34	57267/E	Fast Set™ Pool Set	PG 12	58072/E	Floating Pool Thermometer	PG 87	58247/E	Pool & Spa Test Strips	PG 84	58384	Filter Pump	PG 63	58500/E	Sand Filter	PG 62
56392E	Power Steel™ Pool Set	PG 31	56457	Power Steel™ Rectangular Pool Set	PG 35	56628/E	Power Steel™ Square Pool Set	PG 34	57268	Fast Set™ Pool Set	PG 12	58093	Filter Cartridge	PG 65	58248/E	Pool Cover	PG 69	58385E	Filter Pump	PG 63	58503	Anti-Microbial Filter Cartridge	PG 65
56399E	Power Steel™ Pool Set	PG 31	56458/E	Power Steel™ Rectangular Pool Set	PG 35	56629	Power Steel™ Rectangular Pool Set	PG 35	57269/E	Fast Set™ Pool Set	PG 12	58094	Filter Cartridge	PG 65	58249/E	Pool Cover	PG 69	58386	Filter Pump	PG 63	58504E	Anti-Microbial Filter Cartridge	PG 65
56401	Steel Pro™ Pool	PG 17	56459	Power Steel™ Pool Set	PG 31	56631/E	Power Steel™ Rectangular Pool Set	PG 35	57270	Fast Set™ Pool Set	PG 12	58095/E	Filter Cartridge	PG 65	58251/E	Ground Cloth	PG 71	58387	Filter Pump	PG 63	58505/E	Anti-Microbial Filter Cartridge	PG 65
56403	Steel Pro™ Pool	PG 18	56462	Steel Pro Max™ Pool Set	PG 26	56641	Power Steel™ Pool Set	PG 30	57273	Fast Set™ Pool	PG 12	58100	Ground Cloth	PG 72	58252/E	Solar Pool Cover	PG 69	58388E	Filter Pump	PG 63	58510/E	Anti-Microbial Filter Cartridge	PG 65
56404	Steel Pro™ Pool	PG 18	56463/E	Steel Pro Max™ Pool Set	PG 26	56643	Power Steel™ Pool Set	PG 30	57274	Fast Set™ Pool Set	PG 12	58101	Ground Cloth	PG 72	58253/E	Solar Pool Cover	PG 69	58389	Filter Pump	PG 63	58511/E	Filter Pump	PG 63
56405	Steel Pro™ Pool	PG 18	56465	Power Steel™ Rectangular Pool Set	PG 38	56655E	Power Steel™ Oval Pool Set	PG 42	57275/E	Fast Set™ Pool Set	PG 12	58102	Ground Cloth	PG 72	58259	Pool Heater	PG 90	58390/E	Filter Pump	PG 63	58515	Sand Filter	PG 61
56406	Steel Pro Max™ Pool	PG 22	56466	Power Steel™ Rectangular Pool Set	PG 38	56660	Power Steel™ Rectangular Pool Set	PG 35	57286/E	Fast Set™ Pool Set	PG 13	58103	Pool Cover	PG 70	58264	Ground Cloth	PG 72	58391	Filter Pump	PG 63	58516/E	Sand Filter	PG 61
56407/E	Steel Pro Max™ Pool Set	PG 22	56467	Power Steel™ Rectangular Pool Set	PG 38	56661	Power Steel™ Rectangular Pool Set	PG 35	57294	Fast Set™ Pool Set	PG 13	58105	Pool Cover	PG 70	58265	Pool Floor Protector	PG 72	58392/E	Filter Pump	PG 63	62068/E	Heavy-Duty Repair Patch	PG 84
56408	Steel Pro Max™ Pool Set	PG 22	56468	Power Steel™ Rectangular Pool Set	PG 38	56662	Power Steel™ Rectangular Pool Set	PG 39	57305/E	Fast Set™ Pool	PG 12	58106	Pool Cover	PG 70	58277	CleanCast Skimmer	PG 83	58415	Pool Cover	PG 69	62091/E	Underwater Adhesive Repair Patch	PG 84
56411	Steel Pro™ Pool Set	PG 18	56470	Power Steel™ Rectangular Pool Set	PG 39	56663E	Power Steel™ Pool Set	PG 30	57307/E	Fast Set™ Pool	PG 12	58107	Pool Cover	PG 70	58278/E	Aqua Net	PG 83	58419/E	LED Floating Pool Light	PG 91			
56412/E	Steel Pro™ Pool Set	PG 18	56471	Power Steel™ Rectangular Pool Set	PG 39	56670	Power Steel™ Rectangular Pool Set	PG 38	57308/E	Fast Set™ Pool	PG 12	58108	Pool Cover	PG 69	58279/E	E-Z-Broom Pole	PG 84	58422/E	Aqua Powercell Vac	PG 79			
56416	Steel Pro Max™ Pool Set	PG 22	56473/E	Power Steel™ Rectangular Pool Set	PG 39	56671	Power Steel™ Rectangular Pool Set	PG 38	57313	Fast Set™ Pool Set	PG 13	58110	Assorted Floating Pool Thermometer	PG 87	58280/E	Aquabroom	PG 83	58423/E	Clean Sun Powered Pool Pad	PG 89			
56417/E	Steel Pro Max™ Pool Set	PG 22	56474	Power Steel™ Rectangular Pool Set	PG 39	56672	Power Steel™ Rectangular Pool Set	PG 38	57315/E	Fast Set™ Pool Set	PG 13	58111/E	Solar-Float Lamp	PG 91	58282	Angler Pool Vacuum	PG 83	58424	Pool Cover	PG 70			
56418	Steel Pro Max™ Pool Set	PG 23	56475	Power Steel™ Rectangular Pool Set	PG 39	56673	Power Steel™ Rectangular Pool Set	PG 38	57321	Fast Set™ Pool Set	PG 13	58142/E	Pool & Spa Test Strips	PG 84	58283E	Filter Cartridge	PG 65	58425	Pool Cover	PG 70			
56419	Steel Pro Max™ Pool Set	PG 23	56476	Power Steel™ Rectangular Pool Set	PG 39	56674	Power Steel™ Pool Set	PG 31	57323/E	Fast Set™ Pool Set	PG 13	58173/E	Solar Pool Cover	PG 69	58304/E	Aquaclimb Automatic Pool Cleaner	PG 80	58427	Aqua Powercell Vac	PG 79			
56420	Steel Pro Max™ Pool Set	PG 23	56477	Power Steel™ Rectangular Pool Set	PG 39	56675	Power Steel™ Pool Set	PG 31	57326	My First Fast Set Spray Pool	PG 50	58195/E	Pool Accessories Set	PG 81	58308/E	Poolside Footbath	PG 90	58430	Pool Ladder	PG 73			
56421	Steel Pro Max™ Pool Set	PG 23	56488	Steel Pro Max™ Pool Set	PG 26	56686	Steel Pro Max™ Pool Set	PG 26	58000	Ground Cloth	PG 71	58209/E	Chemical Floater	PG 87	58319	Pool Cover	PG 69	58442	Pool Cover	PG 70			
56424	Steel Pro™ Pool Set	PG 18	56491E	Power Steel™ Pool Set	PG 30	56687E	Steel Pro Max™ Pool Set	PG 26	58001/E	Ground Cloth	PG 71	58210	Chemical Floater	PG 87	58325/E	CleanCast Skimmer Set	PG 83	58462	Skimatic™ Filter Pump	PG 64			
56425/E	Steel Pro™ Pool Set	PG 18	56493/E	Steel Pro Max™ Pool	PG 22	56690E	Steel Pro Max™ Pool Set	PG 26	58002/E	Ground Cloth	PG 71	58212/E	Aquacrawl Pool Vacuum	PG 81	58330	Safety Pool Ladder	PG 73	58463/E	Skimatic™ Filter Pump	PG 64			
56426/E	Power Steel™ Rectangular Pool Set	PG 35	56496/E	Steel Pro™ Pool	PG 18	56704	Power Steel™ Pool Set	PG 31	58003/E	Ground Cloth	PG 71	58215/E	Chlorinator	PG 85	58331	Safety Pool Ladder	PG 74	58469	Skimatic™ Filter Pump	PG 64			
56427	Power Steel™ Pool Set	PG 31	56498/E	Steel Pro™ Pool	PG 18	56705	Power Steel™ Pool Set	PG 31	58012/E	Filter Cartridge	PG 65	58216	Chlorinator	PG 85	58332	Safety Pool Ladder	PG 74	58470/E	Skimatic™ Filter Pump	PG 64			
56432	Splash-In-Shade Play Pool	PG 52	56512/E	Steel Pro™ Pool	PG 18	56710	Power Steel™ Oval Pool Set	PG 42	58013/E	Maintenance Kit	PG 81	58220	Pool Floor Protector	PG 72	58334/E	Pool Ladder	PG 73	58474/E	Chemical Floater with ChemGuard™ Glove	PG 88			
56438	Steel Pro Max™ Pool Set	PG 26	56536E	Power Steel™ Rectangular Pool Set	PG 38	56711/E	Power Steel™ Oval Pool Set	PG 42	58031/E	Ground Cloth	PG 71	58224	Solar-Pro Shower™	PG 90	58335/E	Pool Ladder	PG 73	58475/E	Flowclear™ Polysphere	PG 66			
56439	Steel Pro Max™ Pool Set	PG 26	56542E	Power Steel™ Rectangular Pool Set	PG 39	56714	Power Steel™ Swim Vista Series™ Oval Pool Set	PG 48	58032/E	Pool Cover	PG 69	58228	Solar Pool Cover	PG 69	58336/E	Pool Ladder	PG 74	58476/E	Anti-Microbial Filter Cartridge	PG 65			
56441	Power Steel™ Rectangular Pool Set	PG 35	56543	Splash-In-Shade Play Pool	PG 52	56715/E	Power Steel™ Swim Vista Series™ Oval Pool Set	PG 48	58033/E	Pool Cover	PG 69	58230	Pool™ Drain Pump	PG 86	58337/E	Pool Ladder	PG 74	58482/E	Aquatronix™ Robotic Vacuum Pool Cleaner	PG 77			
56442	Power Steel™ Rectangular Pool Set	PG 35	56545/E	Steel Pro™ Pool	PG 17	56716	Power Steel™ Swim Vista Series™ Oval Pool Set	PG 48	58034/E	Pool Cover	PG 69	58232	Pool Cover	PG 70	58338/E	AquaFeed Chlorinator	PG 85	58483/E	Aquatronix™ Robotic Vacuum Pool Cleaner	PG 77			
56443	Power Steel™ Pool Set	PG 30	56595	Steel Pro Max™ Pool Set	PG 23	56717/E	Power Steel™ Swim Vista Series™ Oval Pool Set	PG 48	58035/E	Pool Cover	PG 69	58233/E	Pool Surface Skimmer	PG 83	58339/E	AquaDip Pool Vacuum	PG 80	58486/GS	Sand Filter	PG 60			