

SHANGHAI 0 Bestway Inflatables & Material Corp.

No.3065 Cao An Road, Shanghai, 201812, China Tel: 86 21 6913 5588 Fax: 86 21 5913 8383 E-mail: info@bestwaycorp.com

HONG KONG Bestway (Hong Kong) International Ltd. 66 Mody Road, Kowloon, Hong Kong Tel: 852 2997 7169 Fax: 852 2997 7869

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, E-mail: info@bestwaycorp.hk

EUROPE 0

Bestway (Europe) S.r.l. Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy Tel: 39 02 9884 881 Fax: 39 02 9884 8828 E-mail: info@bestwaycorp.eu

U.S.A. 0 Bestway (USA) Inc. 3411 E. Harbour Drive, Phoenix, Arizona 85034, United States of America Tel: 1 480 838 3888 Fax: 1 480 304 3349 E-mail: info@bestwaycorp.us

LATIN AMERICA

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: 562 3203 6438 Fax: 562 3203 6409 E-mail: info@bestwaycorp.lat

AUSTRALIA

Bestway Australia Pty Limited Unit 2/98-104 Carnarvon St Silverwater, NSW 2128, Australia Tel: 61 2 9037 1388 Fax: 61 2 9737 9423 E-mail: info@bestwaycorp.com.au

BRAZIL 0 Bestway Brazil Rua São João, 1648 Maringá - PR - Brazil Zip Code: 87030-201 Tel: 55 44 3046 2950 0800 001 8400 E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France Sarl Espace Berlioz, 100 rue Albert Caquot 06410 Biot France Tel: 33 4 97 04 92 99 Fax: 33 4 97 04 91 07

E-mail: info@bestwaycorp.fr

Bestway f 🏏 🖸 🕨 www.bestwaycorp.com

GERMANY Bestway Deutschland GmbH Parkstraße 11 24534 Neumünster, Germany Tel: 49 4321 555 05 - 0 Fax: 49 4321 555 05 - 55 E-mail: info@bestwaycorp.de







ABOVE GROUND POOLS



PAVILLO



AIRBEDS

LICENSE

WATER SPORTS





Vertically Integrated

AN IMPORTANT MESSAGE FOR BESTWAY CUSTOMERS:



We are pleased to inform you that Bestway successfully listed on the Hong Kong Stock Exchange (3358.HK) on November 16, 2017. This is an important milestone for our business, but more importantly, a crucial step for the continual growth and support of our customers.

We would like to sincerely thank you for 24 years of business, and our entire family is looking forward to the next era of Bestway.





We create fun, lasting experiences to everyone in the world through the products and services we provide.

OUR MISSION

Happiness — Happy Consumers, Happy Employees, Happy World



Sustainable





Customer Focused



Driven

Innovative



Fully Owned Production Facilities







WELCOME

Bestway's Lay-Z-Spa™ is the world's first premium inflatable spa.

Almost a decade of advanced engineering innovations have built total market dominance and a name consumers have grown to trust. The Lay-Z-Spa offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation. Another reason consumers love Lay-Z-Spa is because it's backed by Bestway's comprehensive customer support services. These include online support, video tutorials detailing step-by-step set up and maintenance for your spa, plus localized call centers to answer any questions. For this reason, customers can enjoy peace of mind and spend more time relaxing in their Lay-Z-Spa. Your customers deserve the best portable spa – they deserve Lay-Z-Spa by Bestway.

CONTENTS



Provide your customers with quality products and the advanced customer service support they deserve. Bestway's online services and regional call centers allow customers to easily resolve issues that arise with their Bestway products. Our multilingual website is a knowledge base offering downloadable manuals, instructional videos along with FAQs and the ability for customers to order spare parts. Regional Call Centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions online.



TECHNOLOGIES

AirJet™

HydroJet"

Float away on a cloud of bubbles with an AirJet massage! Sooth your body and relax your mind with the touch of a button. Simply press the Massage button on the control panel and bubble jets will surround you with effervescent enjoyment.

This is ultimate spa relaxation right at your fingertips with eight fully adjustable HydroJets. Simply twist the HydroJet's bezel to adjust the water flow rate, and then pivot the nozzle to direct the jets to wherever you like. Share the luxury evenly among your spa companions, or if you're alone, direct all 8 HydroJets toward yourself for a deep, soothing, magical massage.

HydroJet Pro™

AirJets PLUS HydroJets! You get the best of both worlds with the HydroJet Pro. Eight directional and flow-adjustable HydroJets combine with AirJets to provide the ultimate in spa relaxation. Select only the AirJets, just the HydroJets, or both at the same time – the choice is yours with HydroJet Pro!

Y-BEAM CONSTRUCTION

Delivering strength and comfort

Lay-Z-Spa's Y-Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.

The spa retains its shape no matter how many times it's inflated and deflated, always providing a comfortable, cushioned spa environment.

Tritech[™] is a 3-ply reinforced material with a polyester mesh core that's encased in two layers of laminated PVC – offering superior strength and durability to the build of our Spas.


TRITECH[™] 3-PLY

Durable, yet comfortable

DROP STITCH MATERIAL


Strength and Durability


Inflated walls are made from drop stitch material, providing unparalleled strength and durability. These threads securely connect the material surfaces internally, while carefully applied sidewalls seal the finished inflated cavity. This creates a panel that effectively supports considerable weight while itself being light and easily portable when deflated.



PACKAGING







AIRJET

Float away on a cloud of bubbles with an AirJet massage.

Soothing to the limbs and relaxing to the spirit, just press the Massage button on the control panel and the Lay-Z-Spa's AirJets will surround you with effervescent enjoyment.

6310 South Contraction



14





MIAMI

54123 • 54124





WARM AIR

POWFR SAVING TIMER

Intertek C C E

ΜΔΧΙΜΠΜ TEMPERATURE

NO TOOLS NEEDED

2-4

GROUND FAULT DETECTION SYSTEM SET-UP

Pre-tested pump and spa

- Relax with these luxurious features:
- Soothing AirJet™ system (#54123: 81 air jets / #54124: 60 air jets)
 Power Saving System: Automatic start/stop timer-controlled heating system
 Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Provides a soothing massage experience
 2 easy-lift handles make moving the empty spa a simple task
- Reinforced cover with safety lock clips and built-in air chamber for insulation
 Outer walls of the inflatable pool are made of Tritech[™] material for premium durability and comfort
- Mosaic print pool liner
- Fast, easy setup just inflate using the spa's pump
 Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
- Digitally-controlled pump with soft-touch control panel
 Pump is supplied with a residual current device (RCD) (for #54123)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54124)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, filter cartridge (VI), one ChemConnect™ dispenser, repair patch, AirJet[™] system



ITEM NO	54123	54124
CAPACITY	2-4 ADULTS	2-4 ADULTS
WATER CAPACITY (80%)	669 L (177 GAL.)	177 GAL. (669 L)
INFLATED SIZE	1.80M X 66CM (71" X 26")	71IN. X 26IN. (1.80M X 66CM)
INNER SIZE	1.32M (52")	52IN. (1.32M)
FILLED WEIGHT	696 KG (1,534 LB.)	1, 534 LB. (696 KG)
RATING	220-240V~50HZ, 2050W AT 20°C	110-120V~60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	350 GAL./H (1,325 L/H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)
MAX HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, GS	C-ETL
PACK/ GROSS WEIGHT	1EA., 32.85 KG (72.42 LB)	1 EA., 72.11 LB (32.72 KG)





NEW GENERATION

PARIS



- Pre-tested pump and spa
- Relax with these luxurious features:


Intertek C C E

- Soothing AirJet™ system. (#54148: 87 air jets / #54149: 76 air jets)
 Power Saving System: Automatic start/stop timer-controlled heating system
- Remote-control multi-colored LED light strip system
 Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Air pad protector maintains water temperature

- Provides a soothing massage experience
 2 easy-lift handles make moving the empty spa a simple task
 Leatheroid cover with safety lock clips and built-in air chamber for insulation
- Fast, easy setup just inflate using the spa's pump
 Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
- Digitally controlled pump with soft-touch control panel
 Pump is supplied with a residual current device (RCD) (for #54148)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54149)
 Full color box

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one LED light strips, one air pad protector, repair patch, AirJet™ system

PARIS 54148 • 54149 AirJet^{**}









HONOLULU





SAVING TIMER









AIRJET SYSTEM (MASSAGE ACTION)

TEMPERATURE

NEEDED

SET-LIP



• Pre-tested pump and spa


- Inflated walls are made of Tritech[™] material, providing premium durability and comfort
- Relax with these luxurious features:
- Soothing AirJet™ system (120 air jets)
- Power Saving System: Automatic start/stop timer-controlled heating system
- Integrated water filtration system
- Rattan print on outside and pool cover with a mosaic print on the bottom and wall
- Soft, insulated floor with convenient drain valve
- Provides a soothing massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector maintains water temperature
- 2 easy-lift handles make moving the empty spa a simple task
- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device rated residual operating current not exceeding 10mA

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one air pad protector, repair kit, AirJet™ system

HONOLULU 54174 AirJet^{**}









NEW GENERATION



PALM SPRINGS









54129 • 54130

AIRJET SYSTEM (MASSAGE ACTION)

WARM AIR

POWER SAVING TIMER


ΜΔΧΙΜΠΜ TEMPERATURE

NEEDED

AirJet™

- Pre-tested pump and spa
- Inflated walls are made of Tritech[™] material, providing premium durability and comfort
- Relax with these luxurious features:
- Soothing AirJet™ system. [#54129: 120 air jets / #54130: 114 air jets) Power Saving System: Automatic start/stop timer-controlled heating system
- Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Provides a comfortable massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector maintains water temperature
- 2 easy-lift handles make moving the empty spa a quick task
- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is preparing it for storage
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54129)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54130)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one air pad protector, repair kit , AirJet™ system



ITEM NO	54129	54130				
CAPACITY	4-6 ADULTS	4-6 ADULTS				
WATER CAPACITY (80%)	916 L (242 GAL.)	242 GAL.(916 L)				
INFLATED SIZE	1.96M X 71CM (77" X 28")	77IN. X 28IN. (1.96M X 71CM)				
INNER SIZE	1.46M (57")	57IN. (1.46M)				
FILLED WEIGHT	954 KG (2,103 LB.)	2,103 LB. (954 KG)				
RATING	220-240V~50HZ, 2050W AT 20°C	110-120V~60HZ, 12A AT 20°C				
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)				
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)				
MAX HEAT CAPABILITY	40°C (104°F)	104°F(40°C)				
CERTIFICATION	CE, GS	C-ETL				
PACK/ GROSS WEIGHT	1 EA., 41.60 KG (91.70 LB)	1 EA., 90.59 LB (41.09 KG)				






NEW GENERATION



HAWAII



AirJet™

- AIRJET SYSTEM (MASSAGE ACTION)


 - WARM AIR
- SAVING TIMER

Intertek C C E

- TEMPERATURE
- NEEDED
- DETECTION SYSTEM SET-UP

- Pre-tested pump and spa
- Inflated walls are made of Tritech[™] material, providing premium durability and comfort
- Relax with these luxurious features:
- Soothing AirJet™ system (#54154: 120 air jets / #54155: 114 air jets) Power Saving System: Automatic start/stop timer-controlled heating system
- Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Provides a soothing massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector maintains water temperature
- 2 easy-lift handles make moving the empty spa a simple task
- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is preparing spa for storage
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54154)
- Pump is supplied with a ground fault circuit interrupter(GFCI) (for #54155)
 Full color box

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one air pad protector, repair kit, AirJet™ system



ITEM NO	54154	54155			
CAPACITY	4-6 ADULTS	4-6 ADULTS			
WATER CAPACITY (80%)	840 L (222 GAL.)	222 GAL.(840 L)			
INFLATED SIZE	1.80M X 1.80M X 71CM (71" X 71" X 28")	711N. X 711N. X 281N. (1.80M X 1.80M X 71CM)			
INNER SIZE	1.30M X 1.30M (51" X 51")	51IN. X 51IN. (1.30M X 1.30M)			
FILLED WEIGHT	879KG (1,938 LB.)	1,938 LB (879 KG)			
RATING	220-240V~50HZ, 2050W AT 20°C	110-120V~60HZ, 12A AT 20°C			
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)			
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)			
MAX HEAT CAPABILITY	40°C (104°F)	104°F (40°C)			
CERTIFICATION	CE, GS	C-ETL			
PACK/ GROSS WEIGHT	1 EA., 43.50 KG (95.91 LB)	1 EA., 91.38 LB (41.45 KG)			



FREEZE SHIELD TECHNOLOGY

Lay-Z-Spas with Freeze Shield[™] are equipped for year-round, all-weather use. Designed with innovative winterizing technology, these spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield[™] automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

110



HELSINKI



POWER

SAVING TIMER



ΜΔΧΙΜΙΙΜ

TEMPERATURE







MATERIAL DETECTION SYSTEM



54189 • 54190

AirJet™

WARM AIR

- Pre-tested pump and spa
 Inflated walls are made of a drop stitch material, providing unparalleled strength and durability
- Relax with these luxurious features:
 Soothing AirJet[™] system (#54189: 87 air jets / #54190: 83 air jets)


- Soothing All Jet ^{III} System (#34187: 87 all jets / #34190: 83 all jets)
 Power Saving System: Automatic start/stop timer-controlled heating system
 Integrated water filtration system
 ChemConnect^{III} Dispenser maintains and provides clean, healthy pool water. Dispenser release provides a stable level of chlorine needed for proper chemical balance
 Soft, insulated floor with convenient drain valve
 Destificate a convenient drain valve

- Provides a comfortable massage experience
 Reinforced cover with safety lock clips and built-in air chamber for insulation
 Wooden print on exterior
- Position, maneuver or transport the spa with convenient easy-lift handles
- Inflates using the spa's pump

- Additional exhaust fitting provides quick deflation of spa when user is preparing it for storage
 Digitally controlled pump with soft-touch control panel
 Freeze Shield[™] winterizing system will allow you to enjoy your Spa all year around. Features include: (for #54189)
 Automatic heating function (automatic heating will start at 6°C, and stop
- at 10°C) prevents water from freezing System is programmable up to 40 days in advance or 48 hours of continuation Pump is supplied with a residual current device (RCD) (for #54189)


- Pump is supplied with a ground fault circuit interrupter(GFCI) (for #54190)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system



ITEM NO	54189	54190				
CAPACITY	5-7 ADULTS	5-7 ADULTS				
WATER CAPACITY (80%)	1,123 L (297 GAL.)	297 GAL.(1,123 L)				
INFLATED SIZE	1.80M X 66CM (71" X 26")	71IN. X 26IN. (1.80M X 66CM)				
INNER SIZE	1.70M (67")	67IN. (1.70M)				
FILLED WEIGHT	1,155 KG (2,548 LB.)	2,548 LB. (1,155 KG)				
RATING	220-240V~50HZ, 2050W AT 20°C	110-120V~60HZ, 12A AT 20°C				
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	350 GAL./H (1,325 L/H)				
HEATING SYSTEM	APPROX. 1.0-1.5°C/H (2-3°F/H)	APPROX. 1.0-2.0°F/H (0.5-1.0°C/H)				
MAX HEAT CAPABILITY	40°C (104°F)	104°F(40°C)				
CERTIFICATION	CE, GS	C-ETL				
PACK/ GROSS WEIGHT	1 EA., 38.72 KG (85.36 LB)	1 EA., 86.07 LB (39.04 KG)				







NEW GENERATION

ST. MORITZ





(MASSAGE ACTION)







40°C ∎ 104°F

5-7




54175 • 54176 AirJet™

NEEDED

- Pre-tested pump and spa
- Relax with these luxurious features:
- Soothing AirJet™ system (#54175: 140 air jets / #54176: 134 air jets)
 Power Saving System: Automatic start/stop timer-controlled heating system
- Integrated water filtration system
 Inflated walls are made of Tritech[™] material, providing premium durability and comfort
- Reinforced cover with safety lock clips and built-in air chamber for insulation
 Rattan print on outside and pool cover, mosaic print on the bottom
- Air pad protector maintains water temperature
- Soft, insulated floor with convenient drain valve
- 2 easy-lift handles makes moving the empty spa a simple task
- Provides a soothing massage experience
 Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
- Digitally controlled pump with soft-touch control panel
- Inflates using the spa's pump
- Pump is supplied with a residual current device (RCD) (for #54175)
 Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54176)
- Full color box

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one air pad protector, repair kit , AirJet™ system



ITEM NO	54175	54176
CAPACITY	5-7 ADULTS	5-7 ADULTS
WATER CAPACITY (80%)	1190 L (314 GAL.)	314 GAL.(1190 L)
INFLATED SIZE	2.16M X 71CM (85" X 28")	85IN. X 28IN. (2.16M X 71CM)
INNER SIZE	1.66M (65")	65IN. (1.66M)
FILLED WEIGHT	1210 KG (2,668LB.)	2,668 LB.(1210 KG)
RATING	220-240V~50HZ, 2050W AT 20°C	110-120V~60HZ, 12A AT 20°C
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)
HEATING SYSTEM	APPROX. 1.2-1.8°C/H (2-3°F/H)	APPROX. 1-2°F/H (0.6-1.2°C/H)
MAX HEAT CAPABILITY	40°C (104°F)	104°F (40°C)
CERTIFICATION	CE, GS	C-ETL
PACK/ GROSS WEIGHT	1 EA., 48.28 KG (106.43 LB)	1 EA., 101.90 LB (46.22 KG)







HYDROJET


Perfect spa relaxation at your fingertips!

All EIGHT HydroJets are fully adjustable: Simply twist the HydroJet's bezel to adjust the water flow rate, then pivot the nozzle to re-direct the jet to wherever you like.

You can use them to share the luxury evenly among your spa companions or, if you're alone, re-direct the HydroJets toward yourself for a deep, relaxing solo massage.

Construction of the second s





ClearSoft™ ô WATER SOFTENING SYSTEM




Electromagnetic Softening System

Reduce the adverse effects of "hard" water (usually spa staining and skin irritation) with our built-in ClearSoft™ Softening System. Activate the ClearSoft system using the spa's control panel. The powerful electromagnetic coils surrounding the spa's water work to condition the water passing through the system. Plus, it's not just "low-maintenance", it's virtually "No maintenance" - with no additional moving parts!








ITEM NO	54144					
CAPACITY	APACITY 4-6 ADULTS APACITY (80%) 795 L (210 GAL.) ATED SIZE 1.96M X 71CM (77" X 28") NER SIZE 1.46M (57") SED WEIGHT 864 KG (1,905 LB.) COMPACT 220-240V-50HZ, 2060W AT 20°C WATER FLOW 1,325 L/H (350 GAL./H) NG SYSTEM APPROX. 1.5-2.0°C/H (3-4°F/H)					
WATER CAPACITY (80%)	R CAPACITY (80%) 795 L (210 GAL.) IFLATED SIZE 1.96M X 71CM (77" X 28") INNER SIZE 1.46M (57") LLED WEIGHT 864 KG (1,905 LB.) RATING 220-240V-50HZ, 2060W AT 20°C					
INFLATED SIZE	PACITY (80%) 795 L (210 GAL.) TED SIZE 1.96M X 71CM (77" X 28") R SIZE 1.46M (57") WEIGHT 864 KG (1,905 LB.) FING 220-240V-50HZ, 2060W AT 20°C ATER FLOW 1,325 L/H (350 GAL./H)					
INNER SIZE	1.46M (57")					
FILLED WEIGHT	864 KG (1,905 LB.)					
RATING	220-240V~50HZ, 2060W AT 20°C					
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)					
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)					
MAX HEAT CAPABILITY	40°C (104°F)					
CERTIFICATION	CE, TUV					
PACK/ GROSS WEIGHT	1 EA., 68.35 KG (150.67 LB)					





HYDROJET PRO^{\mathbf{M}}

Perfect spa relaxation at your fingertips!

AirJets PLUS HydroJets! The best of both worlds. Eight directional and flow-adjustable HydroJets combine with AirJets to provide the ultimate in spa relaxation. Select only the AirJets, just the HydroJets, or both at the same time – the choice is yours with HydroJet Pro!


Lay-Z-Spa



NEW GENERATION

HAWAII











54138 • 54139

HydroJet Pro

• Pre-tested pump and spa

AIRJET SYSTEM

(MASSAGE ACTION)

- Inflated walls are made of Tritech™ material, providing premium durability and comfort
- Relax with these luxurious features:
- Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydro jets and 120 soothing air jets (for #54138)
- SaluSpa™ Hydrodynamic massage system has 8 adjustable hydro jets and 114 soothing air jets (for #54139)
- ClearSoft™ Water Softening System provides very high water quality
- Power Saving System: Automatic timer-controlled heating system
- Integrated water filtration system
- Soft, insulated floor with convenient drain valve
- Provides a soothing massage experience
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Air pad protector maintains water temperature
- 2 easy-lift handles make moving the empty spa a simple task
- Inflates using the spa's pump
- Additional exhaust fitting provides quicker deflation of spa when user is preparing it for storage
- Digitally controlled pump with soft-touch control panel
- Pump is supplied with a residual current device (RCD) (for #54138)
- Pump is supplied with a ground fault circuit interrupter (GFCI) (for #54139)
- Sturdy cardboard box with pictures

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), one air pad protector, repair kit, AirJet™ system, HydroJet™ system



ITEM NO	54138	54139				
CAPACITY	4-6 ADULTS	4-6 ADULTS				
WATER CAPACITY (80%)	795 L (210 GAL.)	210 GAL. (795 L)				
INFLATED SIZE	1.80M X 1.80M X 71CM (71" X 71" X 28")	71IN. X 71IN. X 28IN. (1.80M X 1.80M X 71CM)				
INNER SIZE	1.30M X 1.30M (51" X 51")	51IN. X 51IN. (1.30M X 1.30M)				
FILLED WEIGHT	867 KG (1,911 LB.) 1, 911 LB. (867 KG)					
RATING	220-240V~50HZ, 2060W AT 20°C	110-120V~60HZ, 12A AT 20°C				
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)	320 GAL./H (1,211 L/H)				
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)	APPROX. 2-3°F/H (1.0-1.5°C/H)				
MAX HEAT CAPABILITY	40°C (104°F)	104°F (40°C)				
CERTIFICATION	CE, TUV	C-ETL				
PACK/ GROSS WEIGHT	1 EA., 71.54 KG (157.72 LB)	1 EA., 156.61 LB (71.04 KG)				





NEW GENERATION

CE

MALDIVES



54173

HydroJet Pro


- Pre-tested pump and spa
- Relax with these luxurious features:

- Retax with these tuxurhous reatures:
 Lay-Z-Spa™ Hydrodynamic massage system has 8 adjustable hydro jets and all around 140 soothing air jets
 Lay-Z-Spa™ ClearSoft™ Softening Water System provides very high water quality
 Power Saving System: Automatic timer-controlled heating system
 Aqua Glow™ water powered LED light changes to 7 different colors when activated
 Integrated water filtration system
 Inflated walls are made of Tritech™ material, providing premium durability and comfort
 Inflatable seat and lounges provides an ultra-comfortable experience
 Reinforced cover with safety lock clips and built-in air chamber for insulation
 Air and protector maintains water temperature

- Air pad protector maintains water temperature
- Soft, insulated floor with convenient drain valve
- 2 easy-lift handles make moving the empty spa a simple task
- Provides a soothing massage experience
- Pump is supplied with a residual current device rated residual operating current not exceeding 10mA
 Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
 Digitally controlled pump with soft-touch control panel

- Inflates using the spa's pump
 Sturdy cardboard box with pictures

Contents: One pool liner, one pool cover, one spa pump, one ChemConnect™ dispenser, filter cartridge (VI), two water powered LED lights, one air pad protector, repair kit, AirJet™ system, HydroJet™ system




ITEM NO	54173			
CAPACITY	5-7 ADULTS			
WATER CAPACITY (80%)	1050 L (277 GAL.)			
INFLATED SIZE	2.01M X 2.01M X 80CM (79" X 79" X 31.5")			
INNER SIZE	1.51M X 1.51M (59" X 59")			
FILLED WEIGHT	1,117 KG (2,463 LB.)			
RATING	220-240V~ 50HZ, 2060W AT 20°C			
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)			
HEATING SYSTEM	APPROX. 1.0-2.0°C/H (2-4°F/H)			
MAX HEAT CAPABILITY	40°C (104°F)			
CERTIFICATION	CE			
PACK/ GROSS WEIGHT	1 EA., 80.08 KG (176.55 LB)			





ACCESSORIES

For easy maintenance and added comfort for your spa, Bestway[®] has a range of accessory options to choose from. Pillows, floor protectors, testing kits, filters, inflatable domes and electric pool vacuums make up the majority of ways to maximize your comfort and cleanliness of your spa.





Lay-Z-Spa[™] Entertainment Station 58434 • 58435

- Suitable for all of AirJet[™] Spa pumps
 Supports Bluetooth 4.0 allowing user to play music or talk on the phone
 Able to supply power to Bestway LED strip (available with Paris model)
 Rechargeable, built-in LiPo battery
 Full color box
 1 Ea., 6.60 KG (14.55 LB.)

Contents: One detachable Bluetooth speaker, one charger, one top cover, two support braces









58464

- 1.83m x 94cm x 1.09m / 6' x 37" x 43"
- Suitable for all Bestway spas
- High density, ventilated mesh windows
- Waterproof fabric: 190T Polyester
 PU1000mm coated
- UV index UPF 30+
- Two removable guy lines to provide stability
- Full color box
- 3 Ea., 4.09 KG (9.01 LB.)

Contents: One tent, three poles, two guy lines, one storage bag





Lay-Z-Spa[™] Dome 58460

- 3.90m x 3.90m x 2.55m / 12'9" x 12'9" x 8'4"
- Sets up in 15 minutes with 2 people
 Fits all Bestway Spas
- Suitable as a gazebo for use in the garden or backyard. Also can be used for pools up to 3.66m (12") diameter.
 Spacious
- Detachable fabric doors and mesh betachable fablic doors and mean doors, suitable for both winter and summer for spa coverage.
 Fabric:190T polyester PU1000mm coated
- Product unit weight:14.18kg (31.26Lb)
- 4 large inside pockets to store personal effects
- Full color box
- 2 Ea., 29.65 KG (65.37 LB.)

Contents: One tent, four detachable fabric doors, four detachable mesh doors, carry bag



Lay-Z-Spa^T Surround

58432

- 2.00m x 40cm x 40cm / 78" x 16" x 16"
- Inflatable spa surround
- Made of Tritech[™] material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Can be connected by velcro which is located on each end
- 3 surrounds form a circle you can assemble around the spa to sit or lie on
- Suitable for round spa
- Full color box
- 1 Ea., 7.85 KG (17.31 LB.)

Contents: One surround, repair patch

$Lay-Z-Spa^{n}$ Drinks Holder 58416

- relax
- side wall
- Full color box

Lay-Z-Spa[™] Square Surround 58466

- 1.74m x 40cm x 35cm / 69" x 16" x 14"
- Inflatable spa surround
- Made of Tritech[™] material
- Solid I-beam structure
- Inflate by spa pump or air pump
- Assemble around the square spa to sit or lie on
- Suitable for square spa
- Full color box
- 1 Ea., 6.07 KG (13.38 LB.)

Contents: One surround, repair patch

• Compatible with all Lay-Z-Spas (except Monaco) • Includes two drinks holders and one tray • Keep beverages or snacks close by while you

• Easily positioned anywhere on the top of the

- 12 Ea., 8.95 KG (19.73 LB.)
- Contents: Two drinks holders, one tray

Lay-Z-Spa[¬] Pillow

58317

• Super soft pillow offers a comfortable cushioned

- organic PU foam is 100% waterproof and resistant to chemicals and odors
- Easy to clean
- Securely connects to all Spas (except Monaco)
- Can also be used in the bath tub
- 2 pillows included in each color box
- Full color box
- 4 Prs., 5.08 KG (11.20 LB.)

Contents: Two pillows

Lay-Z-Spa[™] Floor Protector 58461

- Round protector 2.11m (83") for the spa
- Square protector 40cm x 50cm (15.5" x 19.5") mat for spa heater

Lav-Z-Spa

Lay-I-Spo

- Durable polyethylene material that provides protection for your spa
- Compatible with all Bestway spa sizes (except Maldives)
- Package contains 10 pieces (9 attachable, 1 individual)
- Shrink wrapped with insert card
 4 Sets, 8.20 KG (18.08 LB.)

Contents: One Floor Protector Set

NEW

TWO-SECTION POLE

with total reach of approximately 1.5m (5ft)

Lay-Z-Spa[™] Rechargeable Underwater Vacuum

58487

- Ideal for spas and small pools.
 Rechargeable lithium battery, no memory effect and constant performance during 30 minutes.
 USB charging cable.
 Pivoting suction head with wheels and brushes
 Debris is collected in an easy-to-access and easy-to-empty stainless steel filter.
 Full color box
 4 Ea., 4.55 KG (10.03 LB.)

Contents: One rechargeable vacuum set



USB CHARGING CABLE

to recharge lithium battery

and the

TRANSPARENT BODY

shows debris level

PIVOTING SUCTION HEAD

with wheels and brushes

......



Flowclear™ Pool & Spa Test Strips

10 ppm, Alkalinity 0 to 240 ppm

and pH 6.2 to 8.4 with instant

• 24 Ea., 1.20 KG (2.65 LB.)

58142

- pH

results

Blister card


• 3-in-1 Test Strip: - Free Chlorine

- Total Alkalinity

58247

- 5-in-1 Test Strip: - Free Chlorine
 - - pH - Total Chlorine
- Measures Free Chlorine 0 to
 - Total Hardness - Total Alkalinity

 - Measures pH 6.2 to 8.4, Free Chlorine 0 to 10 ppm, Total Chlorine 0 to 10 ppm, Total Hardness 0 to 1000 ppm and Total Alkalinity 0 to 240 ppm with instant results
 - Blister card
 - 24 Ea., 1.20 KG (2.65 LB.)



- The ideal solution for basic pool & spa water testing
- Easy Color-Match system
- Contains 50 test strips
- 18-month shelf life



Lay-Z-Spa[™] All in One Tool Set 58421

- Lay-Z-Spa[™] Scoop Bumper protects spa surface
- Round shaped design fits the contours of the spa's interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

Lay-Z-Spa[™] Brush

- Bumper and nylon bristles protect spa's surface
- Handheld or connects to standard telescopic pole
- Lay-Z-Spa[™] Scrubbing Mitt
- Scrub along spa water line
- Latex glove bonded with scrubber pad

• Full color box

• 8 Ea., 7.30 KG (16.09 LB.)

Contents: One scoop, one brush , one scrubbing mitt

73



Lay-Z-Spa[™] Filter Cartridge (Type VI)

58323

• Ø10.6cm x H8.0cm / Ø4.2" x H3.1" Replacement cartridge for Lay-Z-Spa[™] Easy to clean • Shrink wrapped with insert card • Full color box • 6 Sets., 1.45 KG (3.20 LB)

Contents: Two filter cartridges



Lay-Z-Spaⁿ Anti-Microbial Filter Cartridge (Type VI) 58477

- Ø10.6cm x H8.0cm / Ø4.2" x H3.1"
- Replacement cartridge for spa
- Easy to clean
- Does not replace the use of regular chlorine maintenance
- Anti-microbial filter paper controls growth of bacteria
- Very strong antimicrobial effect on surface
- Broad spectrum antibacterial effect
- According to standard ISO 22196 Measurement of antibacterial activity on plastics and other non-porous surfaces, our filter cartridge guarantees optimum performance for 2 weeks usage: Staphylococcus aureus (ATCC 6538) Antibacterial rate ≥ 99.9% Escherichia coli (ATCC 8739) Antibacterial rate ≥ 99.9%
- Klebsiella Pneumoniae (ATCC 4352) Antibacterial rate > 99.9%
- Full Color Box
- 6 sets., 2.00 KG (4.41 LB.)

Contents: Two filter cartridges





LAY-Z-SPATM TECHNICAL FEATURES

Π		7	
I	лť		P

	SPA	STURDY I-BEAM	STURDY Y-BEAM	DROP STITCH	POWER SAVING TIME	CLEANING/ WATER FILTER ACTIVATION	HEATING SYSTEM	CLEARSOFT [™] SYSTEM	LED LIGHTS	ACCESSORIES	AIRJET [™] MIAMI	AIRJET [™] PARIS	AIRJET [™] HONOLULU	AIRJET [™] PALM SPRINGS	AIRJET [™] HAWAII	AIRJET [™] HELSINKI	AIRJET [™] ST. MORITZ	HYDROJET [™] PALM SPRINGS	HYDROJET PRO™ HAWAII	HYDROJET PRO™ MALDIVES
	ΜΙΑΜΙ	•			•	•	•			58434 • 58435 - Lay-Z-Spa [™] Entertainment Station	•	•	•	•	•	•	•			
	PARIS	•			•	•	•		•	58464 - Lay-Z-Spa™ Canopy	•	•	•	•	•	•	•	•	•	•
	HONOLULU		•		•	•	•			58460 - Lay-Z-Spa™ Dome	•	•	•	•	•	•	•	•	•	•
AIRJET™			-		-					58432 - Lay-Z-Spa [™] Surround	•	•	•	•		•	•	•		
	PALM SPRINGS		•		•	•	•			58466 - Lay-Z-Spa [™] Square Surround					•				•	•
	HAWAII		•		•	•	•			58416 - Lay-Z-Spa [™] Drinks Holder	•	•	•	•	•		•	•	•	•
	HELSINKI			•	•	•	•			58317 - Lay-Z-Spa™ Pillow	•	•	•	•	•		•	•	•	•
	HELSINKI			•	•		•			58461 - Lay-Z-Spa [™] Floor Protector	•	•	•	•	•	•	•	•	•	
	ST. MORITZ		•		•	•	•			58487 - Lay-Z-Spa [™] Rechargeable Underwater Vacuum	•	•	•	•	•	•	•	•	•	•
HYDROJET [™]	PALM SPRING		•		•	•	•	•		58421 - Lay-Z-Spa™ All in One Tool Set	•	•	•	•	•	•	•	•	•	•
										58142 • 58247 - Flowclear™ Pool & Spa Test Strips	•	•	•	•	•	•	•	•	•	•
HYDROJET PRO [™]	HAWAII		•		•	•	•	•		58323 - Lay-Z-Spa™Filter Cartridge (VI)	•	•	•	•	•	•	•	•	•	•
	MALDIVES		•		•	•	•	•	•	58477 - Lay-Z-Spa [™] Anti-Microbial Filter Cartridge (VI)	•	•	•	•	•	•	•	•	•	•


Y-Z-SPA™ XTRAS COMPATIBILITY





2. Connect the pump unit to the Lay-Z-Spa

3. Fill the Lay-Z-Spa and enjoy!



SETUP AND MAINTENANCE

We make it quick and easy to start relaxing and maintaining your spa!

With the necessary set-up tools already included, all you need is the space to place your spa and it's a simple process of 1, 2, and 3 to get going.

1. Inflate the Lay-Z-Spa with the double-functioning spa pump.

2. Connect the pump to the Lay-Z-Spa with the correct openings and make sure they are all attached correctly.

3. Fill up the Lay-Z-Spa with water to the indicated level and you are now ready to enjoy your spa!

In addition to all the tools and the pool cover that comes with every spa, we've also included a chemical floater and filter cartridge. These are used to keep the water healthy and clean, which is important not only for yourself but for the longevity of the spa!

The new deflation function, thanks to simple fittings shown in the right picture, can deflate the spa in an easy and convenient way. Function available on all the Lay-Z-Spas.

INDEX

AirJet™	MIAMI 54123 • 54124 pg 15-18	PARIS 54148 • 54149 pg 19-22	HONOLULU 54174 pg 23-26	PALM SPRINGS 54129 • 54130 pg 27-30	HAWAII 54154 • 54155 pg 31-34	HELSINKI 54189 ● 54190 pg 35-40	ST. MORITZ 54175 • 54176 pg 41-44
HydroJet	PALM SPRINGS 54144 pg 45-52		25				No.
HydroJet Pi	HAWAII 54138 • 54139 pg 53-58	MALDIVES 54173 pg 59-62					
Xtras	ENTERTAINMENT ST 58434 • 58435 — pg			SURROUND 58432 — pg 6			HOLDER — pg 70
		FLOOR PROTECTOR 58461 — pg 70	RECHARGEABL UNDERWATER VAC 58487 — pg 71-7	UUM 58142 —			
	FILTER CARTRIDGE 58323 — pg 74	VI) ANTI-MICRO CARTRI 58477 -	DGE (VI)				







HELSINKI 54189 • 54190



FABRICS & FINISHES OUTER TEXTURE



MIAMI 54123 • 54124





PARIS 54148 • 54149





ST. MORITZ 54175 • 54176













MALDIVES 54173

