

SPECIAL EDITION

2019-20
COLLECTION

SHANGHAI

Bestway Inflatables & Material Corp.
No.3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestwaycorp.hk

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (MI), Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestwaycorp.eu

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: info@bestwaycorp.us

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
Fax: 562 3203 6409
E-mail: info@bestwaycorp.lat

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestwaycorp.com.au

BRAZIL

Bestway Brazil
Rua São João, 1648 Maringá - PR - Brazil
Zip Code: 87030-201
Tel: 55 44 3046 2950
0800 001 8400
E-mail: info@bestwaycorp.com.br

FRANCE

Bestway France Sarl
Espace Berlioz, 100 rue Albert Caquot
06410 Biot France
Tel: 33 4 97 04 92 99
Fax: 33 4 97 04 91 07
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
Fax: 49 4321 555 05 - 55
E-mail: info@bestwaycorp.de

Bestway

www.bestwaycorp.com



©2018 Bestway Inflatables & Material Corp. All rights reserved.
©™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

Bestway

SPECIAL EDITION 2019-20

Lay-Z-Spa

FLOAT'N
FASHION

Art
COLLECTION

SUMMER FLAVORS™
COLLECTION


PAVILLO
CAMPING GEAR™

AN IMPORTANT MESSAGE FOR BESTWAY CUSTOMERS:



We are pleased to inform you that Bestway successfully listed on the Hong Kong Stock Exchange (3358.HK) on November 16, 2017. This is an important milestone for our business, but more importantly, a crucial step for the continual growth and support of our customers.

We would like to sincerely thank you for 24 years of business, and our entire family is looking forward to the next era of Bestway.



OUR VISION

We create fun, lasting experiences to everyone in the world through the products and services we provide.

OUR MISSION

Happiness — Happy Consumers, Happy Employees, Happy World



Vertically Integrated



Sustainable



Customer Focused



Consumer Driven



Innovative



Fully Owned Production Facilities



WELCOME

Dear Customer,

For the 2019 Season we are excited to once again bring you our Special Edition Catalog by Bestway!

This program has been launched to offer selected partners a variety of articles that are not included in our standard catalogs.

All of the items are designed to offer you something extra, such as new price points, a larger assortment of sizes and designs, and special set compositions.

These products offer the following benefits:

- A broader, more innovative range;
- A guaranteed return on your investment for your own advertising of these exclusive range of products;
- The ability to set your own prices due to product differentiation;
- An offering of alternative products in the same range at attractive prices for your customers.

These items will be subject to special conditions. If you are interested in anything you see on the pages before you, please contact the Bestway team or your Sales Rep for more information.

We look forward to making this the best sales season yet!

Your Bestway Team

CONTENT

Agp 6

Lay-Z-Spa™ 24

Summer 42

Airbeds 64

Realtree™ 66

Starwars™ 72

The forecast calls for a hot summer, so cool off with a splash in a Bestway Above Ground Pool.

With a Bestway pool, you can completely chill out and relax knowing you have a quality pool to dip your toes in for many summer months to come.



AGP

- 8 | Fast Set™ Pool
- 10 | Steel Pro™ Pool
- 12 | Steel Pro Max™ Deluxe Series™ Pool
- 14 | Power Steel™ Rectangular Pool
- 16 | Power Steel™ Deluxe Series™ Pool
- 18 | Power Steel™ Comfort Jet Series™ Pool
- 20 | Hydrium™ Pool
- 22 | Hydrium™ Splasher Pool

FAST SET™ POOL

Fast and simple to assemble. Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time!
No tools required for a Bestway Fast Set™ Pool!



Global Packaging
Sturdy Cardboard Box with Pictures

NEW DESIGN

9 ft. x 30 in. / 2.74 m x 76 cm



Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
57330	OCEANIA	1	16.4 (7.4)			
57271	EUROPE	1	16.4 (7.4)			
57329	OCEANIA	1	21.0 (9.5)			
57272	EUROPE	1	20.2 (9.2)			
57329	ASIA, AFRICA & LATIN AMERICA	1	21.7 (9.8)			

NEW DESIGN

15 ft. x 48 in. / 4.57 m x 1.22 m



Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
57288	OCEANIA	1	100.2 (45.4)	58003	58035	58336
57289	EUROPE	1	103.7 (47.0)	58003	58035	58331
57289	ASIA, AFRICA & LATIN AMERICA	1	99.5 (45.1)	58003	58035	58336
57288	ASIA, AFRICA & LATIN AMERICA	1	99.5 (45.1)	58003	58035	58336



Water Capacity (80%): 833 gal. (3,153 L)

Filter Pump	Voltage	Cartridge
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I



Water Capacity (80%): 3,648 gal. (13,807 L)

Filter Pump	Voltage	Cartridge
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II
58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C



TRITECH™ MATERIAL



SELF-SUPPORTING INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT - EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE

STEEL PRO™ POOL

Easy to assemble and very affordable, with a strong, steel frame. You get a lot of pool for your money with a Bestway Steel Pro™ Pool.



Global Packaging
Full color Box



10 ft. x 30 in. / 3.05 m x 76 cm

Item #	Remark	Pack	Lb. (kg)
56729	OCEANIA	1	39.1 (17.7)
56677	EUROPE	1	39.1 (17.7)
56678	OCEANIA	1	43.6 (19.8)
56679	EUROPE	1	42.9 (19.5)
56678	ASIA, AFRICA & LATIN AMERICA	1	44.4 (20.1)

12 ft. x 30 in. / 3.66 m x 76 cm

Item #	Remark	Pack	Lb. (kg)
56730	OCEANIA	1	48.9 (22.2)
56706	EUROPE	1	48.9 (22.2)
56680	OCEANIA	1	53.8 (24.4)
56681	EUROPE	1	53.0 (24.1)
56680	ASIA, AFRICA & LATIN AMERICA	1	54.2 (24.6)



Water Capacity (90%): 1,236 gal. (4,678 L)

Filter Pump	Voltage	Cartridge
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I



Water Capacity (90%): 1,710 gal. (6,473 L)

Filter Pump	Voltage	Cartridge
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I



TRITECH™
MATERIAL



NO TOOLS
REQUIRED



DRAIN VALVE



EASY TO
ASSEMBLE

STEEL PRO MAX™ DELUXE SERIES™ POOL

The Steel Pro MAX™ Deluxe Series™ is a family of pools designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX™ Deluxe Series™ provides options for amazing pools that are durable and long lasting.



Global Packaging
Full color Box



12 ft. x 39.5 in. / 3.66 m x 1.00 m



Water Capacity (90%): 2,417 gal. (9,150 L)

Item #	Remark	Pack	Lb. (kg)	Ladder
56731	OCEANIA	1	82.1 (37.2)	58335
56709	EUROPE	1	85.3 (38.7)	58330
56709	ASIA, AFRICA & LATIN AMERICA	1	84.6 (38.4)	58335
56731	ASIA, AFRICA & LATIN AMERICA	1	86.1 (39.0)	58335

Filter Pump	Voltage	Cartridge
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal./2,006 L)	220-240V	58503, TYPE: II
58384 (530 gal./2,006 L)	110-120V	58476, TYPE: III - A/C



TRITECH™
MATERIAL



CORROSION
RESISTANT STEEL
FRAME



DRAIN
VALVE



EASY TO
ASSEMBLE



ANTI-MICROBIAL
FILTER



NO TOOLS
REQUIRED



3 - PLY PVC WALL
SUPPORT BAND



RATTAN-LOOK



MOSAIC
PRINT



SEAL & LOCK
SYSTEM™

POWER STEEL™ RECTANGULAR POOL

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly make a Bestway Power Steel™ Pool the smart choice for families.



Global Packaging
Sturdy Cardboard Box
with Pictures



NEW

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in.
/ 4.04 m x 2.01 m x 1.00 m

Item #	Remark	Pack	Lb. (kg)	Ladder	ChemConnect™ Dispenser
56727	OCEANIA	1	133.6 (60.6)	58335	58501
56721	EUROPE	1	135.2 (61.3)	58330	58501
56721	ASIA, AFRICA & LATIN AMERICA	1	133.2 (60.4)	58335	58501
56727	ASIA, AFRICA & LATIN AMERICA	1	133.2 (60.4)	58335	58501

NEW

13 ft. 6 in. x 6 ft. 7 in. x 48 in.
/ 4.12 m x 2.01 m x 1.22 m

Item #	Remark	Pack	Lb. (kg)	Ladder	ChemConnect™ Dispenser
56728	OCEANIA	1	160.1 (72.6)	58336	58501
56722	EUROPE	1	162.0 (73.5)	58331	58501
56722	ASIA, AFRICA & LATIN AMERICA	1	159.3 (72.2)	58336	58501
56728	ASIA, AFRICA & LATIN AMERICA	1	159.3 (72.2)	58336	58501



Water Capacity (90%): 1,711 gal. (6,478 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58384 (530 gal. / 2,006 L)	110-120V	58476, TYPE: III - A/C



Water Capacity (90%): 2,146 gal. (8,124 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. / 2,006 L)	220-240V	58503, TYPE: II
58384 (530 gal. / 2,006 L)	110-120V	58476, TYPE: III - A/C



TRITECH™
MATERIAL



CORROSION
RESISTANT STEEL
FRAME



DRAIN
VALVE



EASY TO
ASSEMBLE



ANTI-MICROBIAL
FILTER



NO TOOLS
REQUIRED



C-CONNECTOR



CHEMCONNECT™ DISPENSER
Dispenses 1in. / 2.54cm
chemical tablets



RATTAN-LOOK



SEAL & LOCK
SYSTEM™

POWER STEEL™ DELUXE SERIES™ POOL

With the durability and technology of our Power Steel™ Pool range, we've created a new model of pools for a more natural and luxurious look and are excited to present the Power Steel™ Deluxe Series™.



Global Packaging
Sturdy Cardboard Box
with Pictures



NEW
GENERATION

14 ft. x 42 in. / 4.27 m x 1.07 m

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56665	OCEANIA	1	135.0 (61.2)	58003	58248	58335
56664	EUROPE	1	137.2 (62.2)	58003	58248	58330
56664	ASIA, AFRICA & LATIN AMERICA	1	134.9 (61.2)	58003	58248	58335
56665	ASIA, AFRICA & LATIN AMERICA	1	134.7 (61.1)	58003	58248	58335




Water Capacity (90%): 3,440 gal. (13,030 L)

Filter Pump	Voltage	Cartridge
58462 (680 gal. /2,574 L)	220-240V	58476, TYPE: III - A/C
58462 (680 gal. /2,574 L)	220-240V	58476, TYPE: III - A/C
58462 (680 gal. /2,574 L)	220-240V	58476, TYPE: III - A/C
58463 (680 gal. /2,574 L)	110-120V	58476, TYPE: III - A/C

NEW
GENERATION

16 ft. x 48 in. / 4.88 m x 1.22 m

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Cover	Ladder
56667	OCEANIA	1	193.3 (87.7)	58251	58249	58336
56666	EUROPE	1	197.4 (89.6)	58251	58249	58331
56666	ASIA, AFRICA & LATIN AMERICA	1	193.9 (88.0)	58251	58249	58336
56667	ASIA, AFRICA & LATIN AMERICA	1	194.6 (88.3)	58251	58249	58336



Water Capacity (90%): 5,145 gal. (19,480 L)

Filter Pump	Voltage	Cartridge
58469 (1,050 gal. /3,974 L)	220-240V	58476, TYPE: III - A/C
58469 (1,050 gal. /3,974 L)	220-240V	58476, TYPE: III - A/C
58469 (1,050 gal. /3,974 L)	220-240V	58476, TYPE: III - A/C
58470 (1,050 gal. /3,974 L)	110-120V	58476, TYPE: III - A/C



TRITECH™
MATERIAL



CORROSION
RESISTANT STEEL
FRAME



DRAIN
VALVE



EASY TO
ASSEMBLE



ANTI-MICROBIAL
FILTER



NO TOOLS
REQUIRED



3 - PLY PVC WALL
SUPPORT BAND



RATTAN-LOOK




REALISTIC TILE PRINT
AT POOL BOTTOM



SEAL & LOCK
SYSTEM™

POWER STEEL™ COMFORT JET SERIES™ POOL

The Power Steel™ Comfort Jet Series™ Pool Set is a hydrotherapy innovation for above ground pools. As the name implies, the Comfort Jet has a two built-in water jets that provide soothing massage effect. This pool features another noteworthy feature, the outer pool walls are detailed cobblestone print.



Global Packaging
Sturdy Cardboard Box
with Pictures

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m



Item #	Remark	Pack	Lb. (kg)	Ladder	LED Light
56720	OCEANIA	1	221.6 (100.6)	58336	58502
56719	EUROPE	1	227.0 (103.0)	58331	58502
56719	ASIA, AFRICA & LATIN AMERICA	1	223.4 (101.4)	58336	58502
56720	ASIA, AFRICA & LATIN AMERICA	1	222.1 (100.8)	58336	58502



Water Capacity (90%): 5,347 gal. (20,241 L)

Filter Pump	Voltage	Cartridge
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B
58392 (2,500 gal./9,463 L)	110-120V	58505, TYPE: IV - B



TRITECH™ MATERIAL



CORROSION RESISTANT STEEL FRAME



DRAIN VALVE



EASY TO ASSEMBLE



ANTI-MICROBIAL FILTER



NO TOOLS REQUIRED



T-CONNECTOR



REALISTIC TILE PRINT AT POOL BOTTOM



STONE-LOOK



SEAL & LOCK SYSTEM™



POOL COVER POWER STEEL™ COMFORT JET SERIES™ POOL

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

Item #	Size	Corresponding Pools	Pack	Lb. (kg)
58549	20ft. x 11ft.6in. / 6.10m x 3.50m	Fits 20ft. x 12ft. x 48in. (6.10m x 3.66m x 1.22m)	4	39.1 (17.8)

HYDRIMUM™ POOL

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last. It's an investment in your family's future fun.



Included/
Available
Accessories



Global Packaging
Sturdy Cardboard Box
with Pictures



10 ft. x 48 in. / 3.00 m x 1.20 m

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder
56563	EUROPE	1	208.8 (94.7)	58001	58331
56566	EUROPE	1	219.3 (99.5)	58001	58331



Water Capacity (90%): 2,018 gal. (7,630 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE II
58515 (530 gal. /2,006 L)	220-240V	SAND FILTER

12 ft. x 48 in. / 3.60 m x 1.20 m

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder
56571	EUROPE	1	236.9 (107.4)	58002	58331
56574	EUROPE	1	248.1 (112.5)	58002	58331



Water Capacity (90%): 2,906 gal. (10,990 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE II
58515 (530 gal. /2,006 L)	220-240V	SAND FILTER

15 ft. x 48 in. / 4.60 m x 1.20 m

Item #	Remark	Pack	Lb. (kg)	Ground Cloth	Ladder
56382	EUROPE	1	290.8 (131.9)	58003	58331
56384	EUROPE	1	310.5 (140.8)	58003	58331



Water Capacity (90%): 4,605 gal. (17,430 L)

Filter Pump	Voltage	Cartridge
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE II
58495 (1,000 gal. /3,785 L)	220-240V	SAND FILTER




REINFORCED
STEEL SIDEWALLS



PREMIUM 12ga.
(0.30MM) POOL LINER



INSTRUCTIONAL
DVD INCLUDED



SPECIALLY-REINFORCED
SURROUND THE POOL



INTEGRATED
SURFACE SKIMMER



SHIPPED ON
PALLET



POOL COVERS HYDRIMUM™

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full color box

Item #	Size Dia.	Corresponding Pools	Pack	Lb. (kg)
58291	10ft.11in. / 3.33m	Fits 10ft. x 48in. (3.00m x 1.20m) 10ft.10in. x 33in. (3.30m x 84cm)	6	30.3 (13.8)
58292	12ft.10in. / 3.92m	Fits 12ft. x 48in. (3.60m x 1.20m)	6	39.9 (18.1)

HYDRIMUM™ SPLASHER POOL

Easy to assemble and maintain, a Bestway Hydrium™ Pool is really built to last. It's an investment in your family's future fun.



Included/
Available
Accessories



Ladder



Filter Pump

Global Packaging
Sturdy Cardboard Box
with Pictures



10 ft. 10 in. x 33 in. / 3.30 m x 84 cm



Item #	Remark	Pack	Lb. (kg)	Ladder
56668	EUROPE	1	95.9 (43.5)	



Water Capacity (95%): 1,785 gal. (6,757 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal./2,006 L)	220-240V	58094, TYPE: II

12 ft. x 36 in. / 3.60 m x 90 cm



Item #	Remark	Pack	Lb. (kg)	Ladder
56377	EUROPE	1	130.5 (59.2)	58330



Water Capacity (95%): 2,285 gal. (8,648 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal./2,006 L)	220-240V	58094, TYPE: II

15 ft. x 36 in. / 4.60 m x 90 cm




Item #	Remark	Pack	Lb. (kg)	Ladder
56386	EUROPE	1	157.0 (71.2)	58330



Water Capacity (95%): 3,728 gal. (14,110 L)

Filter Pump	Voltage	Cartridge
58383 (530 gal./2,006 L)	220-240V	58094, TYPE: II



REINFORCED STEEL
SIDEWALLS



PREMIUM 12ga. (0.30MM)
POOL LINER



INSTRUCTIONAL
DVD INCLUDED

Bestway's Lay-Z-Spa™ is the world's first premium inflatable spa. The Lay-Z-Spa™ offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation. Another reason consumers love Lay-Z-Spa™ is because it's backed by Bestway's comprehensive customer support services.



Lay-Z-Spa™

- 26 Havana
- 30 Tahiti
- 34 Bali
- 38 Monaco



Lay-Z-Spa

SPA

AirJet™ Havana

54171

- Soothing AirJet™ system (81 air jets)
- Power Saving System: Automatic start/stop timer-controlled heating system
- Outer walls of the inflatable pool are made of Tritech™ material for premium durability and comfort
- Mosaic print pool liner
- Fast, easy setup just - inflate using the spa's pump
- Digitally-controlled pump with soft-touch control panel

Contents: One pool liner, one pool cover, one spa pump, filter cartridge (VI), one ChemConnect™ dispenser, repair patch, AirJet™ system

NEW
GENERATION



SPECIFICATIONS

ITEM NO.	54171
CAPACITY	2-4 adults
WATER CAPACITY (80%)	669 L (177 gal.)
INFLATED SIZE	1,80m x 66cm (71" x 26")
INNER SIZE	1.32m (52")
FILLED WEIGHT	696 Kg (1,534 Lb.)
RATING	220-240V - 50Hz , 2050W at 20°C
ACTUAL WATER FLOW	1,325L/h (350gal./h)
HEATING SYSTEM	Approx. 1,5 - 2,0°C/h (3-4°F/h)
MAX. HEAT CAPABILITY	40°C (104°F)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 32.92 kg (72.58 Lb.)

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA
- Digitally controlled pump with soft-touch control panel
- Provides a soothing massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage

CONTROL PANEL



INCLUDES



ChemConnect™ Dispenser



Filter Cartridge



POWER SAVING TIMER



WARM AIR



AIRJET SYSTEM (LAY-Z-MASSAGE ACTIVATION)



TRITECH™ MATERIAL



NO TOOLS NEEDED



MAXIMUM TEMPERATURE 40°C 104°F




QUICK SET UP



GROUND FAULT * DETECTION SYSTEM




TRITECH™ EXTERIOR COVER




TRITECH™ MATERIAL



SOFT-TOUCH CONTROL PANEL



SOFT, INSULATED FLOOR



MOSAIC-PRINT LINER



AIRJET SYSTEM

*Most spas have ground fault detection system (GDS).



Lay-Z-Spa



SPA

AirJet™ Tahiti

54186

- Soothing AirJet™ system (81 air jets)
 - A battery powered LED light which alternates between 7 different colors
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Outer walls of the inflatable pool are made of Tritech™ material for premium durability and comfort
 - Mosaic print pool liner
 - Fast, easy setup just - inflate using the spa's pump
 - Digitally-controlled pump with soft-touch control panel
- Contents: One pool liner, one pool cover, one spa pump, filter cartridge (VI), one ChemConnect™ dispenser, one LED light, repair patch, AirJet™ system



NEW
GENERATION



SPECIFICATIONS

ITEM NO.	54186
CAPACITY	2-4 ADULTS
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80M X 66CM (71" X 26")
INNER SIZE	1.32M (52")
FILLED WEIGHT	696 KG (1,534 LB.)
RATING	220-240V- 50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325L/H (350GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
MAX. HEAT CAPABILITY	40°C (104°F)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 33.30 KG (73.41 LB)

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA
- Digitally controlled pump with soft-touch control panel
- Provides a soothing massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage
- A battery powered LED light which alternates between 7 different colors

CONTROL PANEL



INCLUDES



ChemConnect™ Dispenser



Filter Cartridge

*Most spas have ground fault detection system (GDS).



AIRJET SYSTEM (MASSAGE ACTION)



WARM AIR



POWER SAVING TIMER



MAXIMUM TEMPERATURE



2-4



NO TOOLS NEEDED



QUICK SET-UP



TRITECH™ MATERIAL




LED LIGHT



GROUND FAULT* DETECTION SYSTEM



TRITECH™ EXTERIOR COVER



MOSAIC-PRINT LINER



SOFT-TOUCH CONTROL PANEL



LED LIGHT



DOUBLE-LOCK SAFETY CLIPS



MASSAGE SYSTEM



SPA

AirJet™ Bali

54183

- Soothing AirJet™ system (81 air jets)
 - Power Saving System: Automatic start/stop timer-controlled heating system
 - Remote-control multi-colored LED light strip system
 - Outer walls of the inflatable pool are made of Tritech™ material for premium durability and comfort
 - Integrated water filtration system
 - Fast, easy setup just - inflate using the spa's pump
 - Digitally-controlled pump with soft-touch control panel
- Contents: One pool liner, one pool cover, one spa pump, filter cartridge (VI), one ChemConnect™ dispenser, one LED light strips, one air pad protector, repair patch, AirJet™ system



NEW
GENERATION

SPECIFICATIONS

ITEM NO.	54183
CAPACITY	2-4 ADULTS
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80M X 66CM (71" X 26")
INNER SIZE	1.32M (52")
FILLED WEIGHT	696 KG (1,534 LB.)
RATING	220-240V- 50HZ, 2050W AT 20°C
ACTUAL WATER FLOW	1,325L/H (350GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
MAX. HEAT CAPABILITY	40°C (104°F)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 35.11 KG (77.40 LB)

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Remote-control multi-colored LED light strip system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA
- Digitally controlled pump with soft-touch control panel
- Provides a soothing massage experience
- Additional exhaust fitting provides quicker deflation of spa when user is preparing the spa for storage

CONTROL PANEL



INCLUDES



*Most spas have ground fault detection system (GDS).



Lay-Z-Spa



SPA

AirJet™ Monaco

54113

- Soothing AirJet™ system (90 air jets)
- Inflated walls are made of a drop stitch material, providing unparalleled strength and durability
- Power Saving System: Automatic start/stop timer-controlled heating system
- Mosaic print on the bottom of the spa
- Fast and simple setup when using the spa's pump and hand pump
- Digitally-controlled pump with soft-touch control panel

Contents: One pool liner, one pool cover, one spa heater, one ChemConnect™ dispenser, one high pressure hand pump, one pressure gauge, filter cartridge (VI), four cushions, repair kit, AirJet™ system



NEW
GENERATION



SPECIFICATIONS

ITEM NO.	54113
CAPACITY	6-8 ADULTS
WATER CAPACITY (80%)	1,453 L (384 GAL.)
INFLATED SIZE	2,01M X 69CM (79" X 27")
INNER SIZE	1.91M (75")
FILLED WEIGHT	1,490 KG (3,284 LB.)
RATING	220-240V - 50HZ , 2050W AT 20°C
ACTUAL WATER FLOW	1,325L/H (350GAL./H)
HEATING SYSTEM	APPROX. 1-1.5°C/H (2-3°F/H)
MAX. HEAT CAPABILITY	40°C (104°F)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 44.85 KG (98.88 LB.)

PRODUCT CHARACTERISTICS

- Power Saving System: Automatic start/stop timer-controlled heating system
- Reinforced cover with safety lock clips and built-in air chamber for insulation
- Inflated walls are made of a drop stitch material, providing unparalleled strength and durability
- Pump is supplied with a residual current device - rated residual operating current not exceeding 10mA
- Digitally controlled pump with soft-touch control panel
- Provides a comfortable massage experience
- Additional exhaust fitting provides quick deflation of spa when user is preparing it for storage

CONTROL PANEL



INCLUDES



ChemConnect™ Dispenser



Filter Cartridge

*Most spas have ground fault detection system (GDS).



POWER SAVING TIMER



WARM AIR



AIRJET SYSTEM (LAY-Z-MASSAGE ACTIVATION)



DROP STITCH MATERIAL



NO TOOLS NEEDED



MAXIMUM TEMPERATURE





6-8



QUICK SET UP



GROUND FAULT DETECTION SYSTEM



Bestway has all the makings for summer time fun with a large assortment of inflatable leisure products, water sports products, above ground pools and other outdoor products. Make it the best summer ever for your customers. Make it a Bestway summer!



Summer

- | | | |
|----------------------------|----|---------------------------------------|
| Riders & Lounge | 44 | Aqua Lounge |
| | 45 | Plesiosaur Ride-On |
| Grass Toys | 46 | Spring n' Slide Park |
| | 48 | Swim n' Slime Rectangular Pool |
| | 49 | Swim n' Slime Play Pool |
| Fashionable Floats | 52 | Supersized Unicorn Rider |
| | 53 | Fantasy Unicorn Rider |
| | 54 | Pearl White & Metallic Rose Swim Ring |
| | 55 | Unicorn Swim Ring |
| | 56 | Giant Unicorn Island |
| | 57 | Giant Parrot Island |
| | 58 | Glitter Swim Ring |
| | 59 | Glitter Beach Ball |
| | 60 | Tipsy Toucan Ride-On |
| | 61 | Peppy Parrot Ride-On |
| | 62 | Pop Island |
| | 63 | Ice-Cream Mat |

Aqua Lounge

43103

- 1.60m x 84cm / 63" x 33"
- 2 air chambers
- Comfortable headrest
- Net bottom
- 2 assorted colors
- Repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.22 mm (8.8 ga.) vinyl
- 6 Ea., 4.4 kg (9.8 Lb.)



Comfortable headrest



Mesh

Plesiosaur Ride-On

41128

AGE 3+

new

- 1.90m x 1.45m / 6'3" x 57"
- Heavy-duty handles
- Repair patch
- Full color box
- Max. load capacity: 45 kg (99.2 Lb.)
- Numbers of users: 1 child
- 0.24 mm (9.6 ga.) vinyl
- 8 Ea., 10.6 kg (23.4 Lb.)



Spring n' Slide Park

new

53310

AGE 3-8

- Dimension: 2.50m x 2.10m x 1.52m / 8'2" x 6'10" x 5'
- Durable, colorful, pvc coated polyester material
- Quick setup system (inflated in less than 2 minutes)
- Mesh walls for safety and visibility for parents
- Extra-sturdy slide construction
- Full color box
- Designed for outdoor or indoor use
- Max. Product Load: 113 kg (250 Lb.)
- Individual Load: 45 kg (100 Lb.)
- No. of Players: 3
- Max. Player Height: 4'7" (1.40m)
- 1 Ea., 14.4 kg (31.7 Lb.)



Air blower
Included!



Swim n' Slime Rectangular Pool

new

54199

AGE 6+

- 2.01m x 1.50m x 51cm / 6'7" x 59" x 20"
- Two Interlocking quick release valves
- 2 equal rings
- Extra wide side walls
- Mix in the slime powder for instant slime action!
- Release water quickly with the easy-to-use drain valve
- Heavy-duty repair patch
- Full color box
- Designed water capacity: 450 L (119 gal.)
- Include 900 gr. (31.8 OZ) of slime
- 0.27 mm (10.8 ga.) vinyl
- 3 Ea., 12.7 kg (27.9 Lb.)



Swim n' Slime Play Pool

new

51137

AGE 2+

- Φ 1.52m x H30cm / Φ 60" x H12"
- 3 equal rings
- Cool embossing
- Mix in the slime powder for a instant slime action!
- Repair patch
- Full Color Box
- Designed water capacity: 282 L (74 gal.)
- Include 500 gr. (17.6 OZ) of slime
- 0.19 mm (7.6 ga.) vinyl
- 6 Ea., 10.6 kg (23.4 Lb.)



Summer: a style lesson.
These new creations are perfect for the pool and ideal for the beach. Not to mention the envy of everyone who sees them. Cool, bright, and so much fun - these products are guaranteed to stand out in the water and on the shelf. Don't chase the trends this year, start them!



△
FLOAT'N
FASHION

○
Art
COLLECTION

⚡
SUMMER FLAVORS™
COLLECTION

Supersized Unicorn Rider
Fantasy Unicorn Rider
Pearl White & Metallic Rose
Swim Ring
Unicorn Swim Ring
Tippy Toucan Ride-On
Peppy Parrot Ride-On
Giant Unicorn Island
Giant Parrot Island
Glitter Swim Ring
Glitter Beach Ball

Pop Island

Ice-Cream Mat

Supersized Unicorn Rider

new

41113

- 2.24m x 1.64m / 7'4" x 64.5"
- Heavy-duty handles
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.32 mm (12.8 ga.) vinyl
- 3 Ea., 10.9 kg (24.0 Lb.)




ALSO AVAILABLE IN KIDS SIZE

Fantasy Unicorn Rider

41114

AGE 3+

- 1.50m x 1.17m / 59" x 46"
- Heavy-duty handles
- Repair patch
- Full color box
- Max. load capacity: 45 kg (99.2 Lb.)
- Numbers of users: 1 child
- 0.22 mm (8.8 ga.) vinyl
- 8 Ea., 10.3 kg (22.6 Lb.)



Pearl White & Metallic Rose Swim Ring



36124

- 1.65m x 1.17m / 65" x 46"
- Heavy-duty handles
- Heavy-duty repair patch
- Full color box
- 2 assorted colors
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.20 mm (8.0 ga.) vinyl
- 6 Ea., 5.3 kg (11.7 Lb.)



Unicorn Swim Ring



36123

- 1.36m x 1.31m / 53.5" x 51.5"
- Heavy-duty handles
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.25 mm (10.0 ga.) vinyl
- 6 Ea., 6.9 kg (15.1 Lb.)



Giant Unicorn Island

43228

new

- 5.90m x 4.04m / 19'4" x 13'3"
- Interlocking quick release valves
- Sturdy pre-tested vinyl
- Wraparound safety grab rope
- 6 cup holders
- 1 jumbo cup holder
- 4 Heavy-duty handles
- Two extra-wide backrests
- Mesh bottom
- Includes One island, one swim-up platform
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 540 kg (1190.5 Lb.)
- Numbers of users: 6 adults
- 18.0 ga. (0.45 mm) vinyl
- 1 Ea., 29.7 kg (65,5 Lb.)



Giant

5.90m x 4.04m
19'4" x 13'3"

Giant

5.0m x 3.27m
16'5" x 10'9"

Giant Parrot Island

43227

new

- 5.0m x 3.27m / 16'5" x 10'9"
- Interlocking quick release valves
- Sturdy pre-tested vinyl
- Wraparound safety grab rope
- 6 cup holders
- 4 Heavy-duty handles
- Includes One island, one swim-up platform
- The parrot's Inflatable tail is detachable swim-up platform
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 540 kg (1190.5 Lb.)
- Numbers of users: 6 adults
- 0.45 mm (18.0 ga.) vinyl
- 1 Ea., 22.4 kg (49.4 Lb.)



Glitter Swim Ring

new

36141

AGE 10+

- $\Phi 91\text{cm} / \Phi 36''$
- Shiny confetti inside
- 3 assorted designs
- Pillow box
- 24 Ea., 8.0 kg (17,6 Lb.)



Glitter Beach Ball

new

31050

AGE 2+

- $41\text{cm} / 16''$
- Shiny confetti inside
- 2 assorted designs
- Pillow box
- 24 Ea., 2.2 kg (4,5 Lb.)



Tipsy Toucan Ride-On

new

41126

- 2.07m x 1.50m / 6'9" x 59"
- Heavy-duty handles
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.32 mm (12.8 ga.) vinyl
- 3 Ea., 7.7 kg (17.1 Lb.)



FLOAT'N
FASHION

Peppy Parrot Ride-On

new

41127

- 2.03m x 1.32m / 6'8" x 52"
- Heavy-duty handles
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.32 mm (12.8 ga.) vinyl
- 3 Ea., 11.6 kg (25.6 Lb.)



FLOAT'N
FASHION

Pop Island

new

43195

- $\Phi 1.88\text{m} / \Phi 6'2''$
- Interlocking quick release valves
- All around grab rope with built-in grommets
- Heavy-duty repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.30 mm (12.0 ga.) vinyl
- 3 Ea., 9.7 kg (21.4 Lb.)



Art
COLLECTION



Ice-Cream Mat

43183

- 1.88m x 1.30m / 6'2" x 51"
- 2 air chambers
- Repair patch
- Full color box
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- 0.24 mm (9.6 ga.) vinyl
- 8 Ea., 11.1 kg (24.5 Lb.)



SUMMER FLAVORS™
COLLECTION

AIRBEDS

Whether on the go or at home,
Bestway's airbeds provide
a refreshing night's sleep.

Here at Bestway, we have your
customer's comfort in mind. With
many options to choose from,
there is a bed for every body's design.

AEROLUXE AIRBED JR.TWIN

67446

- Sturdy pre-tested vinyl
- Interlocking quick release valve
- Comfortable flocked sleeping surface
- Sturdy coil beam construction
- Great for indoor & outdoor use
- Heavy-duty repair patch
- Full color box




Coil Beam
Construction



AEROLUXE AIRBED FULL

67448

- Sturdy pre-tested vinyl
- Interlocking quick release valve
- Comfortable flocked sleeping surface
- Sturdy coil beam construction
- Great for indoor & outdoor use
- Heavy-duty repair patch
- Full color box



All for those seeking to RIDE, HIDE, or be in DISGUISE, the REALTREE collection provides a rugged, adventurous range of products that include boats, tubes, and ice chests. The photo-realistic REALTREE camouflage print blends magically into the scenery and fits perfectly with active, outdoor lifestyles.



- 68 | Trophy Runner
- 69 | Lake Runner
- 70 | Lake Runner X
- 71 | Lake Runner X2

REAL TREE

TROPHY RUNNER



92100

- Interlocking quick release valves
- Safety valve
- Sturdy pre-tested vinyl
- 3-air chambers construction
- All-around grab rope with built-in grommets
- Inflatable I-beam floor for comfort and rigidity
- Heavy-duty handles
- Sturdy oarlocks, oar clasps, tow ring
- Integrated fishing rod-holders

Inflated: 2.43m x 1.02m / 8ft. x 40in.

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
0.42 (16.8)	170 kg (374 Lbs.)	2	2 pcs	16.3 kg (35.9 Lbs.)	Full color box



REAL TREE

LAKE RUNNER



92103

- Safety valves
- Sturdy pre-tested vinyl
- 2 air chambers
- 2 cup holders
- Half-around grab rope with built-in grommets
- Heavy-duty handles

Deflated: 1.19m / 47in.

SPECIFICATIONS

Material Ga. (mm)	Weight Capacity	Passengers	Case Pack	Lb. (kg)	Packaging
0.45 / 0.40 (18.0 / 16.0)	90 kg (198.4 Lbs.)	1	6 pcs	12.7 kg (27.9 Lbs.)	Full color box



Half-Around Grab Rope!



Heavy-duty Handles! Two Cup Holders!



LAKE RUNNER X



92104

- 2 air chambers
- 2 cup holders
- All around grab rope with built-in grommets
- Heavy-duty handles
- Premium construction with backrest
- Cool mesh bottom
- Heavy-duty repair patch

Deflated: 1.35m / 53in. diameter

SPECIFICATIONS

Material mm (Ga.)	Weight Capacity	Passengers	Case Pack	kg (Lb.)	Packaging
0.45 (18.0)	90 kg (198.4 Lbs.)	1	4 pcs	10.7 kg (23.7 Lbs.)	Full color box




Backrest!



Mesh Bottom!



Heavy-duty Handles!
Two Cup Holders!



Two Backrests!



Mesh Bottom!



Cooler Bag!



Two Heavy-duty
Handles!
Two Cup Holders!

LAKE RUNNER X2



92105

- 3 air chambers
- 2 cup holders
- All around grab rope with built-in grommets
- Heavy-duty handles
- Premium construction with backrests
- Cool mesh bottom
- Include a removable cooler bag
- Heavy-duty repair patch

Deflated: 2.59m x 1.35m / 102in. x 53in.

SPECIFICATIONS

Material mm (Ga.)	Weight Capacity	Passengers	Case Pack	kg (Lb.)	Packaging
0.45 / 0.40 (18.0 / 16.0)	180 kg (396.8 Lbs.)	2	3 pcs	16.7 kg (36.9 Lbs.)	Full color box

STAR WARS™

Disney



91206 X-Fighter Rider



- 1.50m x 1.40m / 59" x 55"
- Heavy-duty handles
- Repair patch
- Full color box
- Max. load capacity: 45 kg (99.2 Lb.)
- Numbers of users: 1 child
- 0.27 mm (10.8 ga.) vinyl
- 6 Ea., 11.9 kg (26.2 Lb.)



Heavy-duty
Handles



91205 Space Station Beach Ball



- 61cm / 24"
- Full color box
- 36 Ea., 6.2 kg (13.8 Lb.)

91210 Armbands

- 30cm x 15cm / 12" x 6"
- 2 air chambers
- Full color box
- 36 Ea., 5.3 kg (11.6 Lb.)



Pool Bottom



91209 3-Ring Pool

- 1.52m x 30cm / 60" x 12"
- 3 equal rings
- Designed water capacity: 282 L (74 gal.)
- Repair patch
- Full color box
- 0.19 mm (7.6 ga.) vinyl
- 8 Ea., 11.0 kg (24.2 Lb.)





91203 Swim Ring

- ø91cm / ø36"
- Heavy-duty handles
- Full color box
- 2 assorted designs
- 24 Ea., 9.4 kg (20.6 Lb.)



Heavy-duty
Handles



91204 Beach Ball

- 61cm / 24"
- Full color box
- 36 Ea., 6.1 kg (13.5 Lb.)



91201 Space Slide

- 3.81m x 1.75m x 69cm / 150" x 69" x 27"
- Removable slide with tie ropes and built-in grommets
- Water sprayer with garden hose connector
- Inflatable cushion on pool floor for extra comfort
- Includes two surf riders
- Designed water capacity: 276 L (73 gal.)
- Repair patch
- Full color box
- 0.24/0.27 mm (9.6/10.8 ga.) vinyl
- 2 Ea., 12.3 kg (27.1 Lb.)



Includes Two
Surf Riders



Inflatable Cushion On Pool
Floor For Extra Comfort



Removable Slide With
Tie Ropes And Built-in
Grommets

91202 Air Mat

- 1.91m x 89cm / 75" x 35"
- 2 air chambers
- Pillow design
- Max. load capacity: 90 kg (198.4 Lb.)
- Numbers of users: 1 adult
- Repair patch
- 0.22 mm (8.8 ga.) vinyl
- 12 Ea., 13.4 kg (29.5 Lb.)



91207 Family Pool

- 2.62m x 1.75m x 51cm / 8'7" x 69" x 20"
- Two interlocking quick release valves
- 2 equal rings
- Extra wide side walls
- Designed water capacity: 778 L (206 gal.)
- Releases pool water with the easy-to-use drain valve!
- Heavy-duty repair patch
- Full color box
- 0.27 mm (10.8 ga.) vinyl
- 2 Ea., 9.9 kg (21.7 Lb.)



Sturdy I-beam
Construction!



Extra Wide
Side Walls



STAR WARS™