

20
20

ABOVE GROUND POOLS



20
20
ABOVE GROUND POOLS

SHANGHAI

Bestway Inflatables & Material Corp.
No. 3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (MI), Italy
Tel: 39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ulica Stanisława Moniuszki n. 1A,
00-014 Warszawa Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Rua São João, 1648 Maringá - PR - Brazil
Zip Code: 87030-201
Tel: 55 44 3046 2950 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681, Route des Dolines Les Taissounières - HB1
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
E-mail: info@bestwaycorp.de



www.bestwaycorp.com

© 2019 Bestway Inflatables & Material Corp. All rights reserved.
© ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

Bestway



20
20

ABOVE GROUND POOLS



Bestway

20 | CATALOG
20 | COLLECTION



OUR VISION MISSION

We create fun, lasting experiences to everyone in the world through the products and service we provide.

Happiness —
Happy Consumers,
Happy Employees,
Happy World



Vertically integrated



Customer focused



Innovative



Sustainable



Consumer driven



Fully owned production facilities




Public stock exchange

BESTWAY WORLD



THE NEW WEBSITE

Bestwaycorp.com is debuting a new and improved look. Keeping it fresh and modern, our new website uses large visuals and graphics to help tell the story of each brand. Now it's easier than ever to learn about our different products and technologies!



THE NEW CATALOG APP

Easily access all of our Bestway® catalogs while on the go with our brand new app. Download to see the conveniently portable, digital versions of our catalogs!

ABOVE GROUND POOLS

With a Bestway pool, you can completely chill out and relax knowing you have a quality pool to dip your toes in for many summer months to come.

*The forecast calls for a hot summer,
a splash in a Bestway
so cool off with
Above Ground Pool.*

CONTENTS

Fast Set™ Pools	pg 10
Steel Pro™ Pools	pg 16
Steel Pro MAX™ Pools Round	pg 20 pg 22
Power Steel™ Pools Round Rectangular Oval	pg 28 pg 32 pg 36 pg 40
Power Steel™ Swim Vista Series™ II Pools Round Oval	pg 42 pg 42 pg 44
Power Steel™ Comfort Jet Series™ Pools	pg 46
Kiddie Pools	pg 48
Swimfinity™	pg 54
Flowclear™ Accessories Filtration Pool Covers/Ground Cloths Maintenance Equipment Environment	pg 60 pg 62 pg 90 pg 74 pg 72

Customer Service

For Your Local Contact,
Please Visit

BESTWAYCORP.COM

Provide your customers with the quality products and advanced customer service support they deserve. Bestway's online services and call centers allow customers to easily resolve any issues that may arise with their Bestway products. Our website, www.bestwaycorp.com, is a great source of information, offering downloadable manuals, instructional videos, FAQ's and the ability to order spare parts. Regional call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.

BESTWAY® POOL INNOVATIONS

Taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.



STEEL FRAME DESIGN WITH ADVANCED SEAL & LOCK SYSTEM™

Debuted on round pools. We've expanded this to now include: Rectangular and Oval designs for: **STEEL PRO MAX™**, **POWER STEEL™**, **POWER STEEL™ SWIM VISTA SERIES™ II** and **POWER STEEL™ COMFORT JET SERIES™**



STANDARDIZING ANTIMICROBIAL CARTRIDGES

Moving forward, all **POWER STEEL™** and **POWER STEEL™ SWIM VISTA SERIES™ II** pools will come with our innovative and laboratory-tested **ANTIMICROBIAL** filter cartridges. These devices are constructed with special material to fight against bacteria growth and prevent algae buildup. Pools are kept cleaner for everyone to enjoy.



A HANDS-FREE SOLUTION FOR CHLORINE CLEANING

We've introduced the **CHEMCONNECT™** chlorine dispenser. This device works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



NEW YEAR. NEW VIEW

SWIM VISTA built-in pool windows bring function and fun to **POWER STEEL™ SWIM VISTA SERIES™ II** pools. Peek inside of the pool or dive down for an underwater photo. These windows are immediate conversation starters and enjoyable for all.

And they're built to last. Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - as will the fun!

Keeping up and helping make the memories made in the summer!



FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!



Planogram
Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

PACKAGING
Full Color Box



Inflatable Top Ring



NEW

Water Capacity (80%): 248 gal. (940 L)

6 FT. X 20 IN. / 1.83 M X 51 CM

ITEM #	TYPE	PACK	LBS (KG)
57392E	US	4	28.3 (12.8)
57392	Europe	4	28.3 (12.8)

Water Capacity (80%): 555 gal. (2,100 L)

8 FT. X 26 IN. / 2.44 M X 66 CM

ITEM #	TYPE	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57305E	US	1	12.8 (5.8)			
57305	North America	1	12.8 (5.8)			
57305	Oceania	1	12.8 (5.8)			
57265	Europe	1	12.7 (5.8)			
57267E	US	1	19.0 (8.6)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57267	N. America / Asia, Africa & Latin America	1	18.7 (8.5)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
57267	Oceania	1	17.5 (8.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57268	Europe	1	16.6 (7.5)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 1,004 gal. (3,800 L)

10 FT. X 30 IN. / 3.05 M X 76 CM

ITEM #	TYPE	PACK	LBS (KG)
57307E	US	1	18.4 (8.4)
57307	North America	1	18.4 (8.4)
57307	Oceania	1	18.4 (8.4)
57266	Europe	1	18.3 (8.3)
57269E	US	1	24.5 (11.1)
57269	N. America / Asia, Africa & Latin America	1	24.2 (11.0)
57269	Oceania	1	23.0 (10.4)
57270	Europe	1	22.1 (10.0)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 1,421 gal. (5,377 L)

12 FT. X 30 IN. / 3.66 M X 76 CM

ITEM #	TYPE	PACK	LBS (KG)
57308E	US	1	27.2 (12.3)
57308	North America	1	27.2 (12.3)
57308	Oceania	1	27.2 (12.3)
57273	Europe	1	27.1 (12.3)
57275E	US	1	33.2 (15.1)
57275	N. America / Asia, Africa & Latin America	1	33.0 (15.0)
57275	Oceania	1	31.7 (14.4)
57274	Europe	1	30.8 (14.0)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (80%): 2,556 gal. (9,677 L)

15 FT. X 33 IN. / 4.57 M X 84 CM

ITEM #	TYPE	PACK	LBS (KG)
57315E	US	1	53.0 (24.0)
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)
57315	Oceania	1	51.5 (23.4)
57313	Europe	1	51.3 (23.3)
57313	Asia, Africa & Latin America	1	50.1 (22.7)



FILTER PUMP



VOLTAGE



CARTRIDGE

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



SELF-SUPPORTING
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT -
EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE

FEATURES & TECHNOLOGY



TRITECH MATERIAL



SELF-SUPPORTING
INFLATABLE TOP RING



DRAIN VALVE



SUPER COMPACT
EASY TO TRANSPORT



NO TOOLS REQUIRED



EASY TO STORE



EASY TO ASSEMBLE

NEW

Water Capacity (80%): 1,939 gal. (7,340 L)

13 FT. X 33 IN. / 3.96 M X 84 CM

ITEM #	TYPE	PACK	LBS (KG)
57375E	US	1	40.2 (18.2)
57375	N. America / Asia, Africa & Latin America	1	38.7 (17.6)
57375	Oceania	1	38.7 (17.6)
57376	Europe	1	38.1 (17.3)
57376	Asia, Africa & Latin America	1	37.6 (17.1)



FILTER PUMP



VOLTAGE



CARTRIDGE

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

NEW

Water Capacity (80%): 3,266 gal. (12,362 L)

15 FT. X 42 IN. / 4.57 M X 1.07 M

ITEM #	TYPE	PACK	LBS (KG)
57371E	US	1	82.2 (37.3)
57371	N. America / Asia, Africa & Latin America	1	80.7 (36.6)
57371	Oceania	1	80.7 (36.6)
57372	Europe	1	82.5 (37.4)
57372	Asia, Africa & Latin America	1	79.8 (36.2)



FILTER PUMP



VOLTAGE



CARTRIDGE



COVER



LADDER

58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D	58035	58335
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58035	58335
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58035	58335
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58035	58330
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58035	58335



FAST SET™

Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!

PACKAGING
Sturdy Cardboard
Box with Pictures



RATTAN-LOOK



Inflatable Top Ring

STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.



Planogram
Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

STEEL PRO™

Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

PACKAGING

Full Color Box



Water Capacity (90%): 317 gal. (1,200 L)

7 FT. 3 IN. X 59 IN. X 17 IN. / 2.21 M X 1.50 M X 43 CM

ITEM #	TYPE	PACK	LBS (KG)
56545E	US	1	22.6 (10.2)
56545	North America	1	22.6 (10.2)
56545	Oceania	1	22.6 (10.2)
56401	Europe	1	22.6 (10.3)

Water Capacity (90%): 608 gal. (2,300 L)

8 FT. 6 IN. X 67 IN. X 24 IN. / 2.59 M X 1.70 M X 61 CM

ITEM #	TYPE	PACK	LBS (KG)
56496E	US	1	31.7 (14.4)
56496	North America	1	31.7 (14.4)
56496	Oceania	1	31.7 (14.4)
56403	Europe	1	31.7 (14.4)

Water Capacity (90%): 872 gal. (3,300 L)

9 FT. 10 IN. X 6 FT. 7 IN. X 26 IN. / 3.00 M X 2.01 M X 66 CM

ITEM #	TYPE	PACK	LBS (KG)
56498E	US	1	40.4 (18.3)
56498	North America	1	40.4 (18.3)
56498	Oceania	1	40.4 (18.3)
56404	Europe	1	40.5 (18.4)
56412E	US	1	45.5 (20.6)
56412	N. America / Asia, Africa & Latin America	1	44.0 (20.0)
56412	Oceania	1	44.0 (20.0)
56411	Europe	1	44.4 (20.1)
56411	Asia, Africa & Latin America	1	43.5 (19.7)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

Water Capacity (90%): 1,506 gal. (5,700 L)

13 FT. 1 IN. X 6 FT. 11 IN. X 32 IN. / 4.00 M X 2.11 M X 81 CM

ITEM #	TYPE	PACK	LBS (KG)
56512E	US	1	71.5 (32.4)
56512	North America	1	71.4 (32.4)
56512	Oceania	1	71.4 (32.4)
56405	Europe	1	71.5 (32.4)
56425E	US	1	76.5 (34.7)
56425	N. America / Asia, Africa & Latin America	1	75.3 (34.2)
56425	Oceania	1	75.3 (34.2)
56424	Europe	1	75.6 (34.3)
56424	Asia, Africa & Latin America	1	74.8 (33.9)



FILTER PUMP



VOLTAGE



CARTRIDGE

58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. / 1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. / 1,249 L)	220-240V	58093, TYPE: I

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE

STEEL PRO MAX

The Steel Pro MAX above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!



The advanced Seal & Lock System™ is uniquely engineered to ensure secure connections between the sections of the pool frame. The connectors are designed to enhance the frame's ability to prevent rust and corrosion.



Planogram
Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

STEEL PRO MAX

The Steel Pro MAX above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!

PACKAGING
Full Color Box



3RD GENERATION

Water Capacity (90%): 1,236 gal. (4,678 L)

10 FT. X 30 IN. / 3.05 M X 76 CM

ITEM #	TYPE	PACK	LBS (KG)
56493E	US	1	40.3 (18.3)
56493	North America	1	40.3 (18.3)
56493	Oceania	1	40.3 (18.3)
56406	Europe	1	40.3 (18.3)
56407E	US	1	45.9 (20.8)
56407	N. America / Asia, Africa & Latin America	1	44.7 (20.3)
56407	Oceania	1	44.7 (20.3)
56408	Europe	1	44.0 (20.0)

★ 2 cup holders

FILTER PUMP	VOLTAGE	CARTRIDGE
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

3RD GENERATION

Water Capacity (90%): 1,710 gal. (6,473 L)

12 FT. X 30 IN. / 3.66 M X 76 CM

ITEM #	TYPE	PACK	LBS (KG)
56417E	US	1	55.4 (25.1)
56417	N. America / Asia, Africa & Latin America	1	54.2 (24.6)
56417	Oceania	1	54.2 (24.6)
56416	Europe	1	53.4 (24.2)

★ 2 cup holders

FILTER PUMP	VOLTAGE	CARTRIDGE
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I

Water Capacity (90%): 2,417 gal. (9,150 L)

12 FT. X 39.5 IN. / 3.66 M X 1.00 M

ITEM #	TYPE	PACK	LBS (KG)
56419	N. America / Asia, Africa & Latin America	1	64.0 (29.1)
56419	Oceania	1	64.0 (29.1)
56418	Europe	1	83.2 (37.7)
56418	Asia, Africa & Latin America	1	82.5 (37.4)
56260	Asia, Africa & Latin America	1	63.2 (28.7)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C		
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II		
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II		58330
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II		58335
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II		

Water Capacity (90%): 2,708 gal. (10,250 L)

12 FT. X 48 IN. / 3.66 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56421	N. America / Asia, Africa & Latin America	1	104.6 (47.5)
56421	Oceania	1	104.6 (47.5)
56420	Europe	1	107.1 (48.6)
56420	Asia, Africa & Latin America	1	103.7 (47.1)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58037	58336
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58336
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58331
58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58037	58336

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



CUP HOLDER

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT

Water Capacity (90%): 2,700 gal. (10,220 L)

14 FT. X 33 IN. / 4.27 M X 84 CM

ITEM #	TYPE	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56597E	US	1	82.7 (37.5)	58385 (530 gal. /2,006 L)	110-120V	58283, TYPE: VII - D
56597	N. America / Asia, Africa & Latin America	1	81.3 (36.9)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C
56597	Oceania	1	81.3 (36.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56595	Europe	1	80.6 (36.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
56595	Asia, Africa & Latin America	1	80.3 (36.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II

NEW

Water Capacity (90%): 3,440 gal. (13,030 L)

14 FT. X 42 IN. / 4.27 M X 1.07 M

ITEM #	TYPE	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56948E	US	1	118.0 (53.5)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	115.9 (52.6)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58335
56949	Oceania	1	115.9 (52.6)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
56950	Europe	1	118.1 (53.6)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58330
56950	Asia, Africa & Latin America	1	115.1 (52.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335

Water Capacity (90%): 3,955 gal. (14,970 L)

15 FT. X 42 IN. / 4.57 M X 1.07 M

ITEM #	TYPE	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
56687E	US	1	126.4 (57.3)	58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58038	58335
56686	N. America / Asia, Africa & Latin America	1	124.2 (56.3)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58038	58335
56686	Oceania	1	124.2 (56.3)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58335
56488	Europe	1	126.0 (57.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58330
56488	Asia, Africa & Latin America	1	123.5 (56.0)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58335

**STEEL PRO™
MAX**

The Steel Pro MAX above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!

PACKAGING
Sturdy Cardboard Box with Pictures



STEEL PRO[™] MAX

The Steel Pro MAX above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the Seal & Lock System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!

PACKAGING
Sturdy Cardboard
Box with Pictures



Water Capacity (90%): 4,231 gal. (16,015 L)

15 FT. X 48 IN. / 4.57 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56690E	US	1	138.9 (63.0)
56439	N. America / Asia, Africa & Latin America	1	136.7 (62.0)
56439	Oceania	1	136.7 (62.0)
56438	Europe	1	141.8 (64.3)
56438	Asia, Africa & Latin America	1	135.9 (61.6)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
58388 (1,000 gal. /3,785 L)	110-120V	58012, TYPE: III - A/C	58038	58336
58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58038	58336
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58336
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58331
58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58038	58336

Water Capacity (90%): 6,092 gal. (23,062 L)

18 FT. X 48 IN. / 5.49 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56463E	US	1	178.2 (80.8)
56463	N. America / Asia, Africa & Latin America	1	177.2 (80.4)
56463	Oceania	1	177.2 (80.4)
56462	Europe	1	184.4 (83.6)
56462	Asia, Africa & Latin America	1	178.4 (80.9)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336
58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336
58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336
58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58331
58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336



FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

Check out the pools we keep working on perfecting!



Standard Series



The Power Steel™ Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.



Swim Vista Series™



The Power Steel™ Swim Vista Series™ pools offer an incredibly unique swimming experience. With built-in windows, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!



Comfort Jet Series™



The Power Steel™ Comfort Jet Series™ has two built-in nozzles that spray concentrated water jetstreams for a soothing massage that provides users with the ideal combination of fun and relaxation.

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.



The advanced Seal & Lock System™ is uniquely engineered to ensure secure connections between the sections of the pool frame. The connectors are designed to enhance the frame's ability to prevent rust and corrosion.



Planogram
Store Display



6 ft. (1.82 m) Height



Actual in-store displays may vary.

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

PACKAGING
Sturdy Cardboard
Box with Pictures



Water Capacity (90%): 4,024 gal. (15,232 L)

14 FT. X 48 IN. / 4.27 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56445E	US	1	137.5 (62.4)
56443	N. America / Asia, Africa & Latin America	1	134.8 (61.2)
56443	Oceania	1	134.8 (61.2)
56444	Europe	1	139.2 (63.1)
56444	Asia, Africa & Latin America	1	133.7 (60.6)



FILTER PUMP

58388 (1,000 gal. /3,785 L)	110-120V	58476, TYPE: III - A/C
58387 (800 gal. /3,028 L)	110-120V	58476, TYPE: III - A/C
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II



VOLTAGE



CARTRIDGE

58476, TYPE: III - A/C
58476, TYPE: III - A/C
58503, TYPE: II
58503, TYPE: II
58503, TYPE: II



COVER

58248
58248
58248
58248
58248



LADDER

58336
58336
58336
58331
58336



CHEMCONNECT™ DISPENSER

58501
58501
58501
58501
58501

Water Capacity (90%): 5,145 gal. (19,480 L)

16 FT. X 48 IN. / 4.88 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56491E	US	1	183.8 (83.4)
56453	N. America / Asia, Africa & Latin America	1	182.1 (82.6)
56453	Oceania	1	182.1 (82.6)
56451	Europe	1	187.0 (84.8)
56451	Asia, Africa & Latin America	1	182.3 (82.7)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE

58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C



COVER

58249
58249
58249
58249
58249



LADDER

58336
58336
58336
58331
58336



CHEMCONNECT™ DISPENSER

58501
58501
58501
58501
58501



FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT
STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL
SUPPORT BAND



MOSAIC PRINT



CHEMCONNECT™ DISPENSER
DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

FEATURES & TECHNOLOGY



TRITECH MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



CHEMCONNECT DISPENSER
DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

NEW

Water Capacity (90%): 6,869 gal. (26,000 L)

18 FT. X 52 IN. / 5.49 M X 1.32 M

ITEM #	TYPE	PACK	LBS (KG)
56884E	US	1	229.6 (104.2)
56884	N. America / Asia, Africa & Latin America	1	228.6 (103.7)
56884	Oceania	1	228.6 (103.7)
56886	Europe	1	232.9 (105.6)
56886	Asia, Africa & Latin America	1	228.8 (103.8)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58039	58337	58501
58039	58337	58501
58039	58337	58501
58039	58332	58501
58039	58337	58501

NEW

Water Capacity (90%): 8,781 gal. (33,240 L)

20 FT. X 52 IN. / 6.10 M X 1.32 M

ITEM #	TYPE	PACK	LBS (KG)
56881E	US	1	270.5 (122.7)
56881	N. America / Asia, Africa & Latin America	1	269.8 (122.4)
56881	Oceania	1	269.8 (122.4)
56883	Europe	1	277.1 (125.7)
56883	Asia, Africa & Latin America	1	270.4 (122.7)



FILTER PUMP

58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B
58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58356	58337	58501
58356	58337	58501
58356	58337	58501
58356	58332	58501
58356	58337	58501

NEW

Water Capacity (90%): 10,668 gal. (40,377 L)

22 FT. X 52 IN. / 6.71 M X 1.32 M

ITEM #	TYPE	PACK	LBS (KG)
56887E	US	1	293.6 (133.2)
56887	N. America / Asia, Africa & Latin America	1	292.7 (132.8)
56887	Oceania	1	292.7 (132.8)
56889	Europe	1	299.9 (136.0)
56889	Asia, Africa & Latin America	1	294.6 (133.7)



FILTER PUMP

58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B
58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER


58357	58337	58501
58357	58337	58501
58357	58337	58501
58357	58332	58501
58357	58337	58501

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

PACKAGING

Sturdy Cardboard Box with Pictures



POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.



Water Capacity (90%): 967 gal. (3,662 L)

9 FT. 3 IN. X 6 FT. 5 IN. X 33 IN. / 2.82 M X 1.96 M X 84 CM

ITEM #	TYPE	PACK	LBS (KG)
56631E	US	1	89.5 (40.6)
56631	N. America / Asia, Africa & Latin America	1	88.0 (39.9)
56631	Oceania	1	88.0 (39.9)
56629	Europe	1	87.5 (39.7)
56629	Asia, Africa & Latin America	1	87.0 (39.4)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
58511 (330 gal. /1,249 L)	110-120V	58510, TYPE: I			58501
58511 (330 gal. /1,249 L)	110-120V	58510, TYPE: I			58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I			58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I			58501
58381 (330 gal. /1,249 L)	220-240V	58510, TYPE: I			58501

Water Capacity (90%): 1,711 gal. (6,478 L)

13 FT. 3 IN. X 6 FT. 7 IN. X 39.5 IN. / 4.04 M X 2.01 M X 1.00 M

ITEM #	TYPE	PACK	LBS (KG)
56426E	US	1	117.8 (53.4)
56426	N. America / Asia, Africa & Latin America	1	116.0 (52.6)
56426	Oceania	1	116.0 (52.6)
56441	Europe	1	135.2 (61.3)
56441	Asia, Africa & Latin America	1	133.2 (60.4)
56251	Asia, Africa & Latin America	1	115.3 (52.3)
56660	N. America / Asia, Africa & Latin America	1	147.4 (66.9)
56660	Oceania	1	147.4 (66.9)
56442	Europe	1	149.9 (68.0)
56442	Asia, Africa & Latin America	1	147.6 (66.9)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
58385 (530 gal. /2,006 L)	110-120V	58504, TYPE: VII - D			58501
58384 (530 gal. /2,006 L)	110-120V	58476, TYPE: III - A/C			58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II			58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II		58330	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II		58335	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II			58501
58516 (800 gal. /3,028 L)	110-120V	SAND FILTER		58335	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58335	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58330	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58335	58501

Water Capacity (90%): 2,146 gal. (8,124 L)

13 FT. 6 IN. X 6 FT. 7 IN. X 48 IN. / 4.12 M X 2.01 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56458E	US	1	158.3 (71.8)
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)
56458	Oceania	1	157.3 (71.3)
56456	Europe	1	162.0 (73.5)
56456	Asia, Africa & Latin America	1	156.4 (70.9)
56661	N. America / Asia, Africa & Latin America	1	172.3 (78.1)
56661	Oceania	1	172.3 (78.1)
56457	Europe	1	178.6 (81.0)
56457	Asia, Africa & Latin America	1	172.4 (78.2)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
58385 (530 gal. /2,006 L)	110-120V	58504, TYPE: VII - D		58336	58501
58384 (530 gal. /2,006 L)	110-120V	58476, TYPE: III - A/C		58336	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II		58336	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II		58331	58501
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II		58336	58501
58516 (800 gal. /3,028 L)	110-120V	SAND FILTER		58336	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58336	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58331	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER		58336	58501

Water Capacity (90%): 3,046 gal. (11,532 L)

16 FT. X 8 FT. X 48 IN. / 4.88 M X 2.44 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56672	N. America / Asia, Africa & Latin America	1	204.6 (92.8)
56672	Oceania	1	204.6 (92.8)
56670	Europe	1	210.4 (95.5)
56670	Asia, Africa & Latin America	1	203.8 (92.4)
56673	N. America / Asia, Africa & Latin America	1	220.5 (100.0)
56673	Oceania	1	220.5 (100.0)
56671	Europe	1	226.8 (102.9)
56671	Asia, Africa & Latin America	1	220.6 (100.1)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
58387 (800 gal. /3,028 L)	110-120V	58476, TYPE: III - A/C	58472	58336	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58472	58336	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58472	58331	58501
58386 (800 gal. /3,028 L)	220-240V	58503, TYPE: II	58472	58336	58501
58516 (800 gal. /3,028 L)	110-120V	SAND FILTER	58472	58336	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58472	58336	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58472	58331	58501
58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	58472	58336	58501

Water Capacity (90%): 3,913 gal. (14,812 L)

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56536E	US	1	227.7 (103.3)
56467	N. America / Asia, Africa & Latin America	1	226.7 (102.8)
56467	Oceania	1	226.7 (102.8)
56465	Europe	1	236.8 (107.4)
56465	Asia, Africa & Latin America	1	226.8 (102.9)
56468	N. America / Asia, Africa & Latin America	1	242.9 (110.2)
56468	Oceania	1	242.9 (110.2)
56466	Europe	1	251.0 (113.9)
56466	Asia, Africa & Latin America	1	244.3 (110.8)

FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58378	58336	58501
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58378	58336	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58378	58336	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58378	58331	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58378	58336	58501
58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	58378	58336	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58378	58336	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58378	58331	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58378	58336	58501

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



MOSAIC PRINT



C-CONNECTOR



CHEMCONNECT™ DISPENSER
DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

Water Capacity (90%): 7,092 gal. (26,845 L)

22 FT. X 12 FT. X 52 IN. / 6.71 M X 3.66 M X 1.32 M

ITEM #	TYPE	CASEPACK	LBS (KG)
56473E	US	1 Ea., 2 boxes	331.2 (150.2)
56473	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	330.2 (149.8)
56473	Oceania	1 Ea., 2 boxes	330.2 (149.8)
56470	Europe	1 Ea., 2 boxes	334.4 (151.7)
56470	Asia, Africa & Latin America	1 Ea., 2 boxes	330.5 (149.9)
56662	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	346.8 (157.3)
56662	Oceania	1 Ea., 2 boxes	346.8 (157.3)
56471	Europe	1 Ea., 2 boxes	350.8 (159.1)
56471	Asia, Africa & Latin America	1 Ea., 2 boxes	348.2 (157.9)



FILTER PUMP



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58379	58337	58501
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C	58379	58337	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58379	58337	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58379	58332	58501
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C	58379	58337	58501
58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	58379	58337	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58379	58337	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58379	58332	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58379	58337	58501

Water Capacity (90%): 7,937 gal. (30,045 L)

24 FT. X 12 FT. X 52 IN. / 7.32 M X 3.66 M X 1.32 M

ITEM #	TYPE	CASEPACK	LBS (KG)
56542E	US	1 Ea., 2 boxes	372.1 (168.8)
56476	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	371.2 (168.4)
56476	Oceania	1 Ea., 2 boxes	371.2 (168.4)
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	373.0 (169.2)
56477	Oceania	1 Ea., 2 boxes	373.0 (169.2)
56475	Europe	1 Ea., 2 boxes	377.1 (171.1)
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)



FILTER PUMP



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58380	58337	58501
58392 (2,500 gal. /9,463 L)	110-120V	58505, TYPE: IV - B	58380	58337	58501
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58380	58337	58501
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58380	58332	58501
58391 (2,500 gal. /9,463 L)	220-240V	58505, TYPE: IV - B	58380	58337	58501
58498 (1,500 gal. /5,678 L)	110-120V	SAND FILTER	58380	58337	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58380	58337	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58380	58332	58501
58497 (1,500 gal. /5,678 L)	220-240V	SAND FILTER	58380	58337	58501

Water Capacity (90%): 13,798 gal. (52,231 L)

31 FT. 4 IN. X 16 FT. X 52 IN. / 9.56 M X 4.88 M X 1.32 M

ITEM #	TYPE	CASEPACK	LBS (KG)
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)
56623	Europe	1 Ea., 2 boxes	494.9 (224.5)
56623	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (223.5)



FILTER PUMP



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58500 (2,200 gal. /8,327 L)	110-120V	SAND FILTER	58305	58337	58501
58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	58305	58337	58501
58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	58305	58332	58501
58499 (2,200 gal. /8,327 L)	220-240V	SAND FILTER	58305	58337	58501

POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

PACKAGING

Sturdy Cardboard Box with Pictures



POWER STEEL™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

PACKAGING
Sturdy Cardboard Box with Pictures



Water Capacity (90%): 969 gal. (3,668 L)

9 FT. 10 IN. X 6 FT. 7 IN. X 33 IN. / 3.00 M X 2.00 M X 84 CM

ITEM #	TYPE	PACK	LBS (KG)
56617	Europe	1	72.2 (32.8)
56617	Asia, Africa & Latin America	1	72.2 (32.8)



FILTER PUMP

58381 (330 gal./1,249 L)

58381 (330 gal./1,249 L)



VOLTAGE

220-240V

220-240V



CARTRIDGE

58510, TYPE: I

58510, TYPE: I



COVER



LADDER



CHEMCONNECT™ DISPENSER

58501

58501

Water Capacity (90%): 1,915 gal. (7,250 L)

14 FT. X 8 FT. 2 IN. X 39.5 IN. / 4.27 M X 2.50 M X 1.00 M

ITEM #	TYPE	PACK	LBS (KG)
56622E	US	1	121.7 (55.2)
56622	N. America / Asia, Africa & Latin America	1	120.2 (54.5)
56622	Oceania	1	120.2 (54.5)
56620	Europe	1	119.4 (54.1)
56620	Asia, Africa & Latin America	1	121.5 (55.1)



FILTER PUMP

58385 (530 gal./2,006 L)

58384 (530 gal./2,006 L)

58383 (530 gal./2,006 L)

58383 (530 gal./2,006 L)

58383 (530 gal./2,006 L)



VOLTAGE

110-120V

110-120V

220-240V

220-240V

220-240V



CARTRIDGE

58504, TYPE: VII - D

58476, TYPE: III - A/C

58503, TYPE: II

58503, TYPE: II

58503, TYPE: II



COVER



LADDER



CHEMCONNECT™ DISPENSER

58335

58335

58335

58330

58335

Water Capacity (90%): 2,893 gal. (10,949 L)

16 FT. X 10 FT. X 42 IN. / 4.88 M X 3.05 M X 1.07 M

ITEM #	TYPE	PACK	LBS (KG)
56655E	US	1	149.2 (67.7)
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)
56450	Oceania	1	146.6 (66.5)
56448	Europe	1	148.2 (67.2)
56448	Asia, Africa & Latin America	1	145.9 (66.2)



FILTER PUMP

58388 (1,000 gal./3,785 L)

58387 (800 gal./3,028 L)

58386 (800 gal./3,028 L)

58386 (800 gal./3,028 L)

58386 (800 gal./3,028 L)



VOLTAGE

110-120V

110-120V

220-240V

220-240V

220-240V



CARTRIDGE

58476, TYPE: III - A/C

58476, TYPE: III - A/C

58503, TYPE: II

58503, TYPE: II

58503, TYPE: II



COVER



LADDER



CHEMCONNECT™ DISPENSER

58290

58290

58290

58290

58290

Water Capacity (90%): 3,548 gal. (13,430 L)

18 FT. X 9 FT. X 48 IN. / 5.49 M X 2.74 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56711E	US	1	187.9 (85.2)
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)
56711	Oceania	1	186.8 (84.7)
56710	Europe	1	193.3 (87.7)
56710	Asia, Africa & Latin America	1	187.0 (84.8)



FILTER PUMP

58390 (1,500 gal./5,678 L)

58390 (1,500 gal./5,678 L)

58389 (1,500 gal./5,678 L)

58389 (1,500 gal./5,678 L)

58389 (1,500 gal./5,678 L)



VOLTAGE

110-120V

110-120V

220-240V

220-240V

220-240V



CARTRIDGE

58476, TYPE: III - A/C

58476, TYPE: III - A/C

58476, TYPE: III - A/C

58476, TYPE: III - A/C

58476, TYPE: III - A/C



COVER



LADDER



CHEMCONNECT™ DISPENSER

58485

58485

58485

58485

58485

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



MOSAIC PRINT



T-CONNECTOR




CHEMCONNECT™ DISPENSER DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

POWER STEEL™

SWIM VISTA SERIES™ II

With the durability and technology of our Power Steel Pool range, we've created a new model of pools with a more natural and luxurious look and are excited to present the Power Steel Swim Vista Series II!

PACKAGING
Sturdy Cardboard
Box with Pictures



Swim Vista Window

Water Capacity (90%): 5,145 gal. (19,480 L)

16 FT. X 48 IN. / 4.88 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56726E	US	1	193.5 (87.8)
56726	N. America / Asia, Africa & Latin America	1	192.5 (87.3)
56726	Oceania	1	192.5 (87.3)
56725	Europe	1	198.2 (89.9)
56725	Asia, Africa & Latin America	1	192.7 (87.4)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE

58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C



COVER

58249
58249
58249
58249
58249



LADDER

58336
58336
58336
58331
58336



CHEMCONNECT™ DISPENSER

58501
58501
58501
58501
58501

Water Capacity (90%): 6,092 gal. (23,062 L)

18 FT. X 48 IN. / 5.49 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56976E	US	1	210.1 (95.3)
56976	N. America / Asia, Africa & Latin America	1	209.2 (94.9)
56976	Oceania	1	209.2 (94.9)
56977	Europe	1	217.9 (98.9)
56977	Asia, Africa & Latin America	1	209.4 (95.0)



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE

58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C
58476, TYPE: III - A/C



COVER

58039
58039
58039
58039
58039



LADDER

58336
58336
58336
58331
58336



CHEMCONNECT™ DISPENSER

58501
58501
58501
58501
58501



**SWIM VISTA
SEE-THROUGH
WATER-TIGHT WINDOWS!**

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT
STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL
SUPPORT BAND



4 SWIM VISTA
WINDOWS



CHEMCONNECT™ DISPENSER
DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT
STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL
SUPPORT BAND



T-CONNECTOR



SWIM VISTA
WINDOWS



CHEMCONNECT™ DISPENSER
DISPENSES 1 IN. / 2.54 CM CHEMICAL TABLETS

Water Capacity (90%): 1,915 gal. (7,250 L)

14 FT. x 8 FT. 2 IN. x 39.5 IN. / 4.27 M x 2.50 M x 1.00 M

ITEM #	TYPE	PACK	LBS (KG)
56715E	US	1	129.2 (58.6)
56715	N. America / Asia, Africa & Latin America	1	128.0 (58.1)
56715	Oceania	1	128.0 (58.1)
56714	Europe	1	129.5 (58.8)
56714	Asia, Africa & Latin America	1	127.4 (57.8)

★ 2 SWIM VISTA windows



FILTER PUMP

58385 (530 gal. /2,006 L)	110-120V	58504, TYPE: VII - D
58384 (530 gal. /2,006 L)	110-120V	58476, TYPE: III - A/C
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II
58383 (530 gal. /2,006 L)	220-240V	58503, TYPE: II



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58425	58335	58501
58425	58335	58501
58425	58335	58501
58425	58330	58501
58425	58335	58501

Water Capacity (90%): 3,548 gal. (13,430 L)

18 FT. x 9 FT. x 48 IN. / 5.49 M x 2.74 M x 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56717E	US	1	197.7 (89.7)
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)
56717	Oceania	1	196.7 (89.2)
56716	Europe	1	202.9 (92.0)
56716	Asia, Africa & Latin America	1	196.9 (89.3)

★ 4 SWIM VISTA windows



FILTER PUMP

58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58390 (1,500 gal. /5,678 L)	110-120V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C
58389 (1,500 gal. /5,678 L)	220-240V	58476, TYPE: III - A/C



VOLTAGE



CARTRIDGE



COVER



LADDER



CHEMCONNECT™ DISPENSER

58485	58336	58501
58485	58336	58501
58485	58336	58501
58485	58331	58501
58485	58336	58501

**SWIM VISTA
SEE-THROUGH
WATER-TIGHT WINDOWS!**




**POWER
STEEL™**

SWIM VISTA SERIES™ II

With the durability and technology of our Power Steel Pool range, we've created a new model of pools with a more natural and luxurious look and are excited to present the Power Steel Swim Vista Series III!

PACKAGING

Sturdy Cardboard Box with Pictures




Swim Vista Window

POWER STEEL™

COMFORT JET SERIES™

With the durability and technology of our Power Steel Pool range, we've created a new model of pools with a more natural and luxurious look, combined with our in-pool jet technology. We are excited to present the Power Steel Comfort Jet Series!

PACKAGING
Sturdy Cardboard
Box with Pictures



Water Capacity (90%): 5,347 gal. (20,241 L)

20 FT. X 12 FT. X 48 IN. / 6.10 M X 3.66 M X 1.22 M

ITEM #	TYPE	PACK	LBS (KG)
56720E	US	1	225.6 (102.4)
56720	N. America / Asia, Africa & Latin America	1	224.0 (101.6)
56720	Oceania	1	224.0 (101.6)
56719	Europe	1	230.5 (104.6)
56719	Asia, Africa & Latin America	1	225.8 (102.4)



FILTER PUMP



VOLTAGE



CARTRIDGE



LADDER



LED LIGHT

FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	LED LIGHT
58392 (2,500 gal./9,463 L)	110-120V	58505, TYPE: IV - B	58336	58502
58392 (2,500 gal./9,463 L)	110-120V	58505, TYPE: IV - B	58336	58502
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B	58336	58502
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B	58331	58502
58391 (2,500 gal./9,463 L)	220-240V	58505, TYPE: IV - B	58336	58502



BUILT-IN SPA JETS!

- Two built-in massage nozzles with easy to use control station
- Multi-colored LED light



FEATURES & TECHNOLOGY



TRITECH™ MATERIAL



DRAIN VALVE



CORROSION RESISTANT STEEL FRAME



NO TOOLS REQUIRED



EASY TO ASSEMBLE



3-PLY PVC WALL SUPPORT BAND



T-CONNECTOR



COMFORT JET SERIES IN-POOL JET TECH

MY FIRST POOL!



MY FIRST FRAME POOL

ITEM #	SIZE	AGE	WATER CAPACITY (90%)	PACK	LBS (KG)	PACKAGING
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	2+	96 gal. (365 L)	3	27.2 (12.4)	Full Color Box

- Easy set-up
- Corrosion resistant metal frames
- 3 assorted colors
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch



MY FIRST FRAME POOL

ITEM #	SIZE	AGE	WATER CAPACITY (90%)	PACK	LBS (KG)	PACKAGING
56283	5 ft. x 15 in. / 1.52 m x 38 cm	2+	153 gal. (580 L)	6	62.2 (28.2)	Full Color Box

- Easy set-up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support
- Underwater adhesive repair patch



MY FIRST FAST SET™ POOL

ITEM #	SIZE	AGE	WATER CAPACITY (80%)	PACK	LBS (KG)	PACKAGING
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	2+	126 gal. (477 L)	6	26.9 (12.2)	Full Color Box


- Easy set-up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it fills with water
- 3 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch



NEW DESIGN SPLASH-IN-SHADE PLAY POOL

ITEM #	TYPE	SIZE	WATER CAPACITY (90%)	PACK	LBS (KG)	PACKAGING
56543E	US					
56543	North America	8 ft. x 20 in. / 2.44 m x 51 cm	446 gal. (1,688 L)	1	29.5 (13.4)	Full Color Box
56543	Oceania					
56432	Europe					

- Easy 20 minute set-up
- Corrosion resistant metal frames
- Heavy-duty PVC and Tritech™ sidewalls
- Built-in flow control drain valve makes it easy to drain away water
- 40+ UPF
- Water mister on the top of shade attaches to garden hose
- Easy to take down for off-season storage
- Doesn't require lateral support - easier installation, enhanced stability, less wasted space
- Underwater adhesive repair patch



Easy Set-up!





MY FIRST FAST SET™ SPRAY POOL

ITEM #	SIZE	AGE	WATER CAPACITY (80%)	PACK	LBS (KG)	PACKAGING
57326/E				6	26.9 (12.2)	Full Color Box
30007/E	5 ft. x 15 in. / 1.52 m x 38 cm	2+	126 gal. (477 L)	1	109.4 (49.6)	Display shelf 24 pcs included

- Easy set-up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Animal sprays water by connecting to a standard garden hose
- 2 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch



30007
Global Example
of Display

OCTOPOOL


ITEM #	TYPE	SIZE	WATER CAPACITY (80%)	PACK	LBS (KG)	PACKAGING
57396E	US					
57396	North America	9 ft. x 30 in. / 2.74 m x 76 cm	833 gal. (3,153 L)	1	18.0 (8.2)	Full Color Box
57396	Oceania					
57397	Europe					

- Quick 10 minute set-up
- Tritech™ sidewalls - 3-ply heavy-duty PVC and polyester
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Four tentacles with two built-in sprayers
- Inflatable tentacles spray water when garden hose is connected
- Built-in flow control valve attaches to garden hose (with included adapter) to drain water
- Easy to pack up for off-season storage
- Underwater adhesive repair patch



Spraying
Arms!





*The best moments
with friends!*



The memories never stop with a Bestway pool!

swimfinity™ SWIM FITNESS SYSTEM

SWIM SMARTER

Take water workouts up a notch with the brand new Swimfinity™ Swim Fitness System! Now, anyone can simulate swimming laps in any size pool. Similar to the way a treadmill works, the Swimfinity uses an integrated axial flow motor to create a resistance swimming experience, even though the swimmer stays in one place. For both recreational and serious swimmers, speed and strength of the water flow can be adjusted based on ability. With the Swimfinity, water aerobics will never be the same!

Challenge Yourself

Set goals based on time, calories or distance. Swim until you reach your goal.

NextGen Water Aerobics

Bring aqua yoga, jogging and other aerobics to the comfort of your own home.

Designed For You

Adjust the depth and angle of water flow for a personalized experience.

Improve Your Skill

With 8 available intensity levels, work your way up and change speeds with ease.


INTENSITY LEVEL	1	2	3	4	5	6	7	8
FLOW RATE (FT./M PER MIN)	128.0 FT 39.0 M	145.7 FT 44.4 M	163.4 FT 49.8 M	181.1 FT 55.2 M	198.8 FT 60.6 M	216.5 FT 66.0 M	234.3 FT 71.4 M	255.9 FT 78.0 M



swimfinity™

ITEM #	REMARK	Rating	Size	Recommended Pool Length & Depth	PACK	LBS (KG)	Packaging
58518/E	US/GL	110-120V~ (GFCI)	28.35 in. x 18.90 in. x 32.87 in.	L: 15 ft. / 4.57 m	1	111.3 (50.5)	Sturdy Cardboard Box
58517	EUROPE	220-240V~ (PRCD)	72 cm x 48 cm x 83.5 cm	D: 39.5 in. / 1.00 m	1	111.3 (50.5)	With Pictures

- Digital LED display indicates distance, time and calories burned
- 8 variable speeds, flow speeds range from 128 ft./min (39 m/min)-255.9 ft./min (78 m/min)
- The depth and angle of water flow is adjustable
- Built-in LED light for illumination during the night
- Includes remote control
- Easy to set up and operate
- Suitable for both in-ground & above ground pools
- Pool Size Requirements: Depth ≥ 1.00 m (39.5"), Length ≥ 4.57 m (15'), Width ≥ 2.44 m (8')
- Output Voltage: ±12 V DC 35 A
- Input Power: 1000 W



HYDRO³ PRO™

ENDURANCE • SPEED • INTENSITY • CARDIO

SWIMULATOR RESISTANCE TRAINER

ITEM #	REMARK	PACK	LBS (KG)	Packaging
26033/E	US/GL	12	10.7 (4.9)	Full Color Box

- Waistline Range: 26 in. to 43 in. / 65 cm to 110 cm
- Adjustable padded belt with fastener
- 13.1 in. (4 m) Elastic Strap
- Resistance Strength 90 lb/m (27.4 lb/ft.)
- Compatible with all above ground pools (with frame)



FLOWCLEAR™

POOL CARE MADE EASY

Flowclear™ offers a range of pool products that can handle cleaning, maintenance, and mood. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

FILTRATION




POOL COVERS & GROUND CLOTHS



MAINTENANCE EQUIPMENT



ENVIRONMENT



Planogram
Store Display



6 ft. (1.82 m)
Height



US & GL
Packaging



Actual in-store displays may vary.





A look at the build of Bestway® SAND FILTERS


Bestway sand filters are truly a "no fuss" option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.


- 1. Control Valve**
- 2. Basket Strainer**
- 3. Filtration Tank**
- 4. Pump Motor**
- 5. Pressure Gauge**
- 6. Pool Water Intake Valve**
- 7. Pool Water Outlet Valve**





- 


FILTERS FOR DIFFERENT POOL CAPACITIES
- 

CHANGE ONCE EVERY 3 YEARS
- 

USES SILICA SAND OR POLYSHERE
- 

PRESSURE GAUGE
- 

TIMER
- 

RINSE VALVE
- 

CHEMCONNECT DISPENSER



GENERATION

Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
 Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

A SAND FILTER - 800 GAL. (3,028 L)

ITEM #	Certification	Rating	Tank Diameter IN. (CM)	Sand Capacity LBS (KG)	Polysphere Capacity LBS (G)	PACK	LBS (KG)
58515	CE	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.1 (8.2)
58516	C-ETL	110-120V~, 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.2 (8.3)
58516E	ETL-US	110-120V~, 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)

Pump Flow Rate: 800 gal./h (3,028 L/h)
 System Flow Rate: 600 gal./h (2,271 L/h)

System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Top flange clamp allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance

- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25 in. / 3.2 cm with proper thread size
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box

GENERATION

Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
 Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

C SAND FILTER - 2,200 GAL. (8,327 L)

ITEM #	Certification	Rating	Tank Diameter IN. (CM)	Sand Capacity LBS (KG)	Polysphere Capacity LBS (G)	PACK	LBS (KG)
58499	CE	220-240V~, 280W	12.5 (32)	44.1 (20.0)	1.23 (560)	1	31.2 (14.1)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.5 (13.9)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.8 (14.0)
58499GS	CE/GS	220-240V~, 280W	17 (43.7)	99.2 (45.0)	2.78 (1,260)	1	36.9 (16.7)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
 System Flow Rate: 1,800 gal./h (6,813 L/h)

System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58499/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch

- larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box

GENERATION

Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
 Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

B SAND FILTER - 1,500 GAL. (5,678 L)

ITEM #	Certification	Rating	Tank Diameter IN. (CM)	Sand Capacity LBS (KG)	Polysphere Capacity LBS (G)	PACK	LBS (KG)
58497	CE	220-240V~, 230W	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.9 (12.2)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.5 (12.0)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.7 (12.1)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	33.1 (15.0)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)
 System Flow Rate: 1,400 gal./h (5,300 L/h)

System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period (For 58497/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch

- larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box

GENERATION

Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools
 Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

D SAND FILTER - 3,000 GAL. (11,355 L)

ITEM #	Certification	Rating	Tank Diameter IN. (CM)	Sand Capacity LBS (KG)	Polysphere Capacity LBS (G)	PACK	LBS (KG)
58486	CE	220-240V~, 500W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	38.1 (17.3)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	121.3 (55.0)	3.40 (1,540)	1	44.5 (20.2)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)
 System Flow Rate: 2,200 gal./h (8,327 L/h)

System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Built-in timer lets you set an automated working period
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included ChemConnect™ Dispenser maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The pre-filter strainer basket is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt.

- Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- This product works with normal sand convention or with our highly efficient Polysphere™ product
- Sand not included
- Full Color Box



POLYSHERE™

ITEM #	PACK	LBS (KG)	Packaging
58475/E	6	12.5 (5.7)	Full Color Box
30014/E	1	28.0 (12.7)	Display Shelf

- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand

Flowclear™ Polysphere quantity is as follow:

Sand Filter	Remark	Weight if using Sand - lbs (kg)	Weight if using Polyspheres - lbs (g)
800 gal. /h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal. /h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal. /h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)

- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Product has a long life
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non-toxic

- ENHANCED PUMP EFFICIENCY**
 Lower pressure allows for a higher flow rate and a longer product lifespan.
- LIGHTER MATERIAL**
 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand.
- SUPERIOR FILTRATION**
 Clean and clear water is reached in a short time.
- ECO-FRIENDLY**
 100% recyclable and non-toxic PET material.
- EASIER TO HANDLE**
 Easy to carry and transport. Washable by hand.



12 Ea. Included US Example



58475E Full Color Box



Anatomy of a FILTER PUMP

1. Pump Filter Cartridge
2. Air Pressure Release Valve
3. Pump Motor
4. Pool Water Intake Valve
5. Pool Water Outlet Valve



FILTER PUMP - 330 GAL. (1,249 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58511E	330 (1,249)	280 (1,060)	For use with	ETL-US	110-120V~, 0.2A	4	25.0 (11.3)	58093 - TYPE I
58511	330 (1,249)	280 (1,060)	300-2,200 gal.	C-ETL	110-120V~, 0.2A	4	24.7 (11.2)	58093 - TYPE I
58381	330 (1,249)	280 (1,060)	(1,100-8,300 L) pools	CE	220-240V~, 16W	4	18.5 (8.4)	58093 - TYPE I



FILTER PUMP - 530 GAL. (2,006 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58385E	530 (2,006)	480 (1,817)	For use with	ETL-US	110-120V~, 0.6A	4	31.5 (14.3)	58283 - TYPE VII - D
58384	530 (2,006)	480 (1,817)	300-3,800 gal.	C-ETL	110-120V~, 0.6A	4	32.0 (14.5)	58012 - TYPE III - A/C
58383	530 (2,006)	480 (1,817)	(1,100-14,300 L) pools	CE	220-240V~, 29W	4	29.4 (13.3)	58094 - TYPE II



FILTER PUMP - 800 GAL. (3,028 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58387	800 (3,028)	580 (2,195)	For use with	C-ETL	110-120V~, 0.6A	4	31.5 (14.3)	58012 - TYPE III - A/C
58386	800 (3,028)	580 (2,195)	300-4,600 gal.	CE	220-240V~, 32W	4	30.8 (14.0)	58094 - TYPE II
			(1,100-17,400 L) pools					



FILTER PUMP - 1,000 GAL. (3,785 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)	58012 - TYPE III - A/C
			300-5,100 gal.					
			(1,100-19,300 L) pools					



FILTER PUMP - 1,500 GAL. (5,678 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)	58012 - TYPE III - A/C
58390	1,500 (5,678)	1,050 (3,974)	300-8,400 gal.	C-ETL	110-120V~, 1.8A	1	14.0 (6.3)	58012 - TYPE III - A/C
58389	1,500 (5,678)	1,050 (3,974)	(1,100-31,700 L) pools	CE	220-240V~, 86W	1	14.1 (6.4)	58012 - TYPE III - A/C



FILTER PUMP - 2,500 GAL. (9,463 L)

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with	ETL-US	110-120V~, 3.3A	1	24.2 (11.0)	58095 - TYPE IV - B
58392	2,500 (9,463)	2,050 (7,760)	300-16,400 gal.	C-ETL	110-120V~, 3.3A	1	24.0 (10.9)	58095 - TYPE IV - B
58391	2,500 (9,463)	2,050 (7,760)	(1,100-62,000 L) pools	CE	220-240V~, 350W	1	24.5 (11.1)	58095 - TYPE IV - B

SKIMATIC™ FILTER PUMP

ITEM #	Pump Flow Rate GAL. (L)/HR	System Flow Rate GAL. (L)/HR	Pool Capacity	Certification	Rating	PACK	LBS (KG)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V~, 0.75A	1	17.6 (8.0)	58012 - TYPE III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V~, 0.75A	1	17.4 (7.9)	58012 - TYPE III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V~, 48W	1	17.5 (7.9)	58012 - TYPE III - A/C
58470E	1,050 (3,974)	1,050 (3,974)	300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.4A	1	22.0 (10.0)	58012 - TYPE III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V~, 1.4A	1	21.8 (9.9)	58012 - TYPE III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V~, 73W	1	21.4 (9.7)	58012 - TYPE III - A/C

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses 58012 filter cartridge III
- Works quietly
- For use only with battery powered and manual pool cleaning appliances

- Connected by self-contained 1.2 in. / 32 mm connector, can work in conjunction with Bestway® 58212 and 58234 Pool Cleaning Kit
- For use with 300-5,400 gallon (1,100-20,500 L) pools (For 58463E; 58463; 58462)
- For use with 300-8,400 gallon (1,100-31,700 L) pools (For 58470E; 58470; 58469)



COMBO
Filter and
Surface
Skimmer!



FILTER CARTRIDGES/ANTIMICROBIAL

ITEM #	58093/E	58510/E	58094	58503	58012/E	58476/E	58095/E	58505/E	58283E	58504E
Product										
Size	Ø3.1 in. x H3.5 in. Ø8 cm x H9 cm		Ø4.2 in. x H5.4 in. Ø10.6 cm x H13.6 cm		Ø4.2 in. x H8.0 in. Ø10.6 cm x H20.3 cm		Ø5.6 in. x H10.0 in. Ø14.2 cm x H25.4 cm		Ø4.2 in. x H3.8 in. Ø10.6 cm x H9.7 cm	
Pump Type	330 gal. (1,249 L)		530 / 800 gal. (2,006 / 3,028 L) (220-240 V~)		530 - 1500 gal. (2006 - 5678 L) (110-120 V~) 1000 / 1500 gal. (3785 - 5678 L) (US only) 1500 gal. (5678 L) (220-240 V~)		2,500 gal. (9,463 L)		530 gal. (2,006 L) (110-120V~)	
Pack	6		6		6		6		6	
LBS (KG)	2.0 (0.9) / 2.8 (1.3)		3.4 (1.6) / 4.9 (2.2)		2.6 (1.2) / 3.9 (1.8)		5.3 (2.4) / 7.8 (3.6)		3.5 (1.6) / 4.3 (2.0)	
Packaging	Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box		Shrink wrapped with insert card/ Full Color Box	

- Easy to clean
- Does not replace the use of regular chlorine maintenance
- Antimicrobial filter paper controls growth of bacteria
- Very strong antimicrobial effect on surface
- Broad spectrum antibacterial effect



TESTED TO
PROTECT AGAINST:
Staph Infection
E. coli
Klebsiella
Pneumoniae



58476
FULL COLOR BOX



58476 PDQ
6 PCS INCLUDED

HOSE

ITEM #	PACK	LBS (KG)	Packaging
58368	6	16.6 (7.6)	Full Color Box

- 9.8 ft. / 3 m long, 1.5 in. / 3.8 cm diameter
- Suitable for filter pumps and sand filters that use 1.5 in. / 3.8 cm hoses



HOSE

ITEM #	PACK	LBS (KG)	Packaging
58369	6	9.9 (4.5)	Full Color Box

- 9.8 ft. / 3 m long, 1.25 in. / 3.2 cm diameter
- Suitable for filter pumps, sand filters, heaters and chlorinators that use 1.25 in. / 3.2 cm hoses



HOSE ADAPTERS

ITEM #	PACK	LBS (KG)	Packaging
58236/E	12	4.5 (2.0)	Blister Card

- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8 cm) to pool valves (Diameter 3.2 cm)
- Easy to install
- Instructional manual included!



Pool Pump Range

ITEM #	58511/E	58381	58385E	58384	58383	58387	58386	58388E	58390/E	58389	58392/E	58391			
Product															
Hose	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm			1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm				
Adapters Included									1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm				
Filter Cartridge or Sand Grain	58093/58510(I)		58283/58504(VII-D)	58012/58476(III-A/C)	58094/58503 (II)	58012/58476(III-A/C)	58094/58503(II)	58012/58476(III-A/C)	58012/58476(III-A/C)		58095/58505(IV-B)				
Pump Flow Rate Gal. (L) / HR	330 (1,249)		530 (2,006)			800 (3,028)		1,000 (3,785)	1,500 (5,678)		2,500 (9,463)				
System Flow Rate Gal. (L) / HR	280 (1,060)		480 (1,817)			580 (2,195)		780 (2,952)	1,050 (3,974)		2,050 (7,760)				
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300 L) pools		For use with 300-3,800 gal. (1,100-14,300 L) pools			For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-16,400 gal. (1,100-62,000 L) pools				
Rating	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A			220-240V~, 29W		110-120V~, 0.6A	220-240V~, 32W		110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W


58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58486	58486GS
1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm	
			1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. / 3.8 / 3.2 cm			1.5 in. / 3.8 cm	
Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg	
800 (3,028)			1,500 (5,678)			2,200 (8,327)			3,000 (11,355)	
600 (2,271)		550 (2,082)	1,400 (5,300)		1,300 (4,920)	1,800 (6,813)		1,700 (6,435)	2,200 (8,327)	2,000 (7,570)
For use with 300-4,800 gal. (1,100-18,100 L) pools		For use with 300-4,400 gal. (1,100-16,600 L) pools	For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-10,400 gal. (1,100-39,300 L) pools	For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-13,600 gal. (1,100-51,400 L) pools	For use with 300-17,600 gal. (1,100-66,600 L) pools	For use with 300-16,000 gal. (1,100-60,500 L) pools
110-120V~, 1A	220-240V~, 85W		110-120V~, 3.2A	220-240V~, 230W		110-120V~, 3.5A	220-240V~, 280W		220-240V~, 500W	



SOLAR-FLOAT LAMP

ITEM #	Size	PACK	LBS (KG)	Packaging
58111/E	07 in. / 018 cm	24	22.3 (10.1)	Full Color Box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard light up
- Extra-long 8-hour runtime
- 1.2 V ...



MULTI-COLORED ALTERNATING LIGHTS

LED FLOATING POOL LIGHT

ITEM #	Size	PACK	LBS (KG)	Packaging
58419	05.5 in. / 014 cm	12	9.9 (4.5)	Full Color Box
58419E	05.5 in. / 014 cm	12	9.5 (4.3)	Full Color Box

- Beautiful display: super bright LED light alternates between 4 colors (yellow, red, blue and green) in 7 different patterns
- Easy to operate: simply press the button on the top of the light
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8 ft. / 2.43 m wide and 5 ft. / 1.52 m deep
- Power saving: shuts off automatically after one hour when not in use



LED FLOATING POOL FOUNTAIN

ITEM #	Size	PACK	LBS (KG)	Packaging
58493/E	07.3 in. / 018.5 cm	6	14.0 (6.3)	Full Color Box


- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery can be recharged and reused repeatedly, lasts 2-3 hours after fully charged
- Coverage area of light: diameter 8 ft. / 2.43 m, height 5 ft. / 1.52 m
- Simple operation and easy to use button panel
- Lightshow and water fountain function can be used independently, controlled by two different buttons.
- Colorful lightshow projects toward the bottom of the pool and projects through the fountain. There are 3 different lighting modes with 3 colors: red, green and blue
- Max. height of water fountain can reach up to 1 m
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour




SOLAR-PRO SHOWER™

ITEM #	Size	PACK	LBS (KG)	Packaging
58224	16 in. x 23 in. / 41 cm x 58 cm	24	26.8 (12.2)	Full Color Box

- Solar- heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 5.3 gal. (20 L) of water for multiple showers
- Great for outdoor adventures



SHOOTS UP TO 3 FT. / 1 M HIGH!



ITEM #	58013/E Maintenance Kit 80 in. (2.03 m)	58212/E AquaCrawl Pool Vacuum	58234/E AquaClean Pool Cleaning Kit	58304/E AquaClimb Automatic Pool Cleaner	58340 AquaScan Electric Pool Vacuum	58422/E - 58427 Aqua Powercell Vac	58483/E - 58482 Aquatronix
Product							
Recommended Pools							
	Any model				Any model	Any model	
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model	Up to 16 ft. (4.88 m) diameter	Up to 10 ft. (3.05 m) diameter	Any model	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model	Up to 16 ft. (4.88 m) diameter		Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model	Up to 16 ft. (4.88 m) diameter	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) wide	Fits 6 ft. 5 in., 6 ft. 7 in., 8 ft., 8 ft. 2 in., 9 ft., 10 ft., 12 ft. - 1.96, 2.01, 2.50, 2.74, 3.05, 3.66 m wide	Any model	Fits 13 ft. 3 in., 13 ft. 6 in., 16 ft., 18 ft., 22 ft. - 4.04, 4.12, 4.88, 5.49, 6.71 m length	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Any model
	Up to 13 ft. (3.96 m) wide	Up to 15 ft. (4.57 m) wide	Any model			Any model	Any model
					Any model	Any model	
Details							
Operating System	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4 m ³ /h		Filter and Sand Pumps - from 86 W, from 1,000 to 2,500 gal., from 3.7 to 9.4 m ³ /h	AA Battery, Independent from filtration device	Rechargeable lithium battery	Rechargeable lithium battery
Handling	Manual	Manual	Manual	Automatic	Manual	Manual	Automatic
Pole Length	65.7 in. (1.67 m)	74.6 in. (1.90 m)	110 in. (2.79 m)		49.6 in. (1.26 m)	7.3 ft. (2.22 m)	
Hose Length		19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	20 ft. - 6.10 m			
Valve Compatibility		1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included			
Inner Wall Cleaning							
Minimum Flow		Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 1,000 gal. (3,785 L/h)			
Minimum Wattage				86 W			
Highlights	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included 	<ul style="list-style-type: none"> Reusable debris bag Two angled conversion nozzles, one with brush Universal adapters included 	<ul style="list-style-type: none"> Reusable debris bag Skimmer net included Universal adapters included 	<ul style="list-style-type: none"> Pre-filter bag 	<ul style="list-style-type: none"> AA battery x 8 (not included) Up to 1.5 hrs operating time Reusable debris bag Brushes 	<ul style="list-style-type: none"> Rechargeable lithium battery Vacuum pools and spa Reusable debris bag Automatic vacuuming 	<ul style="list-style-type: none"> Carry Handle On/Off LED light Long-lasting stainless steel filter mesh Adjustable wheel axle Locking clips Head locking flap Underside debris agitators Optional bumpers



AQUATRONIX™

FLOWCLEAR™ | MAINTENANCE EQUIPMENT

ITEM #	Size	PACK	LBS (KG)	Packaging
58483/E	17.7 in. x 13.0 in. x 12.0 in.	1	16.3 (7.4)	Full Color Box
58482	45.0 cm x 33.0 cm x 30.5 cm	1	16.3 (7.4)	Full Color Box

- Autonomous pool cleaning robot
- **Compatible with any flat bottom pool (above ground or in-ground)**
- **Cordless design** for full range motion; eliminates tangled cords
- **Built-in rechargeable lithium battery**
- Recharge time: 5-6 hours
- **Cycle use time: 90 minutes**
- Included retrieval kit
- Built-in sensors activate the device when fully submerged in water, and deactivate when outside of the water for motor protection
- Easy-to-clean stainless steel filter traps up to 4.5 L of debris
- **Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles**
- Non-slip wheels
- Ideal for pools up to 484 ft.² / 45 m²
- **Flow rate: 710 gal./hr (2,700 L/hr)**
- Speed of movement: 32.8 ft./h (1000 m/h)
- Components:
 - Carry Handle
 - On/Off LED light
 - Long lasting stainless steel mesh filter
 - Adjustable wheel axle
 - Locking clips
 - Head locking flap for 180-degree turns
 - Underside debris agitators
 - Optional bumpers



GUARANTEED
90MIN
OF FULL
POWER CLEAN


DIRECTIONAL
SUPERIOR
FOR EFFICIENT CLEANING
JET SYSTEM



AQUASCAN ELECTRIC POOL VACUUM

ITEM #	PACK	LBS (KG)	Packaging
58340	6	18.4 (8.4)	Full Color Box


- Battery-powered pump creates suction without the use of hoses or electrical cords
- Telescopic handle with ergonomic grip and locking mechanism
- Simple press-button operation
- Telescopic pole reaches up to 5 ft. / 1.5 m when fully extended
- Underside wheels for easy gliding
- Requires 8 AA batteries (not included)
- Includes an easy-to-empty debris collection bag



AQUA POWERCELL VAC

ITEM #	PACK	LBS (KG)	Packaging
58422/E	4	19.8 (9.0)	Full Color Box
58427	4	20.5 (9.3)	Full Color Box


- Completely submersible body vacuums debris on pool or spa floor
- Recommended for spas, above ground pools (up to 20 ft. / 6.09 m diameter) and in-ground pools
- Rechargeable Lithium-ion battery includes superior benefits such as an extended life, no memory effect when charging/discharging the battery, and constant performance for 40 minutes
- The filter bag is easy to remove and empty
- Connects to the included 5-section pole for a total length of 7 ft.3 in. / 2.22 m
- Also fits standard telescopic pole (not included) with quick-release clip
- Includes 2 interchangeable heads: one head to clean corners and one head to clean surfaces
- Wheels on large head ensure smooth and easy gliding on any pool surface
- Replaceable bristles for scrubbing off debris efficiently



AQUACLIMB AUTOMATIC POOL CLEANER

ITEM #	PACK	LBS (KG)	Packaging
58304/E	2	19.2 (8.7)	Full Color Box

- Patented design specifically for above ground pools with low flow filtration systems (Minimum 86 W and 1,000 gal./h (3,785 L/h) system flow rate)
- Adjustable pressure regulator controls the water flow for use with high power pumps
- Easy to operate - simply turn on the pump and the cleaner will start automatically
- Integrated pre-filter collects debris such as dirt, leaves and sand to avoid clogging of pump filter
- Wide clip system on the bottom plate provides easy access to the debris compartment
- Float and weight provide optimum maneuverability
- Recommended for soft wall pools from 15 ft. / 4.57 m to 16 ft. / 4.87 m
- Includes hoses with total length of 20 ft. / 6.10 m
- Includes connectors compatible with most leading pool brands on the market




MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	Packaging
58013/E	6	13.9 (6.3)	Full Color Box



Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Includes a light-weight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- For use with 13 ft. / 3.96 m and below pools



POOL ACCESSORIES SET

ITEM #	PACK	LBS (KG)	Packaging
58195/E	4	12.0 (5.5)	Each Set In A Clam Shell




Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- For use with 13 ft. / 3.96 m and below pools

Kit Includes:

- 58013 - Maintenance Kit, 1 Piece
- 58071 - Chemical Floater, 1 Piece
- 58072 - Floating Pool Thermometer, 1 Piece
- 58142 - Pool and Spa Test Strips, 1 Piece
- 62068 - Heavy-duty Repair Patch, 1 Piece




AQUACRAWL POOL VACUUM

ITEM #	PACK	LBS (KG)	Packaging
58212/E	6	30.1 (13.7)	Full Color Box



Pole Length: 74.6 in. / 1.90 m
Cleans Inner Wall

- Four-section aluminum poles are easy to assemble
- Three adapters for use with different pools and filter pump systems
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7 ft. / 6.00 m long, 1.25 in. / 3.2 cm diameter
- Attach to the filter pump for light cleaning for your pool
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with pools up to 15 ft. / 4.57 m




AQUACLEAN POOL CLEANING KIT

ITEM #	PACK	LBS (KG)	Packaging
58234/E	4	32.5 (14.8)	Full Color Box



Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Includes multiple adapters for connections to all Bestway pools and filter systems
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5 ft. / 7.5 m, 1.25 in. / 3.2 cm diameter
- Vacuum has a one-piece cleaning head
- Skimmer has a durable mesh netting
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools




DELUXE MAINTENANCE KIT

ITEM #	PACK	LBS (KG)	Packaging
58237/E	2	26.4 (12.0)	Full Color Box



Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra long vacuum hose 24.5 ft. / 7.5 m, 1.25 in. / 3.2 cm diameter
- Multifunctional
 - Pool surface skimmer works with the filter pump to clean floating leaves and other debris
 - Pool vacuum works with the filter pump to clean pool walls and floor
 - Pool skimmer manually cleans floating debris
- Attach to the filter pump for skimming and vacuuming
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools except steel wall pools



POOL SURFACE SKIMMER

ITEM #	PACK	LBS (KG)	Packaging
58233/E	4	19.3 (8.7)	Full Color Box

- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Easy to clean
- Fits filter pumps with 530 gal./h (2,006 L/h) flow rate and above
- For use with all above ground pools except steel wall pools



ANGLER POOL VACUUM

ITEM #	Size	PACK	LBS (KG)	Packaging
58282	11 in. x 6 in. 27.9 cm x 15.2 cm	12	23.1 (10.5)	Header Card


- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor



CLEANCASST SKIMMER SET

ITEM #	PACK	LBS (KG)	Packaging
58325/E	24	26.0 (11.8)	Header Card

- Durable mesh netting
- Lightweight, extensible, 2-segmented aluminum shaft



CLEANCASST SKIMMER

ITEM #	Size	PACK	LBS (KG)	Packaging
58277	12.5 in. x 12 in. 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting



AQUANET

ITEM #	Size	PACK	LBS (KG)	Packaging
58278/E	16.9 in. x 8.3 in. 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



AQUABROOM

ITEM #	Size	PACK	LBS (KG)	Packaging
58280/E	18 in. / 45.7 cm	12	7.3 (3.3)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Quickly remove algae and grime from pool walls and pool floor
- Curved brushes to clean corners



E-Z-BROOM POLE

ITEM #	Size	PACK	LBS (KG)	Packaging
58279/E	142 in. / 3.60 m	24	43.7 (19.8)	Polybag With Labels

- Inner diameter 1.2 in. / 3 cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



HEAVY-DUTY REPAIR PATCH

ITEM #	PACK	LBS (KG)	Packaging
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches



UNDERWATER ADHESIVE REPAIR PATCH

ITEM #	PACK	LBS (KG)	Packaging
62091/E	36	3.0 (1.4)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches



POOL & SPA TEST STRIPS

ITEM #	PACK	LBS (KG)	Packaging
58142/E	24	2.7 (1.2)	Blister Card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
 - Free Chlorine - pH - Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life



POOL + DRAIN PUMP

ITEM #	Pump Flow Rate GAL. (L)/HR	Certification	Rating	PACK	LBS (KG)	Packaging
58261/E	800 (3,028)	cTUVus	110-120V~, 0.8A	4	28.6 (13.0)	Full Color Box
58230	800 (3,028)	CE	220-240V~, 80W	4	30.5 (13.8)	Full Color Box

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4 ft. / 5.00 m long, 1.25 in. / 3.2 cm diameter
- Includes adaptor to connect to a garden hose




5 m long drain hose




CLEAN SUN POWERED POOL PAD

ITEM #	PACK	LBS (KG)	Packaging
58423/E	4	58.5 (26.5)	Full Color Box

- 43 in. x 67 in. / 1.10 m x 1.71 m
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,200 gal./h (8,327 L/h) sand filter and below
- Compatible with all above ground pools
- Easy setup with included adaptors compatible with 1.25 in. / 3.2 cm and 1.5 in. / 3.8 cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 ~ 5°C (5 ~ 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm PVC
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72 ft.² (1.46 m²)
- Can be used in multiples to work together for different size pools




All solar powered water heating pool pads easily connect to accommodate different pool sizes!



POOL HEATER

ITEM #	Maximum Heater Output	Certification	Rating	PACK	LBS (KG)	Packaging
58259	40°C (104°F)	CE / TUV	220-240 V-50 Hz, 2,800 W at 20°C	4	51.0 (23.1)	Full Color Box

- Compatible with:
 - Swimming pool water capacity: 400 ~ 4,500 gal. (1,520 ~ 17,035 L)
 - Filter pump/Sand filter flow rate: 1,000 gal/h (3,785 L/h) and below 1,000 gal/h (3,785 L/h)
- Digitally-controlled pool heater with soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA



CHEMICAL FLOATER

ITEM #	Size	PACK	LBS (KG)	Packaging
58210	5 in. / 12.5 cm	24	4.7 (2.1)	Shrink Wrapped With Insert Card

- Dispenses 1 in. / 2.5 cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction



CHEMICAL FLOATER

ITEM #	Size	PACK	LBS (KG)	Packaging
58071/E	6.5 in. / 16.5 cm	12	11.2 (5.1)	Full Color Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included



CHEMICAL FLOATER

ITEM #	Size	PACK	LBS (KG)	Packaging
58209/E	7.3 in. / 18.5 cm	12	12.5 (5.7)	Full Color Box

- Dispenses 3 in. / 7.6 cm chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors



CHEMICAL FLOATER WITH CHEMGUARD™ GLOVE

ITEM #	Size	PACK	LBS (KG)	Packaging
58474/E	8.3 in. / 21 cm	4	6.7 (3.0)	Corrugated Sleeve Box

- Dispenses 7.6 cm / 3 in. chlorine or bromine tablets
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Adjustable dial to control the release of chemicals
- Tablets not included
- 2 assorted colors



FLOATING POOL THERMOMETER

ITEM #	PACK	LBS (KG)	Packaging
58072/E	36	6.7 (3.1)	Blister Card


- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius



NEW ASSORTED ANIMAL POOL THERMOMETER

ITEM #	PACK	LBS (KG)	Packaging
58595/E	24	8.6 (3.9)	Blister Card

- String attached to keep thermometer in place
- Float-on-water design
- Easy-to-read temperature scale
- Displays in both Fahrenheit and Celsius



33 IN. / 84 CM

ITEM #	PACK	LBS (KG)	REMARK
58430	1	12.4 (5.6)	EXCEPT NORTH AMERICA

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy Cardboard Box With Pictures



36 IN. / 91 CM

ITEM #	PACK	LBS (KG)	REMARK
58334E	1	16.1 (7.3)	US
58334	1	16.1 (7.3)	N. AMERICA / ASIA, AFRICA & L. AMERICA

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Sturdy Cardboard Box With Pictures



42 IN. / 1.07 M

ITEM #	PACK	LBS (KG)	REMARK
58335E	1	16.9 (7.7)	US
58335	1	16.9 (7.7)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58330	1	18.5 (8.4)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)
- Sturdy Cardboard Box With Pictures



48 IN. / 1.22 M

ITEM #	PACK	LBS (KG)	REMARK
58336E	1	21.1 (9.6)	US
58336	1	21.1 (9.6)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58331	1	25.5 (11.6)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)
- Sturdy Cardboard Box With Pictures



52 IN. / 1.32 M

ITEM #	PACK	LBS (KG)	REMARK
58337E	1	26.2 (11.9)	US
58337	1	26.2 (11.9)	N. AMERICA / ASIA, AFRICA & L. AMERICA
58332	1	29.0 (13.1)	EUROPE UNION

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)
- Sturdy Cardboard Box With Pictures



SOLAR POOL COVERS

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58060/E	6 ft.10 in. / 2.10 m	Fits 8 ft. (2.44 m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9 ft.6 in. / 2.89 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	2	4.0 (1.8)
58242/E	11 ft.8 in. / 3.56 m	- 12 ft. (3.66 m) / 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	13 ft.8 in. / 4.17 m	- 15 ft. (4.57 m) Fast Set™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools	2	8.0 (3.6)
58253/E	15 ft.2 in. / 4.62 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Deluxe Series™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools	2	9.1 (4.1)
58173/E	17 ft.3 in. / 5.27 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools	1	6.4 (2.9)
58240	12 ft.5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft.3 in. x 6 ft.7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) - 13 ft.6 in. x 6 ft.7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) Power Steel™ Pools	2	4.2 (1.9)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 22 ft. x 12 ft. x 52 in. (6.71 m x 3.66 m x 1.32 m) - 24 ft. x 12 ft. x 52 in. (7.32 m x 3.66 m x 1.32 m) Power Steel™ Pools	1	6.8 (3.1)

- Durable material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris



POOL COVERS - FAST SET™ / FAMILY POOLS

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58032/E	9 ft.2 in. / 2.80 m	Fits 8 ft. (2.44 m) Fast Set™ Pools	6	8.6 (3.9)
58033/E	11 ft. / 3.35 m	Fits 10 ft. (3.05 m) Fast Set™ Pools	6	11.7 (5.3)
58034/E	12 ft.11 in. / 3.95 m	Fits 12 ft. (3.66 m) Fast Set™ Pools	6	15.8 (7.2)
58415	13 ft.7 in. / 4.15 m	Fits 13 ft. (3.96 m) Fast Set™ Pools	6	17.8 (8.1)
58035/E	16 ft.3 in. / 4.95 m	Fits 15 ft. (4.57 m) Fast Set™ Pools	4	16.9 (7.7)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



POOL COVERS - POWER STEEL™ / STEEL PRO™ / STEEL PRO MAX™ / HYDRIMUM™

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	6	25.3 (11.5)
58037/E	12 ft.1 in. / 3.70 m	- 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools	6	37.0 (16.8)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Steel Pro MAX™ Pools and 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools	6	46.9 (21.3)
58038/E	15 ft.5 in. / 4.70 m	- 15 ft. (4.57 m) Steel Pro MAX™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools	4	36.0 (16.3)
58249/E	16 ft.2 in. / 4.93 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	39.2 (17.8)
58039/E	18 ft.2 in. / 5.55 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools	4	47.8 (21.7)
58356E	20 ft.2 in. / 6.15 m	- 20 ft. x 48 in. (6.10 m x 1.22 m) Power Steel™ Pools	4	57.9 (26.3)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



POOL COVERS - STEEL PRO™

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58103	7 ft.4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft.3 in. x 59 in. x 17 in. (2.21 m x 1.50 m x 43 cm) Steel Pro™ Pools	8	9.7 (4.4)
58105	8 ft.8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft.6 in. x 67 in. x 24 in. (2.59 m x 1.70 m x 61 cm) Steel Pro™ Pools	8	12.0 (5.4)
58106	10 ft. x 6 ft.9 in. / 3.04 m x 2.05 m	- 9 ft.10 in. x 6 ft.7 in. x 26 in. (3.00 m x 2.01 m x 66 cm) Steel Pro™ Pools	6	10.6 (4.8)
58107	13 ft.5 in. x 7 ft.5 in. / 4.10 m x 2.26 m	- 13 ft.1 in. x 6 ft.11 in. x 32 in. (4.00 m x 2.11 m x 81 cm) Steel Pro™ Pools	6	15.4 (7.0)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



POOL COVERS - POWER STEEL™ / POWER STEEL™ OVAL

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58424	9 ft.8 in. x 6 ft. / 2.95 m x 1.84 m	- 9 ft.10 in. x 6 ft.7 in. x 33 in. (3.00 m x 2.00 m x 84 cm) Power Steel™ Oval Pools	6	19.2 (8.7)
58425	13 ft.8 in. x 7 ft.5 in. / 4.18 m x 2.30 m	- 14 ft. x 8 ft.2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Oval Pools	6	29.6 (13.4)
58442	8 ft.10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft.3 in. x 6 ft.5 in. x 33 in. (2.82 m x 1.96 m x 84 cm) Power Steel™ Pools	6	18.5 (8.4)
58232	13 ft. x 6 ft.1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) - 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) Power Steel™ Pools	6	26.8 (12.2)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box





NEW
ROUND POOL DOME

ITEM #	Size	Corresponding Pools - Fits:	PACK	LBS (KG)
58612/E	19 ft.8 in. x 19 ft.8 in. x 9 ft.8 in. 6 m x 6 m x 2.95 m	Up to 16 ft. / 4.88 m	1	45.0 (20.4)

- Two Layers
 - 16 Stakes/Pegs
 - Flysheet: 190T Polyester, PU2000mm Coated + UPF 50+
 - Inner/outer walls: 190T Polyester, PA300mm Coated + B3 Polyester Mesh
 - Poles: Fiberglass - Ø 11 mm / Ø 12.7 mm
 - Carry Bag: 210 D Polyester oxford with PU450 mm coated
 - Product Weight: 40.5 lbs (18.4 kg)
- Polyester guy ropes
 - Flysheet with UV protection, B3 Polyester mesh inner roof
 - 2 entryways, 8 large transparent PVC windows
 - Setup time: 30 min



GROUND CLOTHS

ITEM #	Size Diameter	Corresponding Pools - Fits:	PACK	LBS (KG)
58000	9 ft. x 9 ft. 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.9 (5.4)
58003/E	16 ft. x 16 ft. 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)


- Durable material
- Provides extra protection for the bottom of the pool
- Full Color Box



NEW GENERATION
POOL FLOOR PROTECTOR

ITEM #	Size	Content	Colors	PACK	LBS (KG)
58220/E	20 in. x 20 in. 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
58265/E	32 in. x 32 in. 81 cm x 81 cm	8 Pieces		8	32.3 (14.7)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Shrink Wrapped With Insert Card



INDEX

26033/E	Swimulator Resistance Trainer	P 58
30007/E	My First Fast Set™ Spray Pool	P 50
30014/E	Polysphere Display	P 65
56217/E	My First Frame Pool	P 48
56251	Power Steel™ Rectangular Pool Set	P 36
56260	Steel Pro MAX™ Pool Set	P 23
56283	My First Frame Pool	P 48
56401	Steel Pro™ Pool	P 18
56403	Steel Pro™ Pool	P 19
56404	Steel Pro™ Pool	P 19
56405	Steel Pro™ Pool	P 19
56406	Steel Pro MAX™ Pool	P 23
56407/E	Steel Pro MAX™ Pool Set	P 23
56408	Steel Pro MAX™ Pool Set	P 23
56411	Steel Pro™ Pool Set	P 19
56412/E	Steel Pro™ Pool Set	P 19
56416	Steel Pro MAX™ Pool Set	P 23
56417/E	Steel Pro MAX™ Pool Set	P 23
56418	Steel Pro MAX™ Pool Set	P 23
56419	Steel Pro MAX™ Pool Set	P 23
56420	Steel Pro MAX™ Pool Set	P 23
56421	Steel Pro MAX™ Pool Set	P 23
56424	Steel Pro™ Pool Set	P 19
56425/E	Steel Pro™ Pool Set	P 19
56426/E	Power Steel™ Rectangular Pool Set	P 36
56432	Splash-in-Shade Play Pool	P 49
56438	Steel Pro MAX™ Pool Set	P 27
56439	Steel Pro MAX™ Pool Set	P 27
56441	Power Steel™ Rectangular Pool Set	P 36
56442	Power Steel™ Rectangular Pool Set	P 36
56443	Power Steel™ Pool Set	P 33
56444	Power Steel™ Pool Set	P 33
56445E	Power Steel™ Pool Set	P 33
56448	Power Steel™ Oval Pool Set	P 41
56450	Power Steel™ Oval Pool Set	P 41
56451	Power Steel™ Pool Set	P 33
56453	Power Steel™ Pool Set	P 33
56456	Power Steel™ Rectangular Pool Set	P 37
56457	Power Steel™ Rectangular Pool Set	P 37
56458/E	Power Steel™ Rectangular Pool Set	P 37
56462	Steel Pro MAX™ Pool Set	P 27

56463/E	Steel Pro MAX™ Pool Set	P 27
56465	Power Steel™ Rectangular Pool Set	P 37
56466	Power Steel™ Rectangular Pool Set	P 37
56467	Power Steel™ Rectangular Pool Set	P 37
56468	Power Steel™ Rectangular Pool Set	P 37
56470	Power Steel™ Rectangular Pool Set	P 38
56471	Power Steel™ Rectangular Pool Set	P 38
56473/E	Power Steel™ Rectangular Pool Set	P 38
56474	Power Steel™ Rectangular Pool Set	P 38
56475	Power Steel™ Rectangular Pool Set	P 38
56476	Power Steel™ Rectangular Pool Set	P 38
56477	Power Steel™ Rectangular Pool Set	P 38
56488	Steel Pro MAX™ Pool Set	P 24
56491E	Power Steel™ Pool Set	P 33
56493/E	Steel Pro MAX™ Pool	P 23
56496/E	Steel Pro™ Pool	P 19
56498/E	Steel Pro™ Pool	P 19
56512/E	Steel Pro™ Pool	P 19
56536E	Power Steel™ Rectangular Pool Set	P 37
56542E	Power Steel™ Rectangular Pool Set	P 38
56543/E	Splash-in-Shade Play Pool	P 49
56545/E	Steel Pro™ Pool	P 18
56595	Steel Pro MAX™ Pool Set	P 24
56597/E	Steel Pro MAX™ Pool Set	P 24
56617	Power Steel™ Oval Pool Set	P 41
56620	Power Steel™ Oval Pool Set	P 41
56622/E	Power Steel™ Oval Pool Set	P 41
56623	Power Steel™ Rectangular Pool Set	P 38
56625	Power Steel™ Rectangular Pool Set	P 38
56629	Power Steel™ Rectangular Pool Set	P 36
56631/E	Power Steel™ Rectangular Pool Set	P 36
56655E	Power Steel™ Oval Pool Set	P 41
56660	Power Steel™ Rectangular Pool Set	P 36
56661	Power Steel™ Rectangular Pool Set	P 37
56662	Power Steel™ Rectangular Pool Set	P 38
56670	Power Steel™ Rectangular Pool Set	P 37
56671	Power Steel™ Rectangular Pool Set	P 37
56672	Power Steel™ Rectangular Pool Set	P 37
56673	Power Steel™ Rectangular Pool Set	P 37
56686	Steel Pro MAX™ Pool Set	P 24
56687E	Steel Pro MAX™ Pool Set	P 24

56690E	Steel Pro MAX™ Pool Set	P 27
56710	Power Steel™ Oval Pool Set	P 41
56711/E	Power Steel™ Oval Pool Set	P 41
56714	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 44
56715/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 44
56716	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 44
56717/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 44
56719	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 47
56720/E	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 47
56725	Power Steel™ Swim Vista Series™ II Pool Set	P 43
56726/E	Power Steel™ Swim Vista Series™ II Pool Set	P 43
56881/E	Power Steel™ Pool Set	P 34
56883	Power Steel™ Pool Set	P 34
56884/E	Power Steel™ Pool Set	P 34
56886	Power Steel™ Pool Set	P 34
56887/E	Power Steel™ Pool Set	P 34
56889	Power Steel™ Pool Set	P 34
56948E	Steel Pro MAX™ Pool Set	P 24
56949	Steel Pro MAX™ Pool Set	P 24
56950	Steel Pro MAX™ Pool Set	P 24
56976/E	Power Steel™ Swim Vista Series™ II Pool Set	P 43
56977	Power Steel™ Swim Vista Series™ II Pool Set	P 43
57241/E	My First Fast Set™ Pool	P 48
57265	Fast Set™ Pool	P 12
57266	Fast Set™ Pool	P 13
57267/E	Fast Set™ Pool Set	P 12
57268	Fast Set™ Pool Set	P 12
57269/E	Fast Set™ Pool Set	P 13
57270	Fast Set™ Pool Set	P 13
57273	Fast Set™ Pool	P 13
57274	Fast Set™ Pool Set	P 13
57275/E	Fast Set™ Pool Set	P 13
57305/E	Fast Set™ Pool	P 12
57307/E	Fast Set™ Pool	P 13
57308/E	Fast Set™ Pool	P 13
57313	Fast Set™ Pool Set	P 13
57315/E	Fast Set™ Pool Set	P 13
57326/E	My First Fast Set™ Spray Pool	P 50
57371/E	Fast Set™ Pool Set	P 14
57372	Fast Set™ Pool Set	P 14
57375/E	Fast Set™ Pool Set	P 14

57376	Fast Set™ Pool Set	P 14
57392/E	Fast Set™ Pool	P 12
57396/E	OctoPool	P 51
57397	OctoPool	P 51
58000	Ground Cloths	P 93
58001/E	Ground Cloths	P 93
58002/E	Ground Cloths	P 93
58003/E	Ground Cloths	P 93
58012/E	Filter Cartridges	P 69
58013/E	Maintenance Kit	P 80
58032/E	Pool Covers	P 90
58033/E	Pool Covers	P 90
58034/E	Pool Covers	P 90
58035/E	Pool Covers	P 90
58036/E	Pool Covers	P 90
58037/E	Pool Covers	P 90
58038/E	Pool Covers	P 90
58039/E	Pool Covers	P 90
58060/E	Solar Pool Covers	P 90
58071/E	Chemical Floater	P 86
58072/E	Floating Pool Thermometer	P 86
58093/E	Filter Cartridges	P 69
58094	Filter Cartridges	P 69
58095/E	Filter Cartridges	P 69
58103	Pool Covers	P 91
58105	Pool Covers	P 91
58106	Pool Covers	P 91
58107	Pool Covers	P 91
58111/E	Solar-Float Lamp	P 72
58142/E	Pool & Spa Test Strips	P 83
58173/E	Solar Pool Covers	P 90
58195/E	Pool Accessories Set	P 80
58209/E	Chemical Floater	P 86
58210	Chemical Floater	P 86
58212/E	Aquacrawl Pool Vacuum	P 80
58220/E	Pool Floor Protector	P 93
58224	Solar-Pro Shower™	P 73
58228	Solar Pool Covers	P 90
58230	Pool + Drain Pump	P 84
58232	Pool Covers	P 91
58233/E	Pool Surface Skimmer	P 82

58234/E	Aquaclean Pool Cleaning Kit	P 81
58236/E	Hose Adapters	P 69
58237/E	Deluxe Maintenance Kit	P 81
58240	Solar Pool Covers	P 90
58241/E	Solar Pool Covers	P 90
58242/E	Solar Pool Covers	P 90
58248/E	Pool Covers	P 90
58249/E	Pool Covers	P 90
58252/E	Solar Pool Covers	P 90
58253/E	Solar Pool Covers	P 90
58259	Pool Heater	P 85
58261/E	Pool + Drain Pump	P 84
58265/E	Pool Floor Protector	P 93
58277	Cleancast Skimmer	P 82
58278/E	Aquanet	P 82
58279/E	E-Z-Broom Pole	P 83
58280/E	Aquabroom	P 82
58282	Angler Pool Vacuum	P 82
58283E	Filter Cartridges	P 69
58304/E	Aquaclimb Automatic Pool Cleaner	P 79
58325/E	Cleancast Skimmer Set	P 82
58330	Pool Ladder	P 88
58331	Pool Ladder	P 89
58332	Pool Ladder	P 89
58334/E	Pool Ladder	P 88
58335/E	Pool Ladder	P 88
58336/E	Pool Ladder	P 89
58337/E	Pool Ladder	P 89
58340	Aquascan Electric Pool Vacuum	P 78
58356E	Pool Covers	P 90
58368	Hose	P 69
58369	Hose	P 69
58381	Filter Pump	P 67
58383	Filter Pump	P 67
58384	Filter Pump	P 67
58385E	Filter Pump	P 67
58386	Filter Pump	P 67
58387	Filter Pump	P 67
58388E	Filter Pump	P 67
58389	Filter Pump	P 67
58390/E	Filter Pump	P 67

58391	Filter Pump	P 67
58392/E	Filter Pump	P 67
58415	Pool Covers	P 90
58419/E	LED Floating Pool Light	P 72
58422/E	Aqua Powercell Vac	P 79
58423/E	Clean Sun Powered Pool Pad	P 85
58424	Pool Covers	P 91
58425	Pool Covers	P 91
58427	Aqua Powercell Vac	P 79
58430	Pool Ladder	P 88
58442	Pool Covers	P 91
58462	Skimatic™ Filter Pump	P 68
58463/E	Skimatic™ Filter Pump	P 68
58469	Skimatic™ Filter Pump	P 68
58470/E	Skimatic™ Filter Pump	P 68
58474/E	Chemical Floater With Chemguard™ Glove	P 87
58475/E	Polysphere	P 65
58476/E	Antimicrobial Filter Cartridges	P 69
58482	Aquatronix	P 76
58483/E	Aquatronix	P 76
58486/GS	Sand Filter	P 64
58493/E	Led Floating Pool Fountain	P 73
58497/GS	Sand Filter	P 64
58498/E	Sand Filter	P 64
58499/GS	Sand Filter	P 64
58500/E	Sand Filter	P 64
58503	Antimicrobial Filter Cartridges	P 69
58504E	Antimicrobial Filter Cartridges	P 69
58505/E	Antimicrobial Filter Cartridges	P 69
58510/E	Antimicrobial Filter Cartridges	P 69
58511/E	Filter Pump	P 67
58515/GS	Sand Filter	P 64
58516/E	Sand Filter	P 64
58517	Swim Fitness System	P 56
58518/E	Swim Fitness System	P 56
58595/E	Assorted Animal Pool Thermometer	P 86
58612/E	Round Pool Dome	P 92
62068/E	Heavy-Duty Repair Patch	P 83
62091/E	Underwater Adhesive Repair Patch	P 83