


Bestway

www.bestwaycorp.com

SHANGHAI
Bestway Inflatables & Material Corp.
No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG
Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing,
Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.
Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE
Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (Mi), Italy
Tel: 39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE
Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Klaudyn Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA
Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL
Bestway Brazil
Av Cerro Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
Tel: 55 44 3046 2950 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA
Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE
Bestway France Sarl
1681 route des Dolines
- Les Taissounières - Bâtim
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY
Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
E-mail: info@bestwaycorp.de

©2021 Bestway Inflatables & Material Corp. All rights reserved. ® ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

ABOVE GROUND POOLS 2022

Bestway



Bestway

ABOVE GROUND POOLS

2022 CATALOG

Bestway



2022 | CATALOG COLLECTION

OUR VISION

We create fun, lasting experiences for everyone in the world through the products and services we provide.


MISSION

Happiness — Happy Consumers, Happy Employees, Happy World



- Vertically integrated
- Customer focused
- Innovative
- Sustainable
- Consumer driven
- Fully owned production facilities
- HKEX 香港交易所 — Public stock exchange

BESTWAY WORLD



★ HEADQUARTER ◇ R&D CENTER ◆ OVERSEAS SUBSIDIARY ◆ PRODUCTION FACILITY


THE
BESTWAY®
CATALOG APP

Easily access all of our Bestway® catalogs while on the go with our brand new app. Download to see the conveniently portable, digital versions of our catalogs!

VIEW THE LATEST CATALOGS

QUICKLY FLIP THROUGH AND FIND ANY PRODUCT

REVIEW PRODUCT DETAILS AND PHOTOS





Contents

Fast Set™ Pools pg 12

Steel Pro™ Pools pg 22

Steel Pro MAX™ Pools pg 26

Power Steel™ Pools pg 34
Power Steel™ Swim Vista Series™ II pg 46
Power Steel™ Comfort Jet Series™ pg 50

Hydrium™ Pools pg 52

Kiddie Pools pg 60

Hydro-Pro™ pg 66

Flowclear™ Accessories pg 68
Filtration pg 70
Environment pg 82
Maintenance Equipment pg 86
Pool Covers — Ground Cloths pg 110

Index pg 114

Customer Service

For Your Local Contact, Please Visit:

Bestwaycorp.com

Provide your customers with the quality products and advanced customer service support they deserve. Bestway's online services and call centers allow customers to easily resolve any issues that may arise with their Bestway products. Our website is a great source of information, offering downloadable manuals, instructional videos, FAQ's and the ability to order spare parts. Regional call centers provide the added dimension of support for those unfamiliar with computers or unable to find specific answers to their questions.

Pool Technology Highlights

Taking Bestway products to the next level. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line.



Steel Frame Design With Advanced Seal & Lock System™

The advanced design of the **Seal & Lock System™** is engineered to hold the corrosion-resistant steel frame together with strength and durability. The protective coating prevents damage and metal-on-metal contact, which can lead to rust.



Steel Frame Connection With FrameLink System™

The corrosion resistant steel frame is held together with the **FrameLink System™** to ensure safe and secure connections. The **Steel Pro MAX™** version features adaptors for add-ons, such as cup holders.



A View into the Fun

Swim Vista built-in pool portholes bring function and fun to **Power Steel™ Swim Vista Series™ II** pools. Peek inside of the pool or dive down for an underwater photo. These portholes are immediate conversation starters and enjoyable for all.

And they're built to last.
Clear, durable plastic is welded onto the pool vinyl. They'll last all summer long - as will the fun!



A Hands-Free Solution For Chlorine Cleaning

We've introduced the **ChemConnect™** chlorine dispenser. This device works with the pool's pump to consistently spread chlorine across your pool. This hassle-free maintenance solution replaces the need for a floating dispenser.



Perfect Frosted Finish - Pool Frames

Our pool frames feature a textured, frosted finish that not only looks great, but also has many benefits for the consumer. The coating serves as an extra barrier to damage, while the texture prevents the liner from sticking to the frame. This makes set-up and takedown even easier than it was before!

Bestway® Packaging Planograms

With a modern and informational design, our packaging looks great on shelf. Prospective pool owners will get a feel for our different lines of above ground pools with a quick glance. Plus, don't forget the pool accessories!



Actual in-store displays may vary.




Actual in-store displays may vary.



Fast Set™


Fast and simple to assemble – just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!


Product Highlights



DuraPlus™
3-layer puncture resistant liner material









Self-Supporting
Inflatable Top Ring

Setup 1-2-3 — Easy to Assemble



Product Matrix
Pool Size Range

Depth	20 - 26 in. / 51 - 66 cm
	6 ft. x 20 in. / 1.83 m x 51 cm Fast Set™ Pool PG. 16
NEW	8 ft. x 24 in. / 2.44 m x 61 cm Fast Set™ Pool PG. 16
NEW	10 ft. x 26 in. / 3.05 m x 66 cm Fast Set™ Pool PG. 17

	30 - 33 in. / 76 - 84 cm
	12 ft. x 30 in. / 3.66 m x 76 cm Fast Set™ Pool PG. 17
NEW	12 ft. x 30 in. / 3.66 m x 76 cm Fast Set™ Pool PG. 18
	13 ft. x 33 in. / 3.96 m x 84 cm Fast Set™ Pool PG. 19
NEW	15 ft. x 33 in. / 4.57 m x 84 cm Fast Set™ Pool PG. 19
	15 ft. x 33 in. / 4.57 m x 84 cm Fast Set™ Pool PG. 21

	42 in. / 1.07 m
	15 ft. x 42 in. / 4.57 m x 1.07 m Fast Set™ Pool PG. 19

Splash into new Fast Set™ packaging!

Our line of Fast Set pools got a brand new look! With family fun and overall durability at the forefront, these new packaging templates are eye-catching and informational. At every stage of the design process, as well as marketing initiatives, we are thinking of families and how to offer them the best option for a summer full of memories.




Fast Set™ Packaging 2021 Vs Refreshed 2022

New Callout & Graphic Designs

Streamlined graphics portray the consumer benefits of the brand in a family friendly way.



US - Callout & Graphics



INTL - Callout & Graphics

Large Pool Size
Bright and quick to find

Logo + Tagline Lock up
Helps describe the Fast Set story

Large Lifestyle Photo
With fun and bright water pattern

Clear & Simple Callouts

Easy Set-up

Fun Model Photography

Modular Accessories

Dimensions & Capacity

Multi-Language
Ready for the international market



US Packaging Example

Multi-Language Packaging Example



6 ft. x 20 in. / 1.83 m x 51 cm

Water Capacity (80%): 248 gal. (940 L)

Item #	Region	Pack	lbs. (kg)
57392E	US	4	27.2 (12.4)
57392	Europe	4	27.2 (12.4)

8 ft. x 24 in. / 2.44 m x 61 cm

Water Capacity (80%): 497 gal. (1,880 L)

NEW

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57447E	US	1	12.1 (5.5)			
57447	North America	1	12.1 (5.5)			
57447	Oceania	1	12.1 (5.5)			
57448	Europe	1	12.1 (5.5)			
57449E	US	1	18.3 (8.3)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	N. America / Asia, Africa & Latin America	1	18.1 (8.2)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57449	Oceania	1	16.9 (7.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Europe	1	17.7 (8.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57450	Asia, Africa & Latin America	1	16.0 (7.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I





Packaging
Full color box

10 ft. x 26 in. / 3.05 m x 66 cm

Water Capacity (80%): 845 gal. (3,200 L)

NEW

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57455E	US	1	17.2 (7.8)			
57455	North America	1	17.2 (7.8)			
57455	Oceania	1	17.2 (7.8)			
57456	Europe	1	17.2 (7.8)			
57457E	US	1	23.4 (10.6)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	N. America / Asia, Africa & Latin America	1	23.1 (10.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57457	Oceania	1	21.9 (9.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Europe	1	22.7 (10.3)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57458	Asia, Africa & Latin America	1	21.0 (9.5)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57308E	US	1	27.2 (12.3)			
57308	North America	1	27.2 (12.3)			
57308	Oceania	1	27.2 (12.3)			
57273	Europe	1	27.1 (12.3)			
57275E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57275	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57274	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I



Features & Technologies

Self-Supporting Inflatable Top Ring




No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.


Build

Color

Inner Liner



DuraPlus™ Puncture-Resistant Liner



This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.

Convenience

Drain Valve

Super Compact Easy To Transport

No Tools Required Easy To Assemble

Easy To Store





Packaging
Full color box

12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (80%): 1,421 gal. (5,377 L)

NEW

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57442E	US	1	27.2 (12.3)			
57442	North America	1	27.2 (12.3)			
57442	Oceania	1	27.2 (12.3)			
57443	Europe	1	27.1 (12.3)			
57444E	US	1	33.2 (15.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	N. America / Asia, Africa & Latin America	1	33.0 (15.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
57444	Oceania	1	31.7 (14.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Europe	1	32.5 (14.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
57445	Asia, Africa & Latin America	1	30.8 (14.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 ft. x 33 in. / 3.96 m x 84 cm

Water Capacity (80%): 1,939 gal. (7,340 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57375E	US	1	41.9 (19.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	N. America / Asia, Africa & Latin America	1	41.7 (18.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57375	Oceania	1	40.3 (18.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Europe	1	40.2 (18.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57376	Asia, Africa & Latin America	1	39.5 (17.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 33 in. / 4.57 m x 84 cm

Water Capacity (80%): 2,556 gal. (9,677 L)

NEW

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57315E	US	1	53.0 (24.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	N. America / Asia, Africa & Latin America	1	51.5 (23.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57315	Oceania	1	51.5 (23.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Europe	1	51.3 (23.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57313	Asia, Africa & Latin America	1	50.1 (22.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (80%): 3,266 gal. (12,362 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
57371E	US	1	79.5 (36.1)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	N. America / Asia, Africa & Latin America	1	78.0 (35.4)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335
57371	Oceania	1	78.0 (35.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
57372	Europe	1	80.3 (36.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
57372	Asia, Africa & Latin America	1	77.8 (35.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335

Features & Technologies

Self-Supporting
Inflatable Top Ring


No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.



Build


Pattern

Inner Liner



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience

Drain Valve

Super Compact
Easy To Transport

No Tools Required
Easy To Assemble

Easy To Store



Fast Set™ Paradise Palms Pool

15 ft. x 33 in. / 4.57 m x 84 cm
Water Capacity (80%): 2,556 gal. (9,677 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
57415E	US	1	56.8 (25.7)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57415	N. America / Asia, Africa & Latin America	1	55.2 (25.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
57415	Oceania	1	55.2 (25.0)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57416	Europe	1	55.0 (24.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
57416	Asia, Africa & Latin America	1	54.3 (24.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

Easy Hose Connection



Packaging
Full color box




Features & Technologies

Self-Supporting Inflatable Top Ring



No tools needed - simply inflate the top ring, start filling the pool with water, and watch as the ring rises with the water level.

Build



DuraPlus™ Puncture-Resistant Liner



This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.

Convenience





Steel Pro™


Easy to assemble and very affordable, with a strong, steel frame – you get a lot of pool for your money with a Bestway® Steel Pro Pool.

Product Highlights

FrameLink System™
Corrosion Prevention



DuraPlus™
3-layer puncture resistant liner material





Product Matrix
Pool Size Range

Depth	17 in. / 43 cm
	7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm Steel Pro™ Pool PG. 25

24 - 26 in. / 61 - 66 cm
8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm Steel Pro™ Pool PG. 25
9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm Steel Pro™ Pool PG. 25





32 in. / 81 cm
13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm Steel Pro™ Pool PG. 25







Packaging
Full color box

7 ft. 3 in. x 59 in. x 17 in. / 2.21 m x 1.50 m x 43 cm

Water Capacity (90%): 317 gal. (1,200 L)

Item #	Region	Pack	lbs. (kg)
56545E	US	1	21.3 (9.6)
56545	North America	1	21.3 (9.6)
56545	Oceania	1	21.3 (9.6)
56401	Europe	1	21.2 (9.6)

8 ft. 6 in. x 67 in. x 24 in. / 2.59 m x 1.70 m x 61 cm

Water Capacity (90%): 608 gal. (2,300 L)

Item #	Region	Pack	lbs. (kg)
56496E	US	1	29.7 (13.5)
56496	North America	1	29.7 (13.5)
56496	Oceania	1	29.7 (13.5)
56403	Europe	1	29.7 (13.5)

9 ft. 10 in. x 6 ft. 7 in. x 26 in. / 3.00 m x 2.01 m x 66 cm

Water Capacity (90%): 872 gal. (3,300 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56498E	US	1	40.4 (18.3)			
56498	North America	1	40.4 (18.3)			
56498	Oceania	1	40.4 (18.3)			
56404	Europe	1	40.5 (18.4)			
56412E	US	1	45.5 (20.6)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	N. America / Asia, Africa & Latin America	1	44.0 (20.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56412	Oceania	1	44.0 (20.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Europe	1	44.4 (20.1)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56411	Asia, Africa & Latin America	1	43.5 (19.7)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

13 ft. 1 in. x 6 ft. 11 in. x 32 in. / 4.00 m x 2.11 m x 81 cm

Water Capacity (90%): 1,506 gal. (5,700 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56512E	US	1	70.9 (32.2)			
56512	North America	1	70.9 (32.2)			
56512	Oceania	1	70.9 (32.2)			
56405	Europe	1	70.9 (32.2)			
56425E	US	1	76.1 (34.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	N. America / Asia, Africa & Latin America	1	74.9 (34.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56425	Oceania	1	74.9 (34.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Europe	1	75.0 (34.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56424	Asia, Africa & Latin America	1	74.2 (33.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

Features & Technologies


FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.




Build

Color | Inner Liner | Hardware



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience

- Drain Valve
- Corrosion Resistant Steel Frame
- No Tools Required Easy To Assemble



Steel Pro MAX™

The Steel Pro MAX above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the FrameLink System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!

Product Highlights

FrameLink System™
Corrosion Prevention





DuraPlus™
3-layer puncture resistant liner material



Prismatic Stone™
Inner Liner



Product Matrix
Pool Size Range

Depth	30–33 in. / 76–84 cm
	10 ft. x 30 in. / 3.05 m x 76 cm Steel Pro MAX™ Pool PG. 28
	12 ft. x 30 in. / 3.66 m x 76 cm Steel Pro MAX™ Pool PG. 29
	14 ft. x 33 in. / 4.27 m x 84 cm Steel Pro MAX™ Pool PG. 31
Depth	**39.5–42 in. / 1.00–1.07 m**
	12 ft. x 39.5 in. / 3.66 m x 1.00 m Steel Pro MAX™ Pool PG. 29
	14 ft. x 42 in. / 4.27 m x 1.07 m Steel Pro MAX™ Pool PG. 31
	15 ft. x 42 in. / 4.57 m x 1.07 m Steel Pro MAX™ Pool PG. 32
Depth	**48 in. / 1.22 m**
	12 ft. x 48 in. / 3.66 m x 1.22 m Steel Pro MAX™ Pool PG. 29
NEW	13 ft. x 48 in. / 3.96 m x 1.22 m Steel Pro MAX™ Pool PG. 29
	14 ft. x 48 in. / 4.27 m x 1.22 m Steel Pro MAX™ Pool PG. 31
	15 ft. x 48 in. / 4.57 m x 1.22 m Steel Pro MAX™ Pool PG. 33
	16 ft. x 48 in. / 4.88 m x 1.22 m Steel Pro MAX™ Pool PG. 33
	18 ft. x 48 in. / 5.49 m x 1.22 m Steel Pro MAX™ Pool PG. 33



10 ft. x 30 in. / 3.05 m x 76 cm

Water Capacity (90%): 1,236 gal. (4,678 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56493E	US	1	38.9 (17.6)			
56493	North America	1	38.9 (17.6)			
56493	Oceania	1	38.9 (17.6)			
56406	Europe	1	38.8 (17.6)			
56407E	US	1	44.3 (20.1)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	N. America / Asia, Africa & Latin America	1	44.1 (20.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56407	Oceania	1	44.1 (20.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Europe	1	43.5 (19.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56408	Asia, Africa & Latin America	1	42.4 (19.2)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

Packaging
Full color box





12 ft. x 30 in. / 3.66 m x 76 cm

Water Capacity (90%): 1,710 gal. (6,473 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56417E	US	1	54.8 (24.9)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56417	N. America / Asia, Africa & Latin America	1	54.6 (24.8)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I
56417	Oceania	1	54.6 (24.8)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Europe	1	53.8 (24.4)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I
56416	Asia, Africa & Latin America	1	52.8 (23.9)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I

12 ft. x 39.5 in. / 3.66 m x 1.00 m

Water Capacity (90%): 2,417 gal. (9,150 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder
56419	N. America / Asia, Africa & Latin America	1	65.9 (29.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	
56419	Oceania	1	64.8 (29.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	
56418	Europe	1	83.5 (37.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330
56418	Asia, Africa & Latin America	1	82.0 (37.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335
56260	Asia, Africa & Latin America	1	63.9 (29.0)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	

12 ft. x 48 in. / 3.66 m x 1.22 m

Water Capacity (90%): 2,708 gal. (10,250 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56421	N. America / Asia, Africa & Latin America	1	104.8 (47.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58037	58336
56421	Oceania	1	104.8 (47.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336
56420	Europe	1	108.7 (49.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58331
56420	Asia, Africa & Latin America	1	100.8 (45.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58037	58336

13 ft. x 48 in. / 3.96 m x 1.22 m

Water Capacity (90%): 3,352 gal. (12,690 L)

NEW

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5618UE	US	1	120.8 (54.8)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5618V	N. America / Asia, Africa & Latin America	1	119.6 (54.3)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5618V	Oceania	1	119.6 (54.3)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5618W	Europe	1	124.3 (56.4)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5618W	Asia, Africa & Latin America	1	120.0 (54.4)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

Features & Technologies


FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.




Build

Color | Inner Liner | Hardware



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience

- Drain Valve
- Corrosion Resistant Steel Frame
- 3-ply PVC Wall Support Band
- No Tools Required Easy To Assemble





Packaging
Sturdy cardboard box with pictures

14 ft. x 33 in. / 4.27 m x 84 cm

Water Capacity (90%): 2,700 gal. (10,220 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge
56597E	US	1	78.4 (35.6)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	N. America / Asia, Africa & Latin America	1	78.3 (35.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C
56597	Oceania	1	78.3 (35.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Europe	1	76.5 (34.7)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II
56595	Asia, Africa & Latin America	1	76.3 (34.6)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II

14 ft. x 42 in. / 4.27 m x 1.07 m

Water Capacity (90%): 3,440 gal. (13,030 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56948E	US	1	115.1 (52.2)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	N. America / Asia, Africa & Latin America	1	113.9 (51.7)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58335
56949	Oceania	1	113.9 (51.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335
56950	Europe	1	116.3 (52.7)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58330
56950	Asia, Africa & Latin America	1	112.2 (50.9)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58335

14 ft. x 48 in. / 4.27 m x 1.22 m

Water Capacity (90%): 4,024 gal. (15,232 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5613HE	US	1	128.8 (58.4)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	N. America / Asia, Africa & Latin America	1	127.8 (58.0)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58248	58336
5612Y	Oceania	1	127.8 (58.0)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336
5612X	Europe	1	132.5 (60.1)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58331
5612X	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58248	58336

Features & Technologies


FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.




Build

Color | Inner Liner | Hardware



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience

Drain Valve | Corrosion Resistant Steel Frame | 3-ply PVC Wall Support Band | No Tools Required Easy To Assemble



Packaging
Sturdy cardboard box with pictures



15 ft. x 42 in. / 4.57 m x 1.07 m

Water Capacity (90%): 3,955 gal. (14,970 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56687E	US	1	122.9 (55.8)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58335
56686	N. America / Asia, Africa & Latin America	1	121.7 (55.2)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58335
56686	Oceania	1	121.7 (55.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335
56488	Europe	1	123.9 (56.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58330
56488	Asia, Africa & Latin America	1	120.1 (54.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58335

15 ft. x 48 in. / 4.57 m x 1.22 m

Water Capacity (90%): 4,231 gal. (16,015 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56690E	US	1	136.7 (62.0)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	N. America / Asia, Africa & Latin America	1	135.5 (61.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	58038	58336
56439	Oceania	1	135.5 (61.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336
56438	Europe	1	140.0 (63.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58331
56438	Asia, Africa & Latin America	1	133.9 (60.8)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	58038	58336

16 ft. x 48 in. / 4.88 m x 1.22 m

Water Capacity (90%): 5,145 gal. (19,480 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
5613AE	US	1	153.9 (69.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	N. America / Asia, Africa & Latin America	1	153.6 (69.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336
5613A	Oceania	1	153.6 (69.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336
5612Z	Europe	1	160.5 (72.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331
5612Z	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336

18 ft. x 48 in. / 5.49 m x 1.22 m

Water Capacity (90%): 6,092 gal. (23,062 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder
56463E	US	1	172.1 (78.0)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	N. America / Asia, Africa & Latin America	1	171.8 (77.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336
56463	Oceania	1	171.8 (77.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336
56462	Europe	1	178.1 (80.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331
56462	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336

Features & Technologies


FrameLink System™
Corrosion Prevention

Simple to set up, the FrameLink System ensures remarkable strength and durable frame connection - all with a protective coating that prevents damage.




Build

Color | Inner Liner | Hardware



DuraPlus™
Puncture-Resistant Liner

This 3-layer, sturdy material blends PVC and mesh to create a durable material that is reinforced for strength and puncture-resistance.



Convenience

- Drain Valve
- Corrosion Resistant Steel Frame
- 3-ply PVC Wall Support Band
- No Tools Required Easy To Assemble



Power Steel™

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.

Product Highlights

Seal & Lock System™
Superior Steel Frame Design









Tritech™
3-layer puncture resistant liner material



Swim Vista
Built-in portholes


Standard Series
The Power Steel™ Standard Series pools are perfect for a summer full of fun in the sun. With lasting durability and minimal-tool assembly, these pools are the ultimate choice for families.



Swim Vista Series™ II
The Power Steel™ Swim Vista Series™ pools offer an incredibly unique swimming experience. With built-in portholes, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!



Comfort Jet Series™
The Power Steel™ Comfort Jet Series™ has two built-in nozzles that spray concentrated water jet streams for a soothing massage that provides users with the ideal combination of fun and relaxation.



Product Matrix - Power Steel™

Standard Series

Type	Rectangular
	9 ft. 3 in. x 6 ft. 5 in. x 33 in. / 2.82 m x 1.96 m x 84 cm Power Steel™ Pool Light-Gray Finish PG. 38
	13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m Power Steel™ Pool Light-Gray Finish PG. 38
	13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m Power Steel™ Pool Light-Gray Finish PG. 38
	16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m Power Steel™ Pool Light-Gray Finish PG. 39
	18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m Power Steel™ Pool Light-Gray Finish PG. 39
	21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m Power Steel™ Pool Light-Gray Finish PG. 41
	24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m Power Steel™ Pool Light-Gray Finish PG. 41
	31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m Power Steel™ Pool Light-Gray Finish PG. 41

Oval
 10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm Power Steel™ Pool Dark-Gray Finish PG. 42
 14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m Power Steel™ Pool Dark-Gray Finish PG. 42
 16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m Power Steel™ Pool Dark-Gray Finish PG. 42
 18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m Power Steel™ Pool Dark-Gray Finish PG. 43

Oval
 20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m Power Steel™ Pool Realistic Wood-look Pattern PG. 45
 24 ft. x 12 ft. x 48 in. / 7.32 m x 3.66 m x 1.22 m Power Steel™ Pool Realistic Wood-look Pattern PG. 45

Swim Vista Series™ II

Round
 16 ft. x 48 in. / 4.88 m x 1.22 m Power Steel™ Swim Vista Series™ II Pool Realistic Wood Grain Look PG. 47
 18 ft. x 48 in. / 5.49 m x 1.22 m Power Steel™ Swim Vista Series™ II Pool Realistic Wood Grain Look PG. 47

NEW DESIGN

Oval
 14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m Power Steel™ Swim Vista Series™ II Pool Realistic Stacked Stone Look PG. 49
 18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m Power Steel™ Swim Vista Series™ II Pool Realistic Stacked Stone Look PG. 49

NEW DESIGN

Comfort Jet Series™

Oval
 20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m Power Steel™ Comfort Jet Series™ Pool Stone-look Pattern PG. 51





9 ft. 3 in. x 6 ft. 5 in. x 33 in. / 2.82 m x 1.96 m x 84 cm

Water Capacity (90%): 967 gal. (3,662 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
56631E	US	1	88.2 (40.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
56631	N. America / Asia, Africa & Latin America	1	83.8 (38.0)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
56631	Oceania	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
56629	Europe	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
56629	Asia, Africa & Latin America	1	83.8 (38.0)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m

Water Capacity (90%): 1,711 gal. (6,478 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56441	Europe	1	135.2 (61.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	•
56441	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•
56660	N. America / Asia, Africa & Latin America	1	147.4 (66.9)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58335	•
56660	Oceania	1	147.4 (66.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	•
56442	Europe	1	149.9 (68.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58330	•
56442	Asia, Africa & Latin America	1	147.6 (66.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58335	•

13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m

Water Capacity (90%): 2,146 gal. (8,124 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56458E	US	1	160.7 (72.9)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	•
56458	N. America / Asia, Africa & Latin America	1	157.3 (71.3)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58336	•
56458	Oceania	1	157.3 (71.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	•
56456	Europe	1	162.0 (73.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58331	•
56456	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58336	•
56661	N. America / Asia, Africa & Latin America	1	172.3 (78.1)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58336	•
56661	Oceania	1	172.3 (78.1)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58336	•
56457	Europe	1	178.6 (81.0)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58331	•
56457	Asia, Africa & Latin America	1	172.4 (78.2)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58336	•

16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m

Water Capacity (90%): 3,046 gal. (11,532 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56672	N. America / Asia, Africa & Latin America	1	201.9 (91.6)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56672	Oceania	1	201.9 (91.6)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58336	•
56670	Europe	1	207.7 (94.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58331	•
56670	Asia, Africa & Latin America	1	201.0 (91.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58336	•
56673	N. America / Asia, Africa & Latin America	1	217.8 (98.8)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	•	58336	•
56673	Oceania	1	217.8 (98.8)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58336	•
56671	Europe	1	224.1 (101.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58331	•
56671	Asia, Africa & Latin America	1	217.9 (98.9)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	•	58336	•

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,913 gal. (14,812 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56536E	US	1	224.4 (101.8)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56467	N. America / Asia, Africa & Latin America	1	223.4 (101.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56467	Oceania	1	223.4 (101.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56465	Europe	1	233.6 (105.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56465	Asia, Africa & Latin America	1	223.6 (101.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56468E	US	1	239.7 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58336	•
56468	N. America / Asia, Africa & Latin America	1	239.6 (108.7)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58336	•
56468	Oceania	1	239.6 (108.7)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58336	•
56466	Europe	1	247.8 (112.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58331	•
56466	Asia, Africa & Latin America	1	241.1 (109.4)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58336	•



Packaging

Sturdy cardboard box with pictures



Features & Technologies

Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Color | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience



Drain Valve



Corrosion Resistant Steel Frame



C-Connector



No Tools Required Easy To Assemble





Packaging
Sturdy cardboard box with pictures

21 ft. x 9 ft. x 52 in. / 6.40 m x 2.74 m x 1.32 m

Water Capacity (90%): 5,094 gal. (19,281 L)

Item #	Region	Case Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611YE	US	1 Ea., 2 boxes	287.4 (130.3)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58337	•
5611Y	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	286.4 (129.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58337	•
5611Y	Oceania	1 Ea., 2 boxes	286.4 (129.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58337	•
5611Z	Europe	1 Ea., 2 boxes	290.0 (131.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58332	•
5611Z	Asia, Africa & Latin America	1 Ea., 2 boxes	286.7 (130.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58337	•
5612AE	US	1 Ea., 2 boxes	305.4 (138.5)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
5612A	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	304.2 (138.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
5612A	Oceania	1 Ea., 2 boxes	304.2 (138.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•
5612B	Europe	1 Ea., 2 boxes	308.7 (140.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58332	•
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	305.7 (138.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•

24 ft. x 12 ft. x 52 in. / 7.32 m x 3.66 m x 1.32 m

Water Capacity (90%): 7,937 gal. (30,045 L)

Item #	Region	Case Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56542E	US	1 Ea., 2 boxes	372.1 (168.8)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337	•
56476	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	371.2 (168.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58337	•
56476	Oceania	1 Ea., 2 boxes	371.2 (168.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337	•
56474	Europe	1 Ea., 2 boxes	378.4 (171.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58332	•
56474	Asia, Africa & Latin America	1 Ea., 2 boxes	371.9 (168.7)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58337	•
56477E	US	1 Ea., 2 boxes	373.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
56477	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	373.0 (169.2)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	•	58337	•
56477	Oceania	1 Ea., 2 boxes	373.0 (169.2)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•
56475	Europe	1 Ea., 2 boxes	377.1 (171.1)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58332	•
56475	Asia, Africa & Latin America	1 Ea., 2 boxes	374.5 (169.9)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	•	58337	•

31 ft. 4 in. x 16 ft. x 52 in. / 9.56 m x 4.88 m x 1.32 m

Water Capacity (90%): 13,798 gal. (52,231 L)

Item #	Region	Case Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56625E	US	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal. /8,327 L)	110-120 V	Sand Filtration	•	58337	•
56625	N. America / Asia, Africa & Latin America	1 Ea., 2 boxes	491.2 (222.8)	58500 (2,200 gal. /8,327 L)	110-120 V	Sand Filtration	•	58337	•
56625	Oceania	1 Ea., 2 boxes	491.2 (222.8)	58499 (2,200 gal. /8,327 L)	220-240 V	Sand Filtration	•	58337	•
56623	Europe	1 Ea., 2 boxes	494.9 (224.5)	58499 (2,200 gal. /8,327 L)	220-240 V	Sand Filtration	•	58332	•
56623	Asia, Africa & Latin America	1 Ea., 2 boxes	492.7 (223.5)	58499 (2,200 gal. /8,327 L)	220-240 V	Sand Filtration	•	58337	•

Features & Technologies

Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Color | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

Drain Valve | Corrosion Resistant Steel Frame | C-Connector | No Tools Required Easy To Assemble



10 ft. x 6 ft. 7 in. x 33 in. / 3.05 m x 2.00 m x 84 cm

Water Capacity (90%): 969 gal. (3,668 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	ChemConnect™ Dispenser
56132E	US	1	69.4 (31.5)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
5613Z	N. America / Asia, Africa & Latin America	1	69.2 (31.4)	58511 (330 gal./1,249 L)	110-120 V	58093, Type: I	•
5614A	Europe	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•
5614A	Asia, Africa & Latin America	1	69.7 (31.6)	58381 (330 gal./1,249 L)	220-240 V	58093, Type: I	•

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m

Water Capacity (90%): 1,915 gal. (7,250 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	ChemConnect™ Dispenser
56622E	US	1	112.9 (51.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	•
56622	N. America / Asia, Africa & Latin America	1	111.3 (50.5)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58335	•
56622	Oceania	1	111.3 (50.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•
56620	Europe	1	113.4 (51.5)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58330	•
56620	Asia, Africa & Latin America	1	110.6 (50.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58335	•

16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m

Water Capacity (90%): 2,893 gal. (10,949 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56655E	US	1	149.2 (67.7)	58388 (1,000 gal./3,785 L)	110-120 V	58012, Type: III - A/C	•	58335	•
56450	N. America / Asia, Africa & Latin America	1	146.6 (66.5)	58387 (800 gal./3,028 L)	110-120 V	58012, Type: III - A/C	•	58335	•
56450	Oceania	1	146.6 (66.5)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58335	•
56448	Europe	1	148.2 (67.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58330	•
56448	Asia, Africa & Latin America	1	145.9 (66.2)	58386 (800 gal./3,028 L)	220-240 V	58094, Type: II	•	58335	•

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,548 gal. (13,430 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
56711E	US	1	187.9 (85.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56711	N. America / Asia, Africa & Latin America	1	186.8 (84.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
56711	Oceania	1	186.8 (84.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
56710	Europe	1	193.3 (87.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
56710	Asia, Africa & Latin America	1	187.0 (84.8)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•



Packaging
Sturdy cardboard box with pictures



Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Color | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience


Drain Valve


Corrosion Resistant Steel Frame


3-ply PVC Wall Support Band


T-Connector



20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m

Water Capacity (90%): 5,347 gal. (20,241 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611SE	US	1	212.4 (96.4)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
5611S	N. America / Asia, Africa & Latin America	1	211.4 (95.9)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•
5611S	Oceania	1	211.4 (95.9)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•
5611R	Europe	1	217.6 (98.7)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•
5611R	Asia, Africa & Latin America	1	211.9 (96.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•

24 ft. x 12 ft. x 48 in. / 7.32 m x 3.66 m x 1.22 m

Water Capacity (90%): 6,735 gal. (25,495 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser
5611UE	US	1	276.4 (125.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58336	•
5611U	N. America / Asia, Africa & Latin America	1	275.4 (124.9)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	•	58336	•
5611U	Oceania	1	275.4 (124.9)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58336	•
5611T	Europe	1	283.6 (128.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58331	•
5611T	Asia, Africa & Latin America	1	278.6 (126.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	•	58336	•



Packaging
Sturdy cardboard box with pictures



Features & Technologies

Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Pattern | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

Drain Valve | Corrosion Resistant Steel Frame | 3-ply PVC Wall Support Band | T-Connector



Swim Vista

Built-in pool portholes bring function and fun to Power Steel™ Swim Vista Series™ II pools. Peek inside of the pool or dive down for an underwater photo.



Packaging
Sturdy cardboard box with pictures

4 Swim Vista Portholes

16 ft. x 48 in. / 4.88 m x 1.22 m

Water Capacity (90%): 5,145 gal. (19,480 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56726E	US	1	170.2 (77.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	•	
56726	N. America / Asia, Africa & Latin America	1	170.0 (77.1)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58249	58336	•	
56726	Oceania	1	170.0 (77.1)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	•	
56725	Europe	1	177.6 (80.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58331	•	
56725	Asia, Africa & Latin America	1	170.6 (77.4)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58249	58336	•	

4 Swim Vista Portholes

18 ft. x 48 in. / 5.49 m x 1.22 m

Water Capacity (90%): 6,092 gal. (23,062 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56976E	US	1	211.0 (95.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	•	
56976	N. America / Asia, Africa & Latin America	1	210.8 (95.6)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	58039	58336	•	
56976	Oceania	1	210.8 (95.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	•	
56977	Europe	1	217.4 (98.6)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58331	•	
56977	Asia, Africa & Latin America	1	210.6 (95.5)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	58039	58336	•	



Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Pattern | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

- Drain Valve
- Corrosion Resistant Steel Frame
- 3-ply PVC Wall Support Band
- No Tools Required Easy To Assemble



2 Swim Vista Portholes

14 ft. x 8 ft. 2 in. x 39.5 in. / 4.27 m x 2.50 m x 1.00 m

Water Capacity (90%): 1,915 gal. (7,250 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56715E	US	1	121.2 (55.0)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•	
56715	N. America / Asia, Africa & Latin America	1	119.6 (54.2)	58384 (530 gal./2,006 L)	110-120 V	58012, Type: III - A/C	58425	58335	•	
56715	Oceania	1	119.6 (54.2)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335	•	
56714	Europe	1	121.8 (55.3)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58330	•	
56714	Asia, Africa & Latin America	1	118.7 (53.8)	58383 (530 gal./2,006 L)	220-240 V	58094, Type: II	58425	58335	•	

4 Swim Vista Portholes

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

Water Capacity (90%): 3,548 gal. (13,430 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56717E	US	1	197.7 (89.7)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•	
56717	N. America / Asia, Africa & Latin America	1	196.7 (89.2)	58390 (1,500 gal./5,678 L)	110-120 V	58012, Type: III - A/C	•	58336	•	
56717	Oceania	1	196.7 (89.2)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•	
56716	Europe	1	202.9 (92.0)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58331	•	
56716	Asia, Africa & Latin America	1	196.9 (89.3)	58389 (1,500 gal./5,678 L)	220-240 V	58012, Type: III - A/C	•	58336	•	



Packaging

Sturdy cardboard box with pictures



Features & Technologies


Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build

Pattern | Inner Liner | Hardware



Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

Drain Valve | Corrosion Resistant Steel Frame | 3-ply PVC Wall Support Band | T-Connector



Built-In Spa Jets!

Two built-in massage nozzles with easy to use control station

Multi-colored LED Light



Packaging
Sturdy cardboard box with pictures



20 ft. x 12 ft. x 48 in. / 6.10 m x 3.66 m x 1.22 m

Water Capacity (90%): 5,347 gal. (20,241 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Ladder	LED Light
56720E	US	1	225.6 (102.4)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	•
56720	N. America / Asia, Africa & Latin America	1	224.0 (101.6)	58392 (2,500 gal./9,463 L)	110-120 V	58095, Type: IV - B	58336	•
56720	Oceania	1	224.0 (101.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	•
56719	Europe	1	230.5 (104.6)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58331	•
56719	Asia, Africa & Latin America	1	225.8 (102.4)	58391 (2,500 gal./9,463 L)	220-240 V	58095, Type: IV - B	58336	•



Features & Technologies

Seal & Lock System™
Superior Steel Frame Design

Engineered for durability, the Seal & Lock System provides strength, corrosion-resistance, and remarkably durable frame connection for your pool.




Build



Pattern


Inner Liner


Hardware




Tritech™
3-layer puncture-resistant liner material



Frosted Finish
Prevents pool liner from sticking in a hot environment



LED Light
Up to 7 changing colors



Convenience


Drain Valve


Corrosion Resistant Steel Frame


3-ply PVC Wall Support Band


T-Connector



Hydrium™

This top-tier pool line features enhanced durability, quality and longevity. With superior galvanized steel construction, these pools can withstand the elements all year long, so they can even be placed in-ground for a more fixed landscaping feature.


Product Highlights

Steel Side Walls and Frame Support
Provides unparalleled durability and damage resistance






Integrated Surface Skimmer



Year Round Pool
Protects Against the Elements



Prismatic Stone™
Inner Liner



Product Matrix
Pool Size Range

Depth	48 in. / 1.22 m
NEW DESIGN 	10 ft. x 48 in. / 3.00 m x 1.20 m Hydrium™ Round Pool PG. 57
NEW DESIGN 	12 ft. x 48 in. / 3.60 m x 1.20 m Hydrium™ Round Pool PG. 57
NEW DESIGN 	15 ft. x 48 in. / 4.60 m x 1.20 m Hydrium™ Round Pool PG. 57
NEW DESIGN 	16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.60 m x 1.20 m Hydrium™ Oval Pool PG. 59
NEW DESIGN 	20 ft. x 12 ft. x 48 in. / 6.10 m x 3.60 m x 1.20 m Hydrium™ Oval Pool PG. 59

New & Improved Hydrium™ packaging!


Our new Hydrium packaging is both modern and informative. Focusing mostly on durability, our design easily portrays the benefits of galvanized steel. Positioned to be a more accessible option against installing an in-ground pool, our packaging shows why Hydrium semi-permanent pools are affordable and convenient for consumers.




Hydrium™ Packaging 2021 Vs Refreshed 2022

New Callout & Graphic Designs

Streamlined graphics effectively show why Hydrium pools are the best in the market.



US - Callout & Graphics



INTL - Callout & Graphics



US Packaging Example

Multi-Language Packaging Example





Packaging
Sturdy cardboard box with pictures

10 ft. x 48 in. / 3.00 m x 1.20 m

Water Capacity (90%): 2,018 gal. (7,630 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56566	Europe	1	224.2 (101.7)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58291	58001	58331	•	

12 ft. x 48 in. / 3.60 m x 1.20 m

Water Capacity (90%): 2,906 gal. (10,990 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56575	Oceania	1	254.8 (115.6)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	•	
56574	Europe	1	249.8 (113.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58292	58002	58331	•	

15 ft. x 48 in. / 4.60 m x 1.20 m

Water Capacity (90%): 4,605 gal. (17,430 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser	NEW DESIGN
56385E	US	1	319.7 (145.0)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58249	58003	58336	•	
56385	Oceania	1	322.5 (146.3)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	•	
56384	Europe	1	319.7 (145.0)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58249	58003	58331	•	



Features & Technologies


Pool Can Stay Up Year-Round
Protection Against the Elements

Resistant to damage from scratches, abrasions and cracks 365 days a year

Build

Color

Inner Liner



Built-in Skimmer



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

Reinforced Steel Sidewalls

Premium Pool Liner

Shipped On A Pallet



16 ft. 5 in. x 12 ft. x 48 in. / 5.00 m x 3.60 m x 1.20 m

Water Capacity (90%): 4,305 gal. (16,296 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56587E	US	1	384.3 (174.3)	58516 (800 gal./3,028 L)	110-120 V	Sand Filtration	58293	58263	58336	•
56587	Oceania	1	389.3 (176.6)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58293	58263	58331	•
56586	Europe	1	384.3 (174.3)	58515 (800 gal./3,028 L)	220-240 V	Sand Filtration	58293	58263	58331	•

NEW DESIGN

20 ft. x 12 ft. x 48 in. / 6.10 m x 3.60 m x 1.20 m

Water Capacity (90%): 5,265 gal. (19,929 L)

Item #	Region	Pack	lbs. (kg)	Filter Pump	Voltage	Cartridge	Cover	Ground Cloth	Ladder	ChemConnect™ Dispenser
56370E	US	1	462.1 (209.6)	58498 (1,500 gal./5,678 L)	110-120 V	Sand Filtration	58364	58135	58336	•
56370	Oceania	1	464.9 (210.9)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58364	58135	58331	•
56369	Europe	1	462.1 (209.6)	58497 (1,500 gal./5,678 L)	220-240 V	Sand Filtration	58364	58135	58331	•

NEW DESIGN



Packaging
Sturdy cardboard box with pictures



Features & Technologies


Pool Can Stay Up Year-Round
Protection Against the Elements

Resistant to damage from scratches, abrasions and cracks 365 days a year

Build

Color

Inner Liner



Built-in Skimmer



ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience

- Reinforced Steel Sidewalls
- Premium Pool Liner
- Specially-Reinforced Side Legs
- Shipped On A Pallet



Kiddie Pools

Above ground pools are made for family fun! Easy to set up and constructed with durable materials, these pools ensure that the summer fun lasts all season long.

Product Highlights



UV Careful™
Safe, Shaded Fun In The Sun™



Spraying Features



Easy Setup



Product Matrix
Pool Size Range

Type	My First Play Pools
	56217/E PG. 62
	56283 PG. 62
	57241/E PG. 62
	57326/E/30007/E PG. 63
	Splash-in-Shade Pools
NEW 	5618S/E/5618T PG. 64
	56543/E/56432 PG. 64
	Fast Set Pool
	57396/E/57397 PG. 65



My First Frame Pool

Water Capacity (90%): 96 gal. (365 L)

Item #	Size	Pack	lbs. (kg)	Packaging
56217/E	48 in. x 48 in. x 12 in. / 1.22 m x 1.22 m x 30.5 cm	3	27.2 (12.4)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- Rectangular shape provides more area for swimming and playing
- Underwater adhesive repair patch





My First Frame Pool

Water Capacity (90%): 153 gal. (580 L)

Item #	Size	Pack	lbs. (kg)	Packaging
56283	5 ft. x 15 in. / 1.52 m x 38 cm	6	58.4 (26.5)	Full color box

- Age: 2+
- Easy set up
- Corrosion resistant metal frames
- Easy to take down for off-season storage
- The round shape of the pool provides for easy installation, enhanced stability, and less wasted space due to the fact that the pool doesn't require lateral support
- Underwater adhesive repair patch





My First Fast Set™ Pool

Water Capacity (80%): 126 gal. (477 L)

Item #	Size	Pack	lbs. (kg)	Packaging
57241/E	5 ft. x 15 in. / 1.52 m x 38 cm	6	26.9 (12.2)	Full color box

- Age: 2+
- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Easy to take down for off-season storage
- Underwater adhesive repair patch



My First Fast Set™ Spray Pool

Water Capacity (80%): 126 gal. (477 L)

Item #	Size	Age	Pack	lbs. (kg)	Packaging
57326E	5 ft. x 15 in. / 1.52 m x 38 cm	2+	6	26.9 (12.2)	Full color box
57326					
30007E			1	109.4 (49.6)	Display shelf 24 pcs included
30007					

- Easy set up
- Heavy-duty PVC and polyester 3-ply side walls
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Pool provides a fun, cooling spray
- Animal sprays water by connecting to a standard garden hose
- 2 assorted colors
- Easy to take down for off-season storage
- Underwater adhesive repair patch

30007
International Example of Display











Splash-In-Shade Play Pool

NEW

Water Capacity (90%): 246 gal. (930 L)

Item #	Region	Size	Pack	lbs. (kg)	Packaging
56185E	US	6 ft. x 20 in. / 1.83 m x 51 cm	1	20.4 (9.2)	Full color box
56185	North America				
56185	Oceania				
5618T	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Outer wall features underwater world printing
- UPF 40+ rated sunshade
- Water mister on the top of shade attaches to garden hose
- Easy 20-minute setup
- Easy to dissemble when preparing for off-season storage
- Round shape means easy installation, enhanced stability, less wasted space







Splash-In-Shade Play Pool

Water Capacity (90%): 446 gal. (1,688 L)

Item #	Region	Size	Pack	lbs. (kg)	Packaging
56543E	US	8 ft. x 20 in. / 2.44 m x 51 cm	1	29.5 (13.4)	Full color box
56543	North America				
56543	Oceania				
56432	Europe				

- The pool walls are constructed with DuraPlus™, a material reinforced with a polyester mesh core and two layers of high gauge PVC for superior strength and durability
- FrameLink System™ - custom-molded T-connectors prevent metal-on-metal corrosion
- Easy 20-minute setup
- Outer wall with cartoon graphic printing
- UPF 40+ Rated
- Water mister on the top of shade attaches to garden hose
- Easy to dissemble when preparing for off-season storage
- Round shape means easy installation, enhanced stability, less wasted space





OctoPool

Water Capacity (80%): 833 gal. (3,153 L)

Item #	Region	Size	Pack	lbs. (kg)	Packaging
57396E	US	9 ft. x 30 in. / 2.74 m x 76 cm	1	18.0 (8.2)	Full color box
57396	North America				
57396	Oceania				
57397	Europe				

- Quick 10 minute setup
- Tritech™ side walls - 3-ply heavy-duty PVC and polyester
- Liner is supported by an inflatable top ring
- Select a level surface, inflate top ring and the pool will rise as it's filled with water
- Four tentacles with two built-in sprayers
- Inflatable tentacles spray water when garden hose is connected
- Built-in flow control valve attaches to garden hose (with included adapter) to drain water
- Easy to pack up for off-season storage
- Underwater adhesive repair patch







Swimulator Resistance Trainer


Item #	Region	Pack	lbs. (kg)	Packaging
26033/E	US/INTL	12	10.7 (4.9)	Full Color Box

- Waistline Range: 26 in. to 43 in. / 65 cm to 110 cm
- Adjustable padded belt with fastener
- 13.1 ft. (4 m) Elastic Strap
- Only applicable to length ≥ 15 ft. / 4.57 m, width ≥ 8 ft. / 2.44 m, depth ≥ 3.28 ft. / 1 m above ground pools (with frame)











Flowclear™

Flowclear™ offers a range of pool products that can handle cleaning, maintenance, and mood. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.



Filtration
Made to keep pools sparkling clean, Flowclear filter pumps and sand filter pumps come in many different sizes to give each pool owner the options they need.



Environment
From lights to fountains, Flowclear environment items are made to add to the ambiance around the pool. Each unique item is sure to up the wow-factor.



Maintenance Equipment
A wide variety of items - from pool vacuums to skimming nets - help pool owners maintain crystal clear water without floating debris or dirt.



Pool Covers & Ground Cloths
Protect the pool and the yard with Flowclear items made specifically for covering the water and the grass.



US Display



INTL Display

Actual in-store displays may vary.

Pool Pump Range

Item	58511/E	58381	58384/E	58383	58387	58386	58388E	58647/E (NEW)	58675	58390/E	58389	58392/E	58391	58671E (NEW)
Product														
Hose Size	1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm		1.25 in. / 3.2 cm	1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm		1.5 in. / 3.8 cm
Adapters Included								1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm		1.5 / 1.25 in. / 3.8 / 3.2 cm
Filter Cartridge Or Sand Grain	58093(I)		58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58094 (II)	58012 (III-A/C)	58012 (III-A/C)		58012 (III-A/C)		58095 (IV-B)		58095 (IV-B)
Pump Flow Rate Gal. (L) / Hour	330 (1,249)		530 (2,006)		800 (3,028)		1,000 (3,785)	1,500 (5,678)		1,500 (5,678)		2,500 (9,463)		2,500 (9,463)
System Flow Rate Gal. (L) / Hour	280 (1,060)		480 (1,817)		580 (2,195)		780 (2,952)	1,050 (3,974)		1,050 (3,974)		2,050 (7,760)		2,050 (7,760)
Pool Compatibility	For use with 300-2,200 gal. (1,100-8,300 L) pools		For use with 300-3,800 gal. (1,100-14,300 L) pools		For use with 300-4,600 gal. (1,100-17,400 L) pools		For use with 300-5,100 gal. (1,100-19,300 L) pools	For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-8,400 gal. (1,100-31,700 L) pools		For use with 300-16,400 gal. (1,100-62,000 L) pools		For use with 300-16,400 gal. (1,100-62,000 L) pools
Rating	110-120V~, 0.2A	220-240V~, 16W	110-120V~, 0.6A	220-240V~, 29W	110-120V~, 0.6A	220-240V~, 32W	110-120V~, 1.1A	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 1.8A	220-240V~, 86W	110-120V~, 3.3A	220-240V~, 350W	110-120V~, 3.3A

Item	58516/E	58515	58515GS	58498/E	58497	58497GS	58500/E	58499	58499GS	58486	58486GS
Product											
Hose Size	1.25 in. / 3.2 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm			1.5 in. / 3.8 cm	
Adapters Included				1.5 / 1.25 in. (3.8 / 3.2 cm)			1.5 / 1.25 in. / 3.8 / 3.2 cm			1.5 in. / 3.8 cm	
Filter Cartridge Or Sand Grain	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 8.5 kg			Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 9 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 36 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 20 kg		Required sand size: #20 silica sand, 0.45-0.85 mm, approx. 45 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 36 kg	Required sand size: #20 silica sand, 0.45-0.85 mm, approximately 55 kg
Pump Flow Rate Gal. (L) / Hour	800 (3,028)			1,500 (5,678)			2,200 (8,327)			3,000 (11,355)	
System Flow Rate Gal. (L) / Hour	600 (2,271)		550 (2,082)	1,400 (5,300)		1,300 (4,920)	1,800 (6,813)		1,700 (6,435)	2,200 (8,327)	2,000 (7,570)
Pool Compatibility	For use with 300-4,800 gal. (1,100-18,100 L) pools		For use with 300-4,400 gal. (1,100-16,600 L) pools	For use with 300-11,200 gal. (1,100-42,300 L) pools		For use with 300-10,400 gal. (1,100-39,300 L) pools	For use with 300-14,400 gal. (1,100-54,500 L) pools		For use with 300-13,600 gal. (1,100-51,400 L) pools	For use with 300-17,600 gal. (1,100-66,600 L) pools	For use with 300-16,000 gal. (1,100-60,500 L) pools
Rating	110-120V~, 1A	220-240V~, 85W		110-120V~, 3.2A	220-240V~, 230W		110-120V~, 3.5A	220-240V~, 280W		220-240V~, 500W	


A look at the build of Bestway Sand Filters

Bestway sand filters are truly a “no fuss” option. More efficient than filter pumps, a properly operated sand filter requires little maintenance, with a charge of sand lasting for at least a season. The five models in the range cover a broad spectrum of applications and are compatible with almost all pools in the market. They all feature a built-in pre-filter to catch larger debris and safeguard against clogging. Four of the filters have a convenient pump-mounted switch. You can recommend Bestway sand filters with confidence.













Our Bestway Sand Filter Range



Sand Filter - 800 Gal. (3,028 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Sand Cap lbs. (kg)	Polysphere Cap. lbs. (g)	Pack	lbs. (kg)
58515	CE	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.1 (8.2)
58515GS	CE/GS	220-240V~, 85W	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)
58516	C-ETL	110-120V~ , 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.2 (8.3)
58516E	ETL-US	110-120V~ , 1A	10.5 (27)	18.7 (8.5)	0.53 (240)	1	18.5 (8.4)

Pump Flow Rate: 800 gal./h (3,028 L/h)
System Flow Rate: 600 gal./h (2,271 L/h)
System Flow Rate: 550 gal./h (2,082 L/h) (For GS only)
Pool Compatibility: For use with 300-4,800 gal. (1,100-18,100 L) pools
Pool Compatibility: For use with 300-4,400 gal. (1,100-16,600 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- Top flange clamp allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- Includes a strainer for separating leaves and other rough debris
- This product is preassembled for added convenience
- Recommended hose size for this product is a diameter 1.25 in. / 3.2 cm with proper thread size
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Sand not included
- Full Color Box



Sand Filter - 1,500 Gal. (5,678 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Sand Cap lbs. (kg)	Polysphere Cap. lbs. (g)	Pack	lbs. (kg)
58497	CE	220-240V~, 230W	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.9 (12.2)
58497GS	CE/GS	220-240V~, 230W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	33.1 (15.0)
58498	C-ETL	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.5 (12.0)
58498E	ETL-US	110-120V~, 3.2A	10 (25.4)	19.8 (9.0)	0.55 (250)	1	26.7 (12.1)

Pump Flow Rate: 1,500 gal./h (5,678 L/h)
System Flow Rate: 1,400 gal./h (5,300 L/h)
System Flow Rate: 1,300 gal./h (4,920 L/h) (For GS only)
Pool Compatibility: For use with 300-11,200 gal. (1,100-42,300 L) pools
Pool Compatibility: For use with 300-10,400 gal. (1,100-39,300 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period (For 58497/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box



Sand Filter - 2,200 Gal. (8,327 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Sand Cap lbs. (kg)	Polysphere Cap. lbs. (g)	Pack	lbs. (kg)
58499	CE	220-240V~, 280W	12.5 (32)	44.1 (20.0)	1.23 (560)	1	31.2 (14.1)
58499GS	CE/GS	220-240V~, 280W	17 (43.7)	99.2 (45.0)	2.78 (1,260)	1	36.9 (16.7)
58500	C-ETL	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.5 (13.9)
58500E	ETL-US	110-120V~, 3.5A	12.5 (32)	44.1 (20.0)	1.23 (560)	1	30.8 (14.0)

Pump Flow Rate: 2,200 gal./h (8,327 L/h)
System Flow Rate: 1,800 gal./h (6,813 L/h)
System Flow Rate: 1,700 gal./h (6,435 L/h) (For GS only)
Pool Compatibility: For use with 300-14,400 gal. (1,100-54,500 L) pools
Pool Compatibility: For use with 300-13,600 gal. (1,100-51,400 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period (For 58499/GS only)
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box



Sand Filter - 3,000 Gal. (11,355 L)

Item #	Certification	Rating	Tank Dia. in. (cm)	Sand Cap lbs. (kg)	Polysphere Cap. lbs. (g)	Pack	lbs. (kg)
58486	CE	220-240V~, 500W	15 (38.5)	79.4 (36.0)	2.20 (1,000)	1	38.1 (17.3)
58486GS	CE/GS	220-240V~, 500W	19 (48.5)	121.3 (55.0)	3.40 (1,540)	1	44.5 (20.2)

Pump Flow Rate: 3,000 gal./h (11,355 L/h)
System Flow Rate: 2,200 gal./h (8,327 L/h)
System Flow Rate: 2,000 gal./h (7,570 L/h) (For GS only)
Pool Compatibility: For use with 300-17,600 gal. (1,100-66,600 L) pools
Pool Compatibility: For use with 300-16,000 gal. (1,100-60,500 L) pools (For GS only)

- Durable, corrosion-resistant filter tank
- 6-position valve allows for easy filter control
- **Built-in timer** lets you set an automated working period
- Top flange clamp design allows 360° rotation for quick and smooth installation
- Easy-to-read pressure gauge
- Included **ChemConnect™ Dispenser** maintains and provides clean, healthy pool water. Dispenser provides a stable level of chlorine needed for proper chemical balance
- The **pre-filter strainer basket** is an added mechanism that filters to catch larger particles such as leaves, hairs and dirt. Protects your pump impeller and longevity of your pump to continuously run smoother
- This product is preassembled for added convenience
- Compatible with 1.25 in. / 3.2 cm valves using included adaptors
- Can be connected to 1.5 in. / 3.8 cm threaded valves
- **This product works with normal sand convention or with our highly efficient Polysphere™ product**
- Compatible with most above ground pools
- Sand not included
- Full Color Box

Polysphere™

Item #	Pack	lbs. (kg)	Packaging
58475/E	6	12.5 (5.7)	Full Color Box
30014/E	1	28.0 (12.7) 27.4 (12.4)	Display Shelf




- Material: 100% PET
- Suitable for all existing sand filters in the Bestway® range
- Lowest pressure increase in comparison to sand
- 1.10 lbs (500 g) of Flowclear™ Polysphere is equal to 39.68 lbs (18 kg) of sand
- Easy to carry, manipulate, and transport
- Low weight for easy handling
- Excellent filtration result and efficiency
- Product has a long life
- Easy to wash by hand
- Back washing function by Bestway® sand filter not applicable
- Easy disposal, non-toxic

12 Ea. Included

Flowclear™ Polysphere quantity is as follows:

Sand Filter	Region	Weight if using sand lbs. (kg)	Weight if using Polysphere lbs. (g)
800 gal. /h (3,028 L/h)	All	18.74 (8.5)	0.53 (240)
1,500 gal. /h (5,678 L/h)	Except GS	19.84 (9)	0.55 (250)
1,500 gal. /h (5,678 L/h)	GS	79.37 (36)	2.20 (1,000)
2,200 gal. /h (8,327 L/h)	Except GS	44.09 (20)	1.23 (560)
2,200 gal. /h (8,327 L/h)	GS	99.21 (45)	2.78 (1,260)
3,000 gal. /h (11,355 L/h)	Except GS	79.37 (36)	2.20 (1,000)
3,000 gal. /h (11,355 L/h)	GS	121.25 (55)	3.40 (1,540)



58475 Full Color Box

58475E Full Color Box



Anatomy of a Filter Pump

Leave the dirty work to Bestway® Flowclear™ filter pumps. Two hoses are included with each pump, and are attached to two separate points on the swimming pool. The loose end of one hose is connected to the filter pump. Water is pumped out of the pool and through the hose, before being sanitized by the filter cartridge and pumped back through the other hose. It then begins the process all over again, providing clean, clear and hygienic water.





- Filters For Different Pool Capacities
- Hoses Included
- Filter Cleans Water
- Installation Manual
- AC Powered



Bestway®
Filter Pumps

- Works quietly
- Automatic filtration and cleaning
- Easy installation
- Compatible with most above ground pools



Filter Pump - 330 Gal. (1,249 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58511E	330 (1,249)	280 (1,060)	For use with 300-2,200 gal. (1,100-8,300 L) pools	ETL-US	110-120V~, 0.2A	4	25.0 (11.3)	58093 - Type I
58511	330 (1,249)	280 (1,060)		C-ETL	110-120V~, 0.2A	4	24.7 (11.2)	58093 - Type I
58381	330 (1,249)	280 (1,060)		CE	220-240V~, 16W	4	25.1 (11.4)	58093 - Type I



Filter Pump - 530 Gal. (2,006 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58384E	530 (2,006)	480 (1,817)	For use with 300-3,800 gal. (1,100-14,300 L) pools	ETL-US	110-120V~, 0.6A	4	32.9 (14.9)	58012 - Type III - A/C
58384	530 (2,006)	480 (1,817)		C-ETL	110-120V~, 0.6A	4	32.0 (14.5)	58012 - Type III - A/C
58383	530 (2,006)	480 (1,817)		CE	220-240V~, 29W	4	29.4 (13.3)	58094 - Type II



Filter Pump - 800 Gal. (3,028 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58386	800 (3,028)	580 (2,195)	For use with 300-4,600 gal. (1,100-17,400 L) pools	CE	220-240V~, 32W	4	30.8 (14.0)	58094 - Type II
58387	800 (3,028)	580 (2,195)		C-ETL	110-120V~, 0.6A	4	31.5 (14.3)	58012 - Type III - A/C



Filter Pump - 1,000 Gal. (3,785 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58388E	1,000 (3,785)	780 (2,952)	For use with 300-5,100 gal. (1,100-19,300 L) pools	ETL-US	110-120V~, 1.1A	4	38.1 (17.3)	58012 - Type III - A/C

NEW

Filter Pump - 1,500 Gal. (5,678 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58647E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.3 (6.5)	58012 - Type III - A/C
58647	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.4)	58012 - Type III - A/C
58675	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)	58012 - Type III - A/C



Filter Pump - 1,500 Gal. (5,678 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58390E	1,500 (5,678)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.8A	1	14.2 (6.4)	58012 - Type III - A/C
58390	1,500 (5,678)	1,050 (3,974)		C-ETL	110-120V~, 1.8A	1	14.0 (6.3)	58012 - Type III - A/C
58389	1,500 (5,678)	1,050 (3,974)		CE	220-240V~, 86W	1	14.1 (6.4)	58012 - Type III - A/C



NEW

Filter Pump - 2,500 Gal. (9,463 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58671E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.7 (11.2)	58095 - Type IV - B



Filter Pump - 2,500 Gal. (9,463 L)

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58392E	2,500 (9,463)	2,050 (7,760)	For use with 300-16,400 gal. (1,100-62,000 L) pools	ETL-US	110-120V~, 3.3A	1	24.7 (11.2)	58095 - Type IV - B
58392	2,500 (9,463)	2,050 (7,760)		C-ETL	110-120V~, 3.3A	1	24.4 (11.1)	58095 - Type IV - B
58391	2,500 (9,463)	2,050 (7,760)		CE	220-240V~, 350W	1	24.5 (11.1)	58095 - Type IV - B





Skimatic™ Filter Pump

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58463E	680 (2,574)	680 (2,574)	For use with 300-5,400 gal. (1,100-20,500 L) pools	ETL-US	110-120V~, 0.75A	1	17.6 (8.0)	58012 - Type III - A/C
58463	680 (2,574)	680 (2,574)		C-ETL	110-120V~, 0.75A	1	17.4 (7.9)	58012 - Type III - A/C
58462	680 (2,574)	680 (2,574)		CE / GS	220-240V~, 48W	1	17.5 (7.9)	58012 - Type III - A/C



Skimatic™ Filter Pump

Item #	Pump Flow Rate gal. (L) / Hr	System Flow Rate gal. (L) / Hr	Pool Capacity	Certification	Rating	Pack	lbs. (kg)	Filter Cartridge
58470E	1,050 (3,974)	1,050 (3,974)	For use with 300-8,400 gal. (1,100-31,700 L) pools	ETL-US	110-120V~, 1.4A	1	22.0 (10.0)	58012 - Type III - A/C
58470	1,050 (3,974)	1,050 (3,974)		C-ETL	110-120V~, 1.4A	1	21.8 (9.9)	58012 - Type III - A/C
58469	1,050 (3,974)	1,050 (3,974)		CE / GS	220-240V~, 73W	1	21.4 (9.7)	58012 - Type III - A/C

- Large capacity tank sucks in floating leaves and other debris
- Not compatible with steel wall pools
- Easy installation
- No additional hoses or adaptors needed
- Automatic filtration and cleaning
- Uses 58012 filter cartridge III
- Works quietly
- For use only with battery powered and manual pool cleaning appliances
- Connected by self-contained 1.2 in. / 32 mm connector, can work in conjunction with Bestway® 58212 and 58234 Pool Cleaning Kit







Filter Cartridges

Item	58093/E	58094	58012/E	58095/E
Product	 Twin Pack	 Twin Pack		
Size	Ø3.1 in. x H3.5 in. (Ø8 cm x H9 cm)	Ø4.2 in. x H5.4 in. (Ø10.6 cm x H13.6 cm)	Ø4.2 in. x H8.0 in. (Ø10.6 cm x H20.3 cm)	Ø5.6 in. x H10.0 in. (Ø14.2 cm x H25.4 cm)
Pump Type	330 gal. (1,249 L)	530 / 800 gal. (2,006 / 3,028 L) (220-240 V~)	530 - 1,500 gal. (2,006 - 5,678 L) (110-120 V~) 1,500 gal. (5,678 L) (220-240 V~)	2,500 gal. (9,463 L)
Pack	12	12	12	6
lbs. (kg)	3.9 (1.8)	6.7 (3.0)	4.8 (2.2)	5.3 (2.4)
Packaging	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card	Shrink wrapped with insert card

AquaLite™ Comb Filter Cartridge Cleaning Tool

NEW

Item #	Pack	lbs. (kg)	Packaging
58662/E	12	8.4 (3.8)	Clam Shell

- Comb head designed to fit inside the deep folds of filtration paper to fully clean the filter cartridge
- Concentrated stream of water removes more particles in less time than a standard garden hose
- Extends lifespan of the filter pump and cartridge
- Flow control knob to turn on/off and adjust water flow
- Easily connects to garden hose through quick connection valve
- Suitable for different types of cartridges



Hose

Item #	Pack	lbs. (kg)	Packaging
58368	6	15.5 (7.0)	Full Color Box

- 9.8 ft. / 3 m long, 1.5 in. / 3.8 cm diameter
- Suitable for filter pumps and sand filters that use 1.5 in. / 3.8 cm hoses



Hose

Item #	Pack	lbs. (kg)	Packaging
58369	12	16.7 (7.6)	Full Color Box

- 9.8 ft. / 3 m long, 1.25 in. / 3.2 cm diameter
- Suitable for filter pumps, sand filters and heaters that use 1.25 in. / 3.2 cm hoses



Hose Adaptors


Item #	Pack	lbs. (kg)	Packaging
58236/E	12	4.5 (2.0)	Blister Card


- Made from durable, corrosion-proof materials
- This adaptor connects hoses (Diameter 3.8 cm) to pool valves (Diameter 3.2 cm)
- Easy to install
- Instructional manual included!











Soothing LED Waterfall

Item #	Size	Pack	lbs. (kg)	Packaging
58619/E	13.6 in. x 10 in. x 11.8 in. / 34.5 cm x 26 cm x 30 cm	3	18.7 (8.5)	Full Color Box

- Quick and easy installation
- Compatible with all filtration systems with 530 ~ 3,000 gal. / h (2,006 - 11,355 L / h) flow rate
- Serene waterfall maintains continuous flow
- Detachable LED light with:
  - 8 modes (7 fixed colors and 1 rotating)
  - 2-hour auto power off
  - Powered by 3 x AA batteries (batteries not included)
- IP67 waterproof rating; second highest rating!








LED Floating Pool Fountain

Item #	Size	Pack	lbs. (kg)	Packaging
58493/E	Ø7.3 in. / Ø18.5 cm	6	14.0 (6.3)	Full Color Box

- Illuminate your backyard pool with multi-color water fountain light show!
- Built-in lithium battery can be recharged and reused repeatedly, lasts 2-3 hours after fully charged
- Coverage area of light: diameter 8 ft. / 2.43 m, height 5 ft. / 1.52 m
- Simple operation and easy to use button panel
- Lightshow and water fountain function can be used independently, controlled by two different buttons
- Colorful lightshow projects toward the bottom of the pool and projects through the fountain. There are 3 different lighting modes with 3 colors: red, green and blue
- Max. height of water fountain can reach up to 1 m
- Has two spraying modes: Pulse and High Beam
- IP67 waterproof rating
- Automatic shut-off in 1 hour






LED Floating Pool Light

Item #	Size	Pack	lbs. (kg)	Packaging
58419/E	Ø5.5 in. / Ø14 cm	12	9.9 (4.5) 9.5 (4.3)	Full Color Box

- Beautiful display: super bright LED light alternates between 4 colors (yellow, red, blue and green) in 7 different patterns
- Easy to operate: simply press the button on the top of the light
- No wiring or outside electrical power required
- No operation and maintenance cost
- Powered by 3AA Batteries (not included)
- IP68 waterproof
- Light range has a diameter of 8 ft. / 2.43 m wide and 5 ft. / 1.52 m deep
- Power saving: shuts off automatically after one hour when not in use






Solar-Float Lamp

Item #	Size	Pack	lbs. (kg)	Packaging
58111/E	Ø7 in. / Ø18 cm	24	22.3 (10.1)	Full Color Box

- Advanced LED technology, multi-color alternating light
- Waterproof
- Solar-powered
- Turns on automatically at night
- Great for decoration on lawns or patios
- Simply place the Solar-Float Lamp in the sun and when night falls watch your yard light up
- Extra-long 8-hour runtime
- 1.2 V ⎓





Solar-Pro Shower™

Item #	Size	Pack	lbs. (kg)	Packaging
58224	16 in. x 23 in. 41 cm x 58 cm	24	26.8 (12.2)	Full Color Box

- Solar-heated
- Easy to read temperature strip
- Compact and easy to use
- Reinforced handle is convenient for hanging and transporting the shower
- Heats up to 5.3 gal. (20 L) of water for multiple showers
- Great for outdoor adventures






Pool Cleaners

Item	58013/E Maintenance Kit 80 in. (2.03 m)	58195/E Pool Accessories Set	58212/E AquaCrawl™ Pool Vacuum	58234/E AquaClean™ Pool Cleaning Kit	58237/E Deluxe Maintenance Kit	NEW 58282/E Angler Pool Vacuum
Product						
Recommended Pools						
	Any model	Any model				
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 20 ft. (6.10 m) diameter	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model
	Up to 13 ft. (3.96 m) wide	Up to 13 ft. (3.96 m) wide	Up to 12 ft. (3.66 m) wide	Any model	Any model	Any model
	Up to 13 ft. (3.96 m) diameter	Up to 13 ft. (3.96 m) diameter	Up to 15 ft. (4.57 m) diameter	Any model		Any model
	Any model	Any model				
Details						
Operating System	Garden Hose - Venturi Effect	Garden Hose - Venturi Effect	Filter and Sand Pumps - low and medium flow rate from 530 to 2,500 gal. - from 2.0 to 9.4 m^3/h			
Handling	Manual	Manual	Manual	Manual		Manual
Pole Length	65.7 in. (1.67 m)	63.3 in. (1.61 m)	74.6 in. (1.90 m)	110 in. (2.79 m)	110 in. (2.79 m)	
Hose Length			19.7 ft. (6.00 m)	24.5 ft. (7.50 m)	24.5 ft. (7.50 m)	
Valve Compatibility			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	
Inner Wall Cleaning			YES	YES	YES	YES
Minimum Flow			Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)	Outlet 530 gal. (2,006 L/h)
Minimum Wattage						
Highlights	• Reusable debris bag • Skimmer net included	• Reusable debris bag • Skimmer net included • Chemical floater • Pool & spa test strips • Heavy-duty repair patch • Floating pool thermometer	• Reusable debris bag • Two angled conversion nozzles, one with brush	• Reusable debris bag • Skimmer net included	• Reusable debris bag • Skimmer net included • Pool surface skimmer	• Bottom brushes

NEW 58657/E AquaSuction™ Leaf Vacuum	NEW 58648/E AquaTech™ Cordless Pool Vacuum	NEW 58649/E AquaSurge™ Rechargeable Pool Vacuum	58628/E AquaSweeper™	NEW 58665/E AquaDrift™ Automatic Pool Cleaner	NEW 58620 AquaGlide™	58622 -58623/E AquaRover™
						
Any model	Any model	Any model				
Any model	Up to 10 ft. (3.05 m) diameter	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Any model	Up to 22 ft. (6.70 m) wide	Up to 21 ft. (6.40 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) wide	Any model	Up to 22 ft. (6.70 m) wide	Up to 18 ft. (5.49 m) length	Any model
Any model	Up to 42 in. (1.07 m) height	Up to 20 ft. (6.10 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 22 ft. (6.70 m) diameter	Up to 16 ft. (4.88 m) diameter	Any model
Any model	Any model	Any model				
Garden Hose - Venturi Effect			Filter Pumps - from 1,000 to 2,500 gal./h., from 3.7 to 9.4 m^3/h Sand Filters - from 800 to 3,000 gal./h, from 3 to 11.4 m^3/h	Filter pumps or sand filters with 1,500-3,200 gal./h (5,678-12,113 L/h) flow rates	Rechargeable lithium battery	Rechargeable lithium battery
Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic
	46.9 in. (1.19 m)	78.7 in. (2.0 m)				
			24.5 ft. (7.50 m)	22.95 ft. (7.00 m)		
			1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included	1.25 in. (3.2 cm) / 1.5 in. (3.8 cm) adapters included		
		YES				
			Filter Pump Outlet 1,000 gal. (3,785 L/h) Sand Filter Outlet 800gal. (3,028 L/h)	Outlet 1,500 gal. (5,678 L/h)		
			50 w	86 w		
• Reusable debris bag	• AA battery x 8 (not included) • Up to 0.8 hrs operating time • Reusable debris bag • Brushes	• Cleaner body • Large head • Flat brush • Filter bag • USB cable • 3-section 27.5 in. (70 cm) aluminum pole	• Pre-filter bag • Adjustable pressure regulator • Working quietly	• Handles for easy retrieval from the water • Large 0.45 gal. (1.7 L) easy-to-clean strainer • Bottom brush helps collect debris	• Waterproof Magnetic Switch • On / Off LED light • Drop / Retrieval kit • Locking Clips • Head Locking Flap for 180-Degree Turns • Standard 0.58 gal. (2.2 L) Filter	• Waterproof Magnetic Switch • On / Off LED light • Drop / Retrieval kit • Locking Clips • Clip-On Brush • Head Locking Flap for 180-Degree Turns • Standard 1 gal. (4 L) Filter

GUARANTEED
90MIN
OF FULL
POWER CLEAN

DIRECTIONAL
SUPERIOR
FOR EFFICEIENT CLEANING
JET SYSTEM





AQUAROVER™

Item #	Plug Type	Voltage	Size	Pack	lbs. (kg)	Packaging
58623/E	TYPE A	100-240V~ DC 8.4V	15.9 in. x 15.5 in. x 11.2 in. (40.5 cm x 39.3 cm x 28.5 cm)	1	14.8 (6.7)	Full Color Box
58622	TYPE C	100-240V~ DC 8.4V		1	14.8 (6.7)	Full Color Box

- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Long-lasting rechargeable lithium battery: 90 minutes cycle run time
- Standard filter traps up to 1 gal. (4 L) of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Included drop retrieval kit to easily locate and remove robot
- Recommended for flat bottom pools
  - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.² (45 m²) in total area
  - Rectangular pools: up 31 ft. 4 in. (9.56 m) in length or 463 ft.² (43 m²) in total area
- Recharge time: 5-6 hours
- Built-in water sensors activate the device when fully submerged in water and deactivated when out of the water for motor protection
- Components:
  - Automatic On / Off Sensor
  - Waterproof Magnetic Switch
  - On / Off LED light
  - Drop / Retrieval kit
  - Locking Clips
  - Clip-On Brush
  - Head Locking Flap for 180-Degree Turns
  - Standard 1 gal. (4 L) Filter









AquaSurge™ Rechargeable Pool Vacuum

NEW

Item #	Pack	lbs. (kg)	Packaging
58649/E	4	15.4 (7.0)	Full Color Box

- Compatible with pools up to 20 ft. (6.10 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Built-in rechargeable battery runs for 50 minutes
- Charging time: 4-5 hours
- USB port for charging
- 3-section connection pole
- Large 0.07 gal. (0.27 L) transparent debris compartment
- Includes 2 interchangeable vacuum heads to clean flat walls or corners









AquaTech™ Cordless Pool Vacuum

NEW

Item #	Pack	lbs. (kg)	Packaging
58648/E	6	20.5 (9.3)	Full Color Box

- Compatible with pools up to 10 ft. (3.05 m) in diameter
- Cordless vacuum efficiently removes dirt and debris
- Simple press-button operation
- Requires 8x AA batteries (not included)
- 3-section lightweight telescopic pole for easy length adjustment in hard to reach areas
- Large 0.17 gal. (0.65 L) transparent debris compartment













AquaDrift™ Automatic Pool Cleaner

NEW

Item #	Pack	lbs. (kg)	Packaging
58665/E	1	11.9 (5.4)	Full Color Box

- Compatible with filter pumps or sand filters with 1,500-3,200 gal./h (5,678-12,113 L/h) flow rates
- Compatible with above ground pools up to 22 ft. (6.70 m) in diameter
- Automatic pool cleaner uses the power from the filter to propel itself along the bottom of the pool to collect debris
- Anti-slip multidirectional wheels increase movability and change direction when encountering walls or obstacles
- Adjustability settings to choose the direction and angle of the wheels
- Handles for easy retrieval from the water
- Large 0.45 gal. (1.7 L) easy-to-clean strainer
- Bottom brush helps collect debris
- Flow adjustment valve for use with filtration systems of different flow rates
- Includes hoses and connectors compatible with most leading pool pump brands










AquaSweeper

Item #	Pack	lbs. (kg)	Packaging
58628/E	2	21.4 (9.7) 21.6 (9.8)	Full Color Box

- Patented design specifically for above ground pools with filter pumps 1,000 gal./h (3,785 L/h) or sand filters 800 gal./h (3,028 L/h) flow rate and above
- Adjustable pressure regulator regulates the water flow for use with high power pumps
- Easy to operate. Turn on the pump and cleaner will start automatically
- The cleaner runs quietly, quickly cleaning the pool
- Integrated pre-filter collects debris such as dirt, leaves and sand to prevent pump filter clogging
- Wide clip system on the bottom plate provides easy access to the debris compartment balancing weight provide optimum maneuverability
- Recommended for soft wall pools up to 22 ft. / 6.7 m
- Includes hoses with total length of 24 ft. 5 in. / 7.5 m
- Includes connectors compatible with most leading pool brands on the market














AquaGlide™

NEW

Item #	Pack	lbs. (kg)	Packaging
58620	1	11.5 (5.2)	Full color box

- Autonomous pool cleaning robot
- Cordless design for full range motion; eliminates tangled cords
- Long-lasting rechargeable lithium battery: 40 minute cycle run time
- Standard filter traps up to 0.58 gal. / 2.2 L of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Included drop retrieval kit to easily locate and remove robot
- Recommended for flat bottom pools
  - Round Pools up to 16 ft. / 4.88 m in diameter or 215 ft.² / 20 m² in total area
  - Rectangular pools up to 21 ft. / 6.40 m in length or 215 ft.² / 20 m² in total area
- Recharge time: 5-6 hours
- Built-in water sensors activate the device when fully submerged in water and deactivate when out of the water for motor protection










Angler Pool Vacuum

NEW

Item #	Pack	lbs. (kg)	Packaging
58282/E	12	23.1 (10.5)	Header Card

- Compatible with poles with 1.2 in. / 30 mm (inner diameter)
- Brushes remove algae and grime from pool floors
- Filter powered vacuum sucks debris off the floor







AquaSuction™ Leaf Vacuum

NEW

Item #	Pack	lbs. (kg)	Packaging
58657/E	6	15.4 (7.0)	Full Color Box

- For use with all pools
- 8 high-pressure jets create suction to vacuum leaves and debris
- 4 multi-directional wheels for easy movement and maneuverability
- 3 brushes along the bottom for a closer clean
- Compatible with pool cleaning poles with inner diameter of 1.2 in. / 30 mm
- Connects to a standard garden hose with universal adapter
- Large, durable and reusable mesh debris bag with stay-in-place lock
















AquaNet

Item #	Size	Pack	lbs. (kg)	Packaging
58278/E	16.9 in. x 8.3 in. / 43 cm x 21 cm	12	7.1 (3.2)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Scoop debris from pool water
- Durable mesh netting



NEW



AquaRake™

Item #	Size	Pack	lbs. (kg)	Packaging
58660/E	19.7 in. x 11.6 in. / 50 cm x 29.5 cm	12	13.5 (6.1)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- Soft scoop front for easy debris collecting
- Durable mesh netting




NEW



AquaRake™ Deluxe

Item #	Size	Pack	lbs. (kg)	Packaging
58661/E	19.7 in. x 10.2 in. / 50 cm x 26 cm	12	17.6 (8.0)	Header Card

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Aluminum Inner Frame!



AquaBroom

Item #	Size	Pack	lbs. (kg)	Packaging
58280/E	20 in. / 50.5 cm	12	8.2 (3.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- Quickly removes algae and grime from pool walls and pool floor
- Curved brush head easily cleans the corners of the pool
- Push pins make brush compatible with different sized poles



NEW

AquaBroom™ Deluxe Pool Brush Head

Item #	Size	Pack	lbs. (kg)	Packaging
58658/E	25 in. / 63.5 cm	12	13.1 (5.9)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 30 mm (inner diameter)
- High-strength metal handle with corrosion resistant coating
- Quickly remove algae and grime from pool walls and pool floor
- Curved ends to clean corners



Nylon Bristles!







Maintenance Kit

Item #	Pack	lbs. (kg)	Packaging
58013/E	6	13.9 (6.3)	Full Color Box

Pole Length: 65.7 in. / 1.67 m
Cleans Inner Wall

- Includes a lightweight pole with interchangeable vacuum and skimmer heads
- Vacuum has a one piece cleaning head with reusable debris bag
- Vacuum connects to garden hose
- Skimmer has a durable mesh netting
- Compatible with pools up to 13 ft. / 3.96 m in diameter





Pool Accessories Set

Item #	Pack	lbs. (kg)	Packaging
58195/E	4	12.0 (5.5)	Each Set In A Clam Shell

Pole Length: 63.3 in. / 1.61 m
Cleans Inner Wall

- Maintenance Kit: Four-section structure
- Compatible with pools up to 13 ft. / 3.96 m in diameter

Kit Includes:
58013 - Maintenance Kit, 1 Piece
58071 - Chemical Floater, 1 Piece
58072 - Floating Pool Thermometer, 1 Piece
58142 - Pool and Spa Test Strips, 1 Piece
62068 - Heavy-duty Repair Patch, 1 Piece







AquaCrawl Pool Vacuum

Item #	Pack	lbs. (kg)	Packaging
58212/E	6	30.1 (13.7) 31.1 (14.1)	Full Color Box

Pole Length: 74.6 in. / 1.90 m
Cleans Inner Wall

- Four section aluminum poles are easy to assemble
- Removable and reusable debris and leaf bag
- Two angled conversion nozzles, one with a brush
- Extra-long vacuum hose 19.7 ft. / 6.00 m long, 1.25 in. / 3.2 cm diameter
- Attach to the filter pump for light cleaning for your pool
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Compatible with above ground pools up to 15 ft. / 4.57 m in diameter





AquaClean Pool Cleaning Kit

Item #	Pack	lbs. (kg)	Packaging
58234/E	4	32.5 (14.8) 33.2 (15.1)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Vacuum has a one-piece cleaning head
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Super-easy assembly
- Attach to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
- Skimmer has a durable mesh netting
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above





Deluxe Maintenance Kit

Item #	Pack	lbs. (kg)	Packaging
58237/E	2	28.3 (12.8)	Full Color Box

Pole Length: 110 in. / 2.79 m
Cleans Inner Wall

- Durable and corrosion-proof plastic material
- Includes 110 in. / 2.79 m adjustable aluminum pole for large diameter pools
- Removable and reusable debris and leaf bag
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- Attach to the filter pump for skimming and vacuuming
- Compatible with above ground pools up to 20 ft. / 6.10 m in diameter
- Extra-long vacuum hose 24.5 ft. / 7.50 m, 1.25 in. / 3.2 cm diameter
- Multi-functional
  - Pool surface skimmer: working with the filter pump cleans floating leaves and other debris
  - Pool vacuum: working with the filter pump cleans pool walls and floor
  - Pool skimmer: manually clean floating debris







StorePro™ Pool Accessory Organizer

NEW

Item #	Pack	lbs. (kg)	Packaging
58674/E	12	29.3 (13.3)	Full Color Box

- Constructed with durable steel and ABS plastic
- Stores up to 2 poles and 5 skimmers, brushes, rakes or vacuums with 1.2 in. / 3 cm diameter handles
- 2 built-in hooks and included strap to hold additional accessories
- Can be hooked to fence with included hanger (adjustable up to 3 in. / 7.62 cm) or secured to other types of structures with included self-tapping screws





Pool Surface Skimmer

Item #	Pack	lbs. (kg)	Packaging
58233/E	4	17.9 (8.1)	Full Color Box

- Durable and corrosion-proof plastic material
- Mount on the pool wall to suck in floating leaves or other debris
- Attach to the filter pump for automatic skimming
- Compatible with filter pumps with flow rates of 530 gal./h (2,006 L/h) and above
- For use with above ground pools (not compatible with steel wall pools)
- Easy to clean




Cleancast Skimmer

Item #	Size	Pack	lbs. (kg)	Packaging
58277	12.5 in. x 12 in. / 32 cm x 30.5 cm	12	5.9 (2.7)	Header Card

- Compatible with pool cleaning poles that are 1.2 in. / 3 cm (inner diameter)
- Removes debris from pool water
- Durable mesh netting





AquaScoop™ Skimmer Set

Item #	Size	Pack	lbs. (kg)	Packaging
58635/E	64 in. / 163 cm	12	12.2 (5.5)	Header Card

- Durable mesh netting
- Angled scoop easily collects debris from hard-to-reach bottom and tough corners
- Removes floating debris quickly and easily
- Lightweight, extendable, 3-segmented aluminum shaft
- Collapsible shaft contracts into net for easy carry and storage
- Compatible with pools up to 13 ft. / 3.96 m in diameter





Self Repairing Mesh

AquaScoop™ Deluxe Skimmer

Item #	Size	Pack	lbs. (kg)	Packaging
58659/E	16 in. x 13.4 in. / 40 cm x 34 cm	12	15.2 (6.9)	Header Card

NEW

- Compatible with poles with inner diameter of 1.2 in. / 30 mm
- High-strength aluminum handle and frame
- Large net with durable mesh material



Aluminum Inner Frame



Self Repairing Mesh



E-Z-Broom Pole

Item #	Size	Pack	lbs. (kg)	Packaging
58279/E	142 in. / 3.60 m	24	43.7 (19.8)	Polybag With Labels

- Inner diameter 1.2 in. / 3 cm
- Lightweight aluminum shaft
- Ideal for attaching to pool-cleaning accessories



Heavy-Duty Repair Patch

Item #	Pack	lbs. (kg)	Packaging
62068/E	36	1.9 (0.9)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- Repairs punctures and abrasions on all inflatable items

NEW DESIGN



Underwater Adhesive Repair Patch

Item #	Pack	lbs. (kg)	Packaging
62091/E	36	2.3 (1.0)	Blister Card

- 10 pcs included
- 6.55 sq. in. (42.3 cm²) stick-on patches
- Repairs punctures and abrasions on all inflatable items

NEW DESIGN



Pool & Spa Test Strips

Item #	Pack	lbs. (kg)	Packaging
58142/E	24	2.7 (1.2)	Blister Card

- The ideal solution for basic pool and spa water testing
- 3-in-1 Test Strip:
  - Free Chlorine -pH -Total Alkalinity
- Easy Color-Match System
- Measures Free Chlorine 0 to 10 ppm, Alkalinity 0 to 240 ppm and pH 6.2 to 8.4 with instant results
- Contains 50 test strips
- 18-Month Shelf Life







Pool + Drain Pump

Item #	Pump Flow Rate gal. (L) / Hr	Certification	Rating	Pack	lbs. (kg)	Packaging
58261/E	800 (3,028)	cTUVus	110-120V~, 0.8A	4	28.6 (13.0)	Full Color Box
58230	800 (3,028)	CE	220-240V~, 80W	4	30.5 (13.8)	Full Color Box

- A quick and easy way to drain your pool water
- Durable construction
- Corrosion-proof material
- Extra-long drain hose 16.4 ft. / 5.00 m long, 1.25 in. / 3.2 cm diameter
- Includes adaptor to connect to a garden hose



16.4 ft. / 5 m
Long Drain Hose

Clean Sun Powered Pool Pad

Item #	Pack	lbs. (kg)	Packaging
58423/E	4	58.5 (26.5)	Full Color Box

- 43 in. x 67 in. / 1.10 m x 1.71 m
- Compatible with 2,500 gal./h (9,462 L/h) filter pump and 2,200 gal./h (8,327 L/h) sand filter and below
- Compatible with all above ground pools
- Easy setup with included adaptors compatible with 1.25 in. / 3.2 cm and 1.5 in. / 3.8 cm hoses
- An economically and environmentally friendly way to heat swimming pool water
- Increase swimming pool water temperatures by approximately 3 ~ 5°C (5 ~ 9°F) depending on weather condition
- Provides superior durability and longer life time by using 0.9 mm PVC
- High-tech material provides superior resistance to weather and other abrasive agents
- Heating area of 15.72 ft.² (1.46 m²)
- Can be used in multiples to work together for different size pools





Pool Heater

Item #	Pack	lbs. (kg)	Packaging
58259	4	51.0 (23.1)	Full Color Box

- Compatible with above ground pools with water capacities between 1,520-17,035 L (400-4,500 gal.)
- Compatible with filter pumps with flow rates up to 3,785 L (1,000 gal.)
- Digitally-controlled pool heaterwith soft-touch control panel
- Water flow sensor for high level protection
- Pool heater is supplied with a portable residual current device-rated residual operating current not exceeding 10mA









Chemical Floater

Item #	Pack	lbs. (kg)	Packaging
58210	24	4.7 (2.1)	Shrink Wrapped With Insert Card

- Dispenses 1 in. / 2.5 cm chemical tablets
- Adjustable dial to control the release of chemicals
- No tablets included
- Contractive construction





Chemical Floater

Item #	Pack	lbs. (kg)	Packaging
58071/E	12	9.0 (4.1)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Clear top design to easily monitor tablets
- Adjustable dial to control the sanitizer level
- No tablets included





Chemical Floater

Item #	Pack	lbs. (kg)	Packaging
58209/E	12	9.7 (4.4)	Corrugated Sleeve Box

- Dispenses 3 in. / 7.6 cm chemical tablets
- Adjustable dial to control the release of chemicals
- Integrated with a thermometer
- Easy to read temperature gauge
- Displays in both Fahrenheit and Celsius
- No tablets included
- 3 assorted colors





Collapsible Chemical Floater

Item #	Pack	lbs. (kg)	Packaging
58656/E	12	7.1 (3.2)	Corrugated Sleeve Box

- Collapsible compartment
- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets
- Adjustable dial to control the sanitizer level
- No tablets included

NEW



Floating Pool Thermometer

Item #	Pack	lbs. (kg)	Packaging
58072/E	36	6.7 (3.1)	Blister Card

- ABS construction
- String attached to keep thermometer in place
- Floating design
- Easy to read temperature gradation
- Displays in both Fahrenheit and Celsius



Assorted Animal Pool Thermometer

Item #	Pack	lbs. (kg)	Packaging
58595/E	24	8.6 (3.9)	Blister Card

- String attached to keep thermometer in place
- Float-on-water design
- Easy-to-read temperature scale
- Displays in both Fahrenheit and Celsius





Chemical Floater With ChemGuard™ Glove

NEW


Item #	Pack	lbs. (kg)	Packaging
58668/E	12	10.9 (4.9)	Corrugated Sleeve Box

- Dispenses up to 3 in. / 7.6 cm chlorine or bromine tablets (not included)
- Lid includes built-in glove for safe handling of chemical tablets
- Dual-action child safe lock secures lid to chemical float
- Easy-to-operate collapsible body ideal for storage
- Adjustable dial to control the release of chemicals





Collapsible!



33 in. / 84 cm Pool Ladder

Item #	Region	Pack	lbs. (kg)	Packaging
58430	EXCEPT NORTH AMERICA	1	12.8 (5.8)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly




42 in. / 1.07 m Pool Ladder


Item #	Region	Pack	lbs. (kg)	Packaging
58335E	US	1	15.9 (7.2)	Sturdy Cardboard Box With Pictures
58335	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	15.9 (7.2)	Sturdy Cardboard Box With Pictures
58330	EUROPE UNION	1	19.4 (8.8)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58330 only)

58335/E



58330



48 in. / 1.22 m Pool Ladder

Item #	Region	Pack	lbs. (kg)	Packaging
58336E	US	1	21.1 (9.6)	Sturdy Cardboard Box With Pictures
58336	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	21.1 (9.6)	Sturdy Cardboard Box With Pictures
58331	EUROPE UNION	1	26.2 (11.9)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58331 only)

58336/E



58331



52 in. / 1.32 m Pool Ladder

Item #	Region	Pack	lbs. (kg)	Packaging
58337E	US	1	25.3 (11.5)	Sturdy Cardboard Box With Pictures
58337	N. AMERICA / ASIA, AFRICA & L. AMERICA	1	25.3 (11.5)	Sturdy Cardboard Box With Pictures
58332	EUROPE UNION	1	29.0 (13.1)	Sturdy Cardboard Box With Pictures

- Corrosion resistant metal frame
- Heavy-duty plastic steps
- Easy assembly
- Outer ladder can be secured in an upward position to prevent kids from entering the pool unsupervised (For 58332 only)

58337/E



58332





Solar Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	lbs. (kg)
58060/E	6 ft.10 in. / 2.10 m	- 8 ft. (2.44 m) Fast Set™ Pools	4	4.5 (2.0)
58241/E	9 ft.6 in. / 2.89 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	2	4.1 (1.9)
58242/E	11 ft.8 in. / 3.56 m	- 12 ft. (3.66 m) / 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	2	6.4 (2.9)
58252/E	13 ft.8 in. / 4.17 m	- 15 ft. (4.57 m) Fast Set™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Power Steel™ Pools	2	8.0 (3.6)
58253/E	15 ft.2 in. / 4.62 m	- 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. (4.57 m) / 16 ft. (4.88 m) Steel Pro MAX™ Pools	2	9.4 (4.2)
58173/E	17 ft.3 in. / 5.27 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	1	6.4 (2.9)
58240	12 ft.5 in. x 70.5 in. / 3.80 m x 1.80 m	- 13 ft.3 in. x 6 ft.7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) - 13 ft.6 in. x 6 ft.7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) Power Steel™ Pools	2	4.2 (1.9)
NEW 58672/E	12 ft.11 in. x 6 ft.11 in. / 3.94 m x 2.10 m	- 14 ft. x 8 ft. 2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Pools	2	4.3 (2.0)
58228	23 ft. x 11 ft. / 7.03 m x 3.36 m	- 21 ft. x 9 ft. x 52 in. (6.40 m x 2.74 m x 1.32 m) - 24 ft. x 12 ft. x 52 in. (7.32 m x 3.66 m x 1.32 m) Power Steel™ Pools	1	6.8 (3.1)

- PE material
- The solar cover utilizes solar energy to warm the pool water and prevents heat from escaping
- Minimizes pool debris
- Carry Bag With Insert Card



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	lbs. (kg)
58032/E	7 ft.10 in. / 2.40 m	- 8 ft. (2.44 m) Fast Set™ Pools	6	18.8 (8.5)
58036/E	10 ft. / 3.05 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX™ Pools	6	28.1 (12.7)
58037/E	12 ft.1 in. / 3.70 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools	6	39.4 (17.9)
58248/E	14 ft. / 4.27 m	- 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools	6	49.6 (22.5)
58292	13 ft. 2 in. / 4.01 m	- 13 ft. (3.96 m) Steel Pro™ Pools - 13 ft. (3.96 m) Steel Pro MAX™ Pools - 13 ft. (3.96 m) Power Steel™ Pools - 13 ft. (3.96 m) Fast Set™ Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	6	43.9 (19.9)
58038/E	15 ft.5 in. / 4.70 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools	4	38.1 (17.3)
58249/E	16 ft.2 in. / 4.93 m	- 16 ft. (4.88 m) Steel Pro MAX™ Pools - 16 ft. (4.88 m) Power Steel™ Pools - 16 ft. (4.88 m) Power Steel™ Swim Vista Series™ Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	41.5 (18.8)
58039/E	18 ft.2 in. / 5.55 m	- 18 ft. (5.49 m) Steel Pro MAX™ Pools - 18 ft. (5.49 m) Power Steel™ Pools - 18 ft. (5.49 m) Power Steel™ Swim Vista Series™ Pools	4	50.7 (23.0)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	lbs. (kg)
58103	7 ft.4 in. x 60.5 in. / 2.24 m x 1.54 m	- 7 ft.3 in. x 59 in. x 17 in. (2.21 m x 1.50 m x 43 cm) Steel Pro™ Pools	8	9.3 (4.2)
58105	8 ft.8 in. x 68.5 in. / 2.64 m x 1.74 m	- 8 ft.6 in. x 67 in. x 24 in. (2.59 m x 1.70 m x 61 cm) Steel Pro™ Pools	8	11.1 (5.0)
58106	10 ft. x 6 ft.9 in. / 3.04 m x 2.05 m	- 9 ft.10 in. x 6 ft.7 in. x 26 in. (3.00 m x 2.01 m x 66 cm) Steel Pro™ Pools	6	10.3 (4.7)
58107	13 ft.5 in. x 7 ft.5 in. / 4.10 m x 2.26 m	- 13 ft.1 in. x 6 ft.11 in. x 32 in. (4.00 m x 2.11 m x 81 cm) Steel Pro™ Pools	6	14.9 (6.8)

- PE material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box



Pool Covers

Item #	Size Diameter	Fits Pools:	Pack	lbs. (kg)
58424	10 ft. x 6 ft. / 3.05 m x 1.84 m	- 10 ft. x 6 ft.7 in. x 33 in. (3.05 m x 2.00 m x 84 cm) Power Steel™ Oval Pools	6	21.2 (9.6)
58425	13 ft.8 in. x 7 ft.5 in. / 4.18 m x 2.30 m	- 14 ft. x 8 ft.2 in. x 39.5 in. (4.27 m x 2.50 m x 1.00 m) Power Steel™ Oval Pools	6	32.0 (14.5)
58442	8 ft.10 in. x 70 in. / 2.69 m x 1.79 m	- 9 ft.3 in. x 6 ft.5 in. x 33 in. (2.82 m x 1.96 m x 84 cm) Power Steel™ Pools	6	19.9 (9.0)
58232	13 ft. x 6 ft.1 in. / 3.96 m x 1.85 m	- 13 ft. 6 in. x 6 ft. 7 in. x 48 in. (4.12 m x 2.01 m x 1.22 m) - 13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. (4.04 m x 2.01 m x 1.00 m) Power Steel™ Pools	6	29.0 (13.1)

- PVC material
- Includes ropes to secure cover
- Drain holes to prevent water from accumulating
- Full Color Box





Pool Canopy

NEW

Item #	Fits Pools:	Pack	lbs. (kg)	Packaging
58681/E	10 ft. (3.05 m) - 18 ft. (5.49 m)	4	19.9 (9.0)	Full Color Box

- Product Weight: 3.85 lbs (1.745 kg)
- One Layer
- Fabric: 190T Polyester PA300mm Coated + UPF 40+
- Window: 190T Polyester PA300mm Coated + 240g/m² Polyester mesh
- Poles: Fiberglass - Ø7.9 mm
- Carry Bag: 190T Polyester PA300mm Coated
- Single layer canopy can be easily attached to and detached from the frame of the pool
- Curtains can be rolled up and down using the zipper to control the shade and protection from the sun
- Semi-open design provides shade over a portion of the pool
- Compatible with round frame pools with diameters between 10 ft. (3.05 m) - 18 ft. (5.49 m)
- Setup time: 10 min.










Ground Cloths

- PE material
- Provides extra protection for the bottom of the pool
- Full Color Box



Item #	Size Diameter	Fits Pools:	Pack	lbs. (kg)
58000	9 ft. x 9 ft. / 2.74 m x 2.74 m	- 8 ft. (2.44 m) Fast Set™ Pools - 8 ft. (2.44 m) Steel Pro™ Pools	6	8.9 (4.1)
58001/E	11 ft. x 11 ft. / 3.35 m x 3.35 m	- 10 ft. (3.05 m) Fast Set™ Pools - 10 ft. (3.05 m) Steel Pro™ Pools - 10 ft. (3.05 m) Steel Pro MAX ™ Pools - 10 ft. x 48 in. (3.00 m x 1.20 m) Hydrium™ Pools	4	8.6 (3.9)
58002/E	13 ft. x 13 ft. / 3.96 m x 3.96 m	- 12 ft. (3.66 m) Fast Set™ Pools - 12 ft. (3.66 m) Steel Pro™ Pools - 12 ft. (3.66 m) Steel Pro MAX™ Pools - 12 ft. x 36 in. (3.60 m x 90 cm) Hydrium™ Splasher Pools - 12 ft. x 48 in. (3.60 m x 1.20 m) Hydrium™ Pools	4	11.8 (5.4)
58003/E	16 ft. x 16 ft. / 4.88 m x 4.88 m	- 15 ft. (4.57 m) Fast Set™ Pools - 15 ft. (4.57 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Steel Pro MAX™ Pools - 14 ft. (4.27 m) Power Steel™ Pools - 14 ft. (4.27 m) Power Steel™ Deluxe Series™ Pools - 15 ft. x 36 in. (4.60 m x 90 cm) Hydrium™ Splasher Pools - 15 ft. x 48 in. (4.60 m x 1.20 m) Hydrium™ Pools	4	16.8 (7.6)

Pool Floor Protector

Item #	Size	Contents	Colors	Pack	lbs. (kg)
58220/E	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces		30	50.3 (22.8)
58636/E	31 in. x 31 in. / 78 cm x 78 cm	9 Pieces		8	33.4 (15.1)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Shrink Wrapped With Insert Card





Index

26033/E	Swimulator Resistance Trainer	P 66
30007/E	My First Fast Set™ Spray Pool	P 63
30014/E	Polysphere™ Display	P 75
5611R	Power Steel™ Oval Pool Set	P 45
5611S/E	Power Steel™ Oval Pool Set	P 45
5611T	Power Steel™ Oval Pool Set	P 45
5611U/E	Power Steel™ Oval Pool Set	P 45
5611Y/E	Power Steel™ Rectangular Pool Set	P 41
5611Z	Power Steel™ Rectangular Pool Set	P 41
5612A/E	Power Steel™ Rectangular Pool Set	P 41
5612B	Power Steel™ Rectangular Pool Set	P 41
5612X	Steel Pro MAX™ Pool Set	P 31
5612Y	Steel Pro MAX™ Pool Set	P 31
5612Z	Steel Pro MAX™ Pool Set	P 33
5613A/E	Steel Pro MAX™ Pool Set	P 33
5613HE	Steel Pro MAX™ Pool Set	P 31
5613Z/E	Power Steel™ Oval Pool Set	P 42
5614A	Power Steel™ Oval Pool Set	P 42
5618S/E	Splash-In-Shade Play Pool	P 64
5618T	Splash-In-Shade Play Pool	P 64
5618UE	Steel Pro MAX™ Pool Set	P 29
5618V	Steel Pro MAX™ Pool Set	P 29
5618W	Steel Pro MAX™ Pool Set	P 29
56217/E	My First Frame Pool	P 62
56260	Steel Pro MAX™ Pool Set	P 29
56283	My First Frame Pool	P 62
56369	Hydrium™ Oval Pool Set	P 59
56370/E	Hydrium™ Oval Pool Set	P 59
56384	Hydrium™ Pool Set	P 57
56385/E	Hydrium™ Pool Set	P 57
56401	Steel Pro™ Pool	P 25
56403	Steel Pro™ Pool	P 25
56404	Steel Pro™ Pool	P 25
56405	Steel Pro™ Pool	P 25
56406	Steel Pro MAX™ Pool	P 28
56407/E	Steel Pro MAX™ Pool Set	P 28
56408	Steel Pro MAX™ Pool Set	P 28
56411	Steel Pro™ Pool Set	P 25
56412/E	Steel Pro™ Pool Set	P 25
56416	Steel Pro MAX™ Pool Set	P 29
56417/E	Steel Pro MAX™ Pool Set	P 29
56418	Steel Pro MAX™ Pool Set	P 29
56419	Steel Pro MAX™ Pool Set	P 29
56420	Steel Pro MAX™ Pool Set	P 29
56421	Steel Pro MAX™ Pool Set	P 29
56424	Steel Pro™ Pool Set	P 25
56425/E	Steel Pro™ Pool Set	P 25
56432	Splash-In-Shade Play Pool	P 64
56438	Steel Pro MAX™ Pool Set	P 33
56439	Steel Pro MAX™ Pool Set	P 33
56441	Power Steel™ Rectangular Pool Set	P 38
56442	Power Steel™ Rectangular Pool Set	P 38
56448	Power Steel™ Oval Pool Set	P 42
56450	Power Steel™ Oval Pool Set	P 42
56456	Power Steel™ Rectangular Pool Set	P 38
56457	Power Steel™ Rectangular Pool Set	P 38
56458/E	Power Steel™ Rectangular Pool Set	P 38
56462	Steel Pro MAX™ Pool Set	P 33
56463/E	Steel Pro MAX™ Pool Set	P 33
56465	Power Steel™ Rectangular Pool Set	P 39
56466	Power Steel™ Rectangular Pool Set	P 39
56467	Power Steel™ Rectangular Pool Set	P 39
56468/E	Power Steel™ Rectangular Pool Set	P 39
56474	Power Steel™ Rectangular Pool Set	P 41
56475	Power Steel™ Rectangular Pool Set	P 41
56476	Power Steel™ Rectangular Pool Set	P 41
56477/E	Power Steel™ Rectangular Pool Set	P 41
56488	Steel Pro MAX™ Pool Set	P 33
56493/E	Steel Pro MAX™ Pool	P 28
56496/E	Steel Pro™ Pool	P 25
56498/E	Steel Pro™ Pool	P 25
56512/E	Steel Pro™ Pool	P 25
56536E	Power Steel™ Rectangular Pool Set	P 39
56542E	Power Steel™ Rectangular Pool Set	P 41
56543/E	Splash-In-Shade Play Pool	P 64
56545/E	Steel Pro™ Pool	P 25
56566	Hydrium™ Pool Set	P 57
56574	Hydrium™ Pool Set	P 57
56575	Hydrium™ Pool Set	P 57
56586	Hydrium™ Oval Pool Set	P 59
56587/E	Hydrium™ Oval Pool Set	P 59
56595	Steel Pro MAX™ Pool Set	P 31
56597/E	Steel Pro MAX™ Pool Set	P 31
56620	Power Steel™ Oval Pool Set	P 42
56622/E	Power Steel™ Oval Pool Set	P 42
56623	Power Steel™ Rectangular Pool Set	P 41
56625/E	Power Steel™ Rectangular Pool Set	P 41
56629	Power Steel™ Rectangular Pool Set	P 38
56631/E	Power Steel™ Rectangular Pool Set	P 38
56655E	Power Steel™ Oval Pool Set	P 42
56660	Power Steel™ Rectangular Pool Set	P 38
56661	Power Steel™ Rectangular Pool Set	P 38
56670	Power Steel™ Rectangular Pool Set	P 39
56671	Power Steel™ Rectangular Pool Set	P 39
56672	Power Steel™ Rectangular Pool Set	P 39
56673	Power Steel™ Rectangular Pool Set	P 39
56686	Steel Pro MAX™ Pool Set	P 33
56687E	Steel Pro MAX™ Pool Set	P 33
56690E	Steel Pro MAX™ Pool Set	P 33
56710	Power Steel™ Oval Pool Set	P 43
56711/E	Power Steel™ Oval Pool Set	P 43
56714	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56715/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56716	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56717/E	Power Steel™ Swim Vista Series™ II Oval Pool Set	P 49
56719	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 51
56720/E	Power Steel™ Comfort Jet Series™ Oval Pool Set	P 51
56725	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56726/E	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56948E	Steel Pro MAX™ Pool Set	P 31
56949	Steel Pro MAX™ Pool Set	P 31
56950	Steel Pro MAX™ Pool Set	P 31
56976/E	Power Steel™ Swim Vista Series™ II Pool Set	P 47
56977	Power Steel™ Swim Vista Series™ II Pool Set	P 47
57241/E	My First Fast Set™ Pool	P 62
57273	Fast Set™ Pool	P 17
57274	Fast Set™ Pool Set	P 17
57275/E	Fast Set™ Pool Set	P 17
57308/E	Fast Set™ Pool	P 17
57313	Fast Set™ Pool Set	P 19
57315/E	Fast Set™ Pool Set	P 19
57326/E	My First Fast Set™ Spray Pool	P 63
57371/E	Fast Set™ Pool Set	P 19
57372	Fast Set™ Pool Set	P 19
57375/E	Fast Set™ Pool Set	P 19
57376	Fast Set™ Pool Set	P 19
57392/E	Fast Set™ Pool	P 16
57396/E	OctoPool	P 65
57397	OctoPool	P 65
57415/E	Fast Set™ Paradise Palms Pool Set	P 21
57416	Fast Set™ Paradise Palms Pool Set	P 21
57442/E	Fast Set™ Pool	P 18
57443	Fast Set™ Pool	P 18
57444/E	Fast Set™ Pool Set	P 18
57445	Fast Set™ Pool Set	P 18
57447/E	Fast Set™ Pool	P 16
57448	Fast Set™ Pool	P 16
57449/E	Fast Set™ Pool Set	P 16
57450	Fast Set™ Pool Set	P 16
57455/E	Fast Set™ Pool	P 17
57456	Fast Set™ Pool	P 17
57457/E	Fast Set™ Pool Set	P 17
57458	Fast Set™ Pool Set	P 17
58000	Ground Cloths	P 113
58001/E	Ground Cloths	P 113
58002/E	Ground Cloths	P 113
58003/E	Ground Cloths	P 113
58012/E	Filter Cartridges	P 81
58013/E	Maintenance Kit	P 98
58032/E	Pool Covers	P 111
58036/E	Pool Covers	P 111
58037/E	Pool Covers	P 111
58038/E	Pool Covers	P 111
58039/E	Pool Covers	P 111
58060/E	Solar Pool Covers	P 110
58071/E	Chemical Floater	P 106
58072/E	Floating Pool Thermometer	P 106
58093/E	Filter Cartridges	P 81
58094	Filter Cartridges	P 81
58095/E	Filter Cartridges	P 81
58103	Pool Covers	P 111
58105	Pool Covers	P 111
58106	Pool Covers	P 111
58107	Pool Covers	P 111
58111/E	Solar-Float Lamp	P 85
58142/E	Pool & Spa Test Strips	P 103
58173/E	Solar Pool Covers	P 110
58195/E	Pool Accessories Set	P 98
58209/E	Chemical Floater	P 106
58210	Chemical Floater	P 106
58212/E	AquaCrawl Pool Vacuum	P 98
58220/E	Pool Floor Protector	P 113
58224	Solar-Pro Shower™	P 85
58228	Solar Pool Covers	P 110
58230	Pool + Drain Pump	P 104
58232	Pool Covers	P 111
58233/E	Pool Surface Skimmer	P 102
58234/E	AquaClean Pool Cleaning Kit	P 99
58236/E	Hose Adapters	P 81
58237/E	Deluxe Maintenance Kit	P 99
58240	Solar Pool Covers	P 110
58241/E	Solar Pool Covers	P 110
58242/E	Solar Pool Covers	P 110
58248/E	Pool Covers	P 111
58249/E	Pool Covers	P 111
58252/E	Solar Pool Covers	P 110
58253/E	Solar Pool Covers	P 110
58259	Pool Heater	P 105
58261/E	Pool + Drain Pump	P 104
58277	Cleancast Skimmer	P 102
58278/E	AquaNet	P 96
58279/E	E-Z-Broom Pole	P 103
58280/E	AquaBroom	P 97
58282/E	Angler Pool Vacuum	P 95
58292	Pool Covers	P 111
58330	Pool Ladder	P 108
58331	Pool Ladder	P 108
58332	Pool Ladder	P 109
58335/E	Pool Ladder	P 108
58336/E	Pool Ladder	P 108
58337/E	Pool Ladder	P 109
58368	Hose	P 81
58369	Hose	P 81
58381	Filter Pump	P 78
58383	Filter Pump	P 78
58384E	Filter Pump	P 78
58384	Filter Pump	P 78
58386	Filter Pump	P 78
58387	Filter Pump	P 78
58388E	Filter Pump	P 78
58389	Filter Pump	P 78
58390E	Filter Pump	P 78
58390	Filter Pump	P 78
58391	Filter Pump	P 79
58392E	Filter Pump	P 79
58392	Filter Pump	P 79
58419/E	LED Floating Pool Light	P 85
58423/E	Clean Sun Powered Pool Pad	P 105
58424	Pool Covers	P 111
58425	Pool Covers	P 111
58430	Pool Ladder	P 108
58442	Pool Covers	P 111
58462	Skimatic™ Filter Pump	P 80
58463/E	Skimatic™ Filter Pump	P 80
58469	Skimatic™ Filter Pump	P 80
58470/E	Skimatic™ Filter Pump	P 80
58475/E	Polysphere™	P 75
58486/GS	Sand Filter	P 75
58493/E	LED Floating Pool Fountain	P 84
58497/GS	Sand Filter	P 74
58498/E	Sand Filter	P 74
58499/GS	Sand Filter	P 75
58500/E	Sand Filter	P 75
58511/E	Filter Pump	P 78
58515/GS	Sand Filter	P 74
58516/E	Sand Filter	P 74
58595/E	Assorted Animal Pool Thermometer	P 106
58619/E	Soothing LED Waterfall	P 83
58620	AquaGlide™	P 94
58622	AquaRover™	P 89
58623/E	AquaRover™	P 89
58628/E	AquaSweeper	P 93
58635/E	AquaScoop™ Skimmer Set	P 102
58636/E	Pool Floor Protector	P 113
58647E	Transparent Filter Pump	P 79
58647	Transparent Filter Pump	P 79
58648/E	AquaTech™ Cordless Pool Vacuum	P 91
58649/E	AquaSurge™ Rechargeable Pool Vacuum	P 90
58656/E	Collapsible Chemical Floater	P 106
58657/E	AquaSuction™ Leaf Vacuum	P 95
58658/E	AquaBroom™ Deluxe Pool Brush Head	P 97
58659/E	AquaScoop™ Deluxe Skimmer	P 102
58660/E	AquaRake™	P 96
58661/E	AquaRake™ Deluxe	P 96
58662/E	AquaLite™ Comb Filter Cartridge Cleaning Tool	P 81
58665/E	AquaDrift™ Automatic Pool Cleaner	P 92
58668/E	Chemical Floater With ChemGuard™ Glove	P 107
58671E	Transparent Filter Pump	P 79
58672/E	Solar Pool Covers	P 110
58674/E	StorePro™ Pool Accessory Organizer	P 101
58675	Transparent Filter Pump	P 79
58681/E	Pool Canopy	P 112
62068/E	Heavy-Duty Repair Patch	P 103
62091/E	Underwater Adhesive Repair Patch	P 103

