

SPECIAL EDITION *Collection* 2022

SHANGHAI

Bestway Inflatables & Material Corp.
No. 208 Jin Yuan Wu Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
E-mail: info@bestwaycorp.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing,
Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
E-mail: info@bestwaycorp.hk

U.S.A.

Bestway (USA) Inc.
3411 E. Harbour Drive, Phoenix, Arizona
85034, United States of America
Tel: 1 480 838 3888
E-mail: info@bestwaycorp.us

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza, 5
20098 San Giuliano M.se (MI), Italy
Tel: 39 02 9884 881
E-mail: info@bestwaycorp.eu

EASTERN EUROPE

Bestway Eastern Europe Sp. z o.o.
Ul. Ekologiczna 24
05-080 Klauodyn Poland
Tel: 48 22 60 22 508
E-mail: info@bestwaycorp.pl

LATIN AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 3203 6438
E-mail: info@bestwaycorp.lat

BRAZIL

Bestway Brazil
Av Cerro Azul, 2783 Maringá - PR - Brazil
Zip Code: 87010-055
Tel: 55 44 3046 2950 / 0800 001 8400
E-mail: info@bestwaycorp.com.br

AUSTRALIA

Bestway Australia Pty Limited
Unit 2/98-104 Carnarvon St
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
E-mail: info@bestwaycorp.com.au

FRANCE

Bestway France Sarl
1681 route des Dolines
- Les Taissounières - Belem
06560 VALBONNE
Tel: 33 4 97 04 92 99
E-mail: info@bestwaycorp.fr

GERMANY

Bestway Deutschland GmbH
Parkstraße 11
24534 Neumünster, Germany
Tel: 49 4321 555 05 - 0
E-mail: info@bestwaycorp.de

Bestway



www.bestwaycorp.com

©2021 Bestway Inflatables & Material Corp. All rights reserved.
®™ Trademarks owned and managed by Bestway Inflatables & Material Corp.

Bestway

SPECIAL EDITION
Collection 2022

2022 BESTWAY - SPECIAL EDITION

Bestway





2022 | CATALOG COLLECTION

OUR VISION MISSION

We create fun, lasting experiences for everyone in the world through the products and services we provide.

Happiness — Happy Consumers, Happy Employees, Happy World



Vertically integrated



Customer focused



Innovative



Sustainable



Consumer driven




Fully owned production facilities



Public stock exchange

BESTWAY WORLD




THE BESTWAY® CATALOG APP

Easily access all of our Bestway® catalogs while on the go with our brand new app. Download to see the conveniently portable, digital versions of our catalogs!

VIEW THE LATEST CATALOGS

QUICKLY FLIP THROUGH AND FIND ANY PRODUCT

REVIEW PRODUCT DETAILS AND PHOTOS



Dear Customer,

For the 2022 Season, we are excited to once again bring you our Special Edition Catalog by Bestway!

This program has been launched to offer selected partners a variety of articles that are not included in our standard catalogs.

All of the items are designed to offer you something extra, such as new price points, a larger assortment of sizes and designs, and special set compositions.

These products offer the following benefits:

- A broader, more innovative range
- A guaranteed return on your investment for your own advertising of this exclusive range of products
- The ability to set your own prices due to product differentiation
- An offering of alternative products in the same range at attractive prices for your customers

These items will be subject to special conditions. If you are interested in anything you see on the pages before you, please contact the Bestway team or your Sales Rep for more information.

We look forward to making this the best sales season yet!

The
Bestway
Team

Contents

08

AGP

Bestway Above Ground Pools

40

AGP ACCESSORIES

Bestway Pool Accessories

52

LAY-Z-SPA®

First Premium Inflatable Spa

90

HYDRO-FORCE™

Inflatable Stand-up Paddle boards

98

SUMMER

Inflatable Leisure Products



ABOVE GROUND POOLS

When people think about bestway pools, they recall lovely Summer memories as well as good quality and reliability. We looked closely at how our pools are built with the goal of improving durability and enhancing the overall product line. Discover the best and innovative pools we selected for your market.

10 Fast Set™ Pools

14 Steel Pro™ Round Pools

22 Steel Pro MAX™ Pools

30 Power Steel™ Pools

36 Power Steel™ Swim Vista Series™ II Pools

FAST SET


Fast and simple to assemble!

Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!



TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

DuraPlus™
3-Layer puncture resistant liner material



Self-supporting
Inflatable top ring



Setup 1-2-3
Easy to assemble



P R O D U C T M A T R I X - P O O L R A N G E

	1.83 m x 51 cm - 6' x 20"	Fast Set™ Pool	Refer to International Catalog
	2.44 m x 61 cm - 8' x 24"	Fast Set™ Pool	Refer to International Catalog
	2.74 m x 76 cm - 9' x 30"	Fast Set™ Pool	Refer to International Catalog
	3.05 m x 66 cm - 10' x 26"	Fast Set™ Pool	Refer to International Catalog
	3.05 m x 76 cm - 10' x 30"	Fast Set™ Pool	PG. 12
	3.66 m x 76 cm - 12' x 30"	Fast Set™ Pool	Refer to International Catalog
	3.66 m x 76 cm - 12' x 30"	Fast Set™ Pool	Refer to International Catalog
	3.96 m x 84 cm - 13' x 33"	Fast Set™ Pool	Refer to International Catalog
	4.57 m x 84 cm - 15' x 33"	Fast Set™ Pool	Refer to International Catalog
	4.57 m x 84 cm - 15' x 33"	Fast Set™ Pool	Refer to International Catalog
	4.57 m x 1.07 m - 15' x 42"	Fast Set™ Pool	Refer to International Catalog
	4.57 m x 1.22 m - 15' x 48"	Fast Set™ Pool	PG. 12

Fast Set™ Pools

ABOVE GROUND POOLS



10 ft. x 30 in.



15 ft. x 48 in.

Water Capacity (80%): 1,004 gal. (3,800 L)

10 ft. x 30 in. / 3.05 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
57307	Oceania	1	18.2 (8.2)			
57266	Europe	1	18.2 (8.2)			
57269	Oceania	1	23.0 (10.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57270	Europe	1	23.8 (10.8)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57270	Asia, Africa & Latin America	1	22.1 (10.0)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
57269	Asia, Africa & Latin America	1	23.6 (10.7)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I


Water Capacity (80%): 3,648 gal. (13,807 L)

15 ft. x 48 in. / 4.57 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
57289	Europe	1	99.6 (45.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58331
57289	Asia, Africa & Latin America	1	93.1 (42.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58336

Features & Technologies


Build



Color (15 ft.) Color (10 ft.)



Bottom



DuraPlus[™] Construction

Convenience



Drain Valve



Super compact
Easy to transport



No Tools
Required



Easy
to store



Packaging:
10 ft. x 30 in. = Full Color Box
15 ft. x 48 in. = Sturdy Cardboard
Box with Pictures








STEEL PRO ROUND

Easy to assemble and very affordable, with a strong, steel frame.

You get a lot of pool for your money with a Bestway® Steel Pro Pool.




PRODUCT MATRIX - POOL RANGE


	1.83 m x 51 cm 6' x 20"	Steel Pro™ Round Pool	Refer to International Catalog
	2.44 m x 51 cm 8' x 20"	Steel Pro™ Round Pool	Refer to International Catalog
	2.74 m x 66 cm 9' x 26"	Steel Pro™ Round Pool	PG. 16
	3.05 m x 66 cm 10' x 26"	Steel Pro™ Round Pool	PG. 18
	3.05 m x 76 cm 10' x 30"	Steel Pro™ Round Pool	PG. 20
	3.66 m x 76 cm 12' x 30"	Steel Pro™ Round Pool	PG. 20
	3.96 m x 84 cm 13' x 33"	Steel Pro™ Round Pool	PG. 20

TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

FrameLink System™
Corrosion Prevention



DuraPlus™
3-Layer puncture resistant liner material



Steel Pro™ Round Pools

ABOVE GROUND POOLS




Water Capacity (90%): 851 gal. (3,221 L)

9 ft. x 26 in. / 2.74 m x 66 cm


ITEM	REGION	PACK	LBS (KG)
5612G	Oceania	1	31.2 (14.1)
5612F	Europe	1	31.0 (14.1)

Features & Technologies

FrameLink System™




Build




Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve




Super compact
Easy to transport



No Tools
Required



Easy
to store



Packaging:
Full Color Box

Steel Pro™ Round Pools

ABOVE GROUND POOLS




Water Capacity (90%): 1,073 gal. (4,062 L)

10 ft. x 26 in. / 3.05 m x 66 cm


ITEM	REGION	PACK	LBS (KG)
56986	Oceania	1	35.0 (15.9)
56985	Europe	1	34.9 (15.8)

Features & Technologies


FrameLink System™




Build




Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve




Super compact
Easy to transport



No Tools
Required



Easy
to store




Packaging:
Full Color Box

Steel Pro™ Round Pools


ABOVE GROUND POOLS



Features & Technologies




Convenience



Build



Packaging
Packaging:
Full Color Box



Water Capacity (90%): 1,236 gal. (4,678 L)

10 ft. x 30 in. / 3.05 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56677	Europe	1	37.3 (16.9)			
56678	Oceania	1	42.7 (19.4)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56679	Europe	1	42.0 (19.1)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56679	Asia, Africa & Latin America	1	41.0 (18.6)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56678	Asia, Africa & Latin America	1	42.0 (19.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I

Water Capacity (90%): 1,710 gal. (6,473 L)

12 ft. x 30 in. / 3.66 m x 76 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
56706	Europe	1	46.3 (21.0)			
56680	Oceania	1	51.7 (23.5)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56681	Europe	1	51.1 (23.2)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56681	Asia, Africa & Latin America	1	50.0 (22.7)	58381 (330 gal. /1,249 L)	220-240V	58093, TYPE: I
56680	Asia, Africa & Latin America	1	51.0 (23.1)	58511 (330 gal. /1,249 L)	110-120V	58093, TYPE: I

Water Capacity (90%): 2,293 gal. (8,680 L)

13 ft. x 33 in. / 3.96 m x 84 cm

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE
5612D	Oceania	1	60.8 (27.6)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612E	Europe	1	60.5 (27.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612E	Asia, Africa & Latin America	1	60.0 (27.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II
5612D	Asia, Africa & Latin America	1	60.0 (27.2)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C

STEEL PRO MAX POOLS

These are the pools that deserve to be called MAX.

The Steel Pro MAX™ above ground pool is designed with an extremely rigid oval shaped frame for increased strength and durability. With the FrameLink System™ included, the Steel Pro MAX is an unbelievably amazing pool that is long-lasting!




TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN


FrameLink System™
Corrosion Prevention



DuraPlus™
3-layer puncture resistant liner material



Prismatic Stone™
Inner Liner



PRODUCT MATRIX - POOL RANGE

	3.05 m x 76 cm 10' x 30"	Steel Pro MAX™ Pool	Refer to International Catalog		4.27 m x 1.07 m 14' x 42"	Steel Pro MAX™ Pool	PG. 26
	3.66 m x 76 cm 12' x 30"	Steel Pro MAX™ Pool	Refer to International Catalog		4.27 m x 1.22 m 14' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog
	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX™ Pool	Refer to International Catalog		4.27 m x 1.22 m 14' x 48"	Steel Pro MAX™ Pool	PG. 28
	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX™ Pool	PG. 24		4.57 m x 1.07 m 15' x 42"	Steel Pro MAX™ Pool	Refer to International Catalog
	3.66 m x 1.00 m 12' x 39.5"	Steel Pro MAX™ Pool	PG. 26		4.57 m x 1.22 m 15' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog
	3.66 m x 1.22 m 12' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog		4.88 m x 1.22 m 16' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog
	3.96 m x 1.22 m 13' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog		4.88 m x 1.22 m 16' x 48"	Steel Pro MAX™ Pool	PG. 28
	4.27 m x 84 cm 14' x 33"	Steel Pro MAX™ Pool	Refer to International Catalog		5.49 m x 1.22 m 18' x 48"	Steel Pro MAX™ Pool	Refer to International Catalog
	4.27 m x 1.07 m 14' x 42"	Steel Pro MAX™ Pool	Refer to International Catalog		5.49 m x 1.22 m 18' x 48"	Steel Pro MAX™ Pool	PG. 28

Steel Pro MAX™ Pools

ABOVE GROUND POOLS




Water Capacity (90%): 2,417 gal. (9,150 L)

12 ft. x 39.5 in. / 3.66 m x 1.00 m


ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56709	Europe	1	83.8 (38.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
56709	Asia, Africa & Latin America	1	81.1 (36.8)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
56731	Asia, Africa & Latin America	1	81.1 (36.8)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335

Features & Technologies


FrameLink System™



Build



Pattern



Bottom



Hardware



DuraPlus™ Construction

Convenience



Drain Valve




Corrosion Resistant



3-Ply PVC



No Tools Required



Packaging: Full Color Box

Steel Pro MAX™ Pools

ABOVE GROUND POOLS



Water Capacity (90%): 2,417 gal. (9,150 L)

12 ft. x 39.5 in. / 3.66 m x 1.00 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
5614W	Oceania	1	83.5 (37.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
5614X	Europe	1	83.8 (38.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330
5614X	Asia, Africa & Latin America	1	81.1 (36.8)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335
5614W	Asia, Africa & Latin America	1	81.1 (36.8)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335

Water Capacity (90%): 3,440 gal. (13,030 L)

14 ft. x 42 in. / 4.27 m x 1.07 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5614Y	Oceania	1	113.9 (51.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
5614Z	Europe	1	116.3 (52.7)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58330
5614Z	Asia, Africa & Latin America	1	112.2 (50.9)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58335
5614Y	Asia, Africa & Latin America	1	112.2 (50.9)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58335

Features & Technologies

FrameLink System™

Build

Pattern

Bottom

Hardware

DuraPlus™ Construction

Convenience

- Drain Valve
- Corrosion Resistant
- 3-Ply PVC
- No Tools Required

Packaging:
12 ft. x 39.5 in. = Full Color Box
14 ft. x 42 in. = Sturdy Cardboard Box with Pictures

Steel Pro MAX™ Pools

ABOVE GROUND POOLS



Water Capacity (90%): 4,024 gal. (15,232 L) **New**
14 ft. x 48 in. / 4.27 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5619C	Oceania	1	127.8 (58.0)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58336
5619D	Europe	1	132.5 (60.1)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58331
5619D	Asia, Africa & Latin America	1	126.0 (57.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	58248	58336
5619C	Asia, Africa & Latin America	1	126.0 (57.2)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	58248	58336

Water Capacity (90%): 5,145 gal. (19,480 L) **New**
16 ft. x 48 in. / 4.88 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5619H	Oceania	1	153.6 (69.7)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336
5619E	Europe	1	160.5 (72.8)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58331
5619E	Asia, Africa & Latin America	1	153.2 (69.5)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58249	58336
5619H	Asia, Africa & Latin America	1	153.2 (69.5)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58249	58336

Water Capacity (90%): 6,092 gal. (23,062 L) **New**
18 ft. x 48 in. / 5.49 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5618X	Oceania	1	171.8 (77.9)	58389 (1500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336
5618Y	Europe	1	178.1 (80.8)	58389 (1500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58331
5618Y	Asia, Africa & Latin America	1	171.4 (77.8)	58389 (1500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	58039	58336
5618X	Asia, Africa & Latin America	1	171.4 (77.8)	58390 (1500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	58039	58336

Features & Technologies

FrameLink System™

Build

Pattern

Bottom

Hardware

DuraPlus™ Construction

Convenience

- Drain Valve
- Corrosion Resistant
- 3-Ply PVC
- No Tools Required

Packaging: Sturdy Cardboard Box with Pictures

POWER STEEL POOLS


The smartest choice.

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Power Steel Pool the smart choice for families.




TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN














Seal & Lock System™
Superior Steel Frame Design



Tritech™
3-Layer puncture resistant liner material



PRODUCT MATRIX - POOL RANGE


	2.82 m x 1.96 m x 84 cm 9'3" x 6'5" x 33"	Power Steel™ Rectangular Pool	Refer to International Catalog
	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Power Steel™ Rectangular Pool	Refer to International Catalog
	4.04 m x 2.01 m x 1.00 m 13'3" x 6'7" x 39.5"	Power Steel™ Rectangular Pool	PG. 32
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Power Steel™ Rectangular Pool	Refer to International Catalog
	4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Power Steel™ Rectangular Pool	PG. 32
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Power Steel™ Rectangular Pool	Refer to International Catalog
	4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Power Steel™ Rectangular Pool	PG. 32
	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Power Steel™ Rectangular Pool	Refer to International Catalog
	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Power Steel™ Rectangular Pool	PG. 32
	6.40 m x 2.74 m x 1.32 m 21' x 9' x 52"	Power Steel™ Rectangular Pool	Refer to International Catalog
	7.32 m x 3.66 m x 1.32 m 24' x 12' x 52"	Power Steel™ Rectangular Pool	Refer to International Catalog
	9.56 m x 4.88 m x 1.32 m 31'4" x 16' x 52"	Power Steel™ Rectangular Pool	Refer to International Catalog
	3.96 m x 1.07 m 13' x 42"	Power Steel™ Pool Set with Canopy	PG. 34

Power Steel™ Rectangular Pools

ABOVE GROUND POOLS



Features & Technologies



Seal & Lock System™
Superior Steel Frame Design



Tritech™ Construction




ChemConnect™ Dispenser
Dispenses 1 in. / 2.54 cm chemical tablets



Convenience




Build



Packaging

Packaging: Sturdy Cardboard Box with Pictures



Water Capacity (90%): 1,711 gal. (6,478 L)

13 ft. 3 in. x 6 ft. 7 in. x 39.5 in. / 4.04 m x 2.01 m x 1.00 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56721	Europe	1	135.2 (61.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58330	✓
56721	Asia, Africa & Latin America	1	133.2 (60.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58335	✓
56727	Asia, Africa & Latin America	1	133.2 (60.4)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58335	✓

Water Capacity (90%): 2,146 gal. (8,124 L)

13 ft. 6 in. x 6 ft. 7 in. x 48 in. / 4.12 m x 2.01 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER	CHEMCONNECT™ DISPENSER
56728	Oceania	1	157.3 (71.3)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56722	Europe	1	162.0 (73.5)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58331	✓
56722	Asia, Africa & Latin America	1	156.4 (70.9)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58336	✓
56728	Asia, Africa & Latin America	1	156.4 (70.9)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58336	✓

Water Capacity (90%): 3,046 gal. (11,532 L)

16 ft. x 8 ft. x 48 in. / 4.88 m x 2.44 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56995	Oceania	1	201.9 (91.6)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56996	Europe	1	207.7 (94.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58331	✓
56996	Asia, Africa & Latin America	1	201.0 (91.2)	58386 (800 gal. /3,028 L)	220-240V	58094, TYPE: II	✓	58336	✓
56995	Asia, Africa & Latin America	1	201.0 (91.2)	58387 (800 gal. /3,028 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓

Water Capacity (90%): 3,913 gal. (14,812 L)

18 ft. x 9 ft. x 48 in. / 5.49 m x 2.74 m x 1.22 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56997	Oceania	1	223.4 (101.3)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56998	Europe	1	233.6 (105.9)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58331	✓
56998	Asia, Africa & Latin America	1	223.6 (101.4)	58389 (1,500 gal. /5,678 L)	220-240V	58012, TYPE: III - A/C	✓	58336	✓
56997	Asia, Africa & Latin America	1	223.6 (101.4)	58390 (1,500 gal. /5,678 L)	110-120V	58012, TYPE: III - A/C	✓	58336	✓

Power Steel™ Pool Set with Canopy

ABOVE GROUND POOLS



Water Capacity (90%): 2,941 gal. (11,133 L)


13 ft. x 42 in. / 3.96 m x 1.07 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER	CANOPY
5614U	Oceania	1	111.2 (50.4)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58335	✓	✓
5614V	Europe	1	112.9 (51.2)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58330	✓	✓
5614V	Asia, Africa & Latin America	1	110.3 (50.0)	58383 (530 gal. /2,006 L)	220-240V	58094, TYPE: II	58292	58335	✓	✓
5614U	Asia, Africa & Latin America	1	110.3 (50.0)	58384 (530 gal. /2,006 L)	110-120V	58012, TYPE: III - A/C	58292	58335	✓	✓


Features & Technologies

Seal & Lock System™


Superior Steel Frame Design



Build



Pattern



Bottom



Hardware

Tritech™ Construction



Convenience



Drain Valve



Corrosion Resistant




3-Ply PVC



No Tools Required

ChemConnect™ Dispenser

Dispensers 1 in. / 2.54 cm chemical tablets



Packaging: Sturdy Cardboard Box with Pictures

POWER STEEL SWIM VISTA SERIES

The Power Steel™ Swim Vista Series™ pools offer an incredibly unique swimming experience

With built-in portholes, kids can wave to onlookers while gliding by and parents can easily keep an eye on them as they swim underwater!




PRODUCT MATRIX - POOL RANGE

	4.88 m x 1.22 m - 16' x 48"	Power Steel™ Swim Vista Series™ II Pool	Refer to International Catalog
	5.49 m x 1.22 m - 18' x 48"	Power Steel™ Swim Vista Series™ II Pool	Refer to International Catalog
	4.27 m x 2.50 m x 1.00 m 14' x 8'2" x 39.5"	Power Steel™ Swim Vista Series™ II Pool	Refer to International Catalog
	4.88 m x 3.05 m x 1.07 m 16' x 10' x 42"	Power Steel™ Swim Vista Series™ II Pool	PG. 38
	5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Power Steel™ Swim Vista Series™ II Pool	Refer to International Catalog

TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN


Tritech™

3-layer puncture resistant liner material



Frosted Finish

Prevents pool liner from sticking in a hot environment



ChemConnect™ Dispenser

Dispenses 1 in. / 2.54 cm chemical tablets



Power Steel™ Swim Vista Series™ II Pools

ABOVE GROUND POOLS




Water Capacity (90%): 2,893 gal. (10,949 L) **New Design**
16 ft. x 10 ft. x 42 in. / 4.88 m x 3.05 m x 1.07 m

ITEM	REGION	PACK	LBS (KG)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	CHEMCONNECT™ DISPENSER
56946	Europe	1	167.5 (76.0)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58330	✓
56946	Asia, Africa & Latin America	1	165.7 (75.2)	58515 (800 gal. /3,028 L)	220-240V	SAND FILTER	✓	58335	✓


Features & Technologies

Seal & Lock System™


Superior Steel Frame Design



Build



Pattern



Bottom



Hardware

Tritech™ Construction



convenience



Drain Valve



Corrosion Resistant




3-Ply PVC



No Tools Required

ChemConnect™ Dispenser

Dispensers 1 in. / 2.54 cm chemical tablets



Packaging: Sturdy Cardboard Box with Pictures



AGP ACCESSORIES

Bestway® offers a range of pool products that can handle cleaning, maintenance, and mood. They help customers with the wide range of pool owner responsibilities, while helping them enjoy their product for as long as possible.

- 44 AquaTronix™
- 46 Swimfinity™
- 48 Secure Hose Support
- 49 Pool Floor Protector
- 50 Round Pool Dome

PRODUCT MATRIX
AUTONOMOUS
POOL ROBOT
RANGE



AQUAGLIDE
58620



AQUAROVER
58622



AQUATRONIX
58482

SPECIFICATIONS	AQUAGLIDE 58620	AQUAROVER 58622	AQUATRONIX 58482
	Recommend for flat bottom pools: · Round Pools up to 20 m ² (4.88m) · Rectangular pools up to 20 m ² (6.40m)	Recommend for flat bottom pools: · Round Pools up to 45 m ² (7.32m) · Rectangular pools up to 43 m ² (9.56m)	Recommend for flat bottom pools: · Round Pools up to 45 m ² (7.32m) · Rectangular pools up to 43 m ² (9.56m)
	Debris Capacity: 2.2L	Debris Capacity: 4L	Debris Capacity: 4.5L
	Working Time: 40min	Working Time: 90min	Working Time: 90min
	Charging Time: 5-6H	Charging Time: 5-6H	Charging Time: 5-6H
AGP&Inground pools compatibility: YES	AGP&Inground pools compatibility: YES	AGP&Inground pools compatibility: YES	
MAIN FEATURES	Retrival Kit	Retrival Kit	Premium Retrival Kit
	Built-in retrieval cord	Built-in retrieval cord	Removable bumpers
		Additional brush included	Removable retrieval cord
PAGE	Refer to International Catalog	Refer to International Catalog	Handle
			Additional brush & scrub included
			P. 44



AGP ACCESSORIES



Aquatronix™

58482

Your pool is for relaxing, not labor. Aquatronix™ is the autonomous pool cleaning robot doing the dirty work to keep your pool clean and pristine. This cordless robot has a full range of motion and is compatible with any flat bottom pool.


Main features:

- Autonomous & cordless pool cleaning robot
- Compatible with any flat bottom pool (above ground or in-ground)
- Built-in rechargeable lithium battery
- Recharge time: 5-6 hours
- Cycle use time: 90 minutes
- Included retrieval kit
- Built-in sensors activate the device when fully submerged in water, and deactivate when outside of the water for motor protection
- Easy-to-clean stainless steel filter traps up to 4.5 L of debris
- Patented directional jet system provides efficient cleaning as the robot will change direction when encountering walls or obstacles
- Recommended for flat bottom pools
 - Round Pools: up to 24 ft. (7.32 m) in diameter or 484 ft.² (45 m²) in total area
 - Rectangular pools: up to 31 ft. 4 in. (9.56 m) in length or 463 ft.² (43 m²) in total area

Item #	Size	Pack	LBS (KG)
58482	45.00 x 33.00 x 30.50 cm	1	16.3 (7.4)

Packaging

Full color box



Components:

- 1 Retrieval Kit
- 2 Head Locking Flap For 180-Degree Turns
- 3 Handle
- 4 On/Off Led Light
- 5 Optional Bumpers
- 6 Underside Debris Agitators
- 7 Adjustment Wheel Axle
- 8 New: Stainless Steel Mesh Filter

AGP ACCESSORIES



Swimfinity™ 58517

Take water workouts up a notch with the brand new Swimfinity™ Swim Fitness System! Now, anyone can simulate swimming laps in any size pool. With the Swimfinity, water aerobics will never be the same!

swimfinity™

58517

ITEM	REGION	RATING	SIZE	REC. POOL LENGTH & DEPTH	PACK	LBS (KG)	PACKAGING
58517	Europe	220-240V~ (PRCD)	28.35 in. x 18.90 in. x 32.87 in. / 72 cm x 48 cm x 83.5 cm	L: 15 ft. / 4.57 m D: 39.5 in. / 1.00 m	1	118.0 (53.5)	Sturdy Cardboard Box With Pictures

- Digital LED display indicates distance, time and calories burned
- 8 variable speeds, flow speeds range from 128 ft./min (39 m/min)-255.9 ft./min (78 m/min)
- The depth and angle of water flow is adjustable
- Built-in LED light for illumination during the night
- Includes remote control
- Easy to set up and operate
- Suitable for both in-ground & above ground pools
- Pool Size Requirements: Depth ≥ 39.5 in. (1.00 m), Length ≥ 15 ft. (4.57 m), Width ≥ 8 ft. (2.44 m)
- Output Voltage: ±12 V DC 35 A
- Input Power: 1000 W



INTENSITY LEVEL	1	2	3	4	5	6	7	8
FLOW RATE (FT./M PER MIN)	128.0 FT 39.0 M	145.7 FT 44.4 M	163.4 FT 49.8 M	181.1 FT 55.2 M	198.8 FT 60.6 M	216.5 FT 66.6 M	234.3 FT 71.4 M	255.9 FT 78.0 M



Secure Hose Support

58654

Size

- 4.72 x 2.87 x 5.59 in. / 12.0 x 7.3 x 14.2 cm

Features

- Provides support to hoses
- Prevents hoses from hanging down
- Optimizes the water flow
- Easy to use

Material

- Durable ABS material

Compatibility

- Compatible with pools with diameter 1.5 in. / 3.2 cm valves

Packaging

- Polybag with header card
- 12 Ea., 4.7 lbs / 2.1 kg

Contents

- Two hose supports



Pool Floor Protector

58639

New

ITEM	SIZE	CONTENT	COLORS	PACK	LBS (KG)
58639	20 in. x 20 in. / 50 cm x 50 cm	9 Pieces	●	30	50.3 (22.8)

- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pool floors
- Grey color allows differentiation from all the standard floor protectors, and better matches with medium/high level pools
- Shrink Wrapped With Insert Card



AGP ACCESSORIES



Round Pool Dome

58612

Create your own oasis right in your backyard with the Flowclear™ Round Pool Dome! Compatible with inflatable spas and pools up to 4.88 m (16 ft.), this dome can give you some privacy and shield you from the rain, sun or other weather elements.

Round Pool Dome

58612

ITEM	SIZE	CORRESPONDING POOL - FITS:	PACK	LBS (KG)
58612	19 ft. 8 in. x 19 ft. 8 in. x 9 ft. 8 in. / 6 m x 6 m x 2.95 m	Up to 16 ft. / 4.88 m	1	45.0 (20.4)

- Two Layers
- 16 Stakes/Pegs
- Flysheet: 190T Polyester, PU2000mm Coated + UPF 50+
- Inner/outer walls: 190T Polyester, PA300mm Coated + B3 Polyester Mesh
- Poles: Fiberglass - Ø 11 mm / Ø 12.7 mm
- Carry Bag: 210 D Polyester oxford with PU450 mm coated
- Product Weight: 40.5 lbs (18.4 kg)
- Flysheet with UV protection, B3 Polyester mesh inner roof
- 2 entryways, 8 large transparent PVC windows
- Setup time: 30 min





LAY-Z-SPA.

PORTABLE SPAS

Lay-Z-Spa® is the world's first premium inflatable spa, offering an affordable experience that's easy to use, easy to set up and provides ultimate relaxation. Taking on both a classic and modern look.

58 Aruba
Airjet™

62 Cancun
Airjet™

66 Havana
Airjet™

70 Bali
Airjet™

74 Paris
Airjet™

78 Palm Springs
Airjet™

82 Mauritius
Airjet™

86 Grenada
Airjet™

**PRODUCT MATRIX
PORTABLE SPAS RANGE**

ST. LUCIA
60037
60038

ARUBA
60061
60062

MIAMI
60001
60002

BAHAMAS
60005
60006

CANCUN
60003
60004

FIJI
60085
60086

TAHITI
60007
60008

MADRID
60055
60056

HAYANA
60035
60036

BALI
60009
60010

IBIZA
60015
60016

HOLLYWOOD
60059
60060

PARIS
60013

ZURICH
60065
60066



CAPACITY	2-3 ADULTS	2-3 ADULTS	2-4 ADULTS	2-4 ADULTS	2-4 ADULTS	2-4 ADULTS	2-4 ADULTS
INFLATED SIZE	1.70 M X 66 CM (67" X 26")	1.70 M X 66 CM (67" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.24 M (49")	1.24 M (49")	1.32 M (52")	1.32 M (52")	1.32 M (52")	1.32 M (52")	1.32 M (52")
WATER CAPACITY	605 L (160 GAL.)	605 L (160 GAL.)	669 L (177 GAL.)	669 L (177 GAL.)	669 L (177 GAL.)	669 L (177 GAL.)	669 L (177 GAL.)
MATERIAL	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™
NUMBER OF AIRJETS	110	110	120	120	120	120	120
NUMBER OF HYDROJETS	-	-	-	-	-	-	-
SMART HUB APP							
FREEZE SHIELD™	•	•	•	•	•	•	•
LED LIGHTS						•	
FOOT MASSAGE							
MASSAGE REGULATION							
INTEGRATED SEATS							
PAGE	Refer to International catalog	P. 58	Refer to International catalog	Refer to International catalog	P. 62	Refer to International catalog	Refer to International catalog

2-4 ADULTS	2-4 ADULTS	2-4 ADULTS	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	2-4 ADULTS
1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 66 CM (71" X 26")	1.80 M X 1.80 M X 66 CM (71" X 71" X 26")	1.96 M X 66 CM (77" X 26")	1.96 M X 66 CM (77" X 26")	1.80 M X 66 CM (71" X 26")
1.32 M (52")	1.32 M (52")	1.32 M (52")	1.32 M X 1.32 M (52" X 52")	1.48 M (58")	1.46 M (57")	1.32 M (52")
669 L (177 GAL.)	669 L (177 GAL.)	669 L (177 GAL.)	778 L (205 GAL.)	908 L (240 GAL.)	806 L (213 GAL.)	669 L (177 GAL.)
PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	PVC & DURAPLUS™	ENERGYSENSE™
120	120	120	140	140	140	120
-	-	-	-	-	-	-
•	•					
•	•	•	•	•	•	•
		•		•	•	
•	•					
Refer to International catalog	P. 66	P. 70	Refer to International catalog	Refer to International catalog	P. 74	Refer to International catalog



PRODUCT MATRIX PORTABLE SPAS RANGE

PALM SPRINGS
60017
60018

HONOLULU
60019
60020

HAWAII
60021
60022

ST. MORITZ
60023
60024

MAURITIUS
60067

GRENADA
60135
60136

HELSINKI
60025
60026

MILAN
60029
60030

VANCOUVER
60027
60028

HAWAII
60031
60032

SANTORINI
60075
60076

MALDIVES
60033
60034



CAPACITY	4-6 ADULTS	4-6 ADULTS	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS	6-8 ADULTS	5-7 ADULTS
INFLATED SIZE	1.96 M X 71 CM (77" X 28")	1.96 M X 71 CM (77" X 28")	1.80 M X 1.80 M X 71 CM (71" X 71" X 28")	2.16 M X 71 CM (85" X 28")	2.70 M X 1.80 M X 71 CM (8'11" X 71" X 28")	2.36 M X 71 CM (93" X 28")	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.46 M (57")	1.46 M (57")	1.30 M X 1.30 M (51" X 51")	1.66 M (65")	2.20 M X 1.30 M (7'3" X 51")	1.86 M (73")	1.70 M (67")
WATER CAPACITY	916 L (242 GAL.)	916 L (242 GAL.)	840 L (222 GAL.)	1,190 L (314 GAL.)	1,370 L (362 GAL.)	1,350 L (357 GAL.)	1,123 L (297 GAL.)
MATERIAL	DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™	DURAPLUS™	DROPSTITCH
NUMBER OF AIRJETS	140	140	140	180	180	190	180
NUMBER OF HYDROJETS	-	-	-	-	-	-	-
SMART HUB APP							
FREEZE SHIELD™	•	•	•	•	•	•	•
LED LIGHTS							
FOOT MASSAGE							
MASSAGE REGULATION							
INTEGRATED SEATS							
PAGE	P. 78	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 82	P. 86	Refer to International catalog

4-6 ADULTS	3-5 ADULTS	4-6 ADULTS	5-7 ADULTS	5-7 ADULTS
1.96 M X 71 CM (77" X 28")	1.55 M X 60 CM (61" X 24")	1.80 M X 1.80 M X 71 CM (71" X 71" X 28")	2.16 M X 80 CM (85" X 31.5")	2.01 M X 2.01 M X 80 CM (79" X 79" X 31.5")
1.46 M (57")	1.45 M (57")	1.30 M X 1.30 M (51" X 51")	1.66 M (65")	1.51 M X 1.51 M (59" X 59")
916 L (242 GAL.)	804 L (213 GAL.)	795 L (210 GAL.)	1,190 L (314 GAL.)	1,050 L (277 GAL.)
DURAPLUS™	DROPSTITCH	DURAPLUS™	DURAPLUS™	DURAPLUS™
140	140	140	180	180
-	-	8	10	8
•	•			
•	•	•	•	•
			•	•
•	•		•	•
•	•			
			•	•
Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog



PORTABLE SPAS



Aruba Airjet™

60061

NEW

FREEZE SHIELD™ TECHNOLOGY



CAPACITY 2-3 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (110 jets)
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER

PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™,
providing superior durability,
stretch resistance and
structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.




FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60061
WATER CAPACITY (80%)	605 L (160 GAL.)
INFLATED SIZE	1.70 M X 66 CM (67" X 26")
INNER SIZE	1.24 M (49")
FILLED WEIGHT	630 KG (1,389 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 32.41 KG (71.45 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Cancun Airjet™

60003

NEW GENERATION!

FREEZE SHIELD™ TECHNOLOGY



CAPACITY 2-4 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER

PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™,
providing superior durability,
stretch resistance and
structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.




FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60003
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	696 KG (1,534 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 33.93 KG (74.80 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Havana AirJet™

60035

NEW GENERATION!

FREEZE SHIELD™ TECHNOLOGY



BESTWAY SMART HUB™ APP



CAPACITY 2-4 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER



MASSAGE
REGULATION
2 Intensity Levels

PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™,
providing superior durability,
stretch resistance and
structural stability.

SPECIFICATIONS

ITEM NUMBER	60035
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	696 KG (1,534 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 33.93 KG (74.80 LBS)



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.



BESTWAY SMART HUB™ APP



This innovation makes the Lay-Z-Spa compatible with smart devices. The Spa Control section of the app lets users set their spa to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the Airjet massage system with the touch of a button!



FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

DIGITAL CONTROL PANEL



PORTABLE SPAS



Bali Airjet™

60009

NEW GENERATION!

FREEZE SHIELD™ TECHNOLOGY



WIRELESS LED REMOTE CONTROL



CAPACITY 2-4 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong DuraPlus™ walls are stress tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Remote-controlled multicolored LED light
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 LED light strip, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



7 colors LED light strip





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER



LED
LIGHT

PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™,
providing superior durability,
stretch resistance and
structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60009
WATER CAPACITY (80%)	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	696 KG (1,534 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 34.78 KG (76.68 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Paris Airjet™

60013

NEW GENERATION!

FREEZE SHIELD™ TECHNOLOGY



WIRELESS LED REMOTE CONTROL



CAPACITY 4-6 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (140 jets)
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Remote-controlled multicolored LED lights
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 LED light strip, filter cartridge (VI), 1 ChemConnect™ dispenser, repair patch, AirJet™ system




Filter Cartridge



ChemConnect™



7 colors LED light strip





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER



LED
LIGHT

PACKAGING

Packaging: Full Color Box



DURAPLUS™ COVER

Exterior cover is DuraPlus™,
providing superior durability,
stretch resistance and
structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60013
WATER CAPACITY (80%)	806 L (213 GAL.)
INFLATED SIZE	1.96 M X 66 CM (77" X 26")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	840 KG (1,851 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 40.07 KG (88.34 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Palm Springs AirJet™

60017

FREEZE
SHIELD™
TECHNOLOGY



CAPACITY
4-6
PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

*Contents: 1 spa, 1 pool cover,
1 spa pump, 1 ChemConnect™ dispenser,
filter cartridge (VI), repair kit,
AirJet™ system*




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER

PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™, providing superior durability, stretch resistance and structural stability.

DURAPLUS™ INTERNAL BEAMS

DELIVERING STRENGTH AND COMFORT
Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.


SPECIFICATIONS

ITEM NUMBER	60017
WATER CAPACITY (80%)	916 L (242 GAL.)
INFLATED SIZE	1.96 M X 71 CM (77" X 28")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	954 KG (2,103 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5 - 2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 41.49 KG (91.47 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Mauritius Airjet™

60067

NEW

FREEZE SHIELD™ TECHNOLOGY



CAPACITY 5-7 PEOPLE



NEW WOODEN EMBOSSING

Main features:

- Soothing AirJet™ bubble massage system (180 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes two cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER


PACKAGING

Packaging: Full Color Box



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™, providing superior durability, stretch resistance and structural stability.



DURAPLUS™ INTERNAL BEAMS

DELIVERING STRENGTH
AND COMFORT
Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60067
WATER CAPACITY (80%)	1,370 L (362 GAL.)
INFLATED SIZE	2.70 M X 1.80 M X 71 CM (8'11" X 71" X 28")
INNER SIZE	2.20 M X 1.30 M (7'3" X 51")
FILLED WEIGHT	1,395 KG (3,076 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0 - 1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 49.87 KG (109.94 LBS)

DIGITAL CONTROL PANEL



PORTABLE SPAS



Grenada Airjet™

60135

NEW

FREEZE SHIELD™ TECHNOLOGY



CAPACITY 6-8 PEOPLE



Main features:

- Soothing AirJet™ bubble massage system (190 jets)
- Ultra-strong DuraPlus™ internal beams and outer walls offer superior structural stability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

Contents: 1 spa, 1 pool cover, 1 spa pump, 1 ChemConnect™ dispenser, filter cartridge (VI), repair kit, AirJet™ system




Filter Cartridge



ChemConnect™



DuraPlus™ Exterior Cover





SPA FEATURES



WARM AIR



MAX TEMP
40 °C (104 °F)



GROUND FAULT
DETECTION SYSTEM
* MOST SPAS HAVE GROUND FAULT
DETECTION SYSTEM (GDS).



NO TOOLS
REQUIRED



POWER
SAVING TIMER

PACKAGING

Packaging: Sturdy
Cardboard Box
with Pictures



DURAPLUS™ WALL & TOP RING

Exterior cover is DuraPlus™, providing superior durability, stretch resistance and structural stability.

DURAPLUS™ INTERNAL BEAMS

**DELIVERING STRENGTH
AND COMFORT**
Lay-Z-Spa's Beam construction is designed to offer superior structural stability while maintaining a comfortable surface for a luxurious, refreshing spa experience.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The Airjets work by releasing warm air into the water, surrounding you with a calming bubble massage.





FREEZE SHIELD™ TECHNOLOGY

These spas have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

SPECIFICATIONS

ITEM NUMBER	60135
WATER CAPACITY (80%)	1,350 L (357 GAL.)
INFLATED SIZE	2.36 M X 71 CM (93" X 28")
INNER SIZE	1.86 M (73")
FILLED WEIGHT	1,375 KG (3,032 LBS)
RATING	220-240V- 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0 - 1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS/EAC/CM
PACK/ GROSS WEIGHT	1 EA., 53.83 KG (118.67 LBS)

DIGITAL CONTROL PANEL






HYDRO-FORCE BOARDS

The engineering team at Bestway® has crafted and fine-tuned each Stand-Up paddleboard year after year to offer consumer's the most premium option at an affordable price.

94 Sea Breeze Set

96 White Cap Convertible Set

PRODUCT MATRIX
HYDRO-FORCE SUP RANGE



	AQUA JOURNEY set 65349/E	SEA BREEZE set 65340/E	WHITE CAP set 65342/E	WHITE CAP CONVERTIBLE set 65341/E	OCEANA CONVERTIBLE set 65350/E	HUAKA'I set 65346	KAHAWAI set 65308/E	AQUA CRUISE set 65348/E	AQUA INTLIDER set 65347	FREESOUL tech convertible set 65310/E	PANORAMA set 65363/E New	FASTBLAST tech set 65343/E																																																																																							
LENGTH	9 ft. (2.74 m)	10 ft. (3.05 m)	10 ft. (3.05 m)	10 ft. (3.05 m)	10 ft. (3.05 m)	10 ft. (3.05 m)	10 ft. 2 in. (3.10 m)	10 ft. 6 in. (3.20 m)	10 ft. 6 in. (3.20 m)	11 ft. 2 in. (3.40 m)	11 ft. 2 in. (3.40 m)	12 ft. 6 in. (3.81 m)																																																																																							
WIDTH	30 in. (76 cm)	33 in. (84 cm)	33 in. (84 cm)	33 in. (84 cm)	33 in. (84 cm)	33 in. (84 cm)	34 in. (86 cm)	30 in. (76 cm)	31 in. (79 cm)	35 in. (89 cm)	35 in. (89 cm)	30 in. (76 cm)																																																																																							
THICKNESS	4.75 in. (12 cm)	4.75 in. (12 cm)	4.75 in. (12 cm)	4.75 in. (12 cm)	4.75 in. (12 cm)	6 in. (15 cm)	6 in. (15 cm)	4.75 in. (12 cm)	4.75 in. (12 cm)	6 in. (15 cm)	6 in. (15 cm)	6 in. (15 cm)																																																																																							
WEIGHT CAPACITY	220 lbs (100 kg)	265 lbs (120 kg)	265 lbs (120 kg)	265 lbs (120 kg)	265 lbs (120 kg)	287 lbs (130 kg)	309 lbs (140 kg)	243 lbs (110 kg)	243 lbs (110 kg)	353 lbs (160 kg)	330 lbs (150 kg)	265 lbs (120 kg)																																																																																							
INTERNAL VOLUME	55 gal. (208 L)	67 gal. (256 L)	67 gal. (256 L)	67 gal. (256 L)	67 gal. (256 L)	84 gal. (320 L)	87 gal. (330 L)	64 gal. (243 L)	63 gal. (239 L)	96 gal. (366 L)	89 gal. (338 L)	92 gal. (349 L)																																																																																							
PRESSURE	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)	15 psi (1.03 bar)																																																																																							
SEATED OPTION				•	•	•				•		•																																																																																							
OARS	•	•	•	•	•	•	•	•	•	•	•	•																																																																																							
FINS	☾	☾	☾	☾	☾	☾	☾☾	☾	☾☾	☾☾	☾☾	☾																																																																																							
OVERALL PERFORMANCE	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████	<table border="0"> <tr> <td>MANEUVERABILITY</td><td>██████████</td> <td>TRACKING</td><td>██████████</td> </tr> <tr> <td>STABILITY</td><td>██████████</td> <td>SPEED</td><td>██████████</td> </tr> </table>	MANEUVERABILITY	██████████	TRACKING	██████████	STABILITY	██████████	SPEED	██████████
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
MANEUVERABILITY	██████████	TRACKING	██████████																																																																																																
STABILITY	██████████	SPEED	██████████																																																																																																
PAGE	Refer to International Catalog	PG. 94	Refer to International Catalog	PG. 96	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog	Refer to International Catalog																																																																																							

BOARDS



Sea Breeze Set

65340



- Inflated Size** 10' x 33" x 4.75"
(3.05 m x 84 cm x 12 cm)
- Category** All-Around
- Features** Drop stitch
- Contents** Contents: Paddleboard, paddle, hand pump, backpack, coiled leash, fin, repair kit



- Weight Capacity** 265 lbs (120 kg)
- Passengers** 1
- Case Pack** 1 pcs
- Lb. (kg)** 26.8 lbs (12.2 kg)
- Packaging** Full color box



BOARDS



White Cap Convertible Set

65341



- Inflated Size** 10' x 33" x 4.75"
(3.05 m x 84 cm x 12 cm)
- Category** All-Around
- Features** Drop stitch
- Contents** Contents: Paddleboard, paddle, hand pump, backpack, coiled leash, seat, footrest, fin, repair kit



- Weight Capacity** 265 lbs (120 kg)
- Passengers** 1
- Case Pack** 1 pcs
- Lb. (kg)** 30.7 lbs (13.9 kg)
- Packaging** Full color box





Summer

Bestway® has all the makings for summertime fun. Stylish and comfortable lounges make the best summer ever for your customers. Make it a Bestway® summer!

102 Flex 'N Fold™
Chair Lounge

103 Flex 'N Fold™
Lounge

104 Aqua
Lounge

104 Aqua
Hammock

105 Sparkle Sheel™
Kiddie Pool

1. PORTABLE PACKAGING



2. COMPACT DESIGN



3. POPS UP IN SECONDS



4. EASY TO TWIST AND STORE



Flex 'N Fold™

Bring a vacation wherever you are with the new Flex 'n Fold™ line from Bestway®.

FUN, CONVENIENCE, LUXURY.



PDQ
AVAILABLE

- Dedicated PDQ solution for both items for effective showcase.
- Innovative structure
- Pops up in seconds The ComfortCool™ mesh seating area keeps you just below the surface of the water
- Durable, comfortable fabric cover resists puncture and damage.
- Large inflation/deflation valve



Flex 'N Fold™ Chair Lounge

43551

NEW!

- 1.06 m x 95 cm x 16 cm / 42" x 37.5" x 6"
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Convenient pop-up structure is ready for inflation in seconds
- Built-in supportive pillow
- Easy to twist and fold for quick and compact storage
- Carry bag with round insert card + PDQ
- Number of users: 1 adult
- Weight Capacity: 90 kg (198.42 lbs)
- 8 Ea., 9.88 kg. (21.78 Lb.)




Flex 'N Fold™ Lounge

43552

NEW!


- 1.71 m x 94 cm x 16 cm / 67.5" x 37" x 6"
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Convenient pop-up structure is ready for inflation in seconds
- Built-in supportive pillow
- Easy to twist and fold for quick and compact storage
- 1 cup holder
- Carry bag with round insert card + PDQ
- Number of users: 1 adult
- Weight Capacity: 130 kg (287 lbs)
- 8 Ea., 13.93 kg. (30.71 Lb.)




Aqua Lounge

43103

- 1.60 m x 84 cm / 63" x 33"
- Two air chambers
- Comfortable headrest
- Mesh bottom
- Two assorted colors
- Repair patch
- Full color box
- User capacity: 90 kg (198 lbs)
- Number of users: 1 adult
- 8 Ea., 6.1 kg (13.4 lbs)



Comfortable headrest



Mesh bottom



Aqua Hammock

43300

- 1.60 m x 84 cm / 63" x 33"
- Two air chambers
- Comfortable headrest
- Mesh bottom
- Repair patch
- Full color box
- User capacity: 90 kg (198 lbs)
- Number of users: 1 adult
- 8 Ea., 5.8 kg (12.8 lbs)



Comfortable headrest



Mesh bottom

Sparkle Sheel™ Kiddie Pool

52489

NEW!

- 1.50 m x 1.27 m x 43 cm / 59" x 50" x 17"
- 2 ring pool
- Fun shell shape
- Infused with silver INTLitter that sparkles in the sunlight
- Release pool water with the easy-to-use drain valve
- Water capacity: 230 L (61 gal.)
- Repair Patch
- Full color box
- 4Ea., 8.1 kg (17.8 Lb.)



SPECIAL EDITION *Collection* 2022

Bestway